

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: DINAH 23 FEDERAL Well Location: T17S / R28E / SEC 23 / County or Parish/State: EDDY /

SWSW / 32.8159098 / -104.153051

Well Number: 1 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: FEE Unit or CA Name: DINAH 23 FED COM Unit or CA Number:

NMNM94517

US Well Number: 3001528946 Operator: SPUR ENERGY PARTNERS

LLC

Subsequent Report

Sundry ID: 2819634

Type of Submission: Subsequent Report

Type of Action: Temporary Abandonment

Date Sundry Submitted: 10/29/2024 Time Sundry Submitted: 01:54

Date Operation Actually Began: 10/25/2024

Actual Procedure: Please find procedure and, wellbore diagram and passing MIT/bradenhead tests for your review.

SR Attachments

Actual Procedure

Dinah_23_Fed_Com_1_Subsequent_TA_Submittal_20241029135439.pdf

SR Conditions of Approval

Specialist Review

TA_COA_20241101133635.pdf

Page 1 of 2

eceived by OCD: 11/4/2024 7:18:43 AM Well Name: DINAH 23 FEDERAL

Well Location: T17S / R28E / SEC 23 /

SWSW / 32.8159098 / -104.153051

County or Parish/State: Page 2 of

Well Number: 1

Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

Lease Number: FEE

Unit or CA Name: DINAH 23 FED COM

NMNM94517

Unit or CA Number:

US Well Number: 3001528946

Operator: SPUR ENERGY PARTNERS

LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN Signed on: OCT 29, 2024 01:54 PM

Name: SPUR ENERGY PARTNERS LLC

Title: Regulatory Director

Street Address: 9655 KATY FREEWAY SUITE 500

City: HOUSTON State: TX

Phone: (281) 642-5503

Email address: SCHAPMAN@SPURENERGY.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Approved Disposition Date: 11/01/2024

Signature: Jonathon Shepard

Page 2 of 2

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

| FORM APPROVED |
|--------------------------|
| OMB No. 1004-0137 |
| Expires: October 31, 202 |

| BUREAU OF LAND MANAGEMENT | | | 5. Lease Serial No. | | | |
|--|--|-------------------------|---------------------|---------------------------------|------------|----------------------------------|
| Do not use this t | IOTICES AND REPC form for proposals t Use Form 3160-3 (A | o drill or to re- | enter an | 6. If Indian, Allottee or Tribe | e Name | |
| SUBMIT IN T | TRIPLICATE - Other instru | octions on page 2 | | 7. If Unit of CA/Agreement | Name and | l/or No. |
| 1. Type of Well Oil Well Gas W | Vell Other | | | 8. Well Name and No. | | |
| 2. Name of Operator | | | | 9. API Well No. | | |
| 3a. Address | | 3b. Phone No. (inclu | de area code) | 10. Field and Pool or Explor | atory Area | 1 |
| 4. Location of Well (Footage, Sec., T.,R | R.,M., or Survey Description) | | | 11. Country or Parish, State | | |
| 12. CHE | CK THE APPROPRIATE BO | OX(ES) TO INDICAT | ΓΕ NATURE | OF NOTICE, REPORT OR O | THER DA | ΓΑ |
| TYPE OF SUBMISSION | | | TYP | E OF ACTION | | |
| Notice of Intent | Acidize Alter Casing | Deepen Hydraulic 1 | Fracturing | Production (Start/Resume | | Water Shut-Off Well Integrity |
| Subsequent Report | Casing Repair | New Const | _ | Recomplete | _ | Other |
| Subsequent Report | Change Plans | Plug and A | bandon | Temporarily Abandon | | |
| Final Abandonment Notice | Convert to Injection | Plug Back | | Water Disposal | | |
| is ready for final inspection.) | true and someth News (D.) | utod/Timed) | | | | |
| 14. I hereby certify that the foregoing is | true and correct. Name (Pri | nted/Typed) Title | | | | |
| | | Title | | | | |
| Signature | | Date | : | | | |
| | THE SPACE | FOR FEDERA | L OR STA | ATE OFICE USE | | |
| Approved by | | | | | | |
| | | | Title | | Date | |
| Conditions of approval, if any, are attack certify that the applicant holds legal or ewhich would entitle the applicant to con | equitable title to those rights i | | Office | | ' | |
| Title 18 U.S.C Section 1001 and Title 43 | 3 U.S.C Section 1212, make | it a crime for any pers | son knowingl | y and willfully to make to any | departmen | t or agency of the United States |

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

 $0. \ SHL: \ SWSW \ / \ 1077 \ FSL \ / \ 660 \ FWL \ / \ TWSP: \ 17S \ / \ RANGE: \ 28E \ / \ SECTION: \ 23 \ / \ LAT: \ 32.8159098 \ / \ LONG: \ -104.153051 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ BHL: $\ SWSW \ / \ 1077 \ FSL \ / \ 660 \ FWL \ / \ TWSP: \ 17S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations/open hole/kick off point. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.

| Dinah 23 Fed Com 1 TA Daily Ops Summary | | | | | |
|---|---|--|--|--|--|
| 10/25/2024 | Arrived on location and held pre-job safety meeting. Rigged up crane and wireline truck. Rigged down wellhead flange, and rigged up 3-5K flange and began running in the hole with a junk basket and a collar locator. Fluid level was 2300'. Decided on a set point of 9760' approximately 50' above ATOKA perforations. Pulled string out of the hole to prep for CIBP setting run. Rigged up plug setting tool and ran in the hole to set the plug at 9760'. Set CIBP then stopped pulling out of the hole at 2492.2 to allow kill truck to fill wellbore with packer fluid and perform pressure test. Had to replace packoff assembly o-ring before we could finish filling the wellbore. Pressured up wellbore to 500psi. Held for thirty minutes. Then picked up dump bailer. Dumped 6 sacks of cement on top of CIBP in two bailing runs. Then rigged down the crane and wireline unit, cleaned up location, secured the well and left location. Mechanical Integrity Test was scheduled for | | | | |
| | Monday, October 28 th at 8am. Engineer, BLM and NMOCD Rep, and kill truck | | | | |
| 10/28/2024 | driver arrived on location to perform MIT. Pressured well up to approx. 550psi and tested with a pressure recorder for 30 minutes. The wells TA passed the MIT. Paperwork from NMOCD sent back to office with engineer. | | | | |

Eddy County, NM API# 30-015-28946

CURRENT WBD SPUD DATE: 5/27/1996 Dinah 23 Federal Com #1 ELEV: 3590' GL 13-3/8" 48.5# Csg @ 560" CMT W/ 575 SX C, CIRC TO SURF 9-5/8" 36# Csg @ 2,650" CMT W/ 950 SX C, CIRC TO SURF TOC @ 5,858' (CBL) TUBING DETAIL (3/15/2023) 5 1/2" WPL RETRIEVABLE PKR @ 10,083" WOLFCAMP PERFS (7,862'-7,872') 11/5/00: PERF & ACIDIZE W/ 1000 GALS 15% NEFE 8/2/01: Sqz'p & PRESSURE TESTED CIBP @ 9760' SET 10/25/2024 CIBP @ 10,058' w/ 35' CMT SET ON 3/10/23 6 sxs of H Class CMT on top Estimated fill of 35.8ft CIBP @ 9,806' w/ 35' CMT DRILLED OUT 8/2/01 ATOKA PERFS (9,810'-9,817') 7/19/96: ACIDIZE W/ 2200 GALS 8/2/01: SQZ'D & PRESSURE TESTED CIBP @ 10,200' w/ 35' CMT (7/19/96) DRILLED OUT 8/2/01 Morrow Perfs (10,163'-10,338') 7/19/96: PERF 10,224'-10,252' 8/2/01: PERF 10,163'-69', 10,322'-26', 10,332'-38' 5-1/2" 15.5/17# Csg @ 10.560" CMT w/ 1440 sx H TOC @ 5,858' (CBL) TD @ 10,560'

PBTD @ 10,180'

State of New Mexico Energy, Minerals and Natural Resources Department

| 1261.A | ä | HOIL | DIV | 1510 | I AI | tesiz | DE | trict | U |
|--------|---|--------|-----|------|-------|-------|---------|-------|---|
| mm | | RA WAR | | AE | CL AN | OUT I | A 17.73 | ∧ma | , |

| CONTRACTOR OF THE CONTRACTOR O | / | ACOL CACA | | | |
|--|---------------------------------|--|-------------|------------|-------------|
| Operator Name | | NAME OF THE PERSON OF THE PERS | 21 | 'API Numbe | 50011 |
| Sour Energ | 1 L | TO PAPER STORE SOCIAL PROPERTY AND ADDRESS OF THE PAPER | 120. | 015 | 18946 |
| Property Na Name of the Control of t | dera | aranamente es antigres, c | | W | ell No. |
| | ¹ . Surface Location | | | | |
| M 23 175 28E | Feet from 10 77 | N/S Line | Feet From | E/W Line | Edd U |
| | Well Status | | | | 7 |
| YES TA'D WELL NO YES SHUT-IN NO | INJECTOR INJ SV | ND OIL | PRODUCER GA | 5/10/2 | DATE 8/2024 |
| | | | | | 1 |

OBSERVED DATA

| page paga ang mantas santa santa mantaba hiya di sila. Santila 18 ani ila unita ang mana ana santaba ang mantaba man kana santaba ang mantaba man kana santaba ang mantaba ang | (A)Surface | (B)Interm(1) | (C)Interm(Z) | (D)Prod Csng | (E)Tubing |
|--|------------|--|--------------|--|--|
| Pressure | 0 | Company of the control of the contro | | 200 | TA |
| Flow Characteristics | | ZZYG E GANTYSKI I KUNGOLOGI ZAMIN MAKAMPANJA SAMAN APPRICE GARAL | | Control of the second s | Series Se |
| Puff | (Y) N | (Y) N | Y/N | (Y) N | CO2 WTR |
| Steady Flow | Y/W | Y/W | Y/N | Y/N) | GAS |
| Surges | Y/N | YIN | Y/N | YIN | Type of Fizid |
| Down to nothing | YN | א ו(צ) | YIN | N (Y) | Injected for Weterflood H |
| Gas or Oil | YIN | YIN | YIN | YIN | applies. |
| Water | YIN | YIN | Y/N | YIN | |

Remarks - Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies. Initial T/ABHTOK

prod csg had 200 # bled down to nothing in Imin (dry)

| | | E CONTRACTOR DE |
|-----------------|---------------------------|--|
| Signature: | | OIL CONSERVATION DIVISION |
| Printed name: | | Entered into RBDMS |
| Title: | | Re-test 200 |
| E-mail Address: | | 7/1 |
| Date: | Phone: | |
| | Witness: Carona Langue | io |
| | Hill Exper BLM | Period & Substitute of the second sec |
| | INSTRUCTIONS ON BACK OF I | HIS FORM |
| | | Release |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 398616

CONDITIONS

| Operator: | OGRID: |
|--------------------------|---|
| Spur Energy Partners LLC | 328947 |
| 9655 Katy Freeway | Action Number: |
| Houston, TX 77024 | 398616 |
| | Action Type: |
| | [C-103] Sub. Temporary Abandonment (C-103U) |

CONDITIONS

| Created By | Condition | Condition Date |
|---------------|------------------------------------|-------------------|
| kfortner | Federal well follow BLM guidelines | 11/4/2024 |