Anderson Fed Com 553H 30-025-48997

Interval information for the intermediate casing for:

9-5/8" 40# J-55 BTC 0'-3364'

9-5/8" 40# HCL-80 BTC 3364'-4746'

Received by MCD: S1/4/2024 1:57:51 PM U.S. Department of the Interior		Sundry Print Report 11/04/2024
BUREAU OF LAND MANAGEMENT		
Well Name: ANDERSON FED COM	Well Location: T22S / R32E / SEC 2 / LOT 3 / 32.427546 / -103.646864	County or Parish/State: LEA / NM
Well Number: 553H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM120905	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548997	Operator: ADVANCE ENERGY PARTNERS HAT MESA LLC	

Subsequent Report

Sundry ID: 2663518

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/23/2022

Date Operation Actually Began: 08/20/2021

Type of Action: Drilling Operations

8

Time Sundry Submitted: 12:10

Actual Procedure: Spud Date: 08/20/2021 Hole Size: 17.5" Casing Ran: 13.375", 68#, J-55 BTC Set @ 1,247' MD/1,246' TVD Surface Cement: : PUMP 5 BBLS OF WATER AND TEST LINES TO 3000 PSI. PUMP CEMENT AS FOLLOWS: 20 BBLS OF GREEN DYED FRESH WATER SPACER. LEAD: 650 SX, 220 BBLS, (1.9 CUFT/SK) OF 12.8 PPG, 90% EXCESS. TAIL: 215 SX, 51.7 BBLS, (1.35 CUFT/SK) OF 14.8 PPG., 20% EXCESS. DROP PLUG AND DISPLACE 180 BBLS OF 10 PPG BRINE AT 8 BPM. SLOW DOWN TO 4 BPM FOR LAST 30 BBLS. BUMP WITH 1000 PSI. FINAL LIFT 445 PSI. BLED BACK 1 BBL. FLOATS HELD. FULL RETURNS THROUGHOUT JOB. CIRCULATED 130 BBLS (384 SX) CEMENT TO SURFACE. TEST CASING TO 1500 PSI FOR 30 MINUTES - GOOD TEST.

Received by OCD: 11/4/2024 1:57:51 PM Well Name: ANDERSON FED COM	Well Location: T22S / R32E / SEC 2 / LOT 3 / 32.427546 / -103.646864	County or Parish/State: LERY of 18
Well Number: 553H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM120905	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548997	Operator: ADVANCE ENERGY PARTNERS HAT MESA LLC	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: EILEEN KOSAKOWSKI

Signed on: MAR 23, 2022 12:13 PM

Name: ADVANCE ENERGY PARTNERS HAT MESA LLC

Title: Regulatory Analyst

Street Address: 5400 LBJ FREEWAY, STE 1500

City: DALLAS

State: TX

Phone: (972) 371-5200

Email address: EILEEN.KOSAKOWSKI@MATADORRESOURCES.COM

Field

Representative Name: Street Address: City: State: Phone: Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard

BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov

Zip:

Disposition Date: 04/17/2022

Received by OCD: 11/4/2024 1:57:51 PM

<i>cectrea by 0 cb</i> . 11/1/2				1 uge + of
Form 3160-5 UNITED STATES (June 2019) DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT		FORM API OMB No. 1 Expires: Octob 5. Lease Serial No.	004-0137	
Do not use		ORTS ON WELLS to drill or to re-enter an APD) for such proposals.	6. If Indian, Allottee or Tribe Name	
	MIT IN TRIPLICATE - Other inst	ructions on page 2	7. If Unit of CA/Agreement, Name and/c	or No.
1. Type of Well	Gas Well Other		8. Well Name and No.	
2. Name of Operator			9. API Well No.	
3a. Address 3b. Phone No. (include area code)		10. Field and Pool or Exploratory Area		
4. Location of Well (Footage,	Sec., T.,R.,M., or Survey Description	1)	11. Country or Parish, State	
	12. CHECK THE APPROPRIATE I	BOX(ES) TO INDICATE NATURE	DF NOTICE, REPORT OR OTHER DATA	1
TYPE OF SUBMISSIO	N	TYP	E OF ACTION	
Notice of Intent	Acidize	Deepen Hydraulic Fracturing		ater Shut-Off ell Integrity
Subsequent Report	Casing Repair Change Plans ice Convert to Injectio	New Construction Plug and Abandon Plug Back	Recomplete Ot Temporarily Abandon Water Disposal	her
 Describe Proposed or Con the proposal is to deepen of the Bond under which the completion of the involved 	pleted Operation: Clearly state all p irectionally or recomplete horizonta work will be perfonned or provide t operations. If the operation results ment Notices must be filed only after	ertinent details, including estimated a lly, give subsurface locations and me he Bond No. on file with BLM/BIA. in a multiple completion or recompletion	starting date of any proposed work and app asured and true vertical depths of all pertir Required subsequent reports must be filed tion in a new interval, a Form 3160-4 mus tion, have been completed and the operato	ent markers and zones. Attach within 30 days following t be filed once testing has been

14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)			
т	ïtle		
Similar	N-4-		
D	Date		
THE SPACE FOR FEDER	AL OR STATE OF	CE USE	
Approved by			
	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any pany false, fictitious or fraudulent statements or representations as to any matter within it		ully to make to any department or agency of the U	nited States

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: LOT 3 / 180 FNL / 2188 FWL / TWSP: 22S / RANGE: 32E / SECTION: 2 / LAT: 32.427546 / LONG: -103.6486864 (TVD: 0 feet, MD: 0 feet) PPP: LOT 3 / 275 FNL / 1812 FWL / TWSP: 22S / RANGE: 32E / SECTION: 2 / LAT: 32.4272858 / LONG: -103.6480822 (TVD: 10977 feet, MD: 11019 feet) PPP: SESW / 0 FSL / 1650 FWL / TWSP: 21S / RANGE: 32E / SECTION: 35 / LAT: 32.428094 / LONG: -103.648607 (TVD: 11140 feet, MD: 11367 feet) PPP: SENW / 2640 FNL / 1650 FWL / TWSP: 21S / RANGE: 32E / SECTION: 35 / LAT: 32.435312 / LONG: -103.64859 (TVD: 11150 feet, MD: 14000 feet) BHL: SESW / 2540 FSL / 1254 FWL / TWSP: 21S / RANGE: 32E / SECTION: 26 / LAT: 32.445911 / LONG: -103.648594 (TVD: 11150 feet, MD: 17860 feet)

Received by MCD.S1/4/2024 1:57:51 PM U.S. Department of the Interior		Sundry Print Report 11/04/2024
BUREAU OF LAND MANAGEMENT		an alter Allander
Well Name: ANDERSON FED COM	Well Location:	County or Parish/State:
Well Number: 553H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM120905	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548997	Operator: ADVANCE ENERGY PARTNERS HAT MESA LLC	

Subsequent Report

Sundry ID: 2663520

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/23/2022

Date Operation Actually Began: 08/23/2021

Type of Action: Drilling Operations Time Sundry Submitted: 12:12 8

Actual Procedure: 8/23/21 Casing Ran: 9.625", 40#, J55 and HCL-80 BTC Set @ 4,746' MD/4,745' TVD and 3,364' MD/3,363' TVD Intermediate Cement: PUMP 3 BBLS OF WATER AND TEST LINES TO 4000 PSI. PUMP CEMENT AS FOLLOWS: 50 BBLS OF GREEN DYED FRESH WATER SPACER. LEAD:1380 SX, 452 BBLS, (1.84 CUFT/SK) OF 12.8 PPG. TAIL: 310 SX, 67.4 BBLS, (1.22 CUFT/SK) OF 15.6 PPG. DROP PLUG AND DISPLACE 354 BBLS (FIRST 154 FRESH, FINAL 200 BBLS BRINE) AT 8 BPM. SLOW DOWN TO 4 BBLS/MIN FOR LAST 30 BBLS. BUMP WITH 2070 PSI. FINAL LIFT 1380 PSI. INFLATE PACKER WITH 1/4 BBL AT 2835 PSI. BLED BACK 2.5 BBL. FLOATS HELD. 234 BBLS OF CEMENT TO SURFACE. 714 SX

Received by OCD: 11/4/2024 1:57:51 PM Well Name: ANDERSON FED COM	Well Location:	County or Parish/State: Page 8 of 1
Well Number: 553H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM120905	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548997	Operator: ADVANCE ENERGY PARTNERS HAT MESA LLC	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: EILEEN KOSAKOWSKI

Signed on: MAR 23, 2022 12:14 PM

Name: ADVANCE ENERGY PARTNERS HAT MESA LLC

Title: Regulatory Analyst

Street Address: 5400 LBJ FREEWAY, STE 1500

City: DALLAS

State: TX

Phone: (972) 371-5200

Email address: EILEEN.KOSAKOWSKI@MATADORRESOURCES.COM

Field

Representative Name: Street Address: City: State: Phone: Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard

BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov

Zip:

Disposition Date: 04/17/2022

Released to Imaging: 11/4/2024 3:39:40 PM

Received by OCD: 11/4/2024 1:57:51 PM

<i>cceived by</i> 0 cD . 11/4/2				I uge > 0j
Form 3160-5 UNITED STATES (June 2019) DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT		E INTERIOR	ON	DRM APPROVED //B No. 1004-0137 res: October 31, 2021
Do not use	• •	PORTS ON WELLS s to drill or to re-enter an (APD) for such proposals.	6. If Indian, Allottee or Tribe Na	ame
SUB	MIT IN TRIPLICATE - Other ins	structions on page 2	7. If Unit of CA/Agreement, Na	me and/or No.
1. Type of Well Oil Well Gas Well Other			8. Well Name and No.	
2. Name of Operator			9. API Well No.	
3a. Address		3b. Phone No. <i>(include area code)</i>	10. Field and Pool or Explorato	ry Area
4. Location of Well (Footage, S	lec., T.,R.,M., or Survey Description	on)	11. Country or Parish, State	
1	2. CHECK THE APPROPRIATE	BOX(ES) TO INDICATE NATURE (J DF NOTICE, REPORT OR OTHI	ER DATA
TYPE OF SUBMISSIO	ł	TYPE	E OF ACTION	
Notice of Intent	Acidize Alter Casing	Deepen [Hydraulic Fracturing]	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandon	Recomplete Temporarily Abandon	Other
Final Abandonment Not	ce Convert to Injecti	on Plug Back	Water Disposal	
the proposal is to deepen d the Bond under which the completion of the involved	rectionally or recomplete horizon work will be perfonned or provide operations. If the operation result nent Notices must be filed only af	tally, give subsurface locations and me the Bond No. on file with BLM/BIA. I	asured and true vertical depths of Required subsequent reports must stion in a new interval, a Form 310	60-4 must be filed once testing has been

14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)			
	Title		
Signature	Date		
THE SPACE FOR FEDE	ERAL OR STATE	OFICE USE	
Approved by			
	Title		Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lead which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for an any false, fictitious or fraudulent statements or representations as to any matter within		willfully to make to any do	epartment or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

.

R	eceived by UCD: 51/4/2024 1:57:51 PM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 11/04/2024
$\left(\right)$	Well Name: ANDERSON FED COM	Well Location: T22S / R32E / SEC 2 / LOT 3 / 32.427546 / -103.646864	County or Parish/State: LEA / NM
	Well Number: 553H	Type of Well: OIL WELL	Allottee or Tribe Name:
	Lease Number: NMNM120905	Unit or CA Name:	Unit or CA Number:
	US Well Number: 3002548997	Operator: ADVANCE ENERGY PARTNERS HAT MESA LLC	

Subsequent Report

Sundry ID: 2663521

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/23/2022

Date Operation Actually Began: 10/14/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 12:13

Actual Procedure: Casing Ran: 5.5", 23#, P110 CDC-HTQ Set @ 18,962' MD/10,950' TVD Production Cement: PUMP 2 BPM H20 AND TEST LINES TO 7500 PSI. PUMP CEMENT AS FOLLOWS: 40 BBLS 10.3# WEIGHTED SPACER; LEAD: 990 SKS, 597 BBLS (3.39 CUFT/SK) 10.7 PPG, 50% EXCESS; TAIL: 2220 SKS, 478 BBLS (1.21 CUFT/SK) 14.5 PPG, 20% EXCESS; DROP PLUG AND DISPLACE 401 BBLS FRESH WATER + 0.25 GPT PLEXCIDE 24L+1GPT CORPLEX (1ST 10 BBLS SUGAR WATER MIX) AT 6 BPM. SLOW RATE TO 4 BPM FOR FINAL 30 BBLS. FCP AT 4 BBL/ MIN. - 2350 PSI. BUMP TO 3150 PSI. PRESSURE UP TO 4200 PSI AND RUPTURE DISC IN WET SHOE. PUMP 5 BBLS ADDITIONAL. 2.5 BBLS BACK TO TRUCK MONITOR FLOATS FOR 5 MINUTES - FLOATS HELD. RIG DOWN CEMENTERS. 177 BBLS OF CEMENT BACK TO SURFACE. INSTALL PACKOFF INTO WELLHEAD. LOCK IN, PULL TEST TO 50K OVER STRING WEIGHT, TEST SEALS TO 5,000 PSI- GOOD TESTS

Received by OCD: 11/4/2024 1:57:51 PM Well Name: ANDERSON FED COM	Well Location: T22S / R32E / SEC 2 / LOT 3 / 32.427546 / -103.646864	County or Parish/State: LEA 13 of 18 NM
Well Number: 553H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM120905	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548997	Operator: ADVANCE ENERGY PARTNERS HAT MESA LLC	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: EILEEN KOSAKOWSKI

Signed on: MAR 23, 2022 12:16 PM

Name: ADVANCE ENERGY PARTNERS HAT MESA LLC

Title: Regulatory Analyst

Street Address: 5400 LBJ FREEWAY, STE 1500

City: DALLAS

State: TX

Phone: (972) 371-5200

Email address: EILEEN.KOSAKOWSKI@MATADORRESOURCES.COM

Field

Representative Name: Street Address: City: State: Phone: Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard

BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov

Zip:

Disposition Date: 04/17/2022

Received by OCD: 11/4/2024 1:57:51 PM

eceived by OCD. 11/4/202	T 1.5/.51 1 1/1			1 uge 14 0j
Form 3160-5 UNITED STATES (June 2019) DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT		INTERIOR	0.	ORM APPROVED MB No. 1004-0137 ires: October 31, 2021
Do not use th	• •	ORTS ON WELLS to drill or to re-enter an APD) for such proposals.	6. If Indian, Allottee or Tribe N	lame
SUBMI	IN TRIPLICATE - Other inst	ructions on page 2	7. If Unit of CA/Agreement, N	ame and/or No.
1. Type of Well	Gas Well Other		8. Well Name and No.	
2. Name of Operator			9. API Well No.	
3a. Address		3b. Phone No. <i>(include area code)</i>	10. Field and Pool or Exploratory Area	
4. Location of Well (Footage, Sec.	, T.,R.,M., or Survey Description	1)	11. Country or Parish, State	
12.	CHECK THE APPROPRIATE I	30X(ES) TO INDICATE NATURE (J DF NOTICE, REPORT OR OTH	IER DATA
TYPE OF SUBMISSION		TYPE	E OF ACTION	
Notice of Intent	Acidize	Deepen [Hydraulic Fracturing]	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair Change Plans	New Construction [Recomplete Temporarily Abandon	Other
Final Abandonment Notice	Convert to Injectio		Water Disposal	
the proposal is to deepen direct the Bond under which the wor completion of the involved op	tionally or recomplete horizonta k will be perfonned or provide t erations. If the operation results	Ily, give subsurface locations and me he Bond No. on file with BLM/BIA. I in a multiple completion or recomple	asured and true vertical depths o Required subsequent reports mus- tion in a new interval, a Form 31	rk and approximate duration thereof. If f all pertinent markers and zones. Attach st be filed within 30 days following 60-4 must be filed once testing has been ne operator has detennined that the site

14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)			
	Fitle		
Signature I	Date		
THE SPACE FOR FEDE	RAL OR STATE O	FICE USE	
Approved by			
	Title		Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant of certify that the applicant holds legal or equitable title to those rights in the subject least which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any any false, fictitious or fraudulent statements or representations as to any matter within		illfully to make to any d	epartment or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: LOT 3 / 180 FNL / 2188 FWL / TWSP: 22S / RANGE: 32E / SECTION: 2 / LAT: 32.427546 / LONG: -103.646864 (TVD: 0 feet, MD: 0 feet) PPP: LOT 3 / 275 FNL / 1812 FWL / TWSP: 22S / RANGE: 32E / SECTION: 2 / LAT: 32.4272858 / LONG: -103.6480822 (TVD: 10977 feet, MD: 11019 feet) PPP: SESW / 0 FSL / 1650 FWL / TWSP: 21S / RANGE: 32E / SECTION: 35 / LAT: 32.428094 / LONG: -103.648607 (TVD: 11140 feet, MD: 11367 feet) PPP: SENW / 2640 FNL / 1650 FWL / TWSP: 21S / RANGE: 32E / SECTION: 35 / LAT: 32.435312 / LONG: -103.64859 (TVD: 11150 feet, MD: 14000 feet) BHL: SESW / 2540 FSL / 1254 FWL / TWSP: 21S / RANGE: 32E / SECTION: 26 / LAT: 32.445911 / LONG: -103.648594 (TVD: 11150 feet, MD: 17860 feet)

Surface Casing Sundry
Andrews Fed Com FF3

DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)	GRADE	CONN	HOLE SZ (fraction)		HOLE DEPTH (feet)	DEPTH SET (fect)	PRESS HELD (DSI)	DURATION HELD (decimal hours)	TEST RESULT	STAGE	STAGE TOOL DEPTH (Btm)	LDSX	LD YIELD	TLSX	TL YIELD	TTLSX		(list)	TOP OF CMT (feet)	METHOD USED (list)	BBLS TO SURF (if circulated)	
8/21/2021	SURF	Fresh	54.50	J-55	Buttress	17-1/2*	13-3/8"	1262	1247	1500	0.5	Good Test	1		650	1.9	215	1.35	865	271.638	C	0	Circ	130	38
mediate Casing Sundry																									
anna Fad Cam FF3U																									
erson Fed Com 553H	070010	511115 TUDE		00105	00101	1015.03	000.07		DEDULARE		BURLWOULD B				10.01	10,000,0					01100	XOD OF OUX			
erson Fed Com 553H DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)	GRADE	CONN	HOLE SZ (fraction)	CSG SZ (fraction)		DEPTH SET (feet)	PRESS HELD	DURATION HELD (decimal hours)	TEST RESULT	STAGE	STAGE TOOL DEPTH (Btm)	LD SX	LD YIELD	TLSX	TL YIELD	TTLSX		CLASS (list)	TOP OF CMT (feet)	METHOD USED (list)	BBLS TO SURF (if circulated)	
	SURF			GRADE	CONN							TEST RESULT	STAGE		LD SX	LD YIELD	TL SX	TL YIELD	TTL SX						

DATE	STRING	FLUID TYPE	WT LB/FT	GRADE	CONN	HOLE SZ	CSG SZ	HOLE DEPTH	DEPTH SET	PRESS HELD	DURATION HELD	TEST RESULT	STAGE	STAGE TOOL	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBIs	CLASS	TOP OF CMT	METHOD USED	BBLS TO SURF	SX TO SURF
		(list)	(decimal)			(fraction)	(fraction)	(feet)	(feet)	(psi)	(decimal hours)			DEPTH (Btm)							(list)	(feet)	(Est)	(if circulated)	(if circulated)
8/21/2021	SURF	Fresh	54.50	J-55	Buttress	17-1/2*	13-3/8"	1262	1247	1500	0.5	Good Test	1		650	1.9	215	1.35	865	271.638	С	0	Circ	130	384
8/23/2021	INT 1	Brine	40.00	J-55/L-80	Buttress	12-1/4*	9-5/8*	4805	4746	1500	0.5	Good Test	1	3079	1380	1.84	310	1.22	1690	519.573	С	0	Circ	234	714
10/14/2021	PROD	Oil-Based Mud	23.00	HCP-110	CDC HTQ	8-1/2"	5-1/2*	18982	18962	1500	0.5	Good Test	1		990	3.39	2220	1.21	3210	1076.1	н	0	Circ	228	376

8/20/2021 Spud Well 10/7/2021 KOP 10/512 MD / 10,512 MD / 10,426 TVD 10/14/2021 Bit Release Date District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
MATADOR PRODUCTION COMPANY	228937
One Lincoln Centre	Action Number:
Dallas, TX 75240	399173
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition
		Date
sarah.clelland	None	11/4/2024

CONDITIONS

Page 18 of 18

.

Action 399173

Released to Imaging: 11/4/2024 3:39:40 PM