

Santa Fe Main Office

Phone: (505) 476-3441 Fax: (55) 476-3462

General Information

Phone: (505) 629-6116

Online Phone Directory Visit:

<https://www.emnrd.nm.gov/ocd/contact-us/>State of New Mexico
Energy, Minerals and Natural ResourcesForm C-103
Revised July 18, 2013OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-03509
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. EO-1819-4
7. Lease Name or Unit Agreement Name State P
8. Well Number #001
9. OGRID Number 14744
10. Pool name or Wildcat (61020) Turkey Track; 7 RVRS-QU-GB-SA

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator Mewbourne Oil Company	
3. Address of Operator 4801 Business Park Blvd. Hobbs, NM 88241	
4. Well Location Unit Letter <u> H </u> : <u> 1980 </u> feet from the <u> NORTH </u> line and <u> 330 </u> feet from the <u> East </u> line Section <u> 36 </u> Township <u> 18S </u> Range <u> 29E </u> NMPM <u> Eddy </u> County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3451' Ground level	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached final plugging report and wellbore schematics.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Bradley C Bishop TITLE Regulatory Manager DATE 11/04/2024

Type or print name Bradley Bishop E-mail address: bbishop@mewbourne.com PHONE: 575-393-5905

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Plug & Abandonment
Subsequent Report


Operator Name: Mewbourne Oil Company
Lease No.: EO-1819-4
Well Name: State P #1
API#: 30-015-03509
Location: Sec 36, T18S, R29E
1980' FNL & 330' FEL
Unit Letter H
Eddy Co., NM

Report:

10/8/2024 – MIRU plugging rig & equipment. Notified David Alvarado w/NMOCD. 10/9/2024 – POOH w/rods. ND WH & NU BOP. Unable to get tbg to come free. Pumped 7 BBW down tbg & pressured up. 10/10/2024 - MIRU HO unit. Pumped 5 BHFw down tbg & pressured up. Pumped 40 BHFw down 5 1/2" x 2 3/8" annulus. Tbg came free. POOH w/tbg. RU swivel. RIH w/4 3/4" bit & got to 2674'. 10/11/2024 – Unable to make additional hole. POOH w/bit. Cleaned bit & RIH. Broke circulation & got to 2736'. RD swivel. Start POOH w/tbg. 10/14/2024 – Finished POOH w/tbg. RIH w/CIBP on tbg. Set CIBP @ 2733'. Circulated well w/MLF. Leak tested 5 1/2" csg to 500# for 30 minutes, held OK. MIRU WL. Ran CBL from 2733' to surface. Located TOC @ 2304'. POOH w/WL. RIH w/tbg to 2733'. Spotted 45 sks Class C neat cmt on top of CIBP. POOH w/tbg & WOC. 10/15/2024 – RIH w/tbg & tagged TOC @ 2287'. POOH w/tbg. MIRU WL. RIH w/gun on WL & perf 5 1/2" csg @ 1380'. POOH w/WL. RIH w/pkr on tbg to 1170'. Established injection rate. Squeezed 30 sks Class C neat cmt through perfs. WOC. RIH w/WL & did not tag TOC. POOH w/WL. Notified David Alvarado w/NMOCD. 10/16/2024 – RIH w/pkr on tbg to 1170'. Attempted to pump 8 sks Starseal LCM down 5 1/2" csg but pressured up. Notified David Alvarado w/NMOCD. RIH w/WL. Perf 5 1/2" csg @ 1330'. POOH w/WL. Unable to establish injection rate. Informed David Alvarado w/NMOCD. RIH w/tbg to 1430'. Spotted 45 sks Class C neat cmt. POOH w/tbg & WOC. 10/17/2024 – RIH w/WL & tagged TOC @ 1032'. POOH w/WL. RIH w/WL to 419' & perf 5 1/2" csg. POOH w/WL. Attempted to establish injection rate through perfs & pressured up. Notified David Alvarado w/NMOCD. RIH w/tbg to 469'. Circulated 50 sks Class C neat cmt to surface. POOH w/tbg. WOC. 10/18/2024 – Verified cmt to surface in 5 1/2" csg. Pumped 55 sks Class C neat cmt down 8 5/8" x 5 1/2" annulus. WOC. 10/21/2024 - Well P&A'd effective 10/21/2024. Installed above ground dry hole marker. Sent pictures to David Alvarado w/NMOCD.

State P #001 – Final WBS

1980' FNL & 330' FEL, Sec. 36 – T18S – R29E, Eddy Co, NM
API#: 30-015-03509





State P #1

30-015-03509

32.705689, -104.020767

Eddy Co., NM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 399260

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 399260
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release CBL is on file DHM set 10/21/24	11/5/2024