

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: YUKON 20 FED COM Well Location: T24S / R34E / SEC 20 / County or Parish/State: LEA /

NENW / 32.2089657 / -103.4952813

Well Number: 505H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM17241 Unit or CA Name: Unit or CA Number:

INCORPORATED

Subsequent Report

Sundry ID: 2797681

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 06/27/2024 Time Sundry Submitted: 02:06

Date Operation Actually Began: 12/23/2021

Actual Procedure: REVISED 6-27-2024 ORIGINAL 2022 REJECTED BY NMOCD FOR PRESSURE TEST INFORMATION 12-23-2021 20" Conductor @ 122' 1-3-2022 17.5 HOLE 1-3-2022 Surface Hole @ 1,350' MD, 1,349' TVD Casing shoe @ 1,337' MD, 1,336' TVD Ran 13-3/8" 54.5# J-55 STC Cement w/ 570 sx Class C (1.78 yld, 13.5 ppg), followed by 1350 sx Class C (1.35 yld, 14.8 ppg) Test casing to 1,600 psi., for 30 min, good test, Circ 249 sx (79bbls/1.78) cement to surface BOP/DIVERTERS/ROTATING HEAD- INSTALL TEST PLUG WITH CACTUS. FILL STACK WITH FRESH WATER, TEST BOP'S TO BLM SPECIFICATIONS: TEST CHOKE MANIFOLD, UPPER AND LOWER PIPE RAMS, BLIND RAMS, ROADSIDE KILL, TIW & DART VALVES TO 250 PSI LOW & 10,000 PSI HIGH, TEST ANNULAR & STANDPIPE TO 250 PSI LOW & 5000 PSI HIGH, TEST ORBIT VALVE TO 250 PSI LOW & 500 PSI HIGH. PERFORM DRAW DOWN TEST 1-17-2022 12 1/4" HOLE 1-17-2022 1st Intermediate Hole @ 5,252' MD, 5,187' TVD Casing shoe @ 5,237' MD, 5,169' TVD Ran 9-5/8", 40#, J-55 LTC (0' - 3,972') Ran 9-5/8", 40#, HCK55 LTC (3,972' -5,145') Ran 9-5/8", 40#, HCL80 LTC (5,145' - 5,237') Cement w/ 1,030 sx Class C (2.19 yld, 12.7 ppg), followed by 305 sx Class C (1.39 yld, 14.8 ppg) Test casing to 2,000 psi., 30 min good test, Circ 205 sx (80bbls/2.19yld)cement to surface. Open Hole Sidetrack Sidetrack TD 11,146' Previous shoe is 5,237' MD / 5,166' TVD OH below shoe is 8.75" Sidetrack in the base of the curve @ 70° at 10,892' MD. Once sidetracked, production and drill lateral to TD. Production cement up to previous shoe as planned, isolating the original 983' of open lateral hole with cement. 2-4-2022 8 3/4" HOLE 2-4-2022 Production Hole @ 21,100' MD, 10,936' TVD Casing Shoe @ 21,080' MD, 10,934' TVD Ran 5- 1/2", 20#, ECP-110, DWC (MJ @ 296', @ 10,151' and 20,597') Cement w/ 385 sx Class C (4.06 yld, 10.5 ppg), followed by 2,780 sx Class H (2.40 yld, 11.5 ppg), No casing test . Did not circ cement to surface, TOC @ 1,035' by CALC. Waiting on CBL, RR 2-5-2022 Production casing will be tested prior to fracing and reported on the completion sundry.

Page 1 of 2

eived by OCD: 7/3/2024 7:02:43 AM Well Name: YUKON 20 FED COM

Well Location: T24S / R34E / SEC 20 /

NENW / 32.2089657 / -103.4952813

County or Parish/State: LEA?

Well Number: 505H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM17241

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002546975

Operator: EOG RESOURCES INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: EMILY FOLLIS Signed on: JUN 27, 2024 02:06 PM

Name: EOG RESOURCES INCORPORATED

Title: Sr. Regulatory Administrator

Street Address: 5509 Champions Drive

City: Midland State: TX

Phone: (432) 848-9163

Email address: emily_follis@eogresources.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition Date: 07/02/2024 **Disposition:** Accepted

Signature: Jonathon Shepard

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 360725

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
5509 Champions Drive	Action Number:
Midland, TX 79706	360725
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
sarah.clellan	PT details for the production casing must be submitted on the next drilling sundry.	11/6/2024