District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Proposed Alternative Method Permit or Closure Plan Application

Type of action: Glow grade tank registration Permit of a pit or proposed alternative method Glosure of a pit, below-grade tank, or proposed alternative method Glosure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method Glosure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request Instructions: Please submit one application of surface water. ground water or the revolution of the surface water. ground water or the revolution of the surface water. ground water or the revolution of the surface water. ground water or the repeated tanks. The surface water. ground water or the repeated provided the provided water APP APP	1 toposed 7 thermative interned 1 elimit of closure 1 tan 7 ipplication					
Rease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the intronument. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator:	BGT1 Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,					
Rease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the intronument. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator:	Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request					
Operator: Hilcorp Energy Company Address: 382 Road 3100	lease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.					
Address: 382 Road 3100						
Facility or well name:CURRENT						
API Number: 30-045-09726 OCD Permit Number: U/L or Qtr/Qtr						
U/L or Qtr/Qtr						
Center of Proposed Design: Latitude 36.82951						
Surface Owner: Federal State Private Tribal Trust or Indian Allotment Pit: Subsection F, G or J of 19.15.17.11 NMAC	U/L or Qtr/Qtr E Section 11 Township 30N Range 11W County: San Juan					
Pit: Subsection F, G or J of 19.15.17.11 NMAC	Center of Proposed Design: Latitude 36.82951 Longitude -107.96564 NAD27					
Temporary: Drilling Workover Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D 3. Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120	Surface Owner: Federal State Private Tribal Trust or Indian Allotment					
Volume: 120 bbl Type of fluid: Produced Water Tank Construction material: Metal Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other Unspecified 4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet	Temporary: Drilling Workover Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced					
Tank Construction material:						
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other Unspecified 4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet						
Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other Unspecified						
Liner type: Thicknessmil _ HDPE _ PVC OtherUnspecified						
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet	• —————————————————————————————————————					
☐ Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet						
☐ Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet	5.					
	☐ Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,					
Alternate. Please specify	Four foot height, four strands of barbed wire evenly spaced between one and four feet					
	Alternate. Please specify					

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
7. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC	
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptance are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	otable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	☐ Yes ☐ No ☑ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	☐ Yes ☐ No			
Temporary Pit Non-low chloride drilling fluid				
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No			
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Permanent Pit or Multi-Well Fluid Management Pit				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa				
lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:				
11.				
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Previously Approved Design (attach copy of design) API Number: or Permit Number:				

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	_		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached.	documents are		
☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
☐ Quality Control/Quality Assurance Construction and Installation Plan ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan			
Emergency Response Plan			
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan			
☐ Frosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
n e e e e e e e e e e e e e e e e e e e			
Proposed Closure: 19.15.17.13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F	luid Management Pit		
Proposed Closure Method: Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
☐ On-site Closure Method (Only for temporary pits and closed-loop systems) ☐ In-place Burial ☐ On-site Trench Burial			
Alternative Closure Method			
14.			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be colorure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
15.			
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. P. 19.15.17.10 NMAC for guidance.			
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells \[\textstyle \text{Yes} \substyle \text{No} \\ \textstyle \text{NA} \]			
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No		
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence	☐ Yes ☐ No		
at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site			
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No		
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance			

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division ☐ Yes ☐					
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map					
Within a 100-year floodplain. - FEMA map	☐ Yes ☐ No ☐ Yes ☐ No				
- гыма тар					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
17. Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and beli	ef.				
Name (Print): Title:					
Signature: Date:					
e-mail address: Telephone:					
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) COCD Conditions (see attachment)					
OCD Representative Signature:	4/2025				
Title: Environmental Scientist & Specialist-A OCD Permit Number: BGT1					
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 2/7/2025					
20. Closure Method: Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-logical of the different from approved plan, please explain.	oop systems only)				
21. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please in mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure for private land only) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation) ○ On-site Closure Location: Latitude Longitude NAD: □1927					

22.		
Operator Closure Certification:		
I hereby certify that the information and attachments submitted with the belief. I also certify that the closure complies with all applicable closure.		
	•	
Name (Print): Tammy Jones	Title:	Operations/Regulatory Technician – Sr
Signature: Tammy Jones		_ Date: 2/11/2025
e-mail address: tajones@hilcorp.com	Telephone:	(505) 324-5185

Hilcorp Energy Company San Juan Basin Below Grade Tank Closure Report

Lease Name: CURRENT 1 API No.: 30-045-09726

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

1. HILCORP shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, HILCORP will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

2. HILCORP shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. HILCORP will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then HILCORP shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. HILCORP will test the soils beneath the below-grade tank to determine whether a release has occurred. HILCORP shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. Hilcorp shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	100
Chlorides	EPA 300.0	250

6. If HILCORP or the division determines that a release has occurred, then HILCORP shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then HILCORP shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and revegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

9. The surface owner shall be notified of HILCORP's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via email, certified mail. (See Attached) (Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. HILCORP shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will be used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. Hilcorp will repeat seeding or planting will be continued until successful vegetative growth occurs.

2/7/2025

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Included as an attachment)

Tammy Jones

From: Tammy Jones

Sent: Wednesday, January 29, 2025 9:10 AM

To: Brandon Sinclair; Kate Kaufman; Dale Crawford; Wayne Peace; Cary Green; Farmington

Regulatory Techs; Clara Cardoza; Mitch Killough; Chad Perkins; Max Lopez; Ramon Hancock; Lisa Jones; Ben Mitchell; Victoria Venegas (Victoria.Venegas@emnrd.nm.gov); Kennedy, Joseph,

EMNRD; joel.stone@emnrd.nm.gov; Jeffrey.Harrison@emnrd.nm.gov

Subject: 72 hour BGT Closure Notice – CURRENT 1 (API# 30-045-09726)

Subject: 72 Hour BGT Closure Notification

Anticipated Start Date: Monday, 02/03/2025 at 10:00 AM MST

The subject well has a below-grade tank that will be permanently removed. The BGT permit is attached. Please contact me if you have any questions or concerns.

Well Name: CURRENT 1

API#: 30-045-09726

Location: Unit E (SWNW), Section 11, T30N, R11W

Footages: 1500' FNL & 990' FWL

Operator: Hilcorp Energy Surface Owner: PRIVATE

Reason: Removed for construction of New Drill.

Please Note Required Photos for Closure

- Well site placard
- Photos of the BGT prior to closure
- The sample location or, more preferred, photos of actual sample collection
- Final state of the area after closure.
- Photos will require captioning including direction of photo, date and time of photo and a description of the image contents.

Thanks,

Tammy Jones | HILCORP ENERGY COMPANY | San Juan Regulatory | 505.324.5185 | tajones@hilcorp.com



January 29, 2025

Transmitted Via Certified Mail 7022 2410 0003 1570 6262

To: Current Ventures Inc.

1010 Ancient Trails Circle

Aztec, NM 87410

Re: **CURRENT 1**

API: 30-045-09726

Unit E (SW/NW) Section 11, T30N, R11W


San Juan County, New Mexico

Dear Landowner:

Pursuant to New Mexico Administrative Code § 19.15.17.13 (E) (1) operator shall provide the surface owner of the operator's proposal to close a below- grade tank.

In compliance with this requirement, please consider this letter as notification that Hilcorp San Juan, L.P. intends to close a below-grade tank on the subject well pad. The closure





) 10	10.3. Austai Service	
29	CERTIFIED MAIL® REC	
-0	For delivery information, visit our website	at www.usps.com®.
П	0.000 300	
	OFFICIONAL	
1570	Certified Mail Fee	017 011
L	\$	POT-RH.
H	Extra Services & Fees (check box, add fee as appropriate)	0011
m	Return Receipt (hardcopy) \$	Postmark
	Return Receipt (electronic) \$	Here
E000	Adult Signature Required \$	Curent 1
	Adult Signature Restricted Delivery \$	Chalar T
	Postage	and the state of t
F	\$	1100 175
2470	Total Postage and Fees	1/29/25
ru	e and an arrangement of the second	
ги	Bent Tackor 1 200110011	
디	CLUVEL AT EL MULES U	COLLO
2	Singetrand Apt. Mey 2779 Box Me.	3 CIRCLE
1-	010 TI CO II CO	V. C.
	PHATOO IN GOIGIO	
	PS Form 3800, April 2015 PSN 7550-02-000-9047	See Reverse for Instructions

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
 Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 1. Article Addressed to: COMPENT VENTUCS Inc. LOLD ANCIENT TROUBER. 	A. Signature X
9590 9402 7573 2098 4580 37 2. Article Number (Transfer from service label) 7022 2410 0003 1570 6862	3. Service Type □ Adult Signature □ Adult Signature Restricted Delivery □ Certified Mail® □ Collect on Delivery □ Collect on Delivery □ Adult Signature Restricted Delivery □ Collect on Delivery □ Collect on Delivery □ Adult Signature Restricted Delivery □ Collect on Delivery □ Adult Restricted Delivery □ Collect on Delivery □ Adult Restricted Delivery □ Signature Confirmation □ Restricted Delivery □ Signature Confirmation □ Restricted Delivery □ Signature Confirmation □ Restricted Delivery
PS Form 3811, July 2020 PSN 7530-02-000-905	Current 1 - L. H. 1/29479 Return Receipt



Hilcorp Energy Company •

CURRENT 1

API NO: 30-045-09726

UL: E, SEC. 11, T030N, R011W

1500' FNL & 990' FWL

LAT: 36.82951 LONG:-107.96564

LEASE: FEE

SAN JUAN COUNTY, NM ELEV 5876

EMERGENCY NUMBER: 505-324-5170 NO SMOKING NO TRESPASSING

Current 1

Placard

2025-02-03 09:42:58-07:00







District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible	Darty Hil	corn Energy Com	nany	OGRID	372171
Responsible Party Hilcorp Energy Company Contact Name Mitch Killough			elephone: (713) 757-5247		
			<u> </u>		
Contact emai		ugh@hilcorp.com			(assigned by OCD)
Contact mail	ing address	382 Road 3100	Aztec NM 8741	.0	
			Location	of Release So	ource
Latitude		36.82951			-107.96564
			(NAD 83 in dec	imal degrees to 5 decim	nal places)
Site Name C	urrent 1			Site Type	Gas Well
Date Release	Discovered	N/A		API# (if app	olicable) 30-045-09726
Unit Letter	Section	Township	Range	Coun	nty
E	11	30N	11W	San Ju	
		0011	11,,		
			Nature and	Name: CURRENT V Volume of I calculations or specific	
Crude Oil	1	Volume Release	ed (bbls)		Volume Recovered (bbls)
Produced	Water	Volume Release	ed (bbls)		Volume Recovered (bbls)
Is the concentration of dissolved chloride in produced water >10,000 mg/l?		hloride in the	☐ Yes ☐ No		
Condensa	Condensate Volume Released (bbls)			Volume Recovered (bbls)	
Natural Gas Volume Released (Mcf)			Volume Recovered (Mcf)		
Other (describe) Volume/Weight Released (provide units)		units)	Volume/Weight Recovered (provide units)		
Cause of Rel	ease	1			
		ed during the BGT	Closure.		

Received by OCD: 2/11/2025 10:16:09 AM Form C-141 State of New Mexico Page 2 Oil Conservation Division

73	40	1000
Page	$IX \cap$	# 4 4
1 426	$\iota \upsilon \upsilon$	1 33

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major	If YES, for what reason(s) does the resp	onsible party consider this a major release?							
release as defined by 19.15.29.7(A) NMAC?									
` ,									
☐ Yes ⊠ No	N/A								
If YES, was immediate no	otice given to the OCD? By whom? To y	whom? When and by what means (phone, email, etc)?							
	8	(Parama, 111)							
Not Required									
	Initial I	Response							
The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury									
☐ The source of the rele	ase has been stopped.								
	s been secured to protect human health an	d the environment.							
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.									
☐ All free liquids and recoverable materials have been removed and managed appropriately.									
If all the actions described	d above have <u>not</u> been undertaken, explain	why:							
Par 10 15 20 8 R (4) NM	AC the responsible party may commence	remediation immediately after discovery of a release. If remediation							
has begun, please attach	a narrative of actions to date. If remedia	l efforts have been successfully completed or if the release occurred please attach all information needed for closure evaluation.							
		e best of my knowledge and understand that pursuant to OCD rules and							
		tifications and perform corrective actions for releases which may endanger OCD does not relieve the operator of liability should their operations have							
		reat to groundwater, surface water, human health or the environment. In f responsibility for compliance with any other federal, state, or local laws							
and/or regulations.	a to 1 11 report ages not reneve the operation	responsionity for compilative with any other recetal, state, or rocal laws							
Printed Name:	Mitch Killough	Title: Environmental Specialist							
Signature:	She Sulf	Date:2/07/2025							
eman:	шктои <u>в</u> печисогр.сош	1elephone:(713-757-3247)							
OCD Only									
Received by:		Date:							

Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Mitch Killough Hilcorp Energy PO BOX 4700 Farmington, New Mexico 87499

Generated 2/6/2025 12:48:41 PM

JOB DESCRIPTION

Current 1

JOB NUMBER

885-19206-1

Eurofins Albuquerque 4901 Hawkins NE Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization

Generated 2/6/2025 12:48:41 PM

Authorized for release by Michelle Garcia, Project Manager michelle.garcia@et.eurofinsus.com (505)345-3975

2/6/2025

Client: Hilcorp Energy
Laboratory Job ID: 885-19206-1
Project/Site: Current 1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	7
QC Association Summary	
Lab Chronicle	10
Certification Summary	11
Chain of Custody	12
Receipt Checklists	13

Minimum Level (Dioxin)

Most Probable Number

Not Calculated

Negative / Absent

Positive / Present

Presumptive **Quality Control**

Method Quantitation Limit

Practical Quantitation Limit

Relative Error Ratio (Radiochemistry)

Toxicity Equivalent Factor (Dioxin)

Too Numerous To Count

Toxicity Equivalent Quotient (Dioxin)

Reporting Limit or Requested Limit (Radiochemistry)

Relative Percent Difference, a measure of the relative difference between two points

Not Detected at the reporting limit (or MDL or EDL if shown)

Definitions/Glossary

Client: Hilcorp Energy Job ID: 885-19206-1

Glossary

ML

MPN

MQL

NC

ND

NEG

POS

PQL

PRES

QC RER

RL

RPD

TEF

TEQ

TNTC

Project/Site: Current 1

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit

Eurofins Albuquerque

Case Narrative

Client: Hilcorp Energy Job ID: 885-19206-1 Project: Current 1

Job ID: 885-19206-1 Eurofins Albuquerque

Job Narrative 885-19206-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these
 situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise
 specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 2/4/2025 7:25 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.3°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

6

-6

-

6

8

9

IU

Client Sample Results

Client: Hilcorp Energy Job ID: 885-19206-1

Project/Site: Current 1

Client Sample ID: Bottom Comp 6'

Date Collected: 02/03/25 10:10 Date Received: 02/04/25 07:25 Lab Sample ID: 885-19206-1

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.8	mg/Kg		02/04/25 09:21	02/04/25 15:37	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		35 - 166			02/04/25 09:21	02/04/25 15:37	1

Analyte	Result Q	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND ND		0.024	mg/Kg		02/04/25 09:21	02/04/25 15:37	1
Ethylbenzene	ND		0.048	mg/Kg		02/04/25 09:21	02/04/25 15:37	1
Toluene	ND		0.048	mg/Kg		02/04/25 09:21	02/04/25 15:37	1
Xylenes, Total	0.16		0.095	mg/Kg		02/04/25 09:21	02/04/25 15:37	1
Surrogate	%Recovery Q	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		48 - 145			02/04/25 09:21	02/04/25 15:37	1

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.8	mg/Kg		02/04/25 09:08	02/04/25 14:51	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		02/04/25 09:08	02/04/25 14:51	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	98	-	62 - 134			02/04/25 09:08	02/04/25 14:51	1

Method: EPA 300.0 - Anions, ion C	nromatograpny						
Analyte	Result Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND —	60	mg/Kg		02/04/25 09:52	02/04/25 13:28	20

Eurofins Albuquerque

Released to Imaging: 2/14/2025 1:30:24 PM

2

3

5

R

9

1

RL

5.0

LCS LCS

Qualifier

Unit

mg/Kg

Result

20.4

Limits

35 - 166

Prep Type: Total/NA

Prep Batch: 20254

Client: Hilcorp Energy Project/Site: Current 1 Job ID: 885-19206-1

Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-20254/1-A

Analysis Batch: 20248

Matrix: Solid

MB MB

Analyte Result Gasoline Range Organics [C6 - C10] ND

Qualifier

98

MB MB %Recovery Qualifier Unit mg/Kg

Prepared 02/04/25 09:21

Prepared

02/04/25 09:21

%Rec

82

D

D

02/04/25 11:11

Client Sample ID: Lab Control Sample

%Rec

Limits

70 - 130

Analyzed

02/04/25 11:11

Client Sample ID: Method Blank

Analyzed Dil Fac

Prep Type: Total/NA

Prep Batch: 20254

Dil Fac

Lab Sample ID: LCS 885-20254/2-A

Matrix: Solid

Surrogate

Analysis Batch: 20248

4-Bromofluorobenzene (Surr)

Analyte

Gasoline Range Organics [C6 -C10]

Surrogate 4-Bromofluorobenzene (Surr) LCS LCS

%Recovery Qualifier 199

Limits 35 - 166

Spike

Added

25.0

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-20254/1-A

Matrix: Solid

Ethylbenzene

Xylenes, Total

Toluene

Analysis Batch: 20249

Analyte Benzene

Surrogate

4-Bromofluorobenzene (Surr)

Lab Sample ID: LCS 885-20254/3-A

Matrix: Solid Analysis Batch: 20249 MB MB

ND

98

%Recovery

MB MB

Result Qualifier RL ND 0.025 ND 0.050 NΠ 0.050

> Qualifier Limits

48 - 145

0.10

Unit

mg/Kg

mg/Kg

mg/Kg

mg/Kg

02/04/25 09:21

Prepared

02/04/25 09:21

02/04/25 09:21

02/04/25 09:21

02/04/25 09:21

Prepared

Analyzed 02/04/25 11:11

Client Sample ID: Method Blank

Analyzed

02/04/25 11:11

02/04/25 11:11

02/04/25 11:11

02/04/25 11:11

Prep Type: Total/NA

Prep Batch: 20254

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Prep Batch: 20254

Spike LCS LCS %Rec Result Qualifier Analyte Added Unit %Rec Limits 1.00 0.998 Benzene mg/Kg 100 70 - 130 Ethylbenzene 1.00 0.986 mg/Kg 99 70 - 130 2.00 1.98 99 70 - 130 m&p-Xylene mg/Kg 0.977 o-Xylene 1.00 mg/Kg 98 70 - 130 1.00 0.981 98 70 - 130 Toluene mg/Kg Xylenes, Total 3.00 2.95 mg/Kg 98 70 - 130

LCS LCS

Qualifier %Recovery Limits Surrogate 48 - 145 4-Bromofluorobenzene (Surr) 98

Eurofins Albuquerque

Dil Fac

Dil Fac

Job ID: 885-19206-1

Project/Site: Current 1

Client: Hilcorp Energy

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-20252/1-A Client Sample ID: Method Blank Prep Type: Total/NA

Matrix: Solid Analysis Batch: 20239

Analysis Batch: 20239							Prep Batch	n: 20252
	МВ	MB						
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		02/04/25 09:08	02/04/25 10:43	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		02/04/25 09:08	02/04/25 10:43	1
	МВ	МВ						

%Recovery Qualifier Limits Dil Fac Surrogate Prepared Analyzed Di-n-octyl phthalate (Surr) 86 62 - 134 02/04/25 09:08 02/04/25 10:43

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Type: Total/NA

Prep Type: Total/NA

Prep Batch: 20265

Prep Batch: 20265

Lab Sample ID: LCS 885-20252/2-A **Matrix: Solid**

Diesel Range Organics

Analysis Batch: 20239

Prep Batch: 20252 Spike LCS LCS %Rec Added Result Qualifier Unit D %Rec Limits

50.0 50.3 mg/Kg 101 60 - 135

[C10-C28]

Analyte

LCS LCS

Surrogate %Recovery Qualifier Limits Di-n-octyl phthalate (Surr) 91 62 - 134

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-20265/1-A Client Sample ID: Method Blank

Matrix: Solid

Analysis Batch: 20268

мв мв

RL Analyte Result Qualifier Unit D Prepared Analyzed Dil Fac Chloride ND 3.0 mg/Kg 02/04/25 09:52 02/04/25 10:55

Lab Sample ID: LCS 885-20265/2-A Client Sample ID: Lab Control Sample

Matrix: Solid

Analysis Batch: 20268

Spike LCS LCS %Rec Analyte Added Result Qualifier Unit D %Rec Limits Chloride 30.0 30.5 102 90 - 110 mg/Kg

Eurofins Albuquerque

QC Association Summary

Client: Hilcorp Energy

Job ID: 885-19206-1

Project/Site: Current 1

.

GC VOA

Analysis Batch: 20248

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-19206-1	Bottom Comp 6'	Total/NA	Solid	8015M/D	20254
MB 885-20254/1-A	Method Blank	Total/NA	Solid	8015M/D	20254
LCS 885-20254/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	20254

Analysis Batch: 20249

Lab Sample ID 885-19206-1	Client Sample ID Bottom Comp 6'	Prep Type Total/NA	Matrix Solid	Method 8021B	Prep Batch 20254
MB 885-20254/1-A	Method Blank	Total/NA	Solid	8021B	20254
LCS 885-20254/3-A	Lab Control Sample	Total/NA	Solid	8021B	20254

Prep Batch: 20254

Lab Sample ID 885-19206-1	Client Sample ID Bottom Comp 6'	Prep Type Total/NA	Matrix Solid	Method 5035	Prep Batch
MB 885-20254/1-A	Method Blank	Total/NA	Solid	5035	
LCS 885-20254/2-A	Lab Control Sample	Total/NA	Solid	5035	
LCS 885-20254/3-A	Lab Control Sample	Total/NA	Solid	5035	

GC Semi VOA

Analysis Batch: 20239

Lab Sample ID 885-19206-1	Client Sample ID Bottom Comp 6'	Prep Type Total/NA	Matrix Solid	Method 8015M/D	Prep Batch 20252
MB 885-20252/1-A	Method Blank	Total/NA	Solid	8015M/D	20252
LCS 885-20252/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	20252

Prep Batch: 20252

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-19206-1	Bottom Comp 6'	Total/NA	Solid	SHAKE	
MB 885-20252/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-20252/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	

HPLC/IC

Prep Batch: 20265

Lab Sample ID 885-19206-1	Client Sample ID Bottom Comp 6'	Prep Type Total/NA	Matrix Solid	Method 300_Prep	Prep Batch
MB 885-20265/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-20265/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	

Analysis Batch: 20268

Released to Imaging: 2/14/2025 1:30:24 PM

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-19206-1	Bottom Comp 6'	Total/NA	Solid	300.0	20265
MB 885-20265/1-A	Method Blank	Total/NA	Solid	300.0	20265
LCS 885-20265/2-A	Lab Control Sample	Total/NA	Solid	300.0	20265

Eurofins Albuquerque

2

3

Л

5

7

8

3

10

1'

Job ID: 885-19206-1

Client: Hilcorp Energy Project/Site: Current 1

Client Sample ID: Bottom Comp 6'

Date Collected: 02/03/25 10:10 Date Received: 02/04/25 07:25 Lab Sample ID: 885-19206-1

Matrix: Solid

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Type	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Prep	5035			20254	AT	EET ALB	02/04/25 09:21
Total/NA	Analysis	8015M/D		1	20248	AT	EET ALB	02/04/25 15:37
Total/NA	Prep	5035			20254	AT	EET ALB	02/04/25 09:21
Total/NA	Analysis	8021B		1	20249	AT	EET ALB	02/04/25 15:37
Total/NA	Prep	SHAKE			20252	MI	EET ALB	02/04/25 09:08
Total/NA	Analysis	8015M/D		1	20239	MI	EET ALB	02/04/25 14:51
Total/NA	Prep	300_Prep			20265	RC	EET ALB	02/04/25 09:52
Total/NA	Analysis	300.0		20	20268	ES	EET ALB	02/04/25 13:28

Laboratory References:

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Eurofins Albuquerque

2

_

4

6

8

10

11

Accreditation/Certification Summary

Client: Hilcorp Energy Job ID: 885-19206-1

Project/Site: Current 1

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Prog	ram	Identification Number	Expiration Date
New Mexico	State		NM9425, NM0901	02-26-25
The following analytes	are included in this report, b	ut the laboratory is not certif	ied by the governing authority. This lis	t may include analytes
for which the agency de	oes not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte	
300.0	300_Prep	Solid	Chloride	
8015M/D	5035	Solid	Gasoline Range Organics	[C6 - C10]
8015M/D	SHAKE	Solid	Diesel Range Organics [C	10-C28]
8015M/D	SHAKE	Solid	Motor Oil Range Organics	[C28-C40]
8021B	5035	Solid	Benzene	
8021B	5035	Solid	Ethylbenzene	
8021B	5035	Solid	Toluene	
8021B	5035	Solid	Xylenes, Total	
Oregon	NELA	\ P	NM100001	02-25-25

2

3

Δ

5

O

10

Chain-of-Custody Record	Turn-Around Time:	
Client: H : (corp	☐ Standard ☑ Rush Same day	ANALYSIS LABOR LINE
	Project Name:	www.hallenvironmental.com
Mailing Address:	Current	4901 Hawkins NE - Albuquerque, NM 8710, 885-19206 COC
	Project #:	
Phone #:		۸na
email or Fax#: branslen Sinclair Police Lor D.Com	Project Manager:	(O
QA/QC Package:		S'8
☐ Standard ☐ Level 4 (Full Validation)	Mitch Killough	DO N
Accreditation: Az Compliance	046	(1.4) 7.28 7 2.00 .5.00
	# of Coolers:	JOV designation
	Cooler Temp(including cF): / (-0./ =) (°C)	eticic sthoo y 831 Met r, -Me (AC
Unate Time Metry Samula Name	Container Preservative HEAL No.	PH:801 081 Pe 081 Pe 270 (Se 270 (Vo 270 (Se
1,05		8 8 8 8
173		
Date, Time Relinquished by.	Received by Via Date Time $\frac{1}{3}$ SHU $\frac{1}{3}$ SHU	Remarks:
Date Time Relinquished by Colors (SU)	Received by Via Date Time	
If necessary, samples submitted to Hall Environmental may be subc	contracted to other accredited laboratones This serves as notice of this	If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratones. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report

Login Sample Receipt Checklist

Client: Hilcorp Energy Job Number: 885-19206-1

Login Number: 19206 List Source: Eurofins Albuquerque

List Number: 1

Creator: McQuiston, Steven

Creator: McQuiston, Steven		
Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>True</td> <td></td>	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
s the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6 mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 430631

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	430631
	Action Type:
	[C-144] Below Grade Tank Plan (C-144B)

CONDITIONS

Created	Ву	Condition	Condition Date
joel.s	one	None	2/14/2025