

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: BELL LAKE Well Location: T24S / R34E / SEC 5 / County or Parish/State: LEA /

SWSW / 32.2411529 / -103.4983892

Well Number: 28 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC061374A Unit or CA Name: Unit or CA Number:

COMPANY

# **Notice of Intent**

**Sundry ID: 2834665** 

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/30/2025 Time Sundry Submitted: 01:04

Date proposed operation will begin: 02/03/2025

Procedure Description: Proposed Plugging Plan, Current Wellbore, and Proposed Wellbore attached.

# **Surface Disturbance**

Is any additional surface disturbance proposed?: No

# **NOI Attachments**

# **Procedure Description**

BELL\_LAKE\_28\_Proposed\_Plugging\_Procedure\_20250130130404.pdf

Page 1 of 2

eceived by OCD: 3/4/2025 10:27:22 AM Well Name: BELL LAKE

Well Location: T24S / R34E / SEC 5 / SWSW / 32.2411529 / -103.4983892

County or Parish/State: LEA/

Well Number: 28

Type of Well: OIL WELL

**Allottee or Tribe Name:** 

Lease Number: NMLC061374A

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 3002538565** 

Operator: KAISER FRANCIS OIL

COMPANY

# **Conditions of Approval**

## **Specialist Review**

Bell\_Lake\_28\_Sundry\_ID\_2834665\_P\_A\_20250303154012.pdf

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHRISTINA OPFER Signed on: JAN 30, 2025 01:04 PM

Name: KAISER FRANCIS OIL COMPANY

Title: Regulatory Manager

Street Address: 6733 S YALE AVENUE

City: TULSA State: OK

Phone: (918) 491-4468

Email address: CHRISTINAO@KFOC.NET

#### **Field**

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

# **BLM Point of Contact**

Signature: jstaton@blm.gov

**BLM POC Name: LONG VO BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5759885402 BLM POC Email Address: LVO@BLM.GOV

**Disposition:** Approved Disposition Date: 03/03/2025

Form 3160-5 (June 2019)

# UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

5. Lease Serial No. BUREAU OF LAND MANAGEMENT NMLC061374A SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit of CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE - Other instructions on page 2 1. Type of Well 8. Well Name and No. Oil Well Gas Well Other BELL LAKE/28 2. Name of Operator KAISER FRANCIS OIL COMPANY 9. API Well No. 3002538565 10. Field and Pool or Exploratory Area 3a. Address 6733 S. Yale Ave., Tulsa, OK 74121 3b. Phone No. (include area code) (918) 491-0000 BELL LAKE-DELAWARE, SOUTH/BELL LAKE-DELAWARE, SOUTH 11. Country or Parish, State 4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 5/T24S/R34E/NMP LEA/NM 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize Production (Start/Resume) Water Shut-Off Deepen ✓ Notice of Intent Well Integrity Alter Casing Hydraulic Fracturing Reclamation Casing Repair New Construction Recomplete Other Subsequent Report Change Plans ✔ Plug and Abandon Temporarily Abandon Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.) Proposed Plugging Plan, Current Wellbore, and Proposed Wellbore attached. 14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) Regulatory Manager CHRISTINA OPFER / Ph: (918) 491-4468 Title (Electronic Submission) 01/30/2025 Signature Date THE SPACE FOR FEDERAL OR STATE OFICE USE Approved by Petroleum Engineer 03/03/2025 LONG VO / Ph: (575) 988-5402 / Approved Title Date Conditions of approval, if any, are attached. Approval of this notice does not warrant or Office CARLSBAD certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

# **Additional Information**

# **Location of Well**

 $0. \ SHL: \ SWSW \ / \ 660 \ FSL \ / \ 660 \ FWL \ / \ TWSP: \ 24S \ / \ RANGE: \ 34E \ / \ SECTION: \ 5 \ / \ LAT: \ 32.2411529 \ / \ LONG: \ -103.4983892 \ ( \ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )$   $BHL: \ SWSW \ / \ 660 \ FSL \ / \ 660 \ FWL \ / \ TWSP: \ 24S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ ( \ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )$ 

OXY USA INC. OPERATED WELL

**BELL LAKE 28** 

30-025-38565

NOI TO PERMANENTLY ABANDON THIS WELL VIA CEMENT PLUGGING.

## PROPOSED PLUGGING PROCEDURE


- 1. POOH WITH CURRENT 2-7/8" TBG AND BHA
- 2. SPOT 35 SX CL H CMT FROM PBTD AT 8860' TO 8564'. WOC AND TAG
  - a. ISOLATING THE TOP OF THE BONESPRINGS FORMATION AT 8790'
- 3. RIH AND SET CIBP AT 7080' VIA WORKSTRING. LEAK TEST TO 500 PSI FOR 30 MINUTES
- 4. SPOT 60 SX CL C CMT AND CHASE WITH 9 SX CL C CMT FROM 7080' TO 6500'. WOC AND TAG
- 5. SPOT 71 SX CL C CMT FROM 5200' TO 4600'. WOC AND TAG
  - a. ISLOATING THE DELAWARE FORMATION TOP AT 5140' AND INTERMEDIATE CASING SHOE AT 5095'.
- 6. PERFORATE AND SQUEEZE 112 SX CL C CMT FROM 2600' TO 2200'. WOC AND TAG
- 7. PERFORATE AND SQUEEZE 140 SX CL C CMT FROM 1300' TO 800'. WOC AND TAG
  - a. ISOLATING THE RUSTLER SALT FORMATION TOP AT 1206' AND SURFACE CASING SHOE AT 1200'.
- 8. PERFORATE AND CIRCULATE 200 SX CL C CMT FROM 700' TO SURFACE. VERIFY CMT TO SURFACE.

#### FORMATION TOPS FROM OCD FILES AND NEARBY WELLBORES


	mean mehin
Rustler	1206'
Delaware	5140'
Bone Spring	8814

κ <sub>Z</sub>	OCD TOPS	s
		Γ
Rustler	1206	s
Tansill		Α
Yates		Ν
		A
Delaware	5140	С
Delaware Lm	5140	Ν
Delaware Sd	5175	Г
Bell Canyon		
Cherry Canyon		
Brushy Canyon		
Bone Spring	8790	
101.04		

# **CURRENT WELLBORE**



#### PROPOSED WELLBORE





U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Reports
03/03/2025

Well Name: BELL LAKE Well Location: T24S / R34E / SEC 5 / County or Parish/State: LEA /

SWSW / 32.2411529 / -103.4983892

Well Number: 28 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC061374A Unit or CA Name: Unit or CA Number:

US Well Number: 3002538565 Operator: KAISER FRANCIS OIL

**COMPANY** 

# **Notice of Intent**

**Sundry ID: 2834665** 

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/30/2025 Time Sundry Submitted: 01:04

Date proposed operation will begin: 02/03/2025

Procedure Description: Proposed Plugging Plan, Current Wellbore, and Proposed Wellbore attached.



# **Surface Disturbance**

Is any additional surface disturbance proposed?: No

# **NOI Attachments**

#### **Procedure Description**

BELL\_LAKE\_28\_Proposed\_Plugging\_Procedure\_20250130130404.pdf

APPROVAL SUBJECT TO
GENERAL REQUIREMENTS AND
SPECIAL STIPULATIONS
ATTACHED

eceived by OCD: 3/4/2025 10:27:22 AM Well Name: BELL LAKE

Well Location: T24S / R34E / SEC 5 /

SWSW / 32.2411529 / -103.4983892

County or Parish/State: Page 10 of

Well Number: 28

Type of Well: OIL WELL

**Allottee or Tribe Name:** 

Lease Number: NMLC061374A

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 3002538565** 

Operator: KAISER FRANCIS OIL

**COMPANY** 

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: CHRISTINA OPFER** Signed on: JAN 30, 2025 01:04 PM

Name: KAISER FRANCIS OIL COMPANY

Title: Regulatory Manager

Street Address: 6733 S YALE AVENUE

City: TULSA State: OK

Phone: (918) 491-4468

Email address: CHRISTINAO@KFOC.NET

# **Field**

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

APPROVED by Long Vo Petroleum Engineer Carlsbad Field Office 575-988-50402 LVO@BLM.GOV

Form 3160-5 (June 2019)

# UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

BURI	5. Lease Serial No. NMLC061374A					
Do not use this t	IOTICES AND REPO form for proposals Use Form 3160-3 (A	to drill or to	re-enter an	6. If Indian, Allottee or Tribe	e Name	
SUBMIT IN 1	TRIPLICATE - Other instr	uctions on page	2	7. If Unit of CA/Agreement,	Name and/or No.	
I. Type of Well  Oil Well  Gas W	Vell Other			8. Well Name and No. BELL LAKE/28		
2. Name of Operator KAISER FRANC	CIS OIL COMPANY			9. API Well No. 300253856	35	
3b. Phone No. (918) 491-000			include area code) 0	10. Field and Pool or Explor BELL LAKE-DELAWARE, SOUT		SOUTH
4. Location of Well (Footage, Sec., T.,R SEC 5/T24S/R34E/NMP	R.,M., or Survey Description	)		11. Country or Parish, State LEA/NM		
12. CHE	CK THE APPROPRIATE B	OX(ES) TO IND	ICATE NATURE	OF NOTICE, REPORT OR OT	THER DATA	
TYPE OF SUBMISSION			TYP	E OF ACTION		
✓ Notice of Intent	Acidize Alter Casing	Deepe Hydra	en nulic Fracturing	Production (Start/Resume Reclamation	) Water Shut-Of Well Integrity	
Subsequent Report	Casing Repair	New 0	Construction	Recomplete	Other	
Final Abandonment Notice	Change Plans Convert to Injection	= -	and Abandon	Temporarily Abandon Water Disposal		
the proposal is to deepen directiona the Bond under which the work wil completion of the involved operation completed. Final Abandonment Not is ready for final inspection.)  Proposed Plugging Plan, Curre  4. I hereby certify that the foregoing is	I be perfonned or provide the ons. If the operation results in tices must be filed only after the operation results in tices must be filed only after the operation of the opera	e Bond No. on fin a multiple com all requirements ed Wellbore att	le with BLM/BIA. pletion or recomple, , including reclama	Required subsequent reports metion in a new interval, a Form	nust be filed within 30 da 3160-4 must be filed on	ays following ace testing has been
CHRISTINA OPFER / Ph: (918) 491-4468		Jr	Regulatory Title	y Manager		
(Electronic Submission) Signature		Date	01/30/	2025		
	THE SPACE	FOR FEDE	RAL OR STA	TE OFICE USE		
Approved by Long Vo	2	>	Pet Title	roleum Engineer	3-3-2025 Date	
Conditions of approval, if any, are attacl ertify that the applicant holds legal or earlieh would entitle the applicant to con	equitable title to those rights		or or Office C	arlsbad Field Office		
itle 18 U.S.C Section 1001 and Title 4	3 U.S.C Section 1212, make	it a crime for an	v person knowingl	v and willfully to make to any	department or agency of	the United States

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United State any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

# **Additional Information**

# **Location of Well**

 $0. \ SHL: \ SWSW \ / \ 660 \ FSL \ / \ 660 \ FWL \ / \ TWSP: \ 24S \ / \ RANGE: \ 34E \ / \ SECTION: \ 5 \ / \ LAT: \ 32.2411529 \ / \ LONG: \ -103.4983892 \ ( \ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )$   $BHL: \ SWSW \ / \ 660 \ FSL \ / \ 660 \ FWL \ / \ TWSP: \ 24S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ ( \ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )$ 



OXY USA INC. OPERATED WELL

**BELL LAKE 28** 

30-025-38565

NOI TO PERMANENTLY ABANDON THIS WELL VIA CEMENT PLUGGING.

## PROPOSED PLUGGING PROCEDURE

- 1. POOH WITH CURRENT 2-7/8" TBG AND BHA
- 2. SPOT 35 SX CL H CMT FROM PBTD AT 8860' TO 8564'. WOC AND TAG
  - a. ISOLATING THE TOP OF THE BONESPRINGS FORMATION AT 8790'
- 3. RIH AND SET CIBP AT 7080' VIA WORKSTRING. LEAK TEST TO 500 PSI FOR 30 MINUTES
- 4. SPOT 60 SX CL C CMT AND CHASE WITH 9 SX CL C CMT FROM 7080' TO 6500'. WOC AND TAG
- 5. SPOT 71 SX CL C CMT FROM 5200' TO 4600'. WOC AND TAG
  - a. ISLOATING THE DELAWARE FORMATION TOP AT 5140' AND INTERMEDIATE CASING SHOE AT 5095'.
- 6. PERFORATE AND SQUEEZE 112 SX CL C CMT FROM 2600' TO 2200'. WOC AND TAG
- 7. PERFORATE AND SQUEEZE 408 SX CL C CMT FROM 1750' TO surface. Verify at surface. (In 173 sxs/Out 235 sxs)
  - a. ISOLATING THE RUSTLER SALT FORMATION TOP AT 1700' AND SURFACE CASING SHOE AT 1200'.


#### FORMATION TOPS FROM OCD FILES AND NEARBY WELLBORES

	meet Depm
Rustler	1206'
Delaware	5140'
Bone Spring	8814

κ <sub>Z</sub>	K Z OCD TOP						
		Γ					
Rustler	1206	s					
Tansill		Α					
Yates		Ν					
		A					
Delaware	5140	С					
Delaware Lm	5140	Ν					
Delaware Sd	5175						
Bell Canyon							
Cherry Canyon							
Brushy Canyon							
Bone Spring	8790						
101.04							


<sup>\*</sup>Run CBL from CIBP to surface.

# **CURRENT WELLBORE**





#### PROPOSED WELLBORE



# BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

# Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90<sup>th</sup> day provide this office, prior to the 90<sup>th</sup> day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-689-5981.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours for Class C or accelerated cement (calcium chloride) and 6 hours for Class H. Tagging the plug means running in the hole with a string of tubing or drill pipe and placing sufficient weight on the plug to ensure its integrity. Other methods of tagging the plug may be approved by the BLM authorized officer or BLM field representative.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

Fluid used to mix the cement in R111Q shall be saturated with the salts common to the section penetrated, and in suitable proportions but not less than 1% and not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

6. <u>Dry Hole Marker</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified *BY PHONE* (numbers listed in 2. Notifications) a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10<sup>th</sup> day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds). A weep hole shall be left if a metal plate is welded in place.

- 7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. **Show date well was plugged.**
- 8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.



# **United States Department of the Interior**

#### BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

#### **Reclamation Objectives and Procedures**

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its pre-disturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any/all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip (across the slope and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1. The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or

concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos

Supervisory Petroleum Engineering Tech/Environmental Protection Specialist 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Jose Martinez-Colon Environmental Protection Specialist 575-234-5951

Mark Mattozzi Environmental Protection Specialist 575-234-5713

Robert Duenas Environmental Protection Specialist 575-234-2229

Doris Lauger Martinez Environmental Protection Specialist 575-234-5926

Jaden Johnston Environmental Protection Asst. (Intern) 575-234-6252

Released to Imaging: 3/19/2025 8:15:39 AM

Sundry ID 2834665

Sundry ID	2834665	T		ı	1		
						Cement	
Plug Type	Тор	Bottom	Length	Tag	Sacks	Class	Notes
Surface Plug	0.00	100.00	100.00	Tag/Verify			
13.375 inch- Shoe Plug	1138.00	1250.00	112.00	Tag/Verify			
Fresh Water @ 1533	1467.67	1583.00		base no			
Fresh Water @ 1555	1407.07	1363.00	115.55	Dase 110			Perf and squeeze
							from 1750' to
							surface. (In 173
Top of Salt @ 1700	1633.00	1750.00	117.00	Tag/Verify	408.00	С	sxs/Out 235 sxs)
				If solid			
				base no			
				need to			
				Tag (CIBP			
				present			
				and/or			
				Mechanic			
				al Integrity			
				Test), If			
				Perf &			
				Sqz then			
				Tag, Leak			
				Test all			
				CIBP if no			
				Open			Perf and squeeze
				Perforatio			from 2600' to 2200'.
Spacer Plug @ 2550	2474.50	2600.00	125.50		94.00	С	WOC and Tag.
Base of Salt @ 4895	4796.05	4945.00	148.95	Tag/Verify			
8.625 inch- Shoe Plug	4994.05			Tag/Verify			
				,			
				If solid			
				base no			
				need to			
				Tag (CIBP			
				present			
				and/or			
				Mechanic			
				al Integrity			
				Test), If			
				Perf &			
				Sqz then			
				Tag, Leak			
				Test all			
				CIBP if no			
				Open			Spot cement from
				Perforatio			5200' to 4600'.
Delaware @ 5140	5038.60	5190.00	151.40		60.00	С	WOC and Tag.
Dolanal C (W O 170	5050.00	5130.00	131.40	1	55.50		1 Jo and rag.

							I
				If solid			
				base no			
				need to			
				Tag (CIBP			
				present			
				and/or			
				Mechanic			
				al Integrity			
				Test), If			
				Perf &			
				Sqz then			
				Tag, Leak			
				Test all			
				CIBP if no			
				Open			Set CIBP at 7080'.
				Perforatio			Leak test CIBP.
CIBP Plug	7045.00	7080.00	35.00	ns	25.00	С	Spot 25 sxs on top.
Perforations Plug (If No CIBP)	7080.00	8564.00	1484.00	Tag/Verify			
				If solid			
				base no			
				need to			
				Tag (CIBP			
				present and/or			
				Mechanic al Integrity			
				Test), If			
				Perf &			
				Sqz then			
				Tag, Leak			
				Test all			
				CIBP if no			
				Open			Tag PBTD and spot
				Perforatio			cement from PBTD
Bonesprings @ 8808	8669.92	8858.00	188.08		25.00	Н	to 8669'.
5.5 inch- Shoe Plug	8825.35	9015.00		Tag/Verify			

No more than 2000' is to be allowed between plugs in open hole, and no more than 3000' between plugs in cased hole. Class H >7500' Class C < 7500'

Fluid used to mix the cement in R111P shall be saturated with the salts common to the section penetrated, and in suitable proportions, but not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

Medium, Secretary: Top of salt to surface If no salt take the deepest fresh water or Karst Depth

High, Critical: Bottom of Karst to surface or Deepest fresh water, whichever is greater R111P: 50 Feet from Base of Salt to surface.

Class C: 1.32 ft^3/sx Class H: 1.06 ft^3/sx

Onshore Order 2.III.G Drilling Abandonment Requirements: "All formations bearing usable-quality water, oil, gas, or geothermal resources, and/or a prospectively valuable deposit of minerals shall be protected.

Cave Karst/Potash Cement Requirement:	Low		
13.375 inch- Shoe Plug @ 8.625 inch- Shoe Plug @ 5.5 inch- Shoe Plug @	1200.00 5095.00 8965.00	тос @	4807.00
Perforatons Top @	7130.00	Bottom @	8514.00
		CIBP @	7080.00

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 438678

#### **CONDITIONS**

Operator:	OGRID:		
KAISER-FRANCIS OIL CO	12361		
PO Box 21468	Action Number:		
Tulsa, OK 741211468	438678		
	Action Type:		
	[C-103] NOI Plug & Abandon (C-103F)		

#### CONDITIONS

Created By		Condition Date
gcordero	A Cement Bond Log (CBL) is required to be submitted to electronic permitting.	3/18/2025
gcordero	Submit Cement Bond Logs (CBL) prior to submittal of C-103P.	3/18/2025