

Well Name: FEDERAL A	Well Location: T30N / R13W / SEC 26 / NENE / 36.789596 / -108.168567	County or Parish/State: SAN JUAN / NM
Well Number: 103	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMSF078213	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004531299	Operator: HILCORP ENERGY COMPANY	

Subsequent Report

Sundry ID: 2844378

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/31/2025

Date Operation Actually Began: 03/26/2025

Type of Action: Plug and Abandonment

Time Sundry Submitted: 08:48

Actual Procedure: Hilcorp Energy Company plugged and abandoned the subject well on 03/28/2025 per the attached daily reports & schematic.

SR Attachments

- Actual Procedure
- Hilcorp_Federal_a_103_CBL_20250331084813.pdf

Federal_A_103_P_A_SR_20250331084754.pdf

Received by OCD: 4/1/2025 7:00:07 AM

Page 2 of 9

Well Name: FEDERAL A	Well Location: T30N / R13W / SEC 26 / NENE / 36.789596 / -108.168567	County or Parish/State: SAN JUAN / NM
Well Number: 103	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMSF078213	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004531299	Operator: HILCORP ENERGY COMPANY	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TAMMY JONES	Signed on: MAR 31, 2025 08:48 AM
Name: HILCORP ENERGY COMPANY	
Title: Regulatory Compliance Specialist	
Street Address: 382 ROAD 3100	
City: AZTEC	State: NM
Phone: (505) 324-5185	
Email address: TAJONES@HILCORP.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 03/31/2025
Signature: Matthew Kade	

FEDERAL A 103**30.045.31299****PLUG & ABANDON**

3/26/2025 – MIRU. CK PSI: TBG-0#, CSG-0#, BH-0#. BDW 0 MINS. XOVER ROD. EQUIP. RD HORSES HEAD, WORK RODS FREE. LD 69 3/4" RODS 3SB, NO ROD PUMP (RODS FULL OF SCALE). FT BOP, WORK DOG PINS FREE. ND WH, NU BOP. WORK STUCK HANGER FREE. RU MUD BUCKET, LD 58 JTS 2 7/8" POLY LINED JTS. SIW, SDFN.

3/27/2025 – CK PSI TBG-0#, CSG-0#, BH-0#. BDW 0 MIN. TALLY, RABBIT & PU 2 3/8" WS TO 1790'. TOO H, LD SM. TIH W/ 4.5". S&R CR @ 1775'. PUMP 28 BBLS TO EST CIRC. PUMP 35 TOTAL. PSI TEST CSG TO 550# PSI FOR 30 MINS. TEST OK TOO H LD STINGER. JSA. RU & NU DRAKE WL. RIH W/CBL TOOL. LOG WELL FROM 1775'-0'. TOC @ 440'. LD CBL TOOL. TIH W/ STINGER TO CR. **PLUG #1** FROM 1872'- 1595'(277'). M&P 22SKS CLASS G, 8BELOW/14ABOVE, 15.8PPG, 1.15YIED, 4.5BLSRY, 2.6MIX, 6DIS. 2%CAL, LD TOC REVERSE OUT. TOO H. SIW WOC. TIH TAG TOC @ 1595' LD TBG TO PLUG #2. **PLUG #2** FROM 791' - 611' (180') M&P 14 SKS CLASS G, 15.8PPG, 1.15YIELD, 2.8BLSRY, 1.6MIX, 1.9DIS. LD ALL TBG. JSA. RU DRAKE WL, RIH W/TG. PERF 4 HOLES @ 400'. EST CIRC WITH 20 BBLS FW. PUMP 40 TOTAL. RD WL. PUP TO 500'. **PLUG #3** FROM 512' -0' M&P 137 SKS CLASS G, 15.8PPG, 1.15YIELD, 28BLSRY, 16MIX. CIRC CMNT TO SURFACE. LD ALL TBG. SIW, WOC. SDFN.
(FRED BRANDENBURG BLM REP)

3/28/2025 – CK PSI: TBG-0#, CSG-0#, BH-0#. BDW 0 MINS. JSA, CK LEL (0%). CUT & REMOVE WH. TOC @ 6'. WELD & INSTALL DHM. TOP OFF CELLAR & DHM W/13 SKS CLASS G 15.8PPG, 1.15YIELD. 2.6BLSRY. RD. **RIG RELEASED @ 10:00 ON 3/28/2025.**

Tammy Jones

Subject: FW: [EXTERNAL] P&A Revision Request for Hilcorp's FEDERAL A 103 (API # 3004531299)

From: Kuehling, Monica, EMNRD monica.kuehling@emnrd.nm.gov

Sent: Thursday, March 27, 2025 3:34 PM

To: Joe Zimmerman Joseph.Zimmerman@hilcorp.com; Rennick, Kenneth G krennick@blm.gov; Kade, Matthew H mkade@blm.gov

Cc: Farmington Regulatory Techs FarmingtonRegulatoryTechs@hilcorp.com; Brice Clyde - (C) Brice.Clyde@hilcorp.com; Clay Padgett cpadgett@hilcorp.com; Lee Murphy lmurphy@hilcorp.com; Oscar Sanchez - (C) Oscar.Sanchez@hilcorp.com; John LaMond jlamond@hilcorp.com

Subject: RE: [EXTERNAL] P&A Revision Request for Hilcorp's FEDERAL A 103 (API # 3004531299)

NMOCD approves latest proposal.

Thank you

Monica Kuehling
Compliance Officer Supervisor
Deputy Oil and Gas Inspector
New Mexico Oil Conservation Division
North District
Cell Phone: 505-320-0243
Email - monica.kuehling@emnrd.nm.gov

From: Rennick, Kenneth G <krennick@blm.gov>

Sent: Thursday, March 27, 2025 2:18 PM

To: Joe Zimmerman <Joseph.Zimmerman@hilcorp.com>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Kade, Matthew H <mkade@blm.gov>

Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Brice Clyde - (C) <Brice.Clyde@hilcorp.com>; Clay Padgett <cpadgett@hilcorp.com>; Lee Murphy <lmurphy@hilcorp.com>; Oscar Sanchez - (C) <Oscar.Sanchez@hilcorp.com>; John LaMond <jlamond@hilcorp.com>; Brandenburg, Frederick C <fbrandenburg@blm.gov>; Clayton, Gail <gclayton@blm.gov>; Lucero, Virgil S <vlucero@blm.gov>

Subject: Re: [EXTERNAL] P&A Revision Request for Hilcorp's FEDERAL A 103 (API # 3004531299)

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

To confirm, the BLM finds the proposed procedure appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management
Farmington Field Office
6251 College Blvd
Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Joe Zimmerman <Joseph.Zimmerman@hilcorp.com>
Sent: Thursday, March 27, 2025 2:14 PM
To: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Kade, Matthew H <mkade@blm.gov>
Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Brice Clyde - (C) <Brice.Clyde@hilcorp.com>; Clay Padgett <cpadgett@hilcorp.com>; Lee Murphy <lmurphy@hilcorp.com>; Oscar Sanchez - (C) <Oscar.Sanchez@hilcorp.com>; John LaMond <jlamond@hilcorp.com>
Subject: RE: [EXTERNAL] P&A Revision Request for Hilcorp's FEDERAL A 103 (API # 3004531299)

Kenny/Monica,

As discussed, we will perforate at 400', instead of 500', due to the CBL showing a good cement top at 440'. We will still spot the plug from 500' up to cover our surface casing shoe.

Thank you,

- Joe Z.

From: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>
Sent: Wednesday, July 17, 2024 10:21 AM
To: Rennick, Kenneth G <krennick@blm.gov>; John LaMond <jlamond@hilcorp.com>; Kade, Matthew H <mkade@blm.gov>
Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Brice Clyde - (C) <Brice.Clyde@hilcorp.com>; Clay Padgett <cpadgett@hilcorp.com>; Lee Murphy <lmurphy@hilcorp.com>; Rustin Mikeska <rmikeska@hilcorp.com>
Subject: RE: [EXTERNAL] P&A Revision Request for Hilcorp's FEDERAL A 103 (API # 3004531299)

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

NMOCD approves below

Thank you

Monica Kuehling
Compliance Officer Supervisor
Deputy Oil and Gas Inspector
New Mexico Oil Conservation Division
North District
Office Phone: 505-334-6178 ext. 123
Cell Phone: 505-320-0243
Email - monica.kuehling@emnrd.nm.gov

From: Rennick, Kenneth G <krennick@blm.gov>

Sent: Tuesday, July 16, 2024 3:47 PM

To: John LaMond <jlamond@hilcorp.com>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Kade, Matthew H <mkade@blm.gov>

Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Brice Clyde - (C) <Brice.Clyde@hilcorp.com>; Clay Padgett <cpadgett@hilcorp.com>; Lee Murphy <lmurphy@hilcorp.com>; Rustin Mikeska <rmikeska@hilcorp.com>

Subject: Re: [EXTERNAL] P&A Revision Request for Hilcorp's FEDERAL A 103 (API # 3004531299)

The BLM finds the proposed revised procedure appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management

Farmington Field Office

6251 College Blvd

Farmington, NM 87402

Email: krennick@blm.gov

Mobile & Text: 505.497.0019

From: John LaMond <jlamond@hilcorp.com>

Sent: Tuesday, July 16, 2024 3:26 PM

To: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Kade, Matthew H <mkade@blm.gov>

Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Brice Clyde - (C) <Brice.Clyde@hilcorp.com>; Clay Padgett <cpadgett@hilcorp.com>; John LaMond <jlamond@hilcorp.com>; Lee Murphy <lmurphy@hilcorp.com>; Rustin Mikeska <rmikeska@hilcorp.com>

Subject: [EXTERNAL] P&A Revision Request for Hilcorp's FEDERAL A 103 (API # 3004531299)

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Good afternoon Monica and Kenny,

Hilcorp is planning to work on the FEDERAL A 103 (API # 3004531299) P&A in the near future.

I have attached the approved P&A NOI, as well as an updated procedure based on the COAs in the approved NOI.

Based on the COAs, Hilcorp requests the following adjustments to the approved procedure:

- The 4-1/2" CIBP or CIRC originally to be set @ 1,737' will now be a CIRC set @ 1,775' per verbal approval from the NMOC.
- PLUG #1: 20sx of Class G Cement (15.8 PPG, 1.15 yield); PC Top @ 1,822' | FRD Perfs @ 1,787':

- Pump 8sx of cement beneath the 4-1/2" CICR (est. TOC @ +/- 1,775' & est. BOC @ +/- 1,872'). Sting out of the CICR, continue pumping 12 sack balanced cement plug on top of the CICR. (est. TOC @ +/- 1,625' & est. BOC @ +/- 1,775'). Wait on Cement for 4 hours, tag TOC w/ work string. *Note cement plug lengths & volumes account for excess.
- The NMOCD provided verbal approval for the cement volume to be pumped below the CICR @ 1,775' to be the equivalent to the amount to cover cement to 50' below the PC top @ 1,822' (8sx total).
- Please note that the CBL will be run AFTER pumping PLUG #1.
- All other plugs remain the same.
- Please see the revised procedure attached and below. The updated Proposed P&A wellbore schematic is also attached.

Do the NMOCD and BLM approve of the revised procedure?

Thanks,

John LaMond

Operations Engineer – Technical Services

Hilcorp Energy Company

1111 Travis

Houston, TX 77002

346-237-2210 (Office)

832-754-9692 (Cell)

jlamond@hilcorp.com

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.




Current Schematic - Version 3

Well Name: FEDERAL A #103

API / UWI 3004531299	Surface Legal Location T30N-R13W-S26	Field Name Basin Fruitland Coal	Route 0206	State/Province New Mexico	Well Configuration Type Vertical
Ground Elevation (ft) 5,805.00	Original KB/RT Elevation (ft) 5,813.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 8.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)
Tubing Strings					
Run Date 12/1/2010 16:15	Set Depth (ftKB) 1,868.69	String Max Nominal OD (in) 2 7/8	String Min Nominal ID (in) 2.16	Weight/Length (lb/ft) 6.50	Original Spud Date 5/7/2003 00:00

Original Hole [Vertical]



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 447487

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 447487
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	CBL in log file - well plugged 3/28/2025	4/2/2025