End of Well Report Hogback Unit #53 API: 30-045-30091 10-30N16W GL 5419'

SURF CSG:		FORM TOPS:			<u>02-24-25</u> : TIH and tag TOC at 1394', TOOH, Perforate casing at 372', Inj rate est. from
Hole size:	8-3/4"	Nacimiento Top:		_	surf. Plug 2: Pumped 90sx and circ. Good
Csg size:	7"	Ojo Alamo Top:			cmt to pit, WOC, Cutoff WH, Install P&A
Wt:	23#	Kirtland Top:		4	marker, Pumped 18sx to top off and fill cellar.
Grade	J-55	Fruitland Top:			oonar.
ID:	6.366	Picture Cliffs Top:			
Depth:	308	Chacra Top:			
Cap cf/ft:	0.221	Mesa Verde Top:			
TOC:	surface	Mancos Top:	328'		
		Gallup Top:	1,614'		
		Dakota Top:			
PROD CSG:					
Hole size:	6-1/4"				02-21-25: Set CICR at 1572', Circ. csg
Csg size:	4-1/2"				clean, P/T csg - Test good, Run CBL - F: 1572' T: Surf., No inj rate, stng out, Plug
Wt:	9.5#				<u>1</u> : Pumped 12sx ttl ((0sx blw; 12sx on top)),
Grade	J-55				TIH tag TOC at 1503', <u>Plug 1a:</u> Pumped 8sx ttl. WOC
ID:	4.09	PERFS:	1622 - 1726		osx tii. Woo
Depth:	1884	PBTD:			<u>02-20-25</u> : TIH w/ scraper to 1598',
Cap cf/ft:	0.0912	TD:	1,890'		

Plugging Information

Class G cmt used mixed @ 15.8 ppg, yield 1.15 cuft/sx

Regulatory rep. - NMOCD: CLARENCE SMITH

Regulatory rep. - BLM: LUCAS MASON

Marker GPS Coordinates: 36.825163; -108.507083

Csg/OH Ann:

TOC:

Csg/OH Ann, cf/ft: 0.1026


surface















U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: NE HOGBACK UNIT Well Location: T30N / R16W / SEC 10 / County or Parish/State: SAN

NESE / 36.82498 / -108.50652 JUAN / NM

Well Number: 53 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM04444 Unit or CA Name: NE HOGBACK UNIT Unit or CA Number:

NMNM78403A

INCORPORATED

Subsequent Report

Sundry ID: 2844890

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 04/01/2025 Time Sundry Submitted: 01:57

Date Operation Actually Began: 02/20/2025

Actual Procedure: Work completed on February 24, 2025. See attached after work wellbore schematic with daily notes, and pictures of the marker. Aztec Well Servicing Co. completed the work as the contractor for New Mexico Oil Conservation Division. The Bureau of Land Management Farmington Field Office requested work to be completed.

SR Attachments

Actual Procedure

NE_Hogback_53_EOW_Report_20250401135704.pdf

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted **Disposition Date:** 04/02/2025

Signature: Matthew Kade

End of Well Report Hogback Unit #53 API: 30-045-30091 10-30N16W GL 5419'

SURF CSG:		FORM TOPS:		_	_	02-24-25: TIH and tag TOC at 1394', TOOH,
Hole size:	8-3/4"	Nacimiento Top:		_	_	Perforate casing at 372', Inj rate est. from surf. Plug 2: Pumped 90sx and circ. Good
Csg size:	7"	Ojo Alamo Top:			_	cmt to pit, WOC, Cutoff WH, Install P&A
Wt:	23#	Kirtland Top:				marker, Pumped 18sx to top off and fill cellar.
Grade	J-55	Fruitland Top:				osiiai.
ID:	6.366	Picture Cliffs Top:				
Depth:	308	Chacra Top:				
Cap cf/ft:	0.221	Mesa Verde Top:				
TOC:	surface	Mancos Top:	328'			
		Gallup Top:	1,614'			
		Dakota Top:				
PROD CSG:						
Hole size:	6-1/4"					02-21-25: Set CICR at 1572', Circ. csg
Csg size:	4-1/2"					clean, P/T csg - Test good, Run CBL - F: 1572' T: Surf., No inj rate, stng out, Plug
Wt:	9.5#					1: Pumped 12sx ttl ((0sx blw; 12sx on top)),
Grade	J-55					TIH tag TOC at 1503', Plug 1a: Pumped 8sx ttl. WOC
ID:	4.09	PERFS:	1622 - 1726			osx III. WOO
Depth:	1884	PBTD:				02-20-25: TIH w/ scraper to 1598',
Cap cf/ft:	0.0912	TD:	1,890			

Plugging Information

Class G cmt used mixed @ 15.8 ppg, yield 1.15 cuft/sx

Regulatory rep. - NMOCD: CLARENCE SMITH

Regulatory rep. - BLM: LUCAS MASON

Marker GPS Coordinates: 36.825163; -108.507083

Csg/OH Ann:

TOC:

Csg/OH Ann, cf/ft: 0.1026


surface













Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 447709

CONDITIONS

Operator:	OGRID:
AZTEC WELL SERVICING CO	191362
300 Legion Road	Action Number:
Aztec, NM 87410	447709
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date	
loren.diede	None	4/3/2025	