

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-28554
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name APD Federal SWD
8. Well Number #1
9. OGRID Number 168687
10. Pool name or Wildcat Antelope Ridge-Cherry Canyon
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4483' GR

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other Injection	
2. Name of Operator NM State Land Office for Siana Operating LLC	
3. Address of Operator 310 Santa Fe Trail, Santa Fe NM 87504-1148	
4. Well Location Unit Letter O : 990 feet from the S line and 1940 feet from the E line Section 10 Township 23S Range 34E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4483' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

JMR Services, LLC plugged this well from 06/24/2024-07/03/2024.
Please see the attached P&A Subsequent Report.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Abigail Anderson TITLE P&A Engineer DATE 03/28/2025

Type or print name Abigail Anderson E-mail address: aanderson@jmr services.com PHONE: 432-889-4673

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

**P&A Subsequent Report
State of New Mexico Orphan Well Program
Siana Operating, LLC
APD Federal SWD #1
30-025-28554**

06/24/24 MIRU plugging equipment. Bled down well. NU BOP. POH w/ 50 jts 2 7/8" tbg & packer.

06/25/24 Checked pressures, 0 psi. Finished POH w/ a total of 144 jts of tbg. RIH w/ guage ring & tagged existing 5 1/2" CIBP w/ 35' cmt on top @ 6923'. Set 5 1/2" CICR @ 5060'. Stung into CICR & pressure tested csg to 1000 PSI. Circulated hole w/ 100 bbls H2O. Sqz'd 65 sx class C cmt from 5060' & displaced w/ 19 bbls. Stung out of CICR & spotted 35 sx class class C cmt @ 5060-4707'. WOC.

06/26/24 Checked pressures, 0 psi. Tagged plug @ 4618'. POH. Ran CBL from 4618' to surface. RU csg cutters, cut 5 1/2" csg @ 2980'.


06/27/24 Checked pressures, 0 psi. RU tongs & NU BOP. POH w/ 70 jts of 5 1/2 csg. RIH to 3548'. Circ'd hole clean w/ fresh H2O. Pressure tested csg, held 1000 PSI. Spotted 130 sx class C cmt @ 3548-2900'. WOC.

06/28/24 Checked pressures, 0 psi. Tagged plug @ 2866'. Pumped well w/ 20 bbls fresh H2O. Ran CBL from 2866' to surface.

06/29/24 Checked pressures, 0 psi. Spotted 90 sx class C cmt @ 2260-2060'. Spotted 90 sx class C cmt @ 695-495'. Spotted 100 sx class C cmt @ 200' & circulated to surface. ND BOP & topped off well w/ 5 sx cmt. Rigged down & moved off.

07/03/24 Moved in backhoe & welder. Cut off wellhead. Verified cmt at surface. Installed an Above Ground Dry Hole Marker. Removed anchors, backfilled cellar, cleaned location, & moved off.

APD Federal #1 SWD
 Plugged P&A WBD
 Bell Canyon
 Unit O, 990' FSL & 1940' FEL, Section 10, T23S, R34E
 Lea County, NM, API# 30-025-28554





















Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 446575

CONDITIONS

Operator: JMR SERVICES, LLC 4706 Green Tree Blvd. Midland, TX 79707	OGRID: 372464
	Action Number: 446575
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	4/7/2025