

Online Phone Directory Visit:
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-40876
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator V-F PETROLEUM INC.		6. State Oil & Gas Lease No.
3. Address of Operator P.O. BOX 1889 MIDLAND, TX 79702		7. Lease Name or Unit Agreement Name HOOSIER 22 STATE
4. Well Location Unit Letter <u>A</u> : <u>990</u> feet from the <u>NORTH</u> line and <u>890</u> feet from the <u>EAST</u> line Section <u>22</u> Township <u>17-S</u> Range <u>35-E</u> NMPM County <u>LEA</u>		8. Well Number 2
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3935' (GR)		9. OGRID Number 240710
		10. Pool name or Wildcat VACUUM;BLINEBRY, NORTHEAST

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/11/2024 MOVE IN SERVICE UNIT. LAY DOWN RODS, LAY DOWN TUBING.

03/07/2025 NOTIFY OCD OF CIBP AT 4,610 WITH 2 SX OF CEMENT, RAN CBL FROM 4,610' TO SURFACE.

03/10/2025 RIH WITH TUBING TO 4,433', CIRCULATE HOLE WITH MLF, SPOT 25 SX PLUG, TAG TOC 4,170'. PERF AT 3,110' AND CHECK FOR INJECTION RATE, NONE SEEN. PERF AT 3,966', CHECK FOR INJECTION RATE, NONE SEEN. SPOT PLUG AT 4,019', POOH AND WOC.

03/11/2025 TAG PLUG #2 AT 3,746', POOH TO 3,121', SPOT PLUG #3, TAG TOC AT 2,921', WOC, POOH TO 1,855' PUMP 25 SX PLUG, TAG TOC AT 1,603' (ALL PLUGS CLASS C NEAT). WOC


03/12/2025 TAG PLUG #4 AT 1,595'. PUMP PLUG #5 FROM 535' TO SURFACE. CUT OFF WELLHEAD, INSTALL DRY HOLE MARKER. RIG MOVE OFF PLUGGING RIG, PREP TO RECLAIM SURFACE.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE ENGINEER

DATE 4/2/25
3-17-2025

Type or print name JASON GOSS

E-mail address: JGOSS@VFPETROLEUM.COM PHONE: 432-683-3344

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

Well: Hoosier 22 State #2
 Location: 990' FNL & 890' FEL
 Sec 22 - T17S - R35E
 Lea County, New Mexico
 API# 30-025-40876

Operator: V-F Petroleum Inc.
 Field: Vacuum Blinebry Northeast (Yeso)
 Elevation: GL= 3935
 KB-GL= 17
 KB= 3952

Tot Depth	Hole Size	Tops & Perfs	Casing & Cement
485	Plug 17 1/2"		Plug #5 535' Class C plug @ 0' - 550' 13 3/8" 48# CSG w/ 550 sxs CMT
	Plug	Rustler @ 1,782'	#4 plug 25 sx C plug @ 1,855' (tag)
	Plug		#3 plug 25 sx C plug @ 3,121' (tag)
	Plug		#2 Plug 25 sx at 4,019' (tag)
	plug	Yates @ 3,013'	
	CIBP 4,433'	7 Rivers @ 3,318'	#1 plug 25 C Sx Plug @ 4,433' (tag)
	CIBP 4,610'	Queen @ 3,914'	CIBP @ 4,433' with 25 sx 3-7-2025
4,860	11"	Grayburg @ 4,342'	
		San Andres @ 4,610'	8 5/8" 32# CSG w/ 1,700 sxs CMT Circ
		4,706' - 4,896'	
		4,942' - 5,088'	CIBP @ 4,610', 2 SX Cement 7-12-2014 Stuck dump bailer 7-12-2014
		Glorieta @ 6,161'	
		Paddock @ 6,280'	
		Blinebry @ 6,570'	
	CIBP 6,320'		CIPB @ 6,320' (2014)
		6,355' - 6,555'	
		6,602' - 6,850'	
		7,050' - 7,300'	
		7,402' - 7,650'	9.0 ppg plug mud between cement plugs
		Tubb @ 7,718'	
	CIBP 7,900'	Drinkard @ 7,880'	CIBP @ 7,900' capped w/35' cement
		7,970' - 8,170'	
		Abo @ 8,380'	
8,626'	7 7/8"		PBTD 8,610 5 1/2" 17#, L-80 CSG w/ 1,350 sxs CMT circ

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 449372

CONDITIONS

Operator: V-F PETROLEUM INC P.O. Box 1889 Midland, TX 79702	OGRID: 24010
	Action Number: 449372
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	4/17/2025
gcordero	Submit C-103Q within one year of plugging.	4/17/2025