

Well Number: 4

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Lease Number: NMSF077282

Sundry Print Report

Well Name: GRENIER A Well Location: T30N / R10W / SEC 26 / Co

SWSW / 36.77911 / -107.85902

County or Parish/State: SAN JUAN / NM

Allottee or Tribe Name:

300300 / 30.77911 / -107.03902 JUAN

Type of Well: CONVENTIONAL GAS WELL

WELL

Unit or CA Number:

US Well Number: 3004509127 Operator: HILCORP ENERGY

COMPANY

Unit or CA Name:

Notice of Intent

Sundry ID: 2820738

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 11/04/2024

Time Sundry Submitted: 03:50

Date proposed operation will begin: 11/15/2024

Procedure Description: Hilcorp Energy Company requests permission to recomplete the subject well in the Fruitland Coal formation and downhole commingle with the existing Dakota formation. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. Hilcorp will contact the FFO Surface group within 90 days after the well has been recompleted, before any interim reclamation work, to conduct the onsite. A reclamation plan will be submitted after the onsite.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Grenier_A_4_RC_NOI_20241104154944.pdf

Well Name: GRENIER A Well Location: T30N / R10W / SEC 26 / County or Parish/State: SAN

SWSW / 36.77911 / -107.85902

JUAN / NM

Well Number: 4 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMSF077282 Unit or CA Name: Unit or CA Number:

US Well Number: 3004509127 Operator: HILCORP ENERGY

COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHERYLENE WESTON Signed on: NOV 04, 2024 03:50 PM

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Tech - Sr

Street Address: 1111 TRAVIS STREET

City: HOUSTON State: TX

Phone: (713) 289-2615

Email address: CWESTON@HILCORP.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition: Approved **Disposition Date:** 11/05/2024

Signature: Matthew Kade




HILCORP ENERGY COMPANY GRENIER A 4 Fruitland Coal RECOMPLETE SUNDRY 3004509127

JOB PROCEDURES

- 1. MIRU Rig and associated equipment, Kill well and NDWH, NUBOP and unseat tubing. Tag for fill and scan our with 2-3/8" tubing.
- 2. Pu 3-7/8 bit and string mill. Make string mill run to top MV perf.. PU CIBP and set +/-50' above top Dakota Perf (7,011'). RU WL and Run CBL. Send in Results to Engineering and Regulatory for review.
- 3. Load hole with fluid.Perform MIT on casing with NMOCD witness (notify NMOCD 24+ hours before test) and submit results to regulatory group.
- 4. If frac'ing down casing: pressure test casing to frac pressure.
- 5. RU WL. Perforate the Fruitland Coal. Top perforation @ 2,412', bottom perforation @ 2,663'.
- 6. If frac'ing down frac string: RIH w/ frac string and packer.
- 7. ND BOP, NU frac stack. Pressure test frac stack to frac pressure. Pressure test frac string (if applicable) to frac pressure. RDMO.
- 8. RU stimulation crew. Frac the Fruitland Coal in one or more stages. Set plugs in between stages, if necessary.
- 9. MIRU workover rig and associated equipment; NU and test BOP.
- 10. TIH with mill and clean out to PBTD. TOOH with cleanout assembly.
- 11. TIH and land production tubing. Flowback the well. Return well to production as a Fruitland Coal/Dakota Producer.




HILCORP ENERGY COMPANY GRENIER A 4 Fruitland Coal RECOMPLETE SUNDRY





HILCORP ENERGY COMPANY GRENIER A 4 Fruitland Coal RECOMPLETE SUNDRY



Phone: (505) 476-3441 Fax: (55) 476-3462

General Information Phone: (505) 629-6116

Online Phone Directory Visit:

attps://www.emnrd.nm.gov/ocd/contact-us/

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

Revised July 9, 2024					
Submit Electronically					
via OCD Permitting					
itial Submittal					
mended Report					

	☐ Initial Submittal
Submittal Type:	☐ Amended Report
-JF	☐ As Drilled

									_ 110 2011111			
					WELL LOCA	ATION INFORMATION						
API Number Pool Code					Pool Name							
30-045-			71629			Basin Fruitland Coal						
Property Code Property Name									Well Num	ber		
318536			Grenier A						4		_	
OGRID	No.		Operator N							evel Elevation		
372171			_	ergy Compa	any	1			6107'		_	
Surface	Owner: \square S	State □ Fee □	J Tribal ⊠ Fe	deral		Mineral Owner: □	☐ State ☐ Fee	☐ Tribal ⊠ Fe	ederal			
	Surface Location											
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Lo	ngitude	County	٦	
M	26	30N	10W	13	1190' S	990' W	36.77911		7.77911	San Juan		
	20	2011	10,,	15	1170 5	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	30.77711		7.77711	Sui Fuui		
					Botto	m Hole Location						
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Lo	ngitude	County		
		Т									_	
	ed Acres	Infill or Defi	ning Well	ning Well Defining Well API		11 8 1 8 - ()		Consolidation	1 Code			
316.86	– W/2	Defining			No N/A		N/A					
Order N	lumbers.					Well setbacks are u	nder Common (Ownership: 🗆	Yes □No			
	T	1			Kick	Off Point (KOP)				1		
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Lo	ngitude	County		
					TC*45	E-1 - D-1 -4 (ECD)						
TIT	G .:	T 1:	T p.	T.,	1	Fake Point (FTP)	T .'. 1	Т.	20 1		\neg	
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Lo	ngitude	County		
		1			Last T	Гаке Point (LTP)				- 1		
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Lo	1gitude	County		
					_	_					_	
Unitize	d Area or Ar	ea of Uniform I	nterest	Spacing	g Unit Type 🗆 Ho	Unit Type ☐ Horizontal ☒ Vertical Ground Fl			tion:			
							6107					
0.000		TOTAL TOTAL					YO . TYC: "				_	
OPERA	OPERATOR CERTIFICATIONS					SURVEYOR CERTIFICATIONS						

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.

Cher	ylene	Weston

11/4/202

Signature

Dat

Ernest V. Echohawk

Signature and Seal of Professional Surveyor

Cherylene Weston, Operations/Regulatory Tech-Sr.

Printed Name

cweston@hilcorp.com Email Address

Certificate Number 3602

my belief.

Date of Survey 3/5/1964


I hereby certify that the well location shown on this plat was plotted from field notes of actual

surveys made by me or under my supervision, and that the same is true and correct to the best of

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp E	nergy Compan	У	OGRID:	372171	Date:	11/ 04 / 2024		
II. Type: Original [☐ Amendment	due to □ 19.15.27	7.9.D(6)(a) NMAC	C □ 19.15.27.9.D((6)(b) NMAC □	Other.		
If Other, please describe	e:							
III. Well(s): Provide the be recompleted from a s					wells proposed to	be drilled or proposed to		
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D		
Grenier A 4	3004509127	M-26-30N-10W	1190' FSL, 990' FW	0 bbl/d	94 mcf/d	1 bbl/d		
IV. Central Delivery Point Name: Ignacio Processing Plant [See 19.15.27.9(D)(1) NMAC] V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point. Well Name API Spud Date TD Reached Completion Initial Flow First Production Date Commencement Date Back Date Date								
Grenier A 4	3004509127					2025		
Greiner / T	300 1303127							
VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.								

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

☑ Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system	□ will □ will:	not have capacity t	to gather 10	00% of the anticipate	ed natural gas
production volume from the well	prior to the date of firs	st production.				

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion, of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s)

П	Attach (Onerator's nlan	to manage n	raduction in	response to	the increased	line pressure

XIV. Confid	entiality: \square Operate	or asserts confidentiali	ty pursuant to	Section 71-2-	-8 NMSA 1	1978 for the	information	provided in
Section 2 as p	provided in Paragraph	(2) of Subsection D of	f 19.15.27.9 NN	MAC, and atta	ches a full o	description of	the specific	information
for which con	nfidentiality is asserted	d and the basis for sucl	n assertion.					

(h)

(i)

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🗵 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan. \square Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) power generation for grid; **(b)** (c) compression on lease; (d) liquids removal on lease; (e) reinjection for underground storage; **(f)** reinjection for temporary storage; reinjection for enhanced oil recovery; **(g)** fuel cell production; and

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:	Cherylene Weston		
Printed Name:	Cherylene Weston		
Title:	Operations/Regulatory Tech-Sr.		
E-mail Address:	cweston@hilcorp.com		
Date:	11/4/2024		
Phone:	713-289-2615		
OIL CONSERVATION DIVISION			
(Only applicable when submitted as a standalone form)			
Approved By:			
Title:			
Approval Date:			
Conditions of A ₁	pproval:		

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 399697

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	399697
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
ward.rikala	Notify the OCD inspection supervisor via email 24 Hours Prior to beginning operations.	4/26/2025
ward.rikala	All conducted logs shall be submitted to the OCD as a [UF-WL] EP Well Log Submission (WellLog).	4/26/2025
ward.rikala	A C-104 packet is required if, a pool is added, or perforations are added above or below existing perfs.	4/26/2025
ward.rikala	Down Hole Commingle order is required prior to commingling of production.	4/26/2025