Form 3160-5 (June 2019) DEL				FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021		
BUR	BUREAU OF LAND MANAGEMENT			Serial No. NN	INM77055	
Do not use this	NOTICES AND REPORTS O form for proposals to drill o Use Form 3160-3 (APD) for	or to re-enter an	,	an, Allottee or	Tribe Name	
SUBMIT IN	TRIPLICATE - Other instructions on	page 2	7. If Unit	of CA/Agreen	nent, Name and/or No.	
1. Type of Well						
✓ Oil Well Gas V			8. Well N	lame and No. F	PAKSE SOUTH FED COM/111H	
2. Name of Operator EARTHSTONE	OPERATING LLC		9. API W	ell No. 30025	50824	
3a. Address 1400 WOODLOCH FO	REST DRIVE SUITE 300, 3b. Phone (281) 298	e No. <i>(include area coa</i> <b>8-4240</b>	·		xploratory Area 304D; Bone Spring/Bone Spring	
4. Location of Well (Footage, Sec., T., SEC 24/T20S/R32E/NMP	R.,M., or Survey Description)		11. Count LEA/N	try or Parish, S M	itate	
12. CHE	ECK THE APPROPRIATE BOX(ES) TO	O INDICATE NATUR	E OF NOTICE, REPO	ORT OR OTHE	ER DATA	
TYPE OF SUBMISSION		ТҮ	PE OF ACTION			
Notice of Intent		Deepen Hydraulic Fracturing	Production (Sta	art/Resume)	Water Shut-Off	
✓ Subsequent Report		New Construction	Recomplete		✓ Other	
Final Abandonment Notice		Plug and Abandon Plug Back	Water Disposal			
the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has beer completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.) 02/19/2023-NOTIFIED BLM OF INTENT TO SPUN WELL 02/20/2023-SPUD WELL 02/21/2023-DRILL 17.5" SURFACE HOLE TO 1154' MD -NOTIFIED BLM OF INTENT TO RUN & CMNT 13.375" SURFACE CASING -RUN 26 JTS, 13.375", 54.5# J-55 BTC CSG SET @ 1154' MD -CMNT 13.375" SURFACE CASING LEAD: 128 BBLS (280 SXS) CLASS C @ 2.57 YIELD TAIL: 109 BBLS (460 SXS) CLASS C @ 1.34 YIELD -CIRCULATED 92 BBLS (202 SXS) CEMENT TO SURFACE -PRESSURE TEST 13.375" SURFACE CASING TO 1500 PSI; 30 MIN; GOOD TEST 02/21-02/22/2023 - RELEASE SPUDDER RIG & SUSPEND DRILLING OPERATIONS Continued on page 3 additional information						
14. I hereby certify that the foregoing is true and correct. Name ( <i>Printed/Typed</i> ) JENNIFER ELROD / Ph: (817) 953-3728			egulatory Technicia	n		
Signature		Date		06/26/202	23	
	THE SPACE FOR F	EDERAL OR S	TATE OFICE US	SE		
Approved by						
JONATHON W SHEPARD / Ph: (	575) 234-5972 / Accepted	Title Petr	oleum Engineer	Da	07/05/2023 ate	
Conditions of approval, if any, are attached. Approval of this notice does not warrant o certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			ARLSBAD			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.						

(Instructions on page 2)

.

## **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

# SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

# NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

# **Additional Information**

#### **Additional Remarks**

04/30/2023 - NOTIFIED BLM OF INTENT TO RESUME DRILLING OPERATIONS AND TEST BOP 05/01/2023-RESUME DRILLING OPERATIONS -RU & TEST BOP; PIPE RAMS, BLIND RAMS, CHOKE, PIPE VALVES; 250 LOW/5000 HIGH 10 MIN EACH TEST; ALL GOOD TEST -TEST ANNULAR 250 LOW/3500 HIGH; 10 MIN; GOOD TEST 05/03/2023-BEGIN DRILLING 12.25" INTERMEDIATE #1 HOLE -NOTIFIED BLM OF INTENT TO RUN & CMNT 10.75" INT #1 CASING -DRILL 12.25" INT #1 HOLE TO 3242' MD 05/04/2023-RUN 80 JTS, 10.75", 45.5# HCL-80 CSG SET @ 3227' MD -CEMENT 10.75" INT #1 CSG LEAD: 233 BBLS (425 SXS) CLASS C @ 3.08 YIELD TAIL: 29 BBLS (125 SXS) CLASS C @ 1.32 YIELD -CIRCULATED 87 BBLS (159 SXS) CEMENT TO SURFACE 05/04-05/05/2023-WOC 24 HOURS -PRESSURE TEST CASGIN TO 1500 PSI; 30 MIN; GOOD TEST 05/05/2023-BEGIN DRILLING 9.875" INTERMEDIATE #2 HOLE -NOTIFY BLM OF INTENT TO RUN & CMENT 8.625" INTERMEDIATE #2 CASING 05/06/2023-DRILL 9.875" INTERMEDIATE #2 HOLE TO 5303' MD -RUN 127 JTS, 8.625", 32#, L-80 EHC MO-FXL CSG SET @ 5288' MD -CEMENT 8.625" CASING LEAD: 239 BBLS (450 SXS) CLASS C @ 2.98 YIELD TAIL: 20 BBLS (85 SXS) CLASS C @ 1.32 YIELD -CIRCULATED 100 BBLS (188 SXS) CEMENT TO SURFACE -PRESSURE TEST INTERMEDIATE #2 CASING TO 1500 PSI, 30 MIN, GOOD TEST 05/06-05/07/2023 - WOC 24 HOURS 05/07/2023 - BEGIN DRILLING 7.875" 05/19/2023- DRILL 7.875" PRODUCTION HOLE TO 21,852' TMD/9044' TVD -NOTIFIED BLM OF INTENT TO RUN AND CEMENT 5.5" PRODUCTION CASING 05/20-05/21/2023-RUN 541 JTS, 5.5", 20#, P-110 RY-VARN SET @ 21,837' MD 05/21/2023-CEMENT 5.5" PRODUCTION CASING LEAD: 269 BBLS (495 SXS) CLASS H @ 3.05 YIELD TAIL: 541 BBLS (2470 SXS) CLASS H @ 1.23 YIELD -CIRCULATED 144 BBLS (265 SXS) CEMENT TO SURFACE 05/22/2023 - RIG RELEASED

## **Location of Well**

0. SHL: NWNW / 306 FNL / 309 FWL / TWSP: 20S / RANGE: 32E / SECTION: 24 / LAT: 32.565085 / LONG: -103.727341 ( TVD: 0 feet, MD: 0 feet ) PPP: NWNW / 0 FNL / 335 FWL / TWSP: 20S / RANGE: 32E / SECTION: 36 / LAT: 32.536868 / LONG: -103.727235 ( TVD: 9072 feet, MD: 19300 feet ) PPP: NWNW / 0 FNL / 330 FWL / TWSP: 20S / RANGE: 32E / SECTION: 25 / LAT: 32.551365 / LONG: -103.727245 ( TVD: 8998 feet, MD: 14000 feet ) PPP: NWSW / 2642 FNL / 333 FWL / TWSP: 20S / RANGE: 32E / SECTION: 24 / LAT: 32.55864 / LONG: -103.727251 ( TVD: 8690 feet, MD: 11300 feet ) PPP: SWNW / 1327 FNL / 334 FWL / TWSP: 20S / RANGE: 32E / SECTION: 24 / LAT: 32.562277 / LONG: -103.727253 ( TVD: 8943 feet, MD: 10000 feet ) BHL: SWNW / 2631 FNL / 335 FWL / TWSP: 20S / RANGE: 32E / SECTION: 36 / LAT: 32.5296581 / LONG: -103.72723 (TVD: 9107 feet, MD: 21880 feet )

Received by WCDS 56/2023 6:41:56 AM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT			Sundry Print Report 07/06/2023
	Well Name: PAKSE SOUTH FED COM	Well Location: T20S / R32E / SEC 24 / NWNW / 32.565085 / -103.727341	County or Parish/State: LEA / NM
	Well Number: 111H	Type of Well: OIL WELL	Allottee or Tribe Name:
	Lease Number: NMNM77055	Unit or CA Name:	Unit or CA Number:
	US Well Number: 3002550824	Well Status: Drilling Well	Operator: EARTHSTONE OPERATING LLC

# Notification

Sundry ID:	2717243		
Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	02/22/2023	Time Sundry Submitted:	1:52:39 PM
Date Operation Will	02/20/2023	Time Operation Will Begin:	8:00:00 AM
APD Approved Date:	11/17/2022		
US Well Number	3002550824		
Field Contact Name:	Steph Loftin	Field Contact Number:	(903) 203-8782
Rig Name:	Integrity	Rig Number:	8
Spud Type: Su	urface Hole		
Procedure			
Disposition: Ad	ccepted		
Accepted Date: 02	2/22/2023		
Oral Submission			

Oral Notification Date:	Feb 19, 2023	Oral Notification Time:	8:00:00 AM
Contacted By:	Steph Loftin	Contact's Email:	
Comments:	Operator contacted PET on call phone & gave an oral spud notice.		

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator: C	OGRID:
Earthstone Operating, LLC	331165
300 N. Marienfeld St Ste 1000	Action Number:
Midland, TX 79701	236284
3	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS			
Created By		Condition Date	
jeffrey.harrison	Report Pressure test for Production Casing on next Sundry	4/30/2025	

CONDITIONS

Page 6 of 6

Action 236284