eceined by Och: 5/15/2024 3:27:10	PM State of New Me	exico		Form C-103 ¹ of
Office <u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natu	ral Resources	WELL API NO.	Revised July 18, 2013
<u>District II</u> – (575) 748-1283	OIL CONSEDUATION	DIVICION	30-015-4	6469
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	OIL CONSERVATION DIVISION		5. Indicate Type of Lea	
1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fran		STATE FEE	
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NM 87505		6. State Oil & Gas Lea	se No.
87505 SUNDRY NOTION (DO NOT USE THIS FORM FOR PROPOSE)	CES AND REPORTS ON WELLS		7. Lease Name or Unit	Agreement Name
DIFFERENT RESERVOIR. USE "APPLIC PROPOSALS.)			CICADA	JNIT
	Gas Well 🛛 Other			BH
2. Name of Operator CHEVRON	I USA INCORPORATED		9. OGRID Number 43	323
3. Address of Operator			10. Pool name or Wild	cat
P O BOX 16	35, HOUSTON, TX 77251		PURPLE SAGE; WO	OLECAMP (GAS)
4. Well Location	00, 110 00 1011, 17/17201		TORTEL OAGE, WO	DEI OAINI (OAO)
Unit Letter () :	860 feet from the SOUT	H line and	1550 feet from the	EAST line
Section 3		ange 27 E	NMPM Cou	
Section 5	11. Elevation (Show whether DR,		TVIII WI COU	inty
	11. Elevation (show whether BR,	, KKD, KT, GK, etc.)		
	Appropriate Box to Indicate N	1	•	
NOTICE OF IN			SEQUENT REPOR	
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK		ERING CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRIL		ID A 📙
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT	JOB 📙	
DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM	_			_
OTHER:		OTHER:		
	leted operations. (Clearly state all prk). SEE RULE 19.15.7.14 NMAC completion.			
	LED 12 ½" INTERMEDIATE HO ED WITH LEAD 239 SX CLASS O			
	RFACE, TOC @ 0'. WOC TIME A			
	MINUTES – GOOD TEST. RELE			
	7" 29# P-110 TO 8600'. CEMENT			
	CIRCULATED 405 SX CEMENT			
	E INTERMEDIATE CASING TO			
*	LED 6 1/8" PRODUCTION HOLE			
	ENTED WITH LEAD 788 SX CLA			
	MENT TO TOP OF HANGER. TO			
PRESSURE TESTED PRODUC	CTION CASING TO 9800 PSI FOR	R 30 MINUTES – G	OOD TEST. RELEASE	O RIG.
Sand Detail	n: n 1 - n			
Spud Date:	Rig Release Da			
I hereby certify that the information a	above is true and complete to the be	est of my knowledge	and belief.	
SIGNATURE Nicola Ta	ylorTITLE_HSE	Regulatory Te	chDATE_	05/15/2024
Type or print name Nicole Taylor For State Use Only	E-mail address	s: nicole.taylor@ch	nevron.com PHONE	432-687-7723
APPROVED BY:	TITLE		DATE	
Conditions of Approval (if any):				



Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: CICADA UNIT Well Location: T26S / R27E / SEC 3 /

SWSE / 32.066251 / -104.174864

County or Parish/State: EDDY /

NM

Well Number: 28H Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMNM121473 Unit or CA Name: CICADA UNIT

WOLFCAMP

Unit or CA Number: NMNM137168A

INCORPORATED

Subsequent Report

Sundry ID: 2758008

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 10/26/2023 Time Sundry Submitted: 11:25

Date Operation Actually Began: 03/08/2020

Actual Procedure: 03/13/2020 – 03/16/2020: DRILLED 12 ½" INTERMEDIATE HOLE TO 2175'. RAN 9 5/8" 40# L80BTC INTERMEDIATE CASING TO 2166'. CEMENTED WITH LEAD 239 SX CLASS C 2.36 YIELD AND TAIL 380 SX CLASS C 1.33 YIELD, CIRCULATED 200 SX TO SURFACE, TOC @ 0'. WOC TIME AS PER BLM REQUIREMENTS. PRESSURE INTERMEDIATE CASING TO 2740 PSI FOR 30 MINUTES – GOOD TEST. RELEASED RIG. 04/02/2020 – 04/08/2020: DRILLED INTERMEDIATE 2 8 ¾" HOLE TO 8600'. RAN 7" 29# P-110 TO 8600'. CEMENTED WITH 2 STAGES: LEAD 848 SX CLASS C 2.20 YIELD, TAIL 179 SX CLASS C 1.40 YIELD, CIRCULATED 405 SX CEMENT TO SURFACE, TOC @ 0'. WOC TIME AS PER BLM REQUIREMENTS. PRESSURE INTERMEDIATE CASING TO 4290 PSI FOR 30 MINUTES – GOOD TEST. RELEASED RIG. 05/17/2020 – 05/26/2020: DRILLED 6 1/8" PRODUCTION HOLE TO 19880'. RAN 4 ½" 11.6# P-110 PRODUCTION CASING FROM 8244' TO 19865'. CEMENTED WITH LEAD 788 SX CLASS C 1.84 YIELD, TAIL 101 SX CLASS C 2.18 YIELD. CIRCULATED 427 SX OF CEMENT TO TOP OF HANGER. TOC 8244. WOC TIME AS PER BLM REQUIREMENTS. PRESSURE TESTED PRODUCTION CASING TO 9800 PSI FOR 30 MINUTES – GOOD TEST. RELEASED RIG.

eived by OCD: 5/15/2024 3:27:10 PM Well Name: CICADA UNIT

Well Location: T26S / R27E / SEC 3 /

SWSE / 32.066251 / -104.174864

County or Parish/State: EDD 7 0

NM

Well Number: 28H Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

Lease Number: NMNM121473

Unit or CA Name: CICADA UNIT

WOLFCAMP

Unit or CA Number: NMNM137168A

US Well Number: 300154646900X1

Operator: CHEVRON USA

INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JENNIFER SMITH Signed on: OCT 26, 2023 11:25 AM

Name: CHEVRON USA INCORPORATED

Title: Sr. Permitting Coordinator Street Address: 1400 SMITH ST

City: HOUSTON State: TX

Phone: (713) 372-7541

Email address: JHIO@CHEVRON.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition Date: 11/01/2023 **Disposition:** Accepted

Signature: Jonathon Shepard

Page 2 of 2

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FURM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

5. Lease Seria	l No
----------------	------

BURI	EAU OF LAND MANAGEMENT		3. Lease Schai ivo.	
Do not use this f	OTICES AND REPORTS ON Worm for proposals to drill or to Jse Form 3160-3 (APD) for suc	re-enter an	6. If Indian, Allottee o	r Tribe Name
abandoned wen.	ose romi oroc-o (Ar b) for suc	п ргорозиіз.	7 If II: 4 - f C A / A	None and None
	TRIPLICATE - Other instructions on page	9 2	/. If Unit of CA/Agree	ement, Name and/or No.
1. Type of Well			8. Well Name and No.	
Oil Well Gas W	Vell Other			
2. Name of Operator			9. API Well No.	
3a. Address	3b. Phone No.	(include area code)	10. Field and Pool or I	Exploratory Area
4. Location of Well (Footage, Sec., T.,R	.,M., or Survey Description)		11. Country or Parish,	State
12. CHE	CK THE APPROPRIATE BOX(ES) TO INC	DICATE NATURE OF NO	TICE, REPORT OR OTH	IER DATA
TYPE OF SUBMISSION		TYPE OF A	CTION	
Notice of Intent	Acidize Deep Alter Casing Hydra	=	oduction (Start/Resume)	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair New	Construction Re	ecomplete	Other
Subsequent Report	Change Plans Plug	and Abandon Te	mporarily Abandon	
Final Abandonment Notice	Convert to Injection Plug	Back W	ater Disposal	
completed. Final Abandonment Not is ready for final inspection.)	ns. If the operation results in a multiple comices must be filed only after all requirements			
4. I hereby certify that the foregoing is	true and correct. Name (Printed/Typed)	Title		
Signature		Date		
	THE SPACE FOR FEDE	ERAL OR STATE C	FICE USE	
Approved by				
,		Title	I	Date
	ned. Approval of this notice does not warrant quitable title to those rights in the subject lead duct operations thereon.		1	
	B U.S.C Section 1212, make it a crime for an		villfully to make to any de	partment or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SWSE / 860 FSL / 1550 FEL / TWSP: 26S / RANGE: 27E / SECTION: 3 / LAT: 32.066251 / LONG: -104.174864 (TVD: 0 feet, MD: 0 feet) PPP: NENE / 330 FNL / 1254 FEL / TWSP: 26S / RANGE: 27E / SECTION: 10 / LAT: 32.0636 / LONG: -104.173962 (TVD: 9259 feet, MD: 9624 feet) BHL: SESE / 50 FSL / 1254 FEL / TWSP: 26S / RANGE: 27E / SECTION: 15 / LAT: 32.034971 / LONG: -104.173478 (TVD: 9259 feet, MD: 20042 feet)



Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 344846

CONDITIONS

Operator:	OGRID:
CHEVRON U S A INC	4323
6301 Deauville Blvd	Action Number:
Midland, TX 79706	344846
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

1	Created By	Condition	Condition Date
	crystal.walker	None	5/9/2025