Office	ro Appropriate Distric			f New Me				Form C	
District I - (575)			rgy, Mineral	s and Natu	aral Resources	<b>XX757X X</b> 4 55-5		Revised July 18,	2013
1625 N. French District II – (575	Dr., Hobbs, NM 88240					WELL API	NO. <b>)-015-49</b> 4	171	
	Artesia, NM 88210	OII	L CONSER	VATION	I DIVISION	5. Indicate			
	<u>III</u> – (505) 334-6178 1220 South St. Francis Dr.		S. Indicate		FEE				
1000 Rio Brazos District IV – (50	s Rd., Aztec, NM 8741	Santa Fe, NM 87505		6. State Oil					
	cis Dr., Santa Fe, NM			,		o. State on	a ous Lous	0110.	
87505		OTICES AND	DEDODTS		ň	7 Laga Na	ma on Unit	A graamant Na	
(DO NOT USE )	THIS FORM FOR PR	OTICES AND				7. Lease Na	une or Unit.	Agreement Na	ne
	ESERVOIR. USE "AF					C	ICADA U	INIT	
PROPOSALS.)						8. Well Nu	1		
1. Type of W     2. Name of C	Vell: Oil Well	Gas Well	Other			9. OGRID	D0C		
2. Ivallie of C		ON USA ING	CORPOR			9. OGKID	432	3	
3. Address o						10. Pool na			
	-	( 1635, HO	USTON T	X 77251	I			LFCAMP (GA	S)
4. Well Loca			<u>001011, 1</u>	<u> </u>			, 10L, 110L		0)
Unit	Letter D	: 270	_feet from the		THline and	<b>1152</b> fe	et from the _	WEST	line
Sect			 Township 2	-	ange 27 E	NMPM	Cou		
	10	11. Elev			, RKB, RT, GR, et				
			×			, ,			
TEMPORARI	ILY ABANDON							DA	
DOWNHOLE CLOSED-LO OTHER: 13. Descr of sta propo	TER CASING COMMINGLE OP SYSTEM ribe proposed or co rting any proposed osed completion or UNIT 58H (30-01	MULTIP Dempleted opera d work). SEE 1 recompletion.	RULE 19.15.		CASING/CEME OTHER: pertinent details, a	and give pertiner	nt dates, incl		d date
DOWNHOLE CLOSED-LO OTHER: 13. Descr of sta propo CICADA SURFAC RAN 13 3 CLASS C BLM REC	TER CASING COMMINGLE OP SYSTEM ribe proposed or co rting any proposed osed completion or	MULTIP MULTIP Dempleted opera d work). SEE 1 recompletion. 15-49471) UD WELL 3/12 CC CASING TO RETURNS TO FEST TO 1500	LE COMPL ations. (Clear RULE 19.15. 2/2023 – DRI O 452' / FC ( O SURFACE ) PSI FOR 30	U state all j 7.14 NMA (LLED 17 1 2 408' FS ( 7 38 BBLS MINUTES	CASING/CEME OTHER: pertinent details, a C. For Multiple C 1/2" HOLE TO 46 @ 452' 3/12/2023 CEMENT TO SU S / INITIAL 1625	ANT JOB and give pertiner Completions: At 2' 3/12/2023 – - CEMENT WI JRFACE / TOC – FINAL 1540 /	TH TAIL - 4 @ 0' / WOO	te diagram of 460 SACKS C TIME PER DD	d date
DOWNHOLE CLOSED-LO OTHER: 13. Descr of sta propo CICADA SURFAC RAN 13 3 CLASS C BLM REC	TER CASING COMMINGLE OP SYSTEM ribe proposed or co rting any proposed osed completion or UNIT 58H (30-01 E 3/11/2023 – SPU 3/8" 54.5# J-55 BT C @ 1.33 YIELD / QUIREMENTS / 7	MULTIP	LE COMPL ations. (Clear RULE 19.15. 2/2023 – DRI O 452' / FC @ O SURFACE ) PSI FOR 30 AL DRILLING	U state all j 7.14 NMA (LLED 17 1 2 408' FS ( 7 38 BBLS MINUTES	CASING/CEME OTHER: pertinent details, a C. For Multiple C (2" HOLE TO 46 (2) 452' 3/12/2023 CEMENT TO SU S / INITIAL 1625 IATION AND AP	ANT JOB and give pertiner Completions: At 2' 3/12/2023 – - CEMENT WI JRFACE / TOC – FINAL 1540 /	TH TAIL - 4 @ 0' / WOO	te diagram of 460 SACKS C TIME PER DD	d date
DOWNHOLE CLOSED-LO OTHER: 13. Descr of sta propo CICADA SURFAC RAN 13 3 CLASS C BLM REO PLEASE Spud Date:	TER CASING COMMINGLE OP SYSTEM ribe proposed or co rting any proposed osed completion or UNIT 58H (30-01 E 3/11/2023 – SPU 3/8" 54.5# J-55 BT C @ 1.33 YIELD / QUIREMENTS / T SEE ATTACHED 03/11/20	MULTIP	LE COMPL ations. (Clear RULE 19.15. 2/2023 – DRI O 452' / FC ( D SURFACE ) PSI FOR 30 AL DRILLING Rig	ly state all 7.14 NMA (LLED 17 1 2 408' FS ( 7 38 BBLS MINUTES G INFORM Release Da	CASING/CEME OTHER: pertinent details, a C. For Multiple C (2" HOLE TO 46 (a) 452' 3/12/2023 CEMENT TO SU (3' INITIAL 1625 IATION AND AP (4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	ANT JOB and give pertiner Completions: At 2' 3/12/2023 – - CEMENT WI JRFACE / TOC – FINAL 1540 / PROVED BLM	TH TAIL - 4 @ 0' / WOO	te diagram of 460 SACKS C TIME PER DD	d date
DOWNHOLE CLOSED-LO OTHER: 13. Descr of sta propo CICADA SURFAC RAN 13 3 CLASS C BLM REO PLEASE Spud Date:	TER CASING COMMINGLE OP SYSTEM ribe proposed or co rting any proposed osed completion or UNIT 58H (30-01 E 3/11/2023 – SPU 3/8" 54.5# J-55 BT C @ 1.33 YIELD / QUIREMENTS / T SEE ATTACHED 03/11/20	MULTIP	LE COMPL ations. (Clear RULE 19.15. 2/2023 – DRI O 452' / FC @ D SURFACE ) PSI FOR 30 AL DRILLING Rig ue and compl	ly state all j 7.14 NMAG (LLED 17 1 2 408' FS ( 7 38 BBLS MINUTES G INFORM Release Da ete to the b	CASING/CEME OTHER: pertinent details, a C. For Multiple C (2" HOLE TO 46 (a) 452' 3/12/2023 CEMENT TO SU (3' INITIAL 1625 IATION AND AP (4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	ANT JOB and give pertiner Completions: At 2' 3/12/2023 – - CEMENT WI JRFACE / TOC – FINAL 1540 / PROVED BLM	TH TAIL - 4 @ 0' / WOO TEST GOO DOCUMEN	te diagram of 460 SACKS C TIME PER DD	
DOWNHOLE CLOSED-LO OTHER: 13. Descr of sta propo CICADA SURFAC RAN 13 3 CLASS C BLM REO PLEASE Spud Date:	TER CASING COMMINGLE OP SYSTEM ribe proposed or co rting any proposed osed completion or UNIT 58H (30-01 E 3/11/2023 – SPU 3/8" 54.5# J-55 BT C @ 1.33 YIELD / QUIREMENTS / T SEE ATTACHEE 03/11/20 y that the informat	MULTIP	LE COMPL ations. (Clear RULE 19.15. 2/2023 – DRI O 452' / FC ( D SURFACE ) PSI FOR 30 AL DRILLING Rig ue and compl	IV state all j 7.14 NMAG ULLED 17 1 0 408' FS ( 7 38 BBLS MINUTES G INFORM Release Da ete to the b	CASING/CEME OTHER: pertinent details, a C. For Multiple C (2) HOLE TO 46 (2) 452' 3/12/2023 CEMENT TO SU (2) INITIAL 1625 IATION AND AP (2) INITIAL 1625 (2) IN	And give pertiner Completions: At 22' 3/12/2023 – - CEMENT WI JRFACE / TOC – FINAL 1540 / PROVED BLM dge and belief.	TH TAIL - 4 @ 0' / WOO TEST GOO DOCUMEN	e diagram of 460 SACKS C TIME PER DD NT 05/16/2024	

•

# INTERMEDIATE

3/29/2023 - 3/30/2023 - DRILL 12 1/4" HOLE TO 2283' 3/30/2023 - RAN 9 5/8" 40#/L-80 IC CASING TO 2273' / FC @ 2184' FS @ 2273' 3/31/2023 - CEMENT WITH TAIL - 605 SACKS CLASS C @1.71 YIELD / FULL RETURNS / 30 BBLS CEMENT TO SURFACE / WOC TIME PER BLM REQUIREMENTS / ESTIMATED TOC @ 0' / TEST TO 1870 PSI FOR 30 MINUTES / INITIAL 1880 – FINAL 1882 / TEST GOOD

# INTERMEDIATE 2

3/31/2023 – 4/2/2023 – DRILL 8 3/4" HOLE TO 8557' 4/3/2023 - RUN 7" 29#/P-110 TN110S BTC CASING TO 8547' / FC @ 8449' FS @ 8547' 4/4/2023 - CEMENT WITH LEAD – 555 SACKS CLASS C @ 3.52 YIELD / EST. TOP @ 0' EST. BTM @ 7547' TAIL - 173 SACKS CLASS C @ 1.40 YIELD / EST. TOP @ 7557' EST. BTM @ 8547' / WOC TIME PER BLM REQUIREMENTS / ESTIMATED TOC @ 0' / TEST TO 3300 PSI FOR 30 MINUTES / INITIAL 3341 – FINAL 3373 / TEST GOOD 4/3/2023 – RELEASE RIG

## PRODUCTION

4/21/2023 – 4/26/2023 – DRILL 6 1/8" HOLE TO 19781' 4/28/2023 - RUN 5" 18.0# P-110 W-513 CASING FROM 8362' TO 9102' / 4 1/2" 11.6#/P-110 W521 CASING FROM 9102' TO 19771' / FC @ 19745' FS @ 19771' 4/28/2023- CEMENT WITH TAIL - 730 SACKS CLASS H @ 1.85 YIELD / FULL RETURNS / WOC TIME PER BLM REQUIREMENTS / ESTIMATED TOC @ 8378' TD REACHED – 4/26/2023. 4/28/2023 – RELEASED RIG

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Repor
Well Name: CICADA UNIT	Well Location: T26S / R27E / SEC 13 / NWNW / 32.048959 / -104.148568	County or Parish/State: EDDY / NM
Well Number: 58H	<b>Type of Well:</b> CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM116028	Unit or CA Name: CICADA UNIT	Unit or CA Number: NMNM137168A
US Well Number: 3001549471	<b>Operator:</b> CHEVRON USA INCORPORATED	

## **Subsequent Report**

Sundry ID: 2758951

Type of Submission: Subsequent Report

Date Sundry Submitted: 10/31/2023

Date Operation Actually Began: 03/11/2023

Type of Action: Drilling Operations Time Sundry Submitted: 03:17 8

Actual Procedure: SURFACE 3/11/2023 - SPUD WELL 3/12/2023 - DRILLED 17 1/2" HOLE TO 462' 3/12/2023 -RAN 13 3/8" 54.5# J-55 BTC CASING TO 452' / FC @ 408' FS @ 452' 3/12/2023 - CEMENT WITH TAIL - 460 SACKS CLASS C @ 1.33 YIELD / RETURNS TO SURFACE / 38 BBLS CEMENT TO SURFACE / TOC @ 0' / WOC TIME PER BLM REQUIREMENTS / TEST TO 1500 PSI FOR 30 MINUTES / INITIAL 1625 - FINAL 1540 / TEST GOOD 3/12/2023 - RELEASE RIG INTERMEDIATE 3/29/2023 - 3/30/2023 - DRILL 12 1/4" HOLE TO 2283' 3/30/2023 - RAN 9 5/8" 40#/L-80 IC CASING TO 2273' / FC @ 2184' FS @ 2273' 3/31/2023 - CEMENT WITH TAIL - 605 SACKS CLASS C @ 1.71 YIELD / FULL RETURNS / 30 BBLS CEMENT TO SURFACE / WOC TIME PER BLM REQUIREMENTS / ESTIMATED TOC @ 0' / TEST TO 1870 PSI FOR 30 MINUTES / INITIAL 1880 - FINAL 1882 / TEST GOOD INTERMEDIATE 2 3/31/2023 - 4/2/2023 - DRILL 8 3/4" HOLE TO 8557' 4/3/2023 - RUN 7" 29#/P-110 TN110S BTC CASING TO 8547' / FC @ 8449' FS @ 8547' 4/4/2023 - CEMENT WITH LEAD - 555 SACKS CLASS C @ 3.52 YIELD / EST. TOP @ 0' EST. BTM @ 7547' TAIL - 173 SACKS CLASS C @ 1.40 YIELD / EST. TOP @ 7557' EST. BTM @ 8547' / WOC TIME PER BLM REQUIREMENTS / ESTIMATED TOC @ 0' / TEST TO 3300 PSI FOR 30 MINUTES / INITIAL 3341 - FINAL 3373 / TEST GOOD 4/3/2023 - RELEASE RIG PRODUCTION 4/21/2023 - 4/26/2023 - DRILL 6 1/8" HOLE TO 19781' 4/28/2023 - RUN 5" 18.0# P-110 W-513 CASING FROM 8362' TO 9102' / 4 1/2" 11.6#/P-110 W521 CASING FROM 9102' TO 19771' / FC @ 19745' FS @ 19771' 4/28/2023- CEMENT WITH TAIL - 730 SACKS CLASS H @ 1.85 YIELD / FULL RETURNS / WOC TIME PER BLM REQUIREMENTS / ESTIMATED TOC @ 8378' TD REACHED - 4/26/2023. 4/28/2023 - RELEASED RIG

Received by OCD: 5/16/2024 11:50:10 AM Well Name: CICADA UNIT	Well Location: T26S / R27E / SEC 13 / NWNW / 32.048959 / -104.148568	County or Parish/State: EDD , 4 of 8
Well Number: 58H	<b>Type of Well:</b> CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM116028	Unit or CA Name: CICADA UNIT	Unit or CA Number: NMNM137168A
<b>US Well Number:</b> 3001549471	<b>Operator:</b> CHEVRON USA INCORPORATED	

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature:** JOHN HARRISON

Name: CHEVRON USA INCORPORATED

Title: Permitting Coordinator

Street Address: 1616 W BENDER BLVD

City: HOBBS State: NM

Phone: (432) 687-7328

Email address: JOHNHARRISON@CHEVRON.COM

State:

# **Field**

Representative Name: Street Address: City: Phone: Email address:

# **BLM Point of Contact**

BLM POC Name: JONATHON W SHEPARD BLM POC Phone: 5752345972 Disposition: Accepted Signature: Jonathon Shepard BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov Disposition Date: 11/03/2023

Zip:

Signed on: OCT 31, 2023 03:17 PM

## Received by OCD: 5/16/2024 11:50:10 AM

eceived by OCD. 3/10/202	4 11.30.10 AM			1 uge 5 0j	
Form 3160-5 (June 2019)	UNITED STAT DEPARTMENT OF THE BUREAU OF LAND MAN	INTERIOR	C	ORM APPROVED MB No. 1004-0137 irres: October 31, 2021	
SUND Do not use t	RY NOTICES AND REP his form for proposals		6. If Indian, Allottee or Tribe Name		
SUBM	IT IN TRIPLICATE - Other inst	APD) for such proposals. ructions on page 2		ement, Name and/or No.	
1. Type of Well Oil Well	Gas Well Other		8. Well Name and No.		
2. Name of Operator			9. API Well No.		
3a. Address		3b. Phone No. <i>(include area code)</i>	No. <i>(include area code)</i> 10. Field and Pool or Exploratory Area		
4. Location of Well (Footage, Sec	c., T.,R.,M., or Survey Description	n)	11. Country or Parish,	State	
12	. CHECK THE APPROPRIATE I	BOX(ES) TO INDICATE NATURE	OF NOTICE, REPORT OR OTH	IER DATA	
TYPE OF SUBMISSION		TYP	E OF ACTION		
Notice of Intent	Acidize	Deepen Hydraulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair	New Construction Plug and Abandon	Recomplete	Other	
Final Abandonment Notic	e Convert to Injectio	n Plug Back	Water Disposal		
the proposal is to deepen dire the Bond under which the wo completion of the involved o	ectionally or recomplete horizonta ork will be perfonned or provide the perations. If the operation results	illy, give subsurface locations and me he Bond No. on file with BLM/BIA. in a multiple completion or recompleted	easured and true vertical depths of Required subsequent reports mu etion in a new interval, a Form 3	rk and approximate duration thereof. If of all pertinent markers and zones. Attach st be filed within 30 days following 160-4 must be filed once testing has been he operator has detennined that the site	

14. I hereby certify that the foregoing is true and correct. Name ( <i>Printed/Typed</i> )			
	Title		
Signature	Date		
THE SPACE FOR FEDE	HAL OR STATE OF		
Approved by			
	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant of certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any any false, fictitious or fraudulent statements or representations as to any matter within		ully to make to any department or agency of the United Sta	ates

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

## **Additional Information**

#### **Additional Remarks**

3/29/2023 - 3/30/2023 - DRILL 12 1/4" HOLE TO 2283 3/30/2023 - RAN 9 5/8 40#/L-80 IC CASING TO 2273 / FC @ 2184 FS @ 2273 3/31/2023 - CEMENT WITH TAIL - 605 SACKS CLASS C @ 1.71 YIELD / FULL RETURNS / 30 BBLS CEMENT TO SURFACE / WOC TIME PER BLM REQUIREMENTS / ESTIMATED TOC @ 0 / TEST TO 1870 PSI FOR 30 MINUTES / INITIAL 1880 FINAL 1882 / TEST GOOD

#### **INTERMEDIATE 2**

3/31/2023 4/2/2023 DRILL 8 3/4 HOLE TO 8557 4/3/2023 - RUN 7 29#/P-110 TN110S BTC CASING TO 8547 / FC @ 8449 FS @ 8547 4/4/2023 - CEMENT WITH LEAD 555 SACKS CLASS C @ 3.52 YIELD / EST. TOP @ 0 EST. BTM @ 7547 TAIL - 173 SACKS CLASS C @ 1.40 YIELD / EST. TOP @ 7557 EST. BTM @ 8547 / WOC TIME PER BLM REQUIREMENTS / ESTIMATED TOC @ 0 / TEST TO 3300 PSI FOR 30 MINUTES / INITIAL 3341 FINAL 3373 / TEST GOOD

#### 4/3/2023 RELEASE RIG

#### PRODUCTION

4/21/2023 4/26/2023 DRILL 6 1/8 HOLE TO 19781 4/28/2023 - RUN 5 18.0# P-110 W-513 CASING FROM 8362 TO 9102 / 4 1/2" 11.6#/P-110 W521 CASING FROM 9102 TO 19771 / FC @ 19745 FS @ 19771 4/28/2023- CEMENT WITH TAIL - 730 SACKS CLASS H @ 1.85 YIELD / FULL RETURNS / WOC TIME PER BLM REQUIREMENTS / ESTIMATED TOC @ 8378 TD REACHED 4/26/2023.

4/28/2023 RELEASED RIG

### **Location of Well**

0. SHL: NWNW / 270 FNL / 1152 FWL / TWSP: 26S / RANGE: 27E / SECTION: 13 / LAT: 32.048959 / LONG: -104.148568 (TVD: 0 feet, MD: 0 feet ) PPP: SESW / 330 FSL / 1650 FWL / TWSP: 26S / RANGE: 27E / SECTION: 12 / LAT: 32.050607 / LONG: -104.146977 (TVD: 9271 feet, MD: 9632 feet ) BHL: NENW / 50 FNL / 1650 FWL / TWSP: 26S / RANGE: 27E / SECTION: 1 / LAT: 32.078794 / LONG: -104.147055 (TVD: 9292 feet, MD: 19687 feet ) Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
CHEVRON U S A INC	4323
6301 Deauville Blvd	Action Number:
Midland, TX 79706	345143
	Action Type:
	[C-103] Sub. Drilling (C-103N)
CONDITIONS	

Created By	Condition	Condition Date
crystal.walker	None	5/9/2025

CONDITIONS

Page 8 of 8

Action 345143