

Well Name: SD 24 13 FEDERAL COM	Well Location: T26S / R32E / SEC 24 / SESE / 32.024607 / -103.62332	County or Parish/State: LEA / NM
Well Number: 426H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM65876A	Unit or CA Name: SD WE 24 FED P24 6H & 7H	Unit or CA Number: NMNM138439
US Well Number: 3002551504	Operator: CHEVRON USA INCORPORATED	

Subsequent Report

Sundry ID: 2813768

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 09/25/2024	Time Sundry Submitted: 08:31
Date Operation Actually Began: 06/25/2024	

Actual Procedure: SD 24 13 FED COM P366 426H / 30-025-51504 CHEVRON USA INC SURFACE 6/25/2024 – SPUD WELL 6/25/2024– DRILLED 17 1/2” HOLE TO 975’ 6/25/2024 – RAN 13 3/8” 54.5# J-55 BTC CASING TO 955’ 6/27/2024 - CEMENT WITH LEAD - 292 SACKS CLASS C @ 1.81 YIELD TAIL – 447 SACKS CLASS C @ 1.33 YIELD / RETURNS TO SURFACE / 85 BBLS CEMENT TO SURFACE / TOC @ 0’ / FC @ 911’ FS @ 955’ / WOC TIME PER BLM REQUIREMENTS / TEST TO 1500 PSI FOR 30 MINUTES / INITIAL 1531 PSI FINAL 1508 PIS/ TEST GOOD 6/27/2024 – RELEASE RIG INTERMEDIATE 07/12/2024 DRILL 12 1/4” HOLE TO 4852’ 7/13/2024 - RAN 9 5/8” 40#/L-80 IC CASING TO 4813’ 7/14/2024 - CEMENT WITH LEAD – 1473 SACKS CLASS C @ 1.67 YIELD TAIL – 202 SACKS CLASS C @ 1.33 YIELD / FULL RETURNS / 140 BBLS CEMENT TO SURFACE / WOC TIME PER BLM REQUIREMENTS / ESTIMATED TOC @ 0’ / FC @ 4717’ FS @ 4813’ / TEST TO 3500 PSI FOR 30 MINUTES /INITIAL 3546 PSI FINAL 3513 PSI TEST GOOD 07/14/2024 – RELEASE RIG INTERMEDIATE 2 07/15/2024 DRILL 8 3/4” HOLE TO 9740’ 07/16/2024 - RUN 7” 29#/P-110 TN110S BTC CASING TO 9718’ 07/17/2024 - CEMENT WITH LEAD – 587 SACKS CLASS C @ 3.52 YIELD / TAIL – 109 SACKS CLASS C @ 1.40 YIELD/ 3 BBL CEMENT TO SURFACE / EST. TOP @ 0’ EST. BTM @ 9118’/ WOC TIME PER BLM REQUIREMENTS / ESTIMATED TOC @ 0’ / FC @ 9535’ FS @ 9718’ / TEST TO 5000 PSI FOR 30 MINUTES / INITIAL 5065 PSI– FINAL 5132 PSI / TEST GOOD 07/17/2024 - RIG RELEASED PRODUCTION 09/14/2024– 09/25/2024 DRILL 6 1/8” HOLE TO 20999’ 09/16/2024 - RUN 5” 18# P-110 W521 CASING FROM 9520’ to 10643’ RUN 4.5” 11.6# P-110 W-513 CASING FROM 10643’ TO 20992’ 9/16/2024- CEMENT WITH TAIL – 720 SACKS CLASS H @ 1.85 YIELD / FULL RETURNS 40 BBLS TO SURFACE / WOC TIME PER BLM REQUIREMENTS / ESTIMTED BOTTOM 20992’ / FC @ 20966’ FS @ 20992’/ TD REACHED – 9/16/2024 09/16/2024 – RELEASED RIG

Received by OCD: 3/27/2025 10:25:01 AM

Page 2 of 6

Well Name: SD 24 13 FEDERAL COM	Well Location: T26S / R32E / SEC 24 / SESE / 32.024607 / -103.62332	County or Parish/State: LEA / NM
Well Number: 426H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM65876A	Unit or CA Name: SD WE 24 FED P24 6H & 7H	Unit or CA Number: NMNM138439
US Well Number: 3002551504	Operator: CHEVRON USA INCORPORATED	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CINDY HERRERA-MURILLO	Signed on: SEP 25, 2024 08:31 AM
Name: CHEVRON USA INCORPORATED	
Title: Permitting Specialist	
Street Address: 1616 W BENDER BLVD	
City: HOBBS	State: NM
Phone: (575) 263-0431	
Email address: EEOF@CHEVRON.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 10/01/2024
Signature: Jonathon Shepard	

Form 3160-5 (June 2019)	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.		5. Lease Serial No. NMNM65876A
		6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2		7. If Unit of CA/Agreement, Name and/or No. SD WE 24 FED P24 6H & 7H/NMNM138439
1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other	8. Well Name and No. SD 24 13 FEDERAL COM/426H	
2. Name of Operator CHEVRON USA INCORPORATED	9. API Well No. 3002551504	
3a. Address PO BOX 1392, BAKERSFIELD, CA 93302	3b. Phone No. (include area code) (661) 633-4000	10. Field and Pool or Exploratory Area WC-025 G-08 S253235G/WC-025 G-06 S263319P: BONE SPRING
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 24/T26S/R32E/NMP		11. Country or Parish, State LEA/NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

SD 24 13 FED COM P366 426H / 30-025-51504 CHEVRON USA INC
SURFACE

6/25/2024 SPUD WELL
6/25/2024 DRILLED 17 1/2 HOLE TO 975
6/25/2024 RAN 13 3/8 54.5# J-55 BTC CASING TO 955
6/27/2024 - CEMENT WITH LEAD - 292 SACKS CLASS C @ 1.81 YIELD TAIL 447 SACKS CLASS C @ 1.33 YIELD / RETURNS TO SURFACE / 85 BBLS CEMENT TO SURFACE / TOC @ 0 / FC @ 911 FS @ 955 / WOC TIME PER BLM REQUIREMENTS / TEST TO 1500 PSI FOR 30 MINUTES / INITIAL 1531 PSI FINAL 1508 PIS/ TEST GOOD

6/27/2024 RELEASE RIG
INTERMEDIATE
Continued on page 3 additional information

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) CINDY HERRERA-MURILLO / Ph: (575) 263-0431	Title Permitting Specialist
Signature (Electronic Submission)	Date 09/25/2024

THE SPACE FOR FEDERAL OR STATE OFFICE USE		
Approved by JONATHON W SHEPARD / Ph: (575) 234-5972 / Accepted	Title Petroleum Engineer	Date 10/01/2024
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office CARLSBAD	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information**Additional Remarks**

07/12/2024 DRILL 12 1/4" HOLE TO 4852

7/13/2024 - RAN 9 5/8 40#/L-80 IC CASING TO 4813

7/14/2024 - CEMENT WITH LEAD 1473 SACKS CLASS C @ 1.67 YIELD TAIL 202 SACKS CLASS C @ 1.33 YIELD / FULL RETURNS / 140 BBLs CEMENT TO SURFACE / WOC TIME PER BLM REQUIREMENTS / ESTIMATED TOC @ 0 / FC @ 4717 FS @ 4813 / TEST TO 3500 PSI FOR 30 MINUTES / INITIAL 3546 PSI FINAL 3513 PSI TEST GOOD

07/14/2024 RELEASE RIG

INTERMEDIATE 2

07/15/2024 DRILL 8 3/4 HOLE TO 9740

07/16/2024 - RUN 7 29#P-110 TN110S BTC CASING TO 9718

07/17/2024 - CEMENT WITH LEAD 587 SACKS CLASS C @ 3.52 YIELD / TAIL 109 SACKS CLASS C @ 1.40 YIELD/ 3 BBL CEMENT TO SURFACE / EST. TOP @ 0 EST. BTM @ 9118/ WOC TIME PER BLM REQUIREMENTS / ESTIMATED TOC @ 0 / FC @ 9535 FS @ 9718 / TEST TO 5000 PSI FOR 30 MINUTES / INITIAL 5065 PSI FINAL 5132 PSI / TEST GOOD

07/17/2024 - RIG RELEASED

PRODUCTION

09/14/2024 09/25/2024 DRILL 6 1/8 HOLE TO 20999

09/16/2024 - RUN 5 18# P-110 W521 CASING FROM 9520 to 10643 RUN 4.5 11.6# P-110 W-513 CASING FROM 10643 TO 20992

9/16/2024- CEMENT WITH TAIL 720 SACKS CLASS H @ 1.85 YIELD / FULL RETURNS 40 BBLs TO SURFACE / WOC TIME PER BLM REQUIREMENTS / ESTIMATED BOTTOM 20992 / FC @ 20966 FS @ 20992/ TD REACHED 9/16/2024

09/16/2024 RELEASED RIG

Location of Well

0. SHL: SESE / 1334 FSL / 1084 FEL / TWSP: 26S / RANGE: 32E / SECTION: 24 / LAT: 32.024607 / LONG: -103.62332 (TVD: 0 feet, MD: 0 feet)

PPP: NENE / 1336 FSL / 550 FEL / TWSP: 26S / RANGE: 32E / SECTION: 13 / LAT: 32.039334 / LONG: -103.621591 (TVD: 10108 feet, MD: 10285 feet)

PPP: SESE / 100 FSL / 550 FEL / TWSP: 26S / RANGE: 32E / SECTION: 24 / LAT: 32.02122 / LONG: -103.6216 (TVD: 10108 feet, MD: 10285 feet)

BHL: NENE / 25 FNL / 550 FEL / TWSP: 26S / RANGE: 32E / SECTION: 13 / LAT: 32.05032 / LONG: -103.621586 (TVD: 10511 feet, MD: 21008 feet)

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 446259

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 446259
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	Report pressure test on next sundry. Include test pressure and duration.	5/15/2025