

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

County or Parish/State: LEA /

Well Name: SILVER TRAIN 17 FED Well Location: T25S / R34E / SEC 17 /

COM TR M / 32.1259925 / -103.4968458

Well Number: 715H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM94108 Unit or CA Name: Unit or CA Number:

US Well Number: 3002551040 Well Status: Drilling Well Operator: EOG RESOURCES

INCORPORATED

Subsequent Report

Sundry ID: 2745020

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 08/08/2023 Time Sundry Submitted: 09:39

Date Operation Actually Began: 07/01/2023

Actual Procedure: 7-1-2023 20" Conductor Hole @ 120' MD 07/17/2023 12 1/4" HOLE 07/17/2023 Surface Hole @ 1,167' MD, 1,166' TVD Casing shoe @ 1,152' MD, 1,152' TVD Ran 9-5/8", 36#, J55, LTC Cement w/ 385 sx Class C (1.79 yld, 13.5 ppg), followed by 100 sx Class C (1.35 yld, 14.8 ppg) Test casing to 1500 psi for 30 min, Circ (58 bbls) 182 sx cement to surface BOP TESTED TO BLM STANDARDS

eived by OCD: 9/20/2023 12:30:02 PM Well Name: SILVER TRAIN 17 FED

COM

Well Location: T25S / R34E / SEC 17 /

TR M / 32.1259925 / -103.4968458

County or Parish/State: LEA? NM

Well Number: 715H Type of Well: OIL WELL **Allottee or Tribe Name:**

Unit or CA Number: Lease Number: NMNM94108 **Unit or CA Name:**

US Well Number: 3002551040 Well Status: Drilling Well **Operator:** EOG RESOURCES

INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: EMILY FOLLIS Signed on: AUG 08, 2023 09:39 AM

Name: EOG RESOURCES INCORPORATED

Title: Sr. Regulatory Administrator

Street Address: 5509 Champions Drive

City: Midland State: TX

Phone: (432) 848-9163

Email address: emily_follis@eogresources.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted Disposition Date: 08/10/2023

Signature: Jonathon Shepard

Page 2 of 2



Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

COM

Well Name: SILVER TRAIN 17 FED Well Location: T25S / R34E / SEC 17 /

TR M / 32.1259925 / -103.4968458

County or Parish/State: LEA /

NM

Well Number: 715H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM94108 Unit or CA Name: Unit or CA Number:

US Well Number: 3002551040 Well Status: Drilling Well Operator: EOG RESOURCES

INCORPORATED

Subsequent Report

Sundry ID: 2747811

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 08/24/2023 Time Sundry Submitted: 11:36

Date Operation Actually Began: 08/10/2023

Actual Procedure: 8-10-2023 8 3/4" HOLE 8-10-2023 Intermediate Hole @ 12,027' MD, 11,799' TVD Casing shoe @ 12,012' MD Ran 7-5/8", 38.5#, P110HSCY, MO FXL Stage 1: Cement w/ 375 sx Class H (1.21 yld, 15.6 ppg) DID NOT PUMP PLUG, Required to wait 8 hrs or a cement compressive strength of 500 psi (whichever was greater prior to testing), 7-5/8" Burst pressure 10,760psi (80% is 8,608psi) so we stayed at ~500psi of 80% for 30mins, TOC @ 8,767' - Calc Stage 2: Bradenhead squeeze w/ 1,000 sx Class c (1.41 yld, 14.8 ppg) Stage 3: Top out w/ 350 sx Class C (1.36 yld, 14.8 ppg), TOC @ 83' per Echometer 8-17-2023 6 3/4" hole 8-17-2023 Production Hole @ 20,300' MD, 12,478' TVD Casing shoe @ 20,284' MD, 12,429' TVD Ran 5-1/2", 20#, ECP110, DWC/C IS MS (0' - 11,463') (MJ @ 12,149' & 19,793') Ran 5-1/2", 20#, ECP110, Vam Sprint SF (11,463' - 12,055') Ran 5-1/2", 20#, ECP110, DWC/C IS MS (12,055' - 20,284') Cement w/ 810 sx Class H (1.52 yld, 13.2 ppg), Bump plug, no casing test (wet shoe), TOC @ 7,256' - Calc, waiting on CBL, RR 8-18-2023 Production casing will be tested prior to fracing and reported on the completion sundry.

well Name: SILVER TRAIN 17 FED

COM

Well Location: T25S / R34E / SEC 17 /

TR M / 32.1259925 / -103.4968458

17 / County or Parish/State: LEA?

NM

Well Number: 715H Tv

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM94108

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002551040

Well Status: Drilling Well

Operator: EOG RESOURCES

INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: EMILY FOLLIS Signed on: AUG 24, 2023 11:36 AM

Name: EOG RESOURCES INCORPORATED

Title: Sr. Regulatory Administrator

Street Address: 5509 Champions Drive

City: Midland State: TX

Phone: (432) 848-9163

Email address: emily_follis@eogresources.com

Field

Representative Name:

Street Address:

Citv:

State:

Zip:

BLM POC Title: Petroleum Engineer

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted **Disposition Date:** 08/29/2023

Signature: Jonathon Shepard

Page 2 of 2

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 267439

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
5509 Champions Drive	Action Number:
Midland, TX 79706	267439
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
jeffrey.harrison	Intermediate cement job failed to circulate to surface. A mechanical integrity test of the annulus between the surface casing and the first intermediate casing must be conducted and recorded. OCD will require that the pressure chart be signed by both the company rep and the tester. Future testing schedule will be determined pending the results of the mechanical integrity test. The signed pressure chart must be submitted alongside the resubmitted casing sundry.	5/20/2025