

Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

COM

Well Name: ULURU 35 FED STATE Well Location: T19S / R28E / SEC 34 / County or Parish/State: EDDY /

SESE / 32.6111971 / -104.1581421

Well Number: 203H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM4733620 Unit or CA Name: Unit or CA Number:

US Well Number: 300154965300S1 **Well Status:** Producing Oil Well **Operator:** COLGATE

OPERATING LLC

Subsequent Report

Sundry ID: 2755780

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 10/10/2023 Time Sundry Submitted: 01:50

Date Operation Actually Began: 09/14/2022

Actual Procedure: Surface: Spud well 7/5/2022 12:00 8/9/2022 Drill 17.5" surf. hole, TD at 386 ft. 8/10/2022 Run 13.375" 54.5# J-55 surf. Casing. Set at 371 ft. 8/10/2022 Cement Casing with 375 sxs, 89 bbls, 1.34 yield, Class C Cement. Circ 71 bbls cmt to surface. Top of Cement = Surface 8/10/2022 Test 13.375 surf. csg to 1,500 psi for 30 mins. (Good Test) Intermediate 8/11/2022 Drill 12.25" intermediate hole. TD at 3,006 ft. 8/12/2022 Run 9.625" 36.0#J-55 intermediate casing. Set at 2,991 ft. 8/12/2022 Cement casing with 810 sxs, 254 bbls, 3.25 yld , class C Cement. Circ 45 bbls cmt to surface. Top of Cement = Surface. 8/12/2022 Test 9.625 intermediate csg to 1,500 psi for 30 mins. (Good Test) Production 8/13/2022 – 9/1/2022 Drill 7.875 hole to. 19,821 ft MD. 9,111 TVD. 9/3/2022 Run 5.5" 17.0 # HPP-110 production casing. Set at 19,811.1 ft. 6/12/2022 Cement casing with 2,215 sxs, 759 bbls, 3.98 yld , Class C lead Cement. Circ 42 bbls cmt to surface. Top of Cement = Surface 9/4/2022 RDMO Drilling Rig. Production csg pressure test will be conducted prior to completion.

eived by OCD: 10/20/2023 2:20:09 PM Well Name: ULURU 35 FED STATE

COM

Well Location: T19S / R28E / SEC 34 / SESE / 32.6111971 / -104.1581421

County or Parish/State: EDD 1/2

Well Number: 203H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM4733620

Unit or CA Name:

Unit or CA Number:

US Well Number: 300154965300S1

Well Status: Producing Oil Well

Operator: COLGATE OPERATING LLC

Signed on: OCT 10, 2023 01:49 PM

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CARSYN EVANS

Name: COLGATE OPERATING LLC

Title: Regulatory Coordiantor

Street Address: 300 N. MARIENFELD ST., STE 1000

City: MIDLAND State: TX

Phone: (432) 488-6594

Email address: CARSYN.EVANS@PERMIANRES.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

Signature: Jonathon Shepard

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 10/17/2023

Page 2 of 2

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED	,
OMB No. 1004-0137	!
Expires: October 31, 20	2

5.	Lease	Serial	No

BURI	EAU OF LAND MANAGEMENT		3. Lease Schai No.	
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.			6. If Indian, Allottee o	r Tribe Name
abandoned wen.	ose romi oroc-o (Ar b) for suc	лі ріорозаіз.	7 IfII::: + -f.C.A./A	
	TRIPLICATE - Other instructions on page	9 2	/. If Unit of CA/Agree	ement, Name and/or No.
1. Type of Well			8. Well Name and No.	
Oil Well Gas W	Vell Other			
2. Name of Operator			9. API Well No.	
3a. Address	3b. Phone No.	(include area code)	10. Field and Pool or I	Exploratory Area
4. Location of Well (Footage, Sec., T.,R	.,M., or Survey Description)		11. Country or Parish,	State
12. CHE	CK THE APPROPRIATE BOX(ES) TO INC	DICATE NATURE OF NO	TICE, REPORT OR OTH	HER DATA
TYPE OF SUBMISSION		TYPE OF A	CTION	
Notice of Intent	Acidize Deep Alter Casing Hydra	=	oduction (Start/Resume)	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair New	Construction Re	ecomplete	Other
Subsequent Report	Change Plans Plug	and Abandon Te	mporarily Abandon	
Final Abandonment Notice	Convert to Injection Plug	Back W	ater Disposal	
completed. Final Abandonment Not is ready for final inspection.)	ns. If the operation results in a multiple comices must be filed only after all requirements			
4. I hereby certify that the foregoing is	true and correct. Name (Printed/Typed)	Title		
Signature		Date		
	THE SPACE FOR FEDE	ERAL OR STATE C	FICE USE	
Approved by			I	
rr		Title	I	Date
	ned. Approval of this notice does not warrant quitable title to those rights in the subject lead duct operations thereon.		1	
	B U.S.C Section 1212, make it a crime for an		villfully to make to any de	partment or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Additional Remarks

8/12/2022 Test 9.625 intermediate csg to 1,500 psi for 30 mins. (Good Test)

Production

 $8/13/2022\ 9/1/2022\ Drill\ 7.875\ hole\ to.\ 19,821\ ft\ MD.\ 9,111\ TVD.$

9/3/2022 Run 5.5 17.0 # HPP-110 production casing. Set at 19,811.1 ft.

6/12/2022 Cement casing with 2,215 sxs, 759 bbls, 3.98 yld , Class C lead Cement. Circ 42 bbls cmt to surface.

Top of Cement = Surface

9/4/2022 RDMO Drilling Rig. Production csg pressure test will be conducted prior to completion.

Location of Well

0. SHL: SESE / 431 FSL / 560 FEL / TWSP: 19S / RANGE: 28E / SECTION: 34 / LAT: 32.6111971 / LONG: -104.1581421 (TVD: 0 feet, MD: 0 feet)
PPP: SWSW / 990 FSL / 0 FWL / TWSP: 19S / RANGE: 28E / SECTION: 36 / LAT: 32.6128065 / LONG: -104.1390756 (TVD: 8919 feet, MD: 14468 feet)
PPP: SESE / 990 FSL / 1326 FWL / TWSP: 19S / RANGE: 28E / SECTION: 35 / LAT: 32.6127904 / LONG: -104.1433766 (TVD: 8919 feet, MD: 13143 feet)
PPP: SWSW / 990 FSL / 100 FWL / TWSP: 19S / RANGE: 28E / SECTION: 35 / LAT: 32.6127423 / LONG: -104.1559406 (TVD: 8919 feet, MD: 9275 feet)
PPP: SWSE / 990 FSL / 2653 FWL / TWSP: 19S / RANGE: 28E / SECTION: 35 / LAT: 32.6127742 / LONG: -104.1476791 (TVD: 8919 feet, MD: 11819 feet)
BHL: SESE / 990 FSL / 10 FEL / TWSP: 19S / RANGE: 28E / SECTION: 36 / LAT: 32.6128692 / LONG: -104.1219007 (TVD: 8919 feet, MD: 19756 feet)

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 277835

CONDITIONS

Operator:	OGRID:
Permian Resources Operating, LLC	372165
300 N. Marienfeld St Ste 1000	Action Number:
Midland, TX 79701	277835
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
jeffrey.harrison	None	5/27/2025