Form 3160-3 (June 2015)				FORM A OMB No Expires: Jar	APPROV 0. 1004-0 nuary 31	/ED)137 , 2018
UNITED STATES DEPARTMENT OF THE IN BUREAU OF LAND MANA	, NTERIO AGEMEI	R NT		5. Lease Serial No. NMNM134863		
APPLICATION FOR PERMIT TO DI	RILL OI	R REENTER		6. If Indian, Allotee	or Tribe	Name
la. Type of work:	EENTER			7. If Unit or CA Agr	eement,	Name and No.
1b. Type of Well: ☐ Oil Well 🔽 Gas Well ☐ Ot	her			8. Lease Name and V	Well No.	
1c. Type of Completion: ☐ Hydraulic Fracturing ✓ Sir	ngle Zone	Multiple Zone		WAR PIGEON FEI	р сом	
				401H		
2. Name of Operator ADMIRAL PERMIAN OPERATING LLC				9. API Well No. 30-(015-5	6815
3a. Address 200 N LORAINE SUITE 800, MIDLAND, TX 79701	3b. Phone (432) 653	e No. <i>(include area cod</i> 3-0245	e)	10. Field and Pool, c PURPLE SAGE/(W	or Exploi /OLFCA	atory MP) GAS
4. Location of Well (Report location clearly and in accordance w	vith any Sta	ate requirements.*)		11. Sec., T. R. M. or	Blk. and	l Survey or Area
At surface LOT 5 / 1534 FNL / 200 FWL / LAT 32.2494	82 / LON(G -104.237264		SEC 6/124S/R27E/	NMP	
At proposed prod. zone LOT 1 / 330 FNL / 100 FEL / LAT	32.2530	15 / LONG -104.2041	84			
 Distance in miles and direction from nearest town or post office 7 miles 	ce*			12. County or Parish EDDY	l	13. State NM
15. Distance from proposed* 200 feet location to nearest property or lease line, ft. (Also to nearest drig, unit line, if any)	16. No of	facres in lease	17. Spacin 1270.84	ng Unit dedicated to th	nis well	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 3480 feet	19. Propo 8900 fee	osed Depth t / 19232 feet	20. BLM/ FED: NN	/BIA Bond No. in file /B190311		
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 3273 feet	22. Appro 08/01/20	oximate date work will 25	start*	23. Estimated duration 60 days	on	
	24. Att	tachments				
The following, completed in accordance with the requirements of (as applicable)	Onshore (Dil and Gas Order No. 1	, and the H	Iydraulic Fracturing ru	ıle per 4	3 CFR 3162.3-3
 Well plat certified by a registered surveyor. A Drilling Plan. 		4. Bond to cover th Item 20 above).	e operation	as unless covered by an	existing	bond on file (see
3. A Surface Use Plan (if the location is on National Forest System SUPO must be filed with the appropriate Forest Service Office)	n Lands, th	 5. Operator certific 6. Such other site sp BLM. 	ation.	mation and/or plans as	may be 1	requested by the
25. Signature (Electronic Submission)	Nar BRI	me (Printed/Typed) AN WOOD / Ph: (43	2) 653-02	45	Date 12/24/2	2024
Title Permitting Agent						
Approved by (Signature)	Nar	me (Printed/Typed)			Date	
(Electronic Submission)	со	DY LAYTON / Ph: (57	75) 234-59	959	05/08/2	2025
Title Assistant Field Manager Lands & Minerals	Off Car	ice Isbad Field Office				
Application approval does not warrant or certify that the applicant applicant to conduct operations thereon. Conditions of approval, if any, are attached.	t holds leg	al or equitable title to th	nose rights	in the subject lease wh	nich wou	Id entitle the
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, m of the United States any false, fictitious or fraudulent statements of	ake it a cri or represen	me for any person know tations as to any matter	wingly and within its	willfully to make to a jurisdiction.	ny depai	tment or agency



(Continued on page 2)

.

<u>C-10</u>	2		Er	orav M	State of Ne	w Mexico	ortmont			Revised July 9, 2024
Submit	Electronicall	v		OIL		TION DIVISION	artment			
Via OC	Permitting	7		0.1	CONCLINI			Cubraittal	Initial Su	ubmittal
								Type:	Amende	ed Report
									🗆 As Drille	ed
					WELL LOCATI	ON INFORMATION				
API Nu	mber 15-5681	15	Pool Code	Э					CASI	
Proper	ty Code	10	Property I	Name		FUNFLE SAGE	, VVOLFV		Well Numh	or
33	36930				WAR PIG	EON FED COM			VVCII I VUITID	401H
OGRIE	No. 33276	2	Operator	Name A		IIAN OPERATING L	LC		Ground Le	vel Elevation 3.272.68'
5	Surface Own	ner: 🗹 State		Tribal 🗆 F	ederal	Mineral Ow	ner: 🕅 State	e 🗹 Fee [Tribal 🗹 Fe	ederal
					1	2. 700				
1.11	Continu	Township	Panga	Lat	Surfac	ce Location				
OL	section	21 C						000		County
.015	0	24 5	21 6		1,534 FNL	200 FVVL	32.2494	-82° -1	04.237264°	EDDY
	0	Tourship	Danga	1	Bottom	Hole Location				
	Section	Township		Lot	Ft. from N/S	Ft. from E/W	Latitude		ongitude	County
.011	5	24 5	21 6		330' FNL	100° FEL	32.2530	15° -1	04.204184°	EDDY
Dedian		Infill or Defir		Definin		Overlegging Constin		0		
127	0.84	INFILL	iing weii	402H	d well API	Overlapping Spacing	g Unit (Y/N)	Consolida	tion Code	
Order N	lumbers.					Well setbacks are u	under Comm	on Ownersh	nip: 🗆 Yes 🗆 I	No
	Castian	Township	Banga		Kick Of	f Point (KOP)				
	Section	Township		Lot	Ft. from N/S	Ft. from E/W	Latitude		ongitude	County
.014	0	24 5	21 5		330' FNL	10 FVVL	32.2527	88° -1	04.237885°	EDDY
	0 1	Taurahia	Damas	1.00	First Ta	ke Point (FTP)	1	3		-
	Section	nownsnip		Lot	Ft. from N/S	Ft. from E/W	Latitude		ongitude	County
.014	0	24 3	21 E		330' FNL	330 FVVL	32.2527	95 -1	04.236850°	EDDY
	Castion	Township	Pango	11.4	Last Ta	ke Point (LTP)	1			
	Section	rownsnip		Lot	Ft. from N/S	Ft. from E/W	Latitude		ongitude	County
.011	5	24 3	21 6		330' FNL	330 FEL	32.2530	09 -1	04.204928°	EDDY
Unitizor	Aroa or Ar	oo of Uniform	Interact	Cassia	n Llait Truna M Lla		0			
Unitized	Area of Ar	ea or onnorn	merest	Spacing	Dunit Type 🕰 Ho	rizontal 🗀 Vertical	Grou	na Floor Ele	evation:	
OPERA	TOR CERT	FIFICATIONS				SURVEYOR CERTIF	ICATIONS			
I hereby	certify that th	e information co	ontained herei	n is true an	d complete to the	I hereby certify that the w	vell location she	own on this p	lat was plotted	from field notes of
that this	organization	either owns a w	vorking interes	a ventical o	ed mineral interest	correct to the best of my	belief. QK	y supervision	, and that the s	ame is true and
well at the	is location p	ne proposed bo ursuant to a cor	ttom hole loca	ation or has owner of a v	a right to drill this working interest or		TR C	N MEXIO	TAL	
unleased pooling of	d mineral inte order heretofo	erest, or to a vo ore entered by t	luntary pooling he division.	g agreemer	t or a compulsory		(2	0		
If this we	ll is a horizor	ital well. I furthe	r certify that t	nis organiza	tion has received			2177	æ	
the cons	ent of at leas	t one lessee or	owner of a wo	orking intere	st or unleased		ES	HAM	in	
the well's	s completed i	nterval will be lo	ocated or obta	ined a com	pulsory pooling		PRED	H	3SE	
order fro	m the divisior	" 14	tant	TORIL	11-20-24		PA	FESSIONAL	Date: 10/24/20	24
Signatur	Ð	TV	C	ate		Signature and Seal of Pr	ofessional Sur	veyor	Date: 10/24/20	1a 7
	N WOC	D								
BRIA										
	lame					Certificate Number	Date of Sun	/ev		
BRIA Printed N	lame Øperm	itswest o	om			Certificate Number	Date of Surv	/ey		
BRIA Printed N brian	lame @perm	itswest.co	om			Certificate Number 12177	Date of Surv	vey 1(0/24/2024	
BRIA Printed N brian Email Ad	lame @perm dress	itswest.co	om	mpletic	ptil oll internet i	Certificate Number 12177	Date of Sur	7ey 1(0/24/2024	

7

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. Released to Imaging: 6/17/2025 4:14:35 PM

Received by OCD: 5/9/2025 1:19:25 PM ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



330' FNL & 330' FWL NAD 83 X = 571,163.85' NAD 83 Y = 455,713.42' NAD 83 LAT = 32.252795° NAD 83 LONG = -104.238850°

NAD 83 X = 576,096.81' NAD 83 Y = 455,755.34' NAD 83 LAT = 32.252897° NAD 83 LONG = -104.220893°

LAST TAKE POINT 330' FNL & 330' FEL NAD 83 X = 581,031.97' NAD 83 L = 455,801.71' NAD 83 LAT = 32.253009° NAD 83 LONG = -104.204928°

NAD 83 X = 570,843.86'

NAD 83 Y = 455,710.70' NAD 83 LAT = 32.252788°

NAD 83 LONG = -104.237885°

BOTTOM HOLE LOCATION 330' FNL & 100' FEL NAD 83 X = 581,262.02' NAD 83 Y = 455,804,12' NAD 83 LAT = 32.253015° NAD 83 LONG = -104.204184°

NAD 83 X = 571,036.85'

NAD 83 Y = 454,508.30' NAD 83 LAT = 32.249482°

NAD 83 LONG = -104.237264°

Submit Electronically Via E-permitting

State of New Mexico Energy, Minerals and Natural Resources Department

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

<u>Section 1 – Plan Description</u> Effective May 25, 2021

OGRID: 332762

I. Operator: ADMIRAL PERMIAN OPERATING, LLC

II. Type: \square Original \square Amendment due to \square 19.15.27.9.D(6)(a) NMAC \square 19.15.27.9.D(6)(b) NMAC \square Other.

If Other, please describe:

III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water
WAR PIGEON FED	30-015-	E-6-24S-27E	1534 FNL	200	2,000	625
COM 401H			200 FWL			

IV. Central Delivery Point Name: TARGA MIDSTREAM SERVICES (24650) @ COG's BLACK RIVER STATE 4H M-5-24S-27E

<u>))</u> [See 19.15.27.9(D)(1) NMAC] -24S-27E

Date: 12 / 21 / 24

V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

w en ivanie	API	Spud Date	TD Reached Date	Completion Commencement Date	Initial Flow Back Date	First Production Date
WAR PIGEON FED COM 401H	30-015-	9-1-25	11-1-25	12-1-25	1-1-26	2-1-26

VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture.

VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

<u>Section 2 – Enhanced Plan</u> <u>EFFECTIVE APRIL 1, 2022</u>

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity
				or system segment the-in

XI. Map. \Box Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system \Box will \Box will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

XIII. Line Pressure. Operator \Box does \Box does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

□ Attach Operator's plan to manage production in response to the increased line pressure.

XIV. Confidentiality: \Box Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 \Box Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

 \Box Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:*

Well Shut-In. □ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. \Box Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act. 1 A

Signature:	17 la CERT
Printed Name:	Brian Wood
Title:	Consultant
E-mail Address:	brian@permitswest.com
Date:	12-21-24
Phone:	505 466-8120
	OIL CONSERVATION DIVISION
	(Only applicable when submitted as a standalone form)
Approved By:	
Title:	
Approval Date:	
Conditions of Approval:	



Section 1 - Geologic Formations

Formation	Formation Nome	Flowetion	True Vertical	Measured	Lithologiag	Mineral Resources	Producing
U	Formation Name	Elevation		Depth	Lithologies		Formatio
15594151	QUATERNARY	3273	0	0	OTHER : Caliche	NONE	N
15594152	RUSTLER ANHYDRITE	2803	470	470	ANHYDRITE	NONE	N
15594153	TOP SALT	2523	750	750	SALT	NONE	N
15594154	BASE OF SALT	1553	1720	1720	SALT	NONE	N
15594155	LAMAR	1315	1958	1959	LIMESTONE	NATURAL GAS, OIL	N
15594156	BELL CANYON	1196	2077	2079	LIMESTONE	USEABLE WATER	N
15594157	CHERRY CANYON	444	2829	2846	SANDSTONE	NATURAL GAS, OIL	N
15594158	BRUSHY CANYON	-556	3829	3869	SANDSTONE	NATURAL GAS, OIL	N
15594159	AVALON SAND	-2150	5423	5494	SHALE	NATURAL GAS, OIL	N
15594160	BONE SPRING 1ST	-3167	6440	6531	SANDSTONE	NATURAL GAS, OIL	N
15594161	BONE SPRING 2ND	-3637	6910	7011	SANDSTONE	NATURAL GAS, OIL	N
15594162	BONE SPRING 3RD	-3837	7110	7215	OTHER : Carbonate	NATURAL GAS, OIL	N
15594163	BONE SPRING 3RD	-5115	8388	8507	SANDSTONE	NATURAL GAS, OIL	N
15594164	WOLFCAMP	-5482	8755	8909	OTHER : XY Carbonate	NATURAL GAS, OIL	Y

Section 2 - Blowout Prevention

Well Name: WAR PIGEON FED COM

Well Number: 401H

Page 9 of 35

Pressure Rating (PSI): 10M

Rating Depth: 10000

Equipment: Minimum BOPE will consist of a single pipe ram, mud cross, double ram type preventer (10,000 psi WP) and an annular preventer (5000 psi WP). The double ram preventer will have pipe and blind rams. System is rated to 10,000' TVD.

Requesting Variance? YES

Variance request: Variance is requested to use a co-flex line from the BOP to the choke. Co-flex line will be tested in accordance with the highest BOP test pressures. Pressure tests will be charted for records. Manufacturer's hydrostatic test report will be kept on site for inspection. Variance is requested to use a multi-bowl wellhead.

Testing Procedure: BOP/BOPE will be tested by an independent service company to 250 psi (low) and 5000 psi (high). Annular preventer will be tested to 250 psi (low) and 3500 psi (high) per 43 CFR 3172.6 requirements. Pipe rams will be operationally checked each 24-hour period. Blind rams will be operationally checked on each trip out of the hole. Pressure tests and operational checks will be noted the daily tour sheets. Other accessories will include a Kelly cock, floor safety valve inside BOP, choke lines, and choke manifold. A multi-bowl wellhead will be installed by a third-party welder while being monitored by the service company's representative.

Choke Diagram Attachment:

Choke_20241223090849.pdf

BOP Diagram Attachment:

BOP_20241223090940.pdf

Section 3 - Casing

Casing ID	String Type	Hole Size	Csg Size	Condition	Standard	Tapered String	Top Set MD	Bottom Set MD	Top Set TVD	Bottom Set TVD	Top Set MSL	Bottom Set MSL	Calculated casing length MD	Grade	Weight	Joint Type	Collapse SF	Burst SF	Joint SF Type	Joint SF	Body SF Type	Body SF
1	SURFACE	14.7 5	10.75	NEW	API	N	0	540	0	540	0	-540	540	J-55	45.5	BUTT	9.63	2.39	DRY	6.39	DRY	5.74
2	INTERMED IATE	9.87 5	7.625	NEW	API	N	0	8441	0	8332	0	-8332	8441	OTH ER - P11 0 HC	29.7	BUTT	1.63	2.95	DRY	2.74	DRY	2.68
3	PRODUCTI ON	6.75	5.5	NEW	NON API	N	0	19232	0	8900	0	-8900	19232	OTH ER - P11 0 CY	20	OTHER - TLW	2.05	1.25	BUOY	2.16	BUOY	2.36

Casing Attachments

Received by OCD: 5/9/2025 1:19:25 PM

Operator Name: ADMIRAL PERMIAN OPERATING LLC

Well Name: WAR PIGEON FED COM

Well Number: 401H

Casing Attachments

Casing ID: 1	String	SURFACE
Inspection Document:		
Spec Document:		
Tapered String Spec:		
Casing Design Assump	tions and W	orksheet(s):
WP_401H_Casing	_Design_Ass	umptions_20241223091151.pdf
	_	
Casing ID: 2	String	INTERMEDIATE
Inspection Document:		
Spac Decuments		
Spec Document.		
Tapered String Spec:		
Casing Design Assump	tions and W	orksheet(s):
WP_401H_Casing_	_Design_Ass	umptions_20241223091308.pdf
Casing ID: 3	String	PRODUCTION
Inspection Document:		
Spec Document:		
5.5in_Casing_Spec	202412230	91405.pdf
Tapered String Spec:		
Cooling Decision Assessme		
Casing Design Assump	tions and W	orksneet(s):
WP_401H_Casing	_Design_Ass	umptions_20241223091436.pdf

Section 4 - Cement

Well Name: WAR PIGEON FED COM

Well Number: 401H

String Type	Lead/Tail	Stage Tool Depth	Top MD	Bottom MD	Quantity(sx)	Yield	Density	Cu Ft	Excess%	Cement type	Additives
PRODUCTION	Lead		0	0	0	0	0	0	0	None	None
PRODUCTION	Tail		6441	1923 2	925	1.45	13.2	1341	30	35/65 Poz C	Gel + latex + fluid loss + dispersant + free water control + defoamer + retarder + LCM
SURFACE	Lead		0	540	195	1.41	12.8	274	125	50/50 Poz C	Salt + defoamer + LCM
SURFACE	Tail		0	540	325	1.33	14.8	432	125	Class C	None
INTERMEDIATE	Lead		0	8441	1290	2.4	11	3096	100	Trident 8 LT	Fluid loss + expansion agent + LCM + dispersant + retarder
INTERMEDIATE	Tail		0	8441	180	1.67	13.5	300	100	Class C	Gel + fluid loss

Section 5 - Circulating Medium

Mud System Type: Closed

Will an air or gas system be Used? NO

Description of the equipment for the circulating system in accordance with 43 CFR 3172:

Diagram of the equipment for the circulating system in accordance with 43 CFR 3172:

Describe what will be on location to control well or mitigate other conditions: Sufficient mud materials (e. g., bentonite, LCM, H2S scavengers) to maintain mud quality will be kept on site.

Describe the mud monitoring system utilized: An electronic pit volume totalizer (PVT) mud system will monitor pit volumes for gains or losses, flow rate, pump pressures, and stroke rate.

Circulating Medium Table

Top Depth	Bottom Depth	Mud Type	Min Weight (Ibs/gal)	Max Weight (lbs/gal)	Density (Ibs/cu ft)	Gel Strength (lbs/100 sqft)	Hd	Viscosity (CP)	Salinity (ppm)	Filtration (cc)	Additional Characteristics
0	540	OTHER : Fresh Water Spud Mud	8.4	8.6							

Well Name: WAR PIGEON FED COM

Well Number: 401H

	4 Top Depth 240 8	Bottom Depth	OTHER :	တ Min Weight (lbs/gal)	G Max Weight (lbs/gal)	Density (lbs/cu ft)	Gel Strength (lbs/100 sqft)	На	Viscosity (CP)	Salinity (ppm)	Filtration (cc)	Additional Characteristics
8441 1923 OIL-BASED 10 12.5	8441 1	1923	OIL-BASED	10	12.5							

Section 6 - Test, Logging, Coring

List of production tests including testing procedures, equipment and safety measures:

GR log will be acquired by MWD tools from, GL to TD.

List of open and cased hole logs run in the well:

GAMMA RAY LOG,

Coring operation description for the well:

No core or open hole or cased hole log is planned.

Section 7 - Pressure

Anticipated Bottom Hole Pressure: 4628

Anticipated Surface Pressure: 2669

Anticipated Bottom Hole Temperature(F): 150

Anticipated abnormal pressures, temperatures, or potential geologic hazards? NO

Describe:

Contingency Plans geoharzards description:

Contingency Plans geohazards

Hydrogen Sulfide drilling operations plan required? YES

Hydrogen sulfide drilling operations

WP_H2S_Plan_20241223092459.pdf

Well Name: WAR PIGEON FED COM

Well Number: 401H

Section 8 - Other Information

Proposed horizontal/directional/multi-lateral plan submission:

WP_401H_Directional_Plan_20241223092511.pdf

Other proposed operations facets description:

A cementing stage tool will be placed in the intermediate string at approximately 2,000' as a contingency. If cement does not circulate to surface on the first stage intermediate cement job, then the DV tool will be used to pump the second stage cement job to ensure cement is circulated to the surface.

Other proposed operations facets attachment:

WP_401H_Drill_Plan_20241223092657.pdf CoFlex_Certs_20241223092709.pdf WP_401H_Anticollision_Report_20241223092718.pdf WP_401H_Wellhead_20241223092743.pdf WP_401H_WMP_20241224084628.pdf

Υ

Other Variance request(s)?:

Other Variance attachment:

Cementing_Variance_20241223092754.pdf



Admiral Permian Resources Project: Eddy County, NM (NAD 83 NME) Site: (War Pigeon) Sec6_T24S_R27E Well: War Pigeon Fed Com #401H Wellbore: OWB Design: Plan #2 Lat: 32° 14' 58.136 N Long: 104° 14' 14.151 W Pad GL: 3272.6 KB: KB @ 3298.6usft





150

+150

-100

-50

--50

-100

150





WELL DETAILS: War Pigeon Fed Com #401H									
			32	272.6					
+N/-S 0.0	+E/-W 0.0	Northing 454508.30	Easting 571036.85	Latittude 32° 14' 58.136 N	Longitude 104° 14' 14.151 W	Slot			

SECTION DETAILS									
MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	Annotation
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
1600.0	0.00	0.00	1600.0	0.0	0.0	0.00	0.00	0.0	NUDGE - Build 2.00
2175.2	11.50	350.88	2171.3	56.8	-9.1	2.00	350.88	-8.6	HOLD - 5529.5 at 2175.2 MD
7704.6	11.50	350.88	7589.7	1145.6	-183.9	0.00	0.00	-173.7	DROP2.00
8279.8	0.00	0.00	8161.0	1202.4	-193.0	2.00	180.00	-182.3	HOLD - 261.5 at 8279.8 MD
8541.3	0.00	0.00	8422.5	1202.4	-193.0	0.00	0.00	-182.3	KOP - DLS 12.00 TFO 89.49
9291.3	90.00	89.49	8900.0	1206.7	284.5	12.00	89.49	295.2	EOC - 9941.1 hold at 9291.3 MD
9232.4	90.00	89.49	8900.0	1295.8	10225.2	0.00	0.00	10236.3	TD at 19232.4

DESIGN TARGET DETAILS								
Name	TVD	+N/-S	+E/-W	Northing	Easting			
BHL (War Pigeon Fed Com #401H)	8900.0	1295.8	10225.2	455804.12	581262.02			
FTP/PPP1 (War Pigeon Fed Com #401H)	8900.0	1205.1	127.0	455713.42	571163.85			
KOP (War Pigeon Fed Com #401H)	8900.0	1202.4	-193.0	455710.70	570843.86			
LTP (War Pigeon Fed Com #401H)	8900.0	1293.4	9995.1	455801.71	581031.97			
PPP2 (War Pigeon Fed Com #401H)	8900.0	1247.0	5060.0	455755.34	576096.81			







Received by OCD: 5/9/2025 1:19:25 PM







Database: Company: Project: Site: Well: Wellbore: Design:	EDM 5000 Admiral Pe Eddy Cour (War Pige War Pigeo OWB Plan #2	.15 Single Usa rmian Resour hty, NM (NAD on) Sec6_T24 n Fed Com #4	er Db ces 83 NME) S_R27E 01H	Local Co TVD Ref MD Refe North Re Survey (o-ordinate Re erence: erence: eference: Calculation N	eference: lethod:	Well War Pige KB @ 3298.6ı KB @ 3298.6ı Grid Minimum Curv	ion Fed Com #4 isft isft ature	401H
Project	Eddy Count	y, NM (NAD 8	3 NME)						
Map System: Geo Datum: Map Zone:	US State Pla North Americ New Mexico	JS State Plane 1983 System Datum: Mean Sea Level North American Datum 1983 New Mexico Eastern Zone							
Site	(War Pigeo	n) Sec6_T24S	5_R27E						
Site Position: From: Position Uncertain	Мар ty:	0.0 usft	Northing: Easting: Slot Radius:	454, 571,	478.30 usft 036.93 usft 13-3/16 "	Latitude: Longitude: Grid Conve	rgence:		32° 14' 57.839 N 104° 14' 14.151 W 0.05 °
Well	War Pigeon	Fed Com #40	1H						
Well Position	+N/-S	30.0 usf	t Northing:		454,508.30	usft Lat	itude:		32° 14' 58.136 N
Position Uncertain	+E/-W ty	-0.1 usf 0.0 usf	t Easting: t Wellhead Ele	vation:	571,036.85	usft Loi Gro	ngitude: ound Level:		104° 14' 14.151 W 3,272.6 usft
Wellbore	OWB								
Magnetics	Model N	lame HDGM	Sample Date	Declina (°)	ation 6.80	Dip A ('	ngle ?) 59.80	Field St (n1 47.263	rength F) 3.24028207
		-						,	
Design	Plan #2								
Audit Notes:			Phase.	PI AN	Tie	on Denth		0.0	
Vertical Section:		Depth I	From (TVD) Jusft)	+N/-S (usft)	+E (u	:/-W sft)	Dir	ection (°)	
			0.0	0.0	C	0.0	8	9.49	
Plan Survey Tool I Depth From (usft)	Program Depth To (usft)	Date 11/0)8/24						
4 00	(usit)	Survey (We	ellbore)	Tool Name		Remarks			
1 0.0	(ush) 19,232.0	Survey (We Plan #2 (OV	/B)	Tool Name MWD+HRG OWSG MWI	M D + HRGM	Remarks			
Plan Sections	19,232.0	Survey (We	/B)	Tool Name MWD+HRG OWSG MWI	M D + HRGM	Remarks			
Plan Sections Measured Depth Inclir (usft) (19,232.0	Survey (We Plan #2 (OV Vert nuth De °) (u:	ical pth +N/-S sft) (usft)	Tool Name MWD+HRG OWSG MWI +E/-W (usft)	M D + HRGM Dogleg Rate (°/100usft)	Remarks Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target

11/08/24 10:55:57AM





Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well War Pigeon Fed Com #401H
Company:	Admiral Permian Resources	TVD Reference:	KB @ 3298.6usft
Project:	Eddy County, NM (NAD 83 NME)	MD Reference:	KB @ 3298.6usft
Site:	(War Pigeon) Sec6_T24S_R27E	North Reference:	Grid
Well:	War Pigeon Fed Com #401H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #2		

Planned Survey

Measur Depth (usft)	ed I In	clination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
10 20 30	0.0 0.0 0.0	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.0 100.0 200.0 300.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
40	0.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
Rustle	0.0 e r	0.00	0.00	470.0	0.0	0.0	0.0	0.00	0.00	0.00
50 60 70 75	0.0 0.0 0.0 0.0 60.0	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	500.0 600.0 700.0 750.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
Top Sa	alt									
80 90 1,00 1,10 1,20	0.0 0.0 0.0 0.0 0.0	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	800.0 900.0 1,000.0 1,100.0 1,200.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
1,30 1,40 1,50 1,60	0.0 0.0 0.0 0.0	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	1,300.0 1,400.0 1,500.0 1,600.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
NUDG	E - Build	d 2.00	250.00	1 700 0	4 7	0.2	0.2	2.00	2.00	0.00
1,70	0.0	2.00	350.88	1,700.0	1.7	-0.3	-0.3	2.00	2.00	0.00
1,72 Base 9	20.0 Salt	2.40	350.88	1,720.0	2.5	-0.4	-0.4	2.00	2.00	0.00
1,80 1,90 1,95	0.0 0.0 68.9	4.00 6.00 7.18	350.88 350.88 350.88	1,799.8 1,899.5 1,958.0	6.9 15.5 22.2	-1.1 -2.5 -3.6	-1.0 -2.3 -3.4	2.00 2.00 2.00	2.00 2.00 2.00	0.00 0.00 0.00
Lamar 2,00	0.0	8.00	350.88	1,998.7	27.5	-4.4	-4.2	2.00	2.00	0.00
2,07	9.2	9.58	350.88	2,077.0	39.5	-6.3	-6.0	2.00	2.00	0.00
Bell C 2,10 2,17	anyon 00.0 '5.2	10.00 11.50	350.88 350.88	2,097.5 2,171.3	43.0 56.8	-6.9 -9.1	-6.5 -8.6	2.00 2.00	2.00 2.00	0.00 0.00
2 20	- 5529.5 0 0	at 21/5.2 M	350.88	2 195 6	61 7	-9.9	-9.4	0.00	0.00	0.00
2,30	0.0	11.50	350.88	2,293.6	81.4	-13.1	-12.3	0.00	0.00	0.00
2,40 2,50 2,60 2,70 2,80	0.0 0.0 0.0 0.0 0.0 0.0	11.50 11.50 11.50 11.50 11.50	350.88 350.88 350.88 350.88 350.88	2,391.6 2,489.6 2,587.6 2,685.6 2,783.6	101.1 120.8 140.5 160.2 179.8	-16.2 -19.4 -22.5 -25.7 -28.9	-15.3 -18.3 -21.3 -24.3 -27.3	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
2,84	6.3	11.50	350.88	2,829.0	189.0	-30.3	-28.6	0.00	0.00	0.00
2,90 3,00 3,10 3,20	/ Canyo 10.0 10.0 10.0 10.0 10.0	n 11.50 11.50 11.50 11.50	350.88 350.88 350.88 350.88	2,881.6 2,979.6 3,077.6 3,175.6	199.5 219.2 238.9 258.6	-32.0 -35.2 -38.3 -41.5	-30.2 -33.2 -36.2 -39.2	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
3,30 3,40 3,50 3,60 3,70	0.0 0.0 0.0 0.0 0.0	11.50 11.50 11.50 11.50 11.50	350.88 350.88 350.88 350.88 350.88	3,273.5 3,371.5 3,469.5 3,567.5 3,665.5	278.3 298.0 317.7 337.4 357.1	-44.7 -47.8 -51.0 -54.1 -57.3	-42.2 -45.2 -48.2 -51.1 -54.1	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00

.





Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well War Pigeon Fed Com #401H
Company:	Admiral Permian Resources	TVD Reference:	KB @ 3298.6usft
Project:	Eddy County, NM (NAD 83 NME)	MD Reference:	KB @ 3298.6usft
Site:	(War Pigeon) Sec6_T24S_R27E	North Reference:	Grid
Well:	War Pigeon Fed Com #401H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB	-	
Design:	Plan #2		
•			

Planned Survey

Measured			Vertical			Vertical	Dogleg	Build	Turn	
Depth (usft)	Inclination	Azimuth	Depth (usft)	+N/-S	+E/-W	Section	Rate	Rate (°/100usft)	Rate (°/100usft)	
(usit)	()	()	(usit)	(usit)	(usit)	(usit)	(/iousit)	(/ Toousit)	(/ loousit)	
3,800.0	11.50	350.88	3,763.5	376.8	-60.5	-57.1	0.00	0.00	0.00	
Brushy Ca	nvon	550.00	3,023.0	309.9	-02.0	-55.1	0.00	0.00	0.00	
3,900.0	11.50	350.88	3,861.5	396.4	-63.6	-60.1	0.00	0.00	0.00	
4,000.0	11.50	350.88	3,959.5	416.1	-66.8	-63.1	0.00	0.00	0.00	
4,100.0	11.50	350.88	4,057.5	435.8	-70.0	-66.1	0.00	0.00	0.00	
4,200.0	11.50	350.88	4,155.5	455.5	-73.1	-69.1	0.00	0.00	0.00	
4,300.0	11.50	350.88	4,253.5	475.2	-76.3	-72.0	0.00	0.00	0.00	
4,400.0	11.50	350.88	4,351.5 4 449 4	494.9 514.6	-79.4 -82.6	-75.0	0.00	0.00	0.00	
4,600.0	11.50	350.88	4,547.4	534.3	-85.8	-81.0	0.00	0.00	0.00	
4,700.0	11.50	350.88	4.645.4	554.0	-88.9	-84.0	0.00	0.00	0.00	
4,800.0	11.50	350.88	4,743.4	573.7	-92.1	-87.0	0.00	0.00	0.00	
4,900.0	11.50	350.88	4,841.4	593.3	-95.2	-89.9	0.00	0.00	0.00	
5,000.0	11.50	350.88	4,939.4	613.0	-98.4	-92.9	0.00	0.00	0.00	
5,100.0	11.50	300.06	5,037.4	632.7	-101.6	-95.9	0.00	0.00	0.00	
5,200.0	11.50	350.88	5,135.4	652.4	-104.7	-98.9	0.00	0.00	0.00	
5,300.0 5,400.0	11.50	350.88	5,233.4 5 331 4	672.1	-107.9	-101.9	0.00	0.00	0.00	
5,493.5	11.50	350.88	5,423.0	710.2	-114.0	-107.7	0.00	0.00	0.00	
Bone Sprir	ng - Avalon									
5,500.0	11.50	350.88	5,429.4	711.5	-114.2	-107.9	0.00	0.00	0.00	
5,600.0	11.50	350.88	5,527.4	731.2	-117.4	-110.8	0.00	0.00	0.00	
5,700.0	11.50	350.88	5,625.3	750.9	-120.5	-113.8	0.00	0.00	0.00	
5,800.0	11.50 11.50	350.88	5,723.3	770.6	-123.7	-116.8	0.00	0.00	0.00	
6,000.0	11.50	350.88	5,919.3	809.9	-130.0	-122.8	0.00	0.00	0.00	
6 100 0	11.50	350 88	6 017 3	829.6	-133.2	-125.8	0.00	0.00	0.00	
6,200.0	11.50	350.88	6,115.3	849.3	-136.3	-128.8	0.00	0.00	0.00	
6,300.0	11.50	350.88	6,213.3	869.0	-139.5	-131.7	0.00	0.00	0.00	
6,400.0	11.50	350.88	6,311.3	888.7	-142.6	-134.7	0.00	0.00	0.00	
6,500.0	11.50	350.88	6,409.3	908.4	-145.6	-137.7	0.00	0.00	0.00	
6,531.4	11.50	350.88	6,440.0	914.6	-146.8	-138.6	0.00	0.00	0.00	
1st Bone 5	pring Sand	350.88	6 507 3	928 1	-149.0	-140.7	0.00	0.00	0.00	
6.700.0	11.50	350.88	6.605.3	947.8	-152.1	-143.7	0.00	0.00	0.00	
6,800.0	11.50	350.88	6,703.2	967.5	-155.3	-146.7	0.00	0.00	0.00	
6,900.0	11.50	350.88	6,801.2	987.2	-158.4	-149.6	0.00	0.00	0.00	
7,000.0	11.50	350.88	6,899.2	1,006.8	-161.6	-152.6	0.00	0.00	0.00	
7,011.0	11.50	350.88	6,910.0	1,009.0	-161.9	-153.0	0.00	0.00	0.00	
2nd Bone \$	Spring Sand	250.99	6 007 2	1 026 5	164.9	155.6	0.00	0.00	0.00	
7,100.0	11.50	350.88	7.095.2	1,026.5	-167.9	-158.6	0.00	0.00	0.00	
7,215.1	11.50	350.88	7,110.0	1,049.2	-168.4	-159.1	0.00	0.00	0.00	
3rd Bone S	Spring Carb									
7,300.0	11.50	350.88	7,193.2	1,065.9	-171.1	-161.6	0.00	0.00	0.00	
7,400.0	11.50	350.88	7,291.2	1,085.6	-174.2	-164.6	0.00	0.00	0.00	
7,500.0	11.50	350.88	7,389.2	1,105.3	-177.4	-167.6	0.00	0.00	0.00	
7,600.0	11.50	350.88	7,487.2 7 589 7	1,125.0	-180.6	-170.5	0.00	0.00	0.00	
DROP2.0	00	000.00	1,000.1	1,15.0	100.9	175.7	0.00	0.00	0.00	
7 900 0	0.60	350 99	7 692 5	1 162 9	-196 6	-176.2	2.00	2.00	0.00	
7,800.0	7.60	350.88	7,782.3	1,177.6	-189.0	-178.5	2.00	-2.00	0.00	
			,							

11/08/24 10:55:57AM

COMPASS 5000.15 Build 88





Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well War Pigeon Fed Com #401H
Company:	Admiral Permian Resources	TVD Reference:	KB @ 3298.6usft
Project:	Eddy County, NM (NAD 83 NME)	MD Reference:	KB @ 3298.6usft
Site:	(War Pigeon) Sec6_T24S_R27E	North Reference:	Grid
Well:	War Pigeon Fed Com #401H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #2		
Well: Wellbore: Design:	War Pigeon Fed Com #401H OWB Plan #2	Survey Calculation Method:	Minimum Curvature

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
8,000.0 8,100.0 8,200.0	5.60 3.60 1.60	350.88 350.88 350.88	7,881.7 7,981.3 8,081.2	1,188.9 1,196.8 1,201.3	-190.8 -192.1 -192.8	-180.2 -181.4 -182.1	2.00 2.00 2.00	-2.00 -2.00 -2.00	0.00 0.00 0.00
8,279.8	0.00	0.00	8,161.0	1,202.4	-193.0	-182.3	2.00	-2.00	11.43
HOLD - 261	1.5 at 8279.8 M	D	0 4 0 4 0	4 000 4	402.0	400.0	0.00	0.00	0.00
8,300.0 8,400.0 8,500.0 8,506.8	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	8,181.2 8,281.2 8,381.2 8,388.0	1,202.4 1,202.4 1,202.4 1,202.4	-193.0 -193.0 -193.0 -193.0	-182.3 -182.3 -182.3 -182.3	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
3rd Bone S	Spring Sand								
8,541.3	0.00	0.00	8,422.5	1,202.4	-193.0	-182.3	0.00	0.00	0.00
KOP - DLS	12.00 TFO 89.	49							
8,550.0 8,575.0 8,600.0 8,625.0	1.05 4.05 7.05 10.05	89.49 89.49 89.49 89.49	8,431.2 8,456.2 8,481.1 8,505.8	1,202.4 1,202.4 1,202.4 1,202.5	-192.9 -191.8 -189.4 -185.7	-182.2 -181.1 -178.7 -175.0	12.00 12.00 12.00 12.00	12.00 12.00 12.00 12.00	0.00 0.00 0.00 0.00
8,650.0 8,675.0 8,700.0 8,725.0 8,725.0	13.05 16.05 19.05 22.05 25.05	89.49 89.49 89.49 89.49 89.49	8,530.3 8,554.5 8,578.3 8,601.7 8,624.6	1,202.5 1,202.6 1,202.6 1,202.7 1,202.7	-180.7 -174.4 -166.9 -158.1 -148.1	-170.0 -163.7 -156.1 -147.4 -137.4	12.00 12.00 12.00 12.00 12.00	12.00 12.00 12.00 12.00 12.00	0.00 0.00 0.00 0.00
8,775.0 8,800.0 8,825.0 8,850.0	28.05 31.05 34.05 37.05	89.49 89.49 89.49 89.49 89.49	8,647.0 8,668.7 8,689.8 8,710.2	1,202.9 1,203.0 1,203.1 1,203.3	-136.9 -124.6 -111.1 -96.6	-126.2 -113.9 -100.4 -85.9	12.00 12.00 12.00 12.00 12.00	12.00 12.00 12.00 12.00 12.00	0.00 0.00 0.00 0.00
8,900.0 8,909.1	40.05 43.05 44.14	89.49 89.49 89.49	8,748.4 8,755.0	1,203.4 1,203.6 1,203.6	-64.5 -58.2	-70.3 -53.7 -47.5	12.00 12.00 12.00	12.00 12.00 12.00	0.00 0.00 0.00
Wolfcamp 8,925.0 8,950.0 8,975.0	46.05 49.05 52.05	89.49 89.49 89.49	8,766.2 8,783.1 8,799.0	1,203.7 1,203.9 1,204.0	-46.9 -28.5 -9.2	-36.2 -17.8 1.5	12.00 12.00 12.00	12.00 12.00 12.00	0.00 0.00 0.00
9,000.0 9,025.0 9,050.0 9,075.0 9,100.0	55.05 58.05 61.05 64.05 67.05	89.49 89.49 89.49 89.49 89.49 89.49	8,813.8 8,827.6 8,840.3 8,851.8 8,862.2	1,204.2 1,204.4 1,204.6 1,204.8 1,205.0	10.9 31.8 53.3 75.5 98.3	21.6 42.5 64.0 86.2 109.0	12.00 12.00 12.00 12.00 12.00	12.00 12.00 12.00 12.00 12.00	0.00 0.00 0.00 0.00 0.00
9,125.0	70.05	89.49	8,871.3	1,205.2	121.5	132.2	12.00	12.00	0.00
9,130.8 FTP/PPP1	0.74 @ 9130 8'MD	09.49	0,013.2	1,205.3	127.0	137.7	12.00	12.00	0.00
9,150.0 9,175.0 9,200.0	73.05 76.05 79.05	89.49 89.49 89.49	8,879.2 8,885.9 8,891.3	1,205.4 1,205.6 1,205.9	145.2 169.3 193.7	156.0 180.1 204.5	12.00 12.00 12.00	12.00 12.00 12.00	0.00 0.00 0.00
9,225.0 9,250.0 9,275.0 9,291.3	82.05 85.05 88.05 90.00	89.49 89.49 89.49 89.49	8,895.4 8,898.2 8,899.7 8,900.0	1,206.1 1,206.3 1,206.5 1,206.7	218.4 243.2 268.2 284.5	229.1 254.0 278.9 295.2	12.00 12.00 12.00 12.00	12.00 12.00 12.00 12.00	0.00 0.00 0.00 0.00
EOC - 9941	1.1 hold at 929	1.3 MD	0 000 0	1 206 0	000.0	202.0	0.00	0.00	0.00
9,300.0 9,400.0	90.00 90.00	89.49 89.49	8,900.0 8,900.0	1,206.8 1,207.7	293.2 393.2	303.9 403.9	0.00	0.00	0.00
9,500.0 9,600.0 9,700.0	90.00 90.00 90.00	89.49 89.49 89.49	8,900.0 8,900.0 8,900.0	1,208.6 1,209.4 1,210.3	493.2 593.2 693.2	503.9 603.9 703.9	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00

11/08/24 10:55:57AM





Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well War Pigeon Fed Com #401H
Company:	Admiral Permian Resources	TVD Reference:	KB @ 3298.6usft
Project:	Eddy County, NM (NAD 83 NME)	MD Reference:	KB @ 3298.6usft
Site:	(War Pigeon) Sec6_T24S_R27E	North Reference:	Grid
Well:	War Pigeon Fed Com #401H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #2		
— — —			

Planned Survey

9,800.0 90.00 89.49 8,800.0 1,212.1 733.2 803.3 0.00 0.00 0.00 9,000.0 90.00 89.49 8,900.0 1,213.0 1033.1 1003.3 0.00 0.00 0.00 10,000.0 90.00 89.49 8,900.0 1,213.8 1,133.1 1,103.3 0.00 0.00 0.00 10,000.0 90.00 89.49 8,900.0 1,215.7 1,233.1 1,403.9 0.00 0.00 0.00 10,400.0 90.00 89.49 8,900.0 1,215.7 1,213.3 1,633.1 1,703.9 0.00 0.00 0.00 10,600.0 90.00 89.49 8,900.0 1,221.3 1,833.1 1,403.9 0.00 0.00 0.00 10,600.0 90.00 89.49 8,900.0 1,221.4 1,833.1 1,903.8 0.00 0.00 0.00 11,000.0 90.00 89.49 8,900.0 1,222.9 1,933.1 2,703.3 0.00 0.00	Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,900.0 90.00 89.49 8,900.0 1,213.0 993.1 1,003.9 0,000 0,000 0,000 10,000.0 90.00 89.49 8,900.0 1,213.9 1,913.1 1,203.9 0,000 0,000 0,000 10,200.0 90.00 89.49 8,900.0 1,215.7 1,233.1 1,303.9 0,000 0,000 0,000 10,400.0 90.00 89.49 8,900.0 1,215.7 1,233.1 1,303.9 0,000 0,000 0,000 10,600.0 90.00 89.49 8,900.0 1,215.4 1,533.1 1,603.9 0,000 0,000 0,000 10,600.0 90.00 89.49 8,900.0 1,221.4 1,833.1 1,703.9 0,000 0,000 0,000 11,000.0 90.00 89.49 8,900.0 1,221.1 1,893.1 1,903.9 0,000 0,000 0,000 11,000.0 90.00 89.49 8,900.0 1,221.0 1,803.1 1,903.9 0,000 0,000	9,800.0	90.00	89.49	8,900.0	1,211.2	793.2	803.9	0.00	0.00	0.00
10000.0 90.00 89.49 8000.0 12139 10033 0.00 0.00 0.00 10,000.0 90.00 89.49 8900.0 1214.8 1,1931 11033 0.00 0.00 0.00 10,000.0 90.00 89.49 8900.0 1215.7 12331 1303.9 0.00 0.00 0.00 10,400.0 90.00 89.49 8900.0 1215.7 1233.1 1303.9 0.00 0.00 0.00 10,600.0 90.00 89.49 8900.0 1215.3 1633.1 1703.8 0.00 0.00 0.00 10,600.0 90.00 89.49 8900.0 1221.4 1493.1 1903.9 0.00 0.00 0.00 10,600.0 90.00 89.49 8900.0 1222.9 1733.1 1303.9 0.00 0.00 0.00 11,000.0 90.00 89.49 8900.0 1222.9 1293.1 2403.9 0.00 0.00 0.00 11,000.0 90	a ann n	90.00	80 40	8 900 0	1 212 1	803.2	003.0	0.00	0.00	0.00
10100.0 80.00 83.48 8000.0 1.213.8 1.116.3 0.00 0.00 10.000.0 89.00 89.49 8.900.0 1.214.8 1.133.3 0.00 0.00 0.00 10.000.0 80.00 89.49 8.900.0 1.215.7 1.233.1 1.403.3 0.00 0.00 0.00 10.600.0 80.00 89.49 8.900.0 1.215.4 1.533.1 1.603.3 0.00 0.00 0.00 10.000.0 80.00 89.49 8.900.0 1.216.4 1.533.1 1.603.3 0.00 0.00 0.00 10.000.0 80.00 89.49 8.900.0 1.221.1 1.803.1 1.903.9 0.00 0.00 0.00 11.000.0 80.00 89.49 8.900.0 1.221.0 1.803.1 1.903.9 0.00 0.00 0.00 11.000.0 80.00 89.49 8.900.0 1.221.0 1.803.1 1.203.9 0.00 0.00 0.00 11.000.0 80.00	10,000.0	00.00	90.40	0,000.0	1,212.1	000.2	1 002 0	0.00	0.00	0.00
10.00.0 90.00 84.49 8.90.0 1.21.39 1.00.31 1.10.39 0.00 0.00 10.300.0 90.00 84.49 8.900.0 1.216.7 1.233.1 1.203.9 0.00 0.00 0.00 10.400.0 90.00 84.49 8.900.0 1.216.6 1.333.1 1.403.9 0.00 0.00 0.00 10.600.0 90.00 84.49 8.900.0 1.216.4 1.533.1 1.603.9 0.00 0.00 0.00 10.600.0 90.00 84.49 8.900.0 1.221.1 1.833.1 1.603.9 0.00 0.00 0.00 10.600.0 90.00 84.49 8.900.0 1.221.1 1.833.1 1.603.9 0.00 0.00 0.00 11.000.0 90.00 84.49 8.900.0 1.221.7 1.833.1 2.603.3 2.003.8 0.00 0.00 0.00 11.400.0 90.00 84.49 8.900.0 1.224.7 2.203.1 2.003.8 0.00 0.00 0.00 <td>10,000.0</td> <td>90.00</td> <td>09.49</td> <td>0,900.0</td> <td>1,213.0</td> <td>993.1</td> <td>1,003.9</td> <td>0.00</td> <td>0.00</td> <td>0.00</td>	10,000.0	90.00	09.49	0,900.0	1,213.0	993.1	1,003.9	0.00	0.00	0.00
10,200.0 90,00 89,49 8,900.0 1,215.7 1,233.1 1,203.9 0.00 0.00 0.00 10,400.0 90,00 89,49 8,900.0 1,216.6 1,333.1 1,403.9 0.00 0.00 0.00 10,600.0 90,00 89,49 8,900.0 1,218.4 1,633.1 1,703.9 0.00 0.00 0.00 10,600.0 90,00 89,49 8,900.0 1,218.4 1,633.1 1,703.9 0.00 0.00 0.00 10,600.0 90,00 89,49 8,900.0 1,222.1 1,933.1 1,803.9 0.00 0.00 0.00 11,000.0 90,00 89,49 8,900.0 1,222.9 1,233.1 2,033.9 0.00 0.00 0.00 11,000.0 90,00 89,49 8,900.0 1,224.7 2,231.2 2,231.2 2,233.9 0.00 0.00 0.00 11,000.0 90,00 89.49 8,900.0 1,226.5 2,333.1 2,403.9 0.00 0.00<	10,100.0	90.00	89.49	8,900.0	1,213.9	1,093.1	1,103.9	0.00	0.00	0.00
10.300.0 90.00 88.49 8.900.0 1.216.5 1.233.1 1.403.9 0.00 0.00 10.500.0 90.00 89.49 8.900.0 1.217.5 1.433.1 1.503.9 0.00 0.00 0.00 10.500.0 90.00 89.49 8.900.0 1.218.4 1.503.1 1.603.9 0.00 0.00 0.00 10.700.0 90.00 89.49 8.900.0 1.220.2 1.731.1 1.803.9 0.00 0.00 0.00 10.900.0 90.00 89.49 8.900.0 1.221.2 1.733.1 1.803.9 0.00 0.00 0.00 11.000.0 90.00 89.49 8.900.0 1.223.4 2.403.9 0.00 0.00 0.00 11.300.0 90.00 89.49 8.900.0 1.224.7 2.233.1 2.403.9 0.00 0.00 0.00 11.300.0 90.00 89.49 8.900.0 1.225.6 2.433.1 2.503.9 0.00 0.00 0.00 11.600.0	10,200.0	90.00	89.49	8,900.0	1,214.8	1,193.1	1,203.9	0.00	0.00	0.00
10.400.0 90.00 88.49 8.900.0 1.217.5 1.433.1 1.403.9 0.00 0.00 0.00 10.600.0 90.00 88.49 8.900.0 1.218.4 1.683.1 1.703.9 0.00 0.00 0.00 10.700.0 90.00 88.49 8.900.0 1.220.2 1.733.1 1.803.9 0.00 0.00 0.00 10.800.0 90.00 88.49 8.900.0 1.222.1 1.933.1 1.903.9 0.00 0.00 0.00 11.000.0 90.00 88.49 8.900.0 1.222.0 1.933.1 2.003.9 0.00 0.00 0.00 11.200.0 90.00 88.49 8.900.0 1.224.7 2.433.1 2.203.9 0.00 0.00 0.00 11.200.0 90.00 88.49 8.900.0 1.224.7 2.433.1 2.403.9 0.00 0.00 0.00 11.400.0 90.00 88.49 8.900.0 1.224.7 2.433.1 2.403.9 0.00 0.00 0.00 11.400.0 90.00 88.49 8.900.0 1.228.2 2.433.1	10,300.0	90.00	89.49	8,900.0	1,215.7	1,293.1	1,303.9	0.00	0.00	0.00
10.500.0 90.00 89.49 8.900.0 1.275.5 1.483.1 1.503.9 0.00 0.00 0.00 10.700.0 90.00 89.49 8.900.0 1.218.4 1.693.1 1.703.9 0.00 0.00 0.00 10.900.0 90.00 89.49 8.900.0 1.220.2 1.773.1 1.803.9 0.00 0.00 0.00 11.900.0 90.00 89.49 8.900.0 1.222.9 2.903.1 2.103.9 0.00 0.00 0.00 11.900.0 90.00 89.49 8.900.0 1.222.4 2.903.1 2.103.9 0.00 0.00 0.00 11.400.0 90.00 89.49 8.900.0 1.225.5 2.433.1 2.603.9 0.00 0.00 0.00 11.600.0 90.00 89.49 8.900.0 1.227.4 2.933.1 2.703.9 0.00 0.00 0.00 11.800.0 90.00 89.49 8.900.0 1.227.4 2.933.1 2.703.9 0.00 0.00 0.00 <td>10,400.0</td> <td>90.00</td> <td>89.49</td> <td>8,900.0</td> <td>1,216.6</td> <td>1,393.1</td> <td>1,403.9</td> <td>0.00</td> <td>0.00</td> <td>0.00</td>	10,400.0	90.00	89.49	8,900.0	1,216.6	1,393.1	1,403.9	0.00	0.00	0.00
10,600.0 90.00 89.49 8,900.0 1,218.4 1,603.3 1,603.3 0.00 0.00 0.00 10,800.0 90.00 89.49 8,900.0 1,221.2 1,733.1 1,803.9 0.00 0.00 0.00 11,900.0 90.00 89.49 8,900.0 1,221.1 1,893.1 2,033.9 0.00 0.00 0.00 11,000.0 90.00 89.49 8,900.0 1,222.2 1,933.1 2,033.9 0.00 0.00 0.00 11,200.0 90.00 89.49 8,900.0 1,224.6 2,933.1 2,103.9 0.00 0.00 0.00 11,300.0 90.00 89.49 8,900.0 1,225.6 2,393.1 2,403.9 0.00 0.00 0.00 11,600.9 90.00 83.49 8,900.0 1,225.6 2,493.1 2,503.9 0.00 0.00 0.00 11,800.9 90.00 83.49 8,900.0 1,225.2 2,733.1 2,703.9 0.00 0.00 0.00 11,800.9 90.00 89.49 8,900.0 1,221.2 2,733.1	10,500.0	90.00	89.49	8,900.0	1,217.5	1,493.1	1,503.9	0.00	0.00	0.00
10,700.0 90.00 89.49 8,900.0 1,291.3 1,703.9 0.00 0.00 0.00 10,800.0 90.00 89.49 8,900.0 1,221.1 1,893.1 1,903.9 0.00 0.00 0.00 11,000.0 90.00 83.49 8,900.0 1,222.0 1,993.1 2,003.9 0.00 0.00 0.00 11,000.0 90.00 83.49 8,900.0 1,222.0 2,933.1 2,103.9 0.00 0.00 0.00 11,200.0 90.00 83.49 8,900.0 1,224.7 2,933.1 2,403.9 0.00 0.00 0.00 11,600.0 90.00 89.49 8,900.0 1,224.5 2,393.1 2,603.9 0.00 0.00 0.00 11,600.0 90.00 89.49 8,900.0 1,221.2 2,733.1 2,603.9 0.00 0.00 0.00 11,800.0 90.00 89.49 8,900.0 1,231.0 2,903.9 0.00 0.00 0.00 1.200.0 0.00	10.600.0	90.00	89.49	8.900.0	1.218.4	1.593.1	1.603.9	0.00	0.00	0.00
10,800.0 90.00 89.49 8,900.0 1,220.2 1,733.1 1,803.9 0.00 0.00 0.00 11,000.0 90.00 89.49 8,900.0 1,222.0 1,933.1 2,003.9 0.00 0.00 0.00 11,100.0 90.00 89.49 8,900.0 1,222.9 2,033.1 2,103.9 0.00 0.00 0.00 11,200.0 90.00 89.49 8,900.0 1,223.8 2,203.9 0.00 0.00 0.00 11,400.0 90.00 89.49 8,900.0 1,226.5 2,493.1 2,503.9 0.00 0.00 0.00 11,600.0 90.00 89.49 8,900.0 1,227.4 2,933.1 2,703.9 0.00 0.00 0.00 11,600.0 90.00 89.49 8,900.0 1,228.3 2,693.1 2,703.9 0.00 0.00 0.00 11,800.0 90.00 89.49 8,900.0 1,231.0 2,983.1 2,603.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,231.0 2,993.1 3,033.9	10,700.0	90.00	89.49	8,900.0	1,219.3	1,693.1	1,703.9	0.00	0.00	0.00
10,0000 90,00 884.99 8,900.0 1,221.0 1,903.1 1,003.9 0,00 0,00 0,00 11,000.0 90,00 884.99 8,900.0 1,222.0 1,993.1 2,003.9 0,00 0,00 0,00 11,000.0 90,00 884.99 8,900.0 1,223.8 2,103.1 2,203.9 0,00 0,00 0,00 11,200.0 90,00 884.99 8,900.0 1,224.8 2,403.1 2,403.9 0,00 0,00 0,00 11,200.0 90,00 884.99 8,900.0 1,227.4 2,533.1 2,403.9 0,00 0,00 0,00 11,600.0 90,00 884.9 8,900.0 1,228.2 2,733.1 2,403.9 0,00 0,00 0,00 11,700.0 90,00 884.9 8,900.0 1,229.2 2,733.1 2,403.9 0,00 0,00 0,00 12,000.0 90,00 884.9 8,900.0 1,221.0 2,993.1 3,003.9 0,00 0,00 0,00 12,000.0 90,00 884.9 8,900.0 1,224.6 3,3	10,800,0	90.00	89 49	8,900,0	1 220 2	1 793 1	1 803 9	0.00	0.00	0.00
10.2000 90.00 88.49 8.0000 1.22.1 1.983.1 2.003.9 0.00 0.00 0.00 11.000.0 90.00 88.49 8.000.0 1.22.29 2.933.1 2.103.9 0.00 0.00 0.00 11.200.0 90.00 88.49 8.900.0 1.224.7 2.233.1 2.403.9 0.00 0.00 0.00 11.400.0 90.00 88.49 8.900.0 1.225.5 2.493.1 2.403.9 0.00 0.00 0.00 11.600.0 90.00 88.49 8.900.0 1.225.5 2.493.1 2.603.9 0.00 0.00 0.00 11.600.0 90.00 88.49 8.900.0 1.228.3 2.693.1 2.003.9 0.00 0.00 0.00 11.800.0 90.00 88.49 8.900.0 1.220.1 2.893.1 2.803.9 0.00 0.00 0.00 12.000.0 90.00 88.49 8.900.0 1.231.9 3.903.1 3.103.9 0.00 0.00 0.00	10,000,0	00.00	80.40	8,000,0	1 221 1	1 902 1	1 002 0	0.00	0.00	0.00
11,00.0 90.00 89.49 8,300.0 1,222.0 1,933.1 2,103.9 0.00 0.00 0.00 11,200.0 90.00 89.49 8,300.0 1,223.8 2,103.1 2,203.9 0.00 0.00 0.00 11,300.0 90.00 89.49 8,300.0 1,224.7 2,303.1 2,403.9 0.00 0.00 0.00 11,600.0 90.00 89.49 8,300.0 1,227.4 2,503.9 0.00 0.00 0.00 11,600.0 90.00 89.49 8,300.0 1,227.4 2,503.9 0.00 0.00 0.00 11,600.0 90.00 89.49 8,300.0 1,229.2 2,793.1 2,603.9 0.00 0.00 0.00 11,900.0 90.00 89.49 8,900.0 1,221.9 2,003.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,221.9 3,003.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,223.7 3,323.1 3,303.9 0.00 0.00 0.00	10,900.0	90.00	09.49	0,900.0	1,221.1	1,095.1	1,903.9	0.00	0.00	0.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11,000.0	90.00	89.49	8,900.0	1,222.0	1,993.1	2,003.9	0.00	0.00	0.00
11,200.0 90.00 89.49 8,900.0 1,223.8 2,193.1 2,203.9 0.00 0.00 0.00 11,400.0 90.00 89.49 8,900.0 1,225.6 2,333.1 2,403.9 0.00 0.00 0.00 11,500.0 90.00 89.49 8,900.0 1,225.6 2,433.1 2,503.9 0.00 0.00 0.00 11,700.0 90.00 89.49 8,900.0 1,227.4 2,593.1 2,603.9 0.00 0.00 0.00 11,800.0 90.00 89.49 8,900.0 1,229.2 2,733.1 2,803.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,231.0 2,993.1 3,103.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,231.9 3,033.9 0.00 0.00 0.00 12,400.0 90.00 89.49 8,900.0 1,234.6 3,333.9 0.00 0.00 0.00 12,600.0 90.00 89.49 8,900.0 1,234.6 3,353.3 3,603.9 0.00 <td>11,100.0</td> <td>90.00</td> <td>89.49</td> <td>8,900.0</td> <td>1,222.9</td> <td>2,093.1</td> <td>2,103.9</td> <td>0.00</td> <td>0.00</td> <td>0.00</td>	11,100.0	90.00	89.49	8,900.0	1,222.9	2,093.1	2,103.9	0.00	0.00	0.00
11,300.0 90.00 89.49 8,900.0 1,224.7 2,293.1 2,303.9 0.00 0.00 0.00 11,400.0 90.00 89.49 8,900.0 1,226.5 2,303.1 2,403.9 0.00 0.00 0.00 11,600.0 90.00 89.49 8,900.0 1,226.5 2,403.1 2,503.9 0.00 0.00 0.00 11,600.0 90.00 89.49 8,900.0 1,228.3 2,993.1 2,003.9 0.00 0.00 0.00 11,900.0 90.00 89.49 8,900.0 1,231.0 2,993.1 3,003.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,231.0 2,993.1 3,003.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,232.7 3,283.1 3,203.9 0.00 0.00 0.00 12,400.0 90.00 89.49 8,900.0 1,232.6 3,393.1 3,403.9 0.00 0.00 0.00 12,400.0 90.00 89.49 8,900.0 1,232.4 3,393.0	11,200.0	90.00	89.49	8,900.0	1,223.8	2,193.1	2,203.9	0.00	0.00	0.00
11,400.0 90.00 83.49 8,900.0 1,225.6 2,331.1 2,403.9 0.00 0.00 0.00 11,600.0 90.00 89.49 8,900.0 1,227.4 2,503.1 2,603.9 0.00 0.00 0.00 11,700.0 90.00 89.49 8,900.0 1,229.2 2,793.1 2,803.9 0.00 0.00 0.00 11,900.0 90.00 89.49 8,900.0 1,221.2 2,993.1 3,003.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,221.0 2,993.1 3,003.9 0.00 0.00 0.00 12,100.0 90.00 89.49 8,900.0 1,221.8 3,193.1 3,203.9 0.00 0.00 0.00 12,400.0 90.00 89.49 8,900.0 1,223.7 3,293.1 3,303.9 0.00 0.00 0.00 12,600.0 90.00 89.49 8,900.0 1,224.5 3,493.3 5,503.9 3,603.9 0.00 0.00 0.00 12,600.0 90.00 89.49 8,900.0 1,224.2	11,300.0	90.00	89.49	8,900.0	1,224.7	2,293.1	2,303.9	0.00	0.00	0.00
11,500.0 90.00 89.49 8,900.0 1,226.5 2,493.1 2,603.9 0.00 0.00 0.00 11,700.0 90.00 89.49 8,900.0 1,228.3 2,603.1 2,703.9 0.00 0.00 0.00 11,800.0 90.00 89.49 8,900.0 1,228.3 2,693.1 2,703.9 0.00 0.00 0.00 11,900.0 90.00 89.49 8,900.0 1,231.1 2,983.1 3,003.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,231.3 3,093.1 3,103.9 0.00 0.00 0.00 12,200.0 90.00 89.49 8,900.0 1,234.6 3,333.1 3,403.9 0.00 0.00 0.00 12,400.0 90.00 89.49 8,900.0 1,234.6 3,333.1 3,403.9 0.00 0.00 0.00 0.00 12,600.0 90.00 89.49 8,900.0 1,234.6 3,333.1 3,403.9 0.00 0.00 0.00 12,600.0 90.00 89.49 8,900.0 1,245.3 <td>11,400.0</td> <td>90.00</td> <td>89.49</td> <td>8,900.0</td> <td>1,225.6</td> <td>2,393.1</td> <td>2,403.9</td> <td>0.00</td> <td>0.00</td> <td>0.00</td>	11,400.0	90.00	89.49	8,900.0	1,225.6	2,393.1	2,403.9	0.00	0.00	0.00
11,600.0 90.00 88.49 8,900.0 1,227.4 2,693.1 2,703.9 0.00 0.00 0.00 11,800.0 90.00 89.49 8,900.0 1,228.3 2,693.1 2,703.9 0.00 0.00 0.00 11,800.0 90.00 89.49 8,900.0 1,231.0 2,903.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,231.0 2,903.9 0.00 0.00 0.00 12,100.0 90.00 89.49 8,900.0 1,231.0 2,903.9 0.00 0.00 0.00 12,200.0 90.00 88.49 8,900.0 1,232.8 3,103.9 0.00 0.00 0.00 12,400.0 90.00 89.49 8,900.0 1,235.5 3,403.0 3,603.9 0.00 0.00 0.00 12,600.0 90.00 89.49 8,900.0 1,237.2 3,683.0 3,703.9 0.00 0.00 0.00 12,600.0 90.00 89.49 8,900.0 1,237.2 3,939.0 4,003.9 0.00 0.00 0.00	11,500.0	90.00	89.49	8,900.0	1,226.5	2,493.1	2,503.9	0.00	0.00	0.00
11,700.0 90.00 89.49 8,900.0 1,229.2 2,703.1 2,803.9 0.00 0.00 0.00 11,800.0 90.00 89.49 8,900.0 1,220.1 2,893.1 2,903.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,231.9 3,003.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,231.9 3,003.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,234.8 3,103.1 3,003.9 0.00 0.00 0.00 12,400.0 90.00 89.49 8,900.0 1,235.5 3,493.1 3,403.9 0.00 0.00 0.00 12,500.0 90.00 89.49 8,900.0 1,236.3 3,503.9 0.00 0.00 0.00 12,500.0 90.00 89.49 8,900.0 1,237.2 3,693.0 3,603.9 0.00 0.00 0.00 12,600.0 90.00 89.49 8,900.0 1,239.0 3,893.0 3,603.9 0.00 0.00	11,600.0	90.00	89.49	8,900.0	1,227.4	2,593.1	2,603.9	0.00	0.00	0.00
11,800.0 90.00 89.49 8,900.0 1,229.2 2,793.1 2,803.9 0.00 0.00 0.00 11,900.0 90.00 88.49 8,900.0 1,231.0 2,993.1 3,003.9 0.00 0.00 0.00 0.00 12,000.0 90.00 88.49 8,900.0 1,231.0 2,993.1 3,003.9 0.00 0.00 0.00 0.00 12,200.0 90.00 88.49 8,900.0 1,231.3 3,203.9 0.00 0.00 0.00 12,200.0 90.00 89.49 8,900.0 1,232.8 3,193.1 3,403.9 0.00 0.00 0.00 12,400.0 90.00 89.49 8,900.0 1,235.5 3,493.0 3,603.9 0.00 0.00 0.00 12,600.0 90.00 89.49 8,900.0 1,237.2 3,683.0 3,703.9 0.00 0.00 0.00 0.00 12,700.0 90.00 89.49 8,900.0 1,238.1 3,703.9 3,803.9 0.00 0.00 0.00 0.00 12,700.0 90.00 89.49	11,700.0	90.00	89.49	8,900.0	1,228.3	2,693.1	2,703.9	0.00	0.00	0.00
11,900.0 90.00 89.49 8,900.0 1,230.1 2,933.1 2,903.9 0.00 0.00 0.00 12,000.0 90.00 89.49 8,900.0 1,231.9 3,093.1 3,103.9 0.00 0.00 0.00 12,200.0 90.00 89.49 8,900.0 1,232.8 3,193.1 3,203.9 0.00 0.00 0.00 12,200.0 90.00 89.49 8,900.0 1,232.7 3,203.1 3,203.9 0.00 0.00 0.00 12,400.0 90.00 89.49 8,900.0 1,234.6 3,393.1 3,403.9 0.00 0.00 0.00 12,600.0 90.00 89.49 8,900.0 1,236.3 3,563.9 0.00 0.00 0.00 12,600.0 90.00 89.49 8,900.0 1,238.1 3,763.9 0.00 0.00 0.00 12,900.0 90.00 89.49 8,900.0 1,239.0 3,903.9 0.00 0.00 0.00 13,000.0 90.00 89.49 8,900.0 1,249.4 4,903.9 4,003.9 0.00 0.00	11,800.0	90.00	89.49	8,900.0	1,229.2	2,793.1	2,803.9	0.00	0.00	0.00
12:000.0 0:00 89.49 8:00.0 1.231.0 2:983.1 3:003.9 0:00 0:00 0:00 12:00.0 90.00 89.49 8:900.0 1.231.9 3:093.1 3:103.9 0:00 0:00 0:00 12:200.0 90.00 89.49 8:900.0 1.232.8 3:193.1 3:203.9 0:00 0:00 0:00 12:200.0 90.00 89.49 8:900.0 1.232.7 3:293.1 3:403.9 0:00 0:00 0:00 12:500.0 90.00 89.49 8:900.0 1.235.5 3:543.0 3:563.9 0:00 0:00 0:00 12:600.0 90.00 89.49 8:900.0 1.237.2 3:563.0 3:703.9 0:00 0:00 0:00 12:800.0 90.00 89.49 8:900.0 1.238.1 3:793.0 3:803.9 0:00 0:00 0:00 12:900.0 90.00 89.49 8:900.0 1.239.3 3:903.9 4:003.9 0:00 0:00 0:00 12:900.0 90.00 89.49 8:900.0 1.241.7 4:193.0 <td>11.900.0</td> <td>90.00</td> <td>89.49</td> <td>8.900.0</td> <td>1.230.1</td> <td>2.893.1</td> <td>2.903.9</td> <td>0.00</td> <td>0.00</td> <td>0.00</td>	11.900.0	90.00	89.49	8.900.0	1.230.1	2.893.1	2.903.9	0.00	0.00	0.00
12,100.0 90.00 88.49 8,900.0 1,231.9 3,093.1 3,103.9 0.00 0.00 0.00 12,200.0 90.00 88.49 8,900.0 1,232.8 3,193.1 3,203.9 0.00 0.00 0.00 12,300.0 90.00 88.49 8,900.0 1,232.7 3,293.1 3,303.9 0.00 0.00 0.00 12,400.0 90.00 88.49 8,900.0 1,235.5 3,493.0 3,503.9 0.00 0.00 0.00 12,600.0 90.00 88.49 8,900.0 1,237.2 3,693.0 3,603.9 0.00 0.00 0.00 12,900.0 90.00 88.49 8,900.0 1,238.1 3,793.0 3,803.9 0.00 0.00 0.00 12,900.0 90.00 88.49 8,900.0 1,239.9 3,993.0 4,003.9 0.00 0.00 0.00 12,900.0 90.00 88.49 8,900.0 1,241.7 4,193.0 4,203.9 0.00 0.00 0.00 13,000.0 90.00 89.49 8,900.0 1,242.6 4,293.0	12.000.0	90.00	89.49	8,900.0	1,231.0	2,993.1	3.003.9	0.00	0.00	0.00
12,200.0 90.00 89.49 8,900.0 1,232.8 3,193.1 3,203.9 0.00 0.00 0.00 12,300.0 90.00 88.49 8,900.0 1,233.7 3,293.1 3,303.9 0.00 0.00 0.00 12,400.0 90.00 88.49 8,900.0 1,235.5 3,493.0 3,503.9 0.00 0.00 0.00 12,600.0 90.00 88.49 8,900.0 1,235.3 3,503.9 0.00 0.00 0.00 12,700.0 90.00 89.49 8,900.0 1,237.2 3,693.0 3,703.9 0.00 0.00 0.00 12,800.0 90.00 89.49 8,900.0 1,238.1 3,793.0 3,803.9 0.00 0.00 0.00 13,000.0 90.00 89.49 8,900.0 1,249.8 4,093.0 4,103.9 0.00 0.00 0.00 13,000.0 90.00 89.49 8,900.0 1,241.7 4,193.0 4,203.9 0.00 0.00 0.00 13,400.0 90.00 89.49 8,900.0 1,241.7 4,193.9 0.00 <td>12 100 0</td> <td>90.00</td> <td>89 49</td> <td>8,900,0</td> <td>1 231 9</td> <td>3 093 1</td> <td>3 103 9</td> <td>0.00</td> <td>0.00</td> <td>0.00</td>	12 100 0	90.00	89 49	8,900,0	1 231 9	3 093 1	3 103 9	0.00	0.00	0.00
12,300.0 90.00 89.49 8,900.0 1,233.7 3,233.1 3,303.9 0.00 0.00 0.00 12,400.0 90.00 89.49 8,900.0 1,234.6 3,333.9 0.00 0.00 0.00 12,500.0 90.00 89.49 8,900.0 1,235.5 3,493.0 3,503.9 0.00 0.00 0.00 12,600.0 90.00 89.49 8,900.0 1,236.3 3,593.0 3,703.9 0.00 0.00 0.00 12,800.0 90.00 89.49 8,900.0 1,238.1 3,793.0 3,803.9 0.00 0.00 0.00 12,900.0 90.00 89.49 8,900.0 1,239.9 3,993.0 4,003.9 0.00 0.00 0.00 13,000.0 90.00 89.49 8,900.0 1,244.7 4,193.0 4,203.9 0.00 0.00 0.00 13,200.0 90.00 89.49 8,900.0 1,244.5 4,433.0 4,403.9 0.00 0.00 0.00 13,200.0 90.00 89.49 8,900.0 1,244.5 4,433.0 4,403.9	12,100.0	90.00	89.49	8 900 0	1 232 8	3 193 1	3 203 9	0.00	0.00	0.00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	12,300.0	90.00	89.49	8,900.0	1,233.7	3,293.1	3,303.9	0.00	0.00	0.00
12,500.0 90.00 88.49 8,900.0 1,236.5 3,493.0 3,503.9 0.00 0.00 0.00 12,600.0 90.00 89.49 8,900.0 1,236.3 3,593.0 3,603.9 0.00 0.00 0.00 12,700.0 90.00 89.49 8,900.0 1,238.1 3,793.0 3,803.9 0.00 0.00 0.00 12,800.0 90.00 89.49 8,900.0 1,239.0 3,893.0 3,903.9 0.00 0.00 0.00 12,900.0 90.00 89.49 8,900.0 1,239.0 3,893.0 3,903.9 0.00 0.00 0.00 13,000.0 90.00 89.49 8,900.0 1,241.7 4,193.0 4,203.9 0.00 0.00 0.00 13,200.0 90.00 89.49 8,900.0 1,242.5 4,293.0 4,403.9 0.00 0.00 0.00 13,400.0 90.00 89.49 8,900.0 1,245.4 4,933.0 4,403.9 0.00 0.00 0.00 13,500.0 90.00 89.49 8,900.0 1,245.4 4,933.0	12 400 0	90.00	89 49	8 900 0	1 234 6	3 393 1	3 403 9	0.00	0.00	0.00
12,600.0 90.00 89.49 8,900.0 1,236.3 3,593.0 3,603.9 0.00 0.00 0.00 12,700.0 90.00 89.49 8,900.0 1,237.2 3,693.0 3,703.9 0.00 0.00 0.00 12,800.0 90.00 89.49 8,900.0 1,238.1 3,793.0 3,803.9 0.00 0.00 0.00 12,800.0 90.00 89.49 8,900.0 1,239.0 3,893.0 3,003.9 0.00 0.00 0.00 13,000.0 90.00 89.49 8,900.0 1,249.8 4,093.0 4,103.9 0.00 0.00 0.00 13,200.0 90.00 89.49 8,900.0 1,247.4 4,193.0 4,203.9 0.00 0.00 0.00 13,300.0 90.00 89.49 8,900.0 1,242.6 4,293.0 4,303.9 0.00 0.00 0.00 13,400.0 90.00 89.49 8,900.0 1,244.4 4,493.0 4,503.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,247.1 4,703.9	12,100.0	90.00	89.49	8 900 0	1 235 5	3 493 0	3 503 9	0.00	0.00	0.00
12,000.0 90.00 89.49 8,900.0 1,237.2 3,693.0 3,703.9 0.00 0.00 0.00 12,800.0 90.00 89.49 8,900.0 1,238.1 3,793.0 3,803.9 0.00 0.00 0.00 12,800.0 90.00 89.49 8,900.0 1,239.0 3,993.0 4,003.9 0.00 0.00 0.00 13,000.0 90.00 89.49 8,900.0 1,249.8 4,093.0 4,103.9 0.00 0.00 0.00 13,000.0 90.00 89.49 8,900.0 1,241.7 4,193.0 4,203.9 0.00 0.00 0.00 13,200.0 90.00 89.49 8,900.0 1,242.6 4,293.0 4,303.9 0.00 0.00 0.00 13,400.0 90.00 89.49 8,900.0 1,244.5 4,930.0 4,403.9 0.00 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,244.2 4,693.0 4,703.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,245.2 <td>12,000.0</td> <td>00.00</td> <td>80.40</td> <td>8 000 0</td> <td>1 236 3</td> <td>3 503 0</td> <td>3 603 0</td> <td>0.00</td> <td>0.00</td> <td>0.00</td>	12,000.0	00.00	80.40	8 000 0	1 236 3	3 503 0	3 603 0	0.00	0.00	0.00
12,700.0 90.00 89.49 8,900.0 1,237.2 3,039.9 0.00 0.00 0.00 12,800.0 90.00 89.49 8,900.0 1,239.0 3,893.0 3,903.9 0.00 0.00 0.00 13,000.0 90.00 89.49 8,900.0 1,239.9 3,993.0 4,003.9 0.00 0.00 0.00 13,000.0 90.00 89.49 8,900.0 1,240.8 4,093.0 4,103.9 0.00 0.00 0.00 13,200.0 90.00 89.49 8,900.0 1,241.7 4,193.0 4,203.9 0.00 0.00 0.00 13,300.0 90.00 89.49 8,900.0 1,242.6 4,293.0 4,303.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,242.5 4,933.0 4,403.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,244.5 4,933.0 4,603.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,245.3 4,693.0 4,703.9	12,000.0	30.00	90.40	0,300.0	1,200.0	3,535.0	2 702 0	0.00	0.00	0.00
12,800.0 90.00 89.49 8,900.0 1,238.1 3,793.0 3,803.9 0.00 0.00 0.00 12,900.0 90.00 89.49 8,900.0 1,239.9 3,993.0 4,003.9 0.00 0.00 0.00 13,100.0 90.00 89.49 8,900.0 1,239.9 3,993.0 4,103.9 0.00 0.00 0.00 13,200.0 90.00 89.49 8,900.0 1,241.7 4,193.0 4,203.9 0.00 0.00 0.00 13,200.0 90.00 89.49 8,900.0 1,242.6 4,203.9 0.00 0.00 0.00 13,300.0 90.00 89.49 8,900.0 1,242.6 4,203.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,242.6 4,593.0 4,603.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,246.2 4,693.0 4,703.9 0.00 0.00 0.00 13,800.0 90.00 89.49 8,900.0 1,246.2 4,693.0 4,903.9 0.00 <td>12,700.0</td> <td>90.00</td> <td>09.49</td> <td>0,900.0</td> <td>1,237.2</td> <td>3,093.0</td> <td>3,703.9</td> <td>0.00</td> <td>0.00</td> <td>0.00</td>	12,700.0	90.00	09.49	0,900.0	1,237.2	3,093.0	3,703.9	0.00	0.00	0.00
12,900.0 90.00 89.49 8,900.0 1,239.9 3,893.0 4,003.9 0.00 0.00 0.00 13,000.0 90.00 89.49 8,900.0 1,240.8 4,093.0 4,103.9 0.00 0.00 0.00 13,200.0 90.00 89.49 8,900.0 1,241.7 4,193.0 4,203.9 0.00 0.00 0.00 13,300.0 90.00 89.49 8,900.0 1,242.6 4,293.0 4,303.9 0.00 0.00 0.00 13,400.0 90.00 89.49 8,900.0 1,242.5 4,393.0 4,403.9 0.00 0.00 0.00 13,500.0 90.00 89.49 8,900.0 1,244.2 4,493.0 4,603.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,244.2 4,693.0 4,703.9 0.00 0.00 0.00 13,700.0 90.00 89.49 8,900.0 1,244.2 4,693.0 4,703.9 0.00 0.00 0.00 13,700.0 90.00 89.49 8,900.0 1,248.5 5,003.9	12,800.0	90.00	89.49	8,900.0	1,238.1	3,793.0	3,803.9	0.00	0.00	0.00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	12,900.0	90.00	89.49	8,900.0	1,239.0	3,893.0	3,903.9	0.00	0.00	0.00
13,100.0 90.00 89.49 8,900.0 1,240.8 4,103.9 0.00 0.00 0.00 13,200.0 90.00 89.49 8,900.0 1,241.7 4,193.0 4,203.9 0.00 0.00 0.00 13,300.0 90.00 89.49 8,900.0 1,242.6 4,293.0 4,303.9 0.00 0.00 0.00 13,400.0 90.00 89.49 8,900.0 1,245.5 4,393.0 4,403.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,245.3 4,593.0 4,603.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,245.3 4,593.0 4,603.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,247.1 4,793.0 4,803.9 0.00 0.00 0.00 0.00 13,900.0 90.00 89.49 8,900.0 1,248.9 4,993.0 5,003.9 0.00 0.00 0.00 14,000.0 90.00 89.49 8,900.0 1,249.5 5,060.0 <td>13,000.0</td> <td>90.00</td> <td>89.49</td> <td>8,900.0</td> <td>1,239.9</td> <td>3,993.0</td> <td>4,003.9</td> <td>0.00</td> <td>0.00</td> <td>0.00</td>	13,000.0	90.00	89.49	8,900.0	1,239.9	3,993.0	4,003.9	0.00	0.00	0.00
13,200.0 90.00 89.49 8,900.0 1,241.7 4,193.0 4,203.9 0.00 0.00 0.00 13,300.0 90.00 89.49 8,900.0 1,242.6 4,293.0 4,303.9 0.00 0.00 0.00 13,400.0 90.00 89.49 8,900.0 1,242.6 4,293.0 4,403.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,245.3 4,593.0 4,603.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,245.3 4,593.0 4,603.9 0.00 0.00 0.00 13,700.0 90.00 89.49 8,900.0 1,247.1 4,793.0 4,803.9 0.00 0.00 0.00 13,800.0 90.00 89.49 8,900.0 1,248.9 4,903.9 0.00 0.00 0.00 0.00 14,000.0 90.00 89.49 8,900.0 1,249.5 5,060.0 5,070.9 0.00 0.00 0.00 14,000.0 90.00 89.49 8,900.0 1,249.5 5,060.0 <td>13,100.0</td> <td>90.00</td> <td>89.49</td> <td>8,900.0</td> <td>1,240.8</td> <td>4,093.0</td> <td>4,103.9</td> <td>0.00</td> <td>0.00</td> <td>0.00</td>	13,100.0	90.00	89.49	8,900.0	1,240.8	4,093.0	4,103.9	0.00	0.00	0.00
13,300.0 90.00 89.49 8,900.0 1,242.6 4,293.0 4,303.9 0.00 0.00 0.00 13,400.0 90.00 89.49 8,900.0 1,243.5 4,393.0 4,403.9 0.00 0.00 0.00 13,500.0 90.00 89.49 8,900.0 1,245.3 4,593.0 4,603.9 0.00 0.00 0.00 13,700.0 90.00 89.49 8,900.0 1,246.2 4,693.0 4,703.9 0.00 0.00 0.00 13,800.0 90.00 89.49 8,900.0 1,247.1 4,793.0 4,803.9 0.00 0.00 0.00 13,900.0 90.00 89.49 8,900.0 1,248.0 4,893.0 4,903.9 0.00 0.00 0.00 14,000.0 90.00 89.49 8,900.0 1,248.9 4,993.0 5,003.9 0.00 0.00 0.00 14,000.0 90.00 89.49 8,900.0 1,249.5 5,060.0 5,070.9 0.00 0.00 0.00 14,000.0 90.00 89.49 8,900.0 1,250.7 5,193.0	13,200.0	90.00	89.49	8,900.0	1,241.7	4,193.0	4,203.9	0.00	0.00	0.00
13,400.0 90.00 89.49 8,900.0 1,243.5 4,393.0 4,403.9 0.00 0.00 0.00 13,500.0 90.00 89.49 8,900.0 1,245.3 4,593.0 4,603.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,245.3 4,593.0 4,603.9 0.00 0.00 0.00 13,700.0 90.00 89.49 8,900.0 1,247.1 4,793.0 4,803.9 0.00 0.00 0.00 13,900.0 90.00 89.49 8,900.0 1,248.0 4,893.0 4,903.9 0.00 0.00 0.00 14,000.0 90.00 89.49 8,900.0 1,248.9 4,993.0 5,003.9 0.00 0.00 0.00 14,007.0 90.00 89.49 8,900.0 1,249.5 5,060.0 5,070.9 0.00 0.00 0.00 14,100.0 90.00 89.49 8,900.0 1,224.7 5,193.0 5,103.9 0.00 0.00 0.00 14,200.0 90.00 89.49 8,900.0 1,251.6 5,293.0	13,300.0	90.00	89.49	8,900.0	1,242.6	4,293.0	4,303.9	0.00	0.00	0.00
13,500.0 90.00 89.49 8,900.0 1,244.4 4,493.0 4,503.9 0.00 0.00 0.00 13,600.0 90.00 89.49 8,900.0 1,245.3 4,593.0 4,603.9 0.00 0.00 0.00 13,700.0 90.00 89.49 8,900.0 1,246.2 4,693.0 4,703.9 0.00 0.00 0.00 13,800.0 90.00 89.49 8,900.0 1,247.1 4,793.0 4,803.9 0.00 0.00 0.00 13,900.0 90.00 89.49 8,900.0 1,248.0 4,893.0 4,903.9 0.00 0.00 0.00 14,000.0 90.00 89.49 8,900.0 1,248.9 4,993.0 5,003.9 0.00 0.00 0.00 14,000.0 90.00 89.49 8,900.0 1,249.5 5,060.0 5,070.9 0.00 0.00 0.00 14,100.0 90.00 89.49 8,900.0 1,250.7 5,133.9 0.00 0.00 0.00 14,200.0 90.00 89.49 8,900.0 1,251.6 5,293.0 5,303.9	13,400.0	90.00	89.49	8,900.0	1,243.5	4,393.0	4,403.9	0.00	0.00	0.00
13,600.0 90.00 89.49 8,900.0 1,245.3 4,593.0 4,603.9 0.00 0.00 0.00 13,700.0 90.00 89.49 8,900.0 1,246.2 4,693.0 4,703.9 0.00 0.00 0.00 13,800.0 90.00 89.49 8,900.0 1,247.1 4,793.0 4,803.9 0.00 0.00 0.00 13,900.0 90.00 89.49 8,900.0 1,248.0 4,893.0 4,903.9 0.00 0.00 0.00 14,000.0 90.00 89.49 8,900.0 1,248.9 4,993.0 5,003.9 0.00 0.00 0.00 14,067.0 90.00 89.49 8,900.0 1,249.5 5,060.0 5,070.9 0.00 0.00 0.00 14,100.0 90.00 89.49 8,900.0 1,249.8 5,093.0 5,103.9 0.00 0.00 0.00 14,300.0 90.00 89.49 8,900.0 1,250.7 5,193.0 5,203.9 0.00 0.00 0.00 14,400.0 90.00 89.49 8,900.0 1,251.6 5,293.0	13,500.0	90.00	89.49	8,900.0	1,244.4	4,493.0	4,503.9	0.00	0.00	0.00
13,700.0 90.00 89.49 8,900.0 1,246.2 4,693.0 4,703.9 0.00 0.00 0.00 13,800.0 90.00 89.49 8,900.0 1,247.1 4,793.0 4,803.9 0.00 0.00 0.00 13,900.0 90.00 89.49 8,900.0 1,247.1 4,793.0 4,803.9 0.00 0.00 0.00 14,000.0 90.00 89.49 8,900.0 1,248.9 4,993.0 5,003.9 0.00 0.00 0.00 14,067.0 90.00 89.49 8,900.0 1,249.5 5,060.0 5,070.9 0.00 0.00 0.00 14,100.0 90.00 89.49 8,900.0 1,249.5 5,060.0 5,070.9 0.00 0.00 0.00 14,300.0 90.00 89.49 8,900.0 1,250.7 5,193.0 5,203.9 0.00 0.00 0.00 14,400.0 90.00 89.49 8,900.0 1,251.6 5,293.0 5,303.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,252.5 5,393.0	13.600.0	90.00	89.49	8,900.0	1,245.3	4,593.0	4,603,9	0.00	0.00	0.00
13,800.0 90.00 89.49 8,900.0 1,247.1 4,793.0 4,803.9 0.00 0.00 0.00 13,800.0 90.00 89.49 8,900.0 1,247.1 4,793.0 4,803.9 0.00 0.00 0.00 13,900.0 90.00 89.49 8,900.0 1,248.0 4,893.0 4,903.9 0.00 0.00 0.00 14,000.0 90.00 89.49 8,900.0 1,249.5 5,060.0 5,070.9 0.00 0.00 0.00 14,067.0 90.00 89.49 8,900.0 1,249.5 5,060.0 5,070.9 0.00 0.00 0.00 PPP2 @ 14067'MD 14,100.0 90.00 89.49 8,900.0 1,250.7 5,193.0 5,203.9 0.00 0.00 0.00 14,300.0 90.00 89.49 8,900.0 1,251.6 5,293.0 5,303.9 0.00 0.00 0.00 14,400.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,403.9 0.00 0.00 0.00 14,600.0 90.00 89.49	13 700 0	90.00	89 49	8,900,0	1 246 2	4 693 0	4 703 9	0.00	0.00	0.00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	13,800.0	90.00	89.49	8,900.0	1,247.1	4,793.0	4,803.9	0.00	0.00	0.00
14,000.0 90.00 89.49 8,900.0 1,248.9 4,993.0 5,003.9 0.00 0.00 0.00 14,067.0 90.00 89.49 8,900.0 1,249.5 5,060.0 5,070.9 0.00 0.00 0.00 PPP2 @ 14067'MD 14,100.0 90.00 89.49 8,900.0 1,249.5 5,093.0 5,103.9 0.00 0.00 0.00 14,200.0 90.00 89.49 8,900.0 1,250.7 5,193.0 5,203.9 0.00 0.00 0.00 14,300.0 90.00 89.49 8,900.0 1,251.6 5,293.0 5,303.9 0.00 0.00 0.00 14,300.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,403.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,603.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,254.3 5,593.0 5,603.9 0.00 0.00 0.00 14,600.0 90.00 89.49	13 900 0	90.00	89 49	8 900 0	1 248 0	4 893 0	4 903 9	0.00	0.00	0.00
14,067.0 90.00 89.49 8,900.0 1,249.5 5,060.0 5,070.9 0.00 0.00 0.00 PPP2@ 14067'MD 14,100.0 90.00 89.49 8,900.0 1,249.8 5,093.0 5,103.9 0.00 0.00 0.00 14,200.0 90.00 89.49 8,900.0 1,250.7 5,193.0 5,203.9 0.00 0.00 0.00 14,300.0 90.00 89.49 8,900.0 1,251.6 5,293.0 5,303.9 0.00 0.00 0.00 14,400.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,403.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,603.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,254.3 5,593.0 5,603.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,254.3 5,593.0 5,603.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 <t< td=""><td>14 000 0</td><td>90.00</td><td>80.40</td><td>8 900 0</td><td>1 248 9</td><td>4,000.0</td><td>5 003 9</td><td>0.00</td><td>0.00</td><td>0.00</td></t<>	14 000 0	90.00	80.40	8 900 0	1 248 9	4,000.0	5 003 9	0.00	0.00	0.00
PPP2 @ 14067'MD 5,000 1,249.8 5,093.0 5,103.9 0.00 0.00 0.00 14,100.0 90.00 89.49 8,900.0 1,249.8 5,093.0 5,103.9 0.00 0.00 0.00 0.00 14,200.0 90.00 89.49 8,900.0 1,250.7 5,193.0 5,203.9 0.00 0.00 0.00 14,300.0 90.00 89.49 8,900.0 1,251.6 5,293.0 5,303.9 0.00 0.00 0.00 14,400.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,403.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,603.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,254.3 5,593.0 5,603.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,255.2 5,693.0 5,703.9 0.00 0.00 0.00 <tr< td=""><td>14,000.0</td><td>90.00</td><td>80.40</td><td>8 900 0</td><td>1,240.5</td><td>5,060,0</td><td>5,000.0</td><td>0.00</td><td>0.00</td><td>0.00</td></tr<>	14,000.0	90.00	80.40	8 900 0	1,240.5	5,060,0	5,000.0	0.00	0.00	0.00
14,100 90.00 89.49 8,900.0 1,249.8 5,093.0 5,103.9 0.00 0.00 0.00 14,200.0 90.00 89.49 8,900.0 1,250.7 5,193.0 5,203.9 0.00 0.00 0.00 14,300.0 90.00 89.49 8,900.0 1,251.6 5,293.0 5,303.9 0.00 0.00 0.00 14,400.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,403.9 0.00 0.00 0.00 14,500.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,603.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,254.3 5,593.0 5,603.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,255.2 5,693.0 5,703.9 0.00 0.00 0.00 14,700.0 90.00 89.49 8,900.0 1,255.2 5,693.0 5,703.9 0.00 0.00 0.00 14,800.0 90.00 89.49 8,900.0 1,256.1 5,793.0 </td <td>PPP2 @ 14</td> <td>067'MD</td> <td>00.40</td> <td>0,000.0</td> <td>1,240.0</td> <td>5,000.0</td> <td>3,070.5</td> <td>0.00</td> <td>0.00</td> <td>0.00</td>	PPP2 @ 14	067'MD	00.40	0,000.0	1,240.0	5,000.0	3,070.5	0.00	0.00	0.00
14,200.0 90.00 89.49 8,900.0 1,250.7 5,193.0 5,203.9 0.00 0.00 0.00 14,200.0 90.00 89.49 8,900.0 1,251.6 5,293.0 5,303.9 0.00 0.00 0.00 14,400.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,403.9 0.00 0.00 0.00 14,500.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,403.9 0.00 0.00 0.00 14,500.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,603.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,253.4 5,493.0 5,503.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,255.2 5,693.0 5,703.9 0.00 0.00 0.00 14,700.0 90.00 89.49 8,900.0 1,255.2 5,693.0 5,703.9 0.00 0.00 0.00 14,800.0 90.00 89.49 8,900.0 1,256.1 5,793.0	14 100 0	90.00	89 49	8 900 0	1 249 8	5 093 0	5 103 9	0.00	0.00	0.00
14,300.090.0089.498,900.01,251.65,293.05,303.90.000.000.0014,400.090.0089.498,900.01,252.55,393.05,403.90.000.000.0014,500.090.0089.498,900.01,253.45,493.05,503.90.000.000.0014,600.090.0089.498,900.01,254.35,593.05,603.90.000.000.0014,700.090.0089.498,900.01,255.25,693.05,703.90.000.000.0014,800.090.0089.498,900.01,256.15,793.05,803.90.000.000.00	14,200.0	90.00	89.49	8,900.0	1,250.7	5,193.0	5,203.9	0.00	0.00	0.00
14,400.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,403.9 0.00 0.00 0.00 14,500.0 90.00 89.49 8,900.0 1,252.5 5,393.0 5,603.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,254.3 5,593.0 5,603.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,255.2 5,693.0 5,703.9 0.00 0.00 0.00 14,700.0 90.00 89.49 8,900.0 1,255.2 5,693.0 5,703.9 0.00 0.00 0.00 14,800.0 90.00 89.49 8,900.0 1,256.1 5,793.0 5,803.9 0.00 0.00 0.00	14 300 0	90.00	89 49	8,900.0	1,251.6	5,293.0	5,303.9	0.00	0.00	0.00
14,500 90,00 89.49 8,900.0 1,253.4 5,493.0 5,503.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,253.4 5,493.0 5,603.9 0.00 0.00 0.00 14,600.0 90.00 89.49 8,900.0 1,254.3 5,593.0 5,603.9 0.00 0.00 0.00 14,700.0 90.00 89.49 8,900.0 1,255.2 5,693.0 5,703.9 0.00 0.00 0.00 14,800.0 90.00 89.49 8,900.0 1,256.1 5,793.0 5,803.9 0.00 0.00 0.00	14,400.0	90.00	89.49	8,900.0	1.252.5	5,393.0	5,403.9	0.00	0.00	0.00
14,600.0 90.00 89.49 8,900.0 1,254.3 5,593.0 5,603.9 0.00 0.00 0.00 14,700.0 90.00 89.49 8,900.0 1,255.2 5,693.0 5,703.9 0.00 0.00 0.00 14,800.0 90.00 89.49 8,900.0 1,255.2 5,693.0 5,703.9 0.00 0.00 0.00	14 500 0	90.00	89 49	8,900.0	1,253.4	5,493.0	5,503.9	0.00	0.00	0.00
14,700.0 90.00 89.49 8,900.0 1,255.2 5,693.0 5,703.9 0.00 0.00 0.00 14,800.0 90.00 89.49 8,900.0 1,256.1 5,793.0 5,803.9 0.00 0.00 0.00	14 600 0	90.00	89 49	8 900 0	1 254 3	5 593 0	5 603 9	0.00	0.00	0.00
14,800.0 90.00 89.49 8,900.0 1,256.1 5,793.0 5,803.9 0.00 0.00 0.00	14 700 0	90.00	80 40	8 900 0	1 255 2	5 603 0	5 703 0	0.00	0.00	0.00
14,800.0 90.00 89.49 8,900.0 1,256.1 5,793.0 5,803.9 0.00 0.00 0.00	14,700.0	30.00	03.43	0,300.0	1,200.2	5,055.0	5,705.9	0.00	0.00	0.00
	14,800.0	90.00	89.49	8,900.0	1,256.1	5,793.0	5,803.9	0.00	0.00	0.00





Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well War Pigeon Fed Com #401H
Company:	Admiral Permian Resources	TVD Reference:	KB @ 3298.6usft
Project:	Eddy County, NM (NAD 83 NME)	MD Reference:	KB @ 3298.6usft
Site:	(War Pigeon) Sec6_T24S_R27E	North Reference:	Grid
Well:	War Pigeon Fed Com #401H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #2		
— — —			

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
14,900.0	90.00	89.49	8,900.0	1,257.0	5,893.0	5,903.9	0.00	0.00	0.00
15,000.0	90.00	89.49	8,900.0	1,257.9	5,992.9	6,003.9	0.00	0.00	0.00
15,100.0	90.00	89.49	8,900.0	1,258.8	6,092.9	6,103.9	0.00	0.00	0.00
15,200.0	90.00	89.49	8,900.0	1,259.7	6,192.9	6,203.9	0.00	0.00	0.00
15,300.0	90.00	89.49	8,900.0	1,260.6	6,292.9	6,303.9	0.00	0.00	0.00
15,400.0	90.00	89.49	8,900.0	1,261.5	6,392.9	6,403.9	0.00	0.00	0.00
15,500.0	90.00	89.49	8,900.0	1,262.4	6,492.9	6,503.9	0.00	0.00	0.00
15,600.0	90.00	89.49	8,900.0	1,263.2	6,592.9	6,603.9	0.00	0.00	0.00
15,700.0	90.00	89.49	8,900.0	1,264.1	6,692.9	6,703.9	0.00	0.00	0.00
15,800.0	90.00	89.49	8,900.0	1,265.0	6,792.9	6,803.9	0.00	0.00	0.00
15,900.0	90.00	89.49	8,900.0	1,265.9	6,892.9	6,903.9	0.00	0.00	0.00
16,000.0	90.00	89.49	8,900.0	1,266.8	6,992.9	7,003.9	0.00	0.00	0.00
16,100.0	90.00	89.49	8,900.0	1,267.7	7,092.9	7,103.9	0.00	0.00	0.00
16,200.0	90.00	89.49	8,900.0	1,268.6	7,192.9	7,203.9	0.00	0.00	0.00
16,300.0	90.00	89.49	8,900.0	1,269.5	7,292.9	7,303.9	0.00	0.00	0.00
16,400.0	90.00	89.49	8,900.0	1,270.4	7,392.9	7,403.9	0.00	0.00	0.00
16,500.0	90.00	89.49	8,900.0	1,271.3	7,492.9	7,503.9	0.00	0.00	0.00
16,600.0	90.00	89.49	8,900.0	1,272.2	7,592.9	7,603.9	0.00	0.00	0.00
16,700.0	90.00	89.49	8,900.0	1,273.1	7,692.9	7,703.9	0.00	0.00	0.00
16,800.0	90.00	89.49	8,900.0	1,274.0	7,792.9	7,803.9	0.00	0.00	0.00
16,900.0	90.00	89.49	8,900.0	1,274.9	7,892.9	7,903.9	0.00	0.00	0.00
17,000.0	90.00	89.49	8,900.0	1,275.8	7,992.9	8,003.9	0.00	0.00	0.00
17,100.0	90.00	89.49	8,900.0	1,276.7	8,092.9	8,103.9	0.00	0.00	0.00
17,200.0	90.00	89.49	8,900.0	1,277.6	8,192.9	8,203.9	0.00	0.00	0.00
17,300.0	90.00	89.49	8,900.0	1,278.5	8,292.9	8,303.9	0.00	0.00	0.00
17,400.0	90.00	89.49	8,900.0	1,279.4	8,392.8	8,403.9	0.00	0.00	0.00
17,500.0	90.00	89.49	8,900.0	1,280.3	8,492.8	8,503.9	0.00	0.00	0.00
17,600.0	90.00	89.49	8,900.0	1,281.2	8,592.8	8,603.9	0.00	0.00	0.00
17,700.0	90.00	69.49	8,900.0	1,202.1	8,692.8	8,703.9	0.00	0.00	0.00
17,800.0	90.00	89.49	8,900.0	1,283.0	8,792.8	8,803.9	0.00	0.00	0.00
17,900.0	90.00	89.49	8,900.0	1,283.9	8,892.8	8,903.9	0.00	0.00	0.00
18,000.0	90.00	89.49	8,900.0	1,284.8	8,992.8	9,003.9	0.00	0.00	0.00
18,100.0	90.00	89.49	8,900.0	1,285.7	9,092.8	9,103.9	0.00	0.00	0.00
10,200.0	30.00	09.49	0,900.0	1,200.0	9,192.0	9,205.9	0.00	0.00	0.00
18,300.0	90.00	89.49	8,900.0	1,287.5	9,292.8	9,303.9	0.00	0.00	0.00
18,400.0	90.00	89.49	8,900.0	1,288.4	9,392.8	9,403.9	0.00	0.00	0.00
18,500.0	90.00	89.49	8,900.0	1,289.3	9,492.8	9,503.9	0.00	0.00	0.00
18,700.0	90.00	89.49	8,900.0	1,290.1	9,692.8	9,703.9	0.00	0.00	0.00
10,000.0	00.00	80.40	8,000.0	1,201.0	0,702.0	0,002,0	0.00	0.00	0.00
18,800.0	90.00	89.49	8,900.0	1,291.9	9,792.8	9,803.9	0.00	0.00	0.00
10,900.0	90.00	09.49 80.40	8,900.0	1,292.0	9,092.0	9,903.9	0.00	0.00	0.00
19.002.3	90.00	89.49	8.900.0	1.293.8	9,995.1	10.006.2	0.00	0.00	0.00
LTP @ 190	02.3'MD	501.10	2,200.0	.,_0010	2,000.1	,	0.00	0.00	
19,100.0	90.00	89.49	8,900.0	1,294.6	10,092.8	10,103.9	0.00	0.00	0.00
19 200 0	90 00	80 40	8 900 0	1 295 5	10 192 8	10 203 0	0.00	0.00	0.00
19.232.4	90.00	89.49	8.900.0	1.295.8	10,132.0	10.236.3	0.00	0.00	0.00
TD at 1923	2.4	50.10	2,200.0	.,	,	,	0.00	0.00	
2 41 920									

11/08/24 10:55:57AM

Received by OCD: 5/9/2025 1:19:25 PM







Database: Company: Project: Site: Well: Wellbore: Design:	EDM 5000.15 Single User Db Admiral Permian Resources Eddy County, NM (NAD 83 NME) (War Pigeon) Sec6_T24S_R27E War Pigeon Fed Com #401H OWB Plan #2			Local Co- TVD Refer MD Refere North Refe Survey Ca	ordinate Referen rence: ence: erence: alculation Method	Reference: Well War Pigeon Fed Com #401H KB @ 3298.6usft KB @ 3298.6usft Grid Method:			401H	
Design Targets										
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easti (usi	ing it)	Latitude	Longitude
LTP (War Pigeon Fed - plan misses targ - Point	0.00 et center by 0.	0.00 .3usft at 190	8,900.0 02.3usft M	1,293.4 D (8900.0 TV	9,995.1 /D, 1293.8 N	455,801.71 N, 9995.1 E)	581	,031.97	32° 15' 10.832 N	104° 12' 17.741 W
KOP (War Pigeon Feo - plan misses targ - Point	d 0.00 et center by 19	0.00 97.8usft at 8	8,900.0 916.0usft N	1,202.4 /ID (8759.9 T	-193.0 VD, 1203.7	455,710.70 N, -53.4 E)	570	,843.86	32° 15' 10.037 N	104° 14' 16.386 W
BHL (War Pigeon Fed - plan hits target c - Point	0.00 enter	0.00	8,900.0	1,295.8	10,225.2	455,804.12	581	,262.02	32° 15' 10.854 N	104° 12' 15.061 W
FTP/PPP1 (War Pige - plan misses targ - Point	c 0.00 et center by 2	0.00 5.3usft at 91	8,900.0 39.1usft M	1,205.1 D (8875.9 T∖	127.0 /D, 1205.3 N	455,713.42 N, 134.9 E)	571	,163.85	32° 15' 10.061 N	104° 14' 12.660 W
PPP2 (War Pigeon Fe - plan misses targ - Point	e 0.00 et center by 2	0.00 5usft at 140.	8,900.0 067.0usft M	1,247.0 D (8900.0 T∖	5,060.0 /D, 1249.5 N	455,755.34 N, 5059.9 E)	576	,096.81	32° 15' 10.428 N	104° 13' 15.213 W

Formations

Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
470.0	470.0	Rustler			
750.0	750.0	Top Salt			
1,720.0	1,720.0	Base Salt			
1,958.9	1,958.0	Lamar			
2,079.2	2,077.0	Bell Canyon			
2,846.3	2,829.0	Cherry Canyon			
3,866.8	3,829.0	Brushy Canyon			
5,493.5	5,423.0	Bone Spring			
5,493.5	5,423.0	Avalon			
6,531.4	6,440.0	1st Bone Spring Sand			
7,011.0	6,910.0	2nd Bone Spring Sand			
7,215.1	7,110.0	3rd Bone Spring Carb			
8,506.8	8,388.0	3rd Bone Spring Sand			
8,909.1	8,755.0	Wolfcamp			

Plan Annotations

Measu	ed Vertical	Local Co	ordinates	
Depti (usft	n Depth) (usft)	+N/-S (usft)	+E/-W (usft)	Comment
1,60	0.0 1,600.0	0.0	0.0	NUDGE - Build 2.00
2,1	75.2 2,171.3	56.8	-9.1	HOLD - 5529.5 at 2175.2 MD
7,70)4.6 7,589.7	1,145.6	-183.9	DROP2.00
8,2	79.8 8,161.0	1,202.4	-193.0	HOLD - 261.5 at 8279.8 MD
8,54	1.3 8,422.5	1,202.4	-193.0	KOP - DLS 12.00 TFO 89.49
9,13	30.8 8,873.2	1,205.3	127.0	FTP/PPP1 @ 9130.8'MD
9,29	91.3 8,900.0	1,206.7	284.5	EOC - 9941.1 hold at 9291.3 MD
14,00	67.0 8,900.0	1,249.5	5,060.0	PPP2 @ 14067'MD
19,00)2.3 8,900.0	1,293.8	9,995.1	LTP @ 19002.3'MD
19,23	32.4 8,900.0	1,295.8	10,225.2	TD at 19232.4

11/08/24 10:55:57AM

PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

OPERATOR'S NAME:	ADMIRAL PERMIAN OPERATING LLC
WELL NAME & NO.:	WAR PIGEON FED COM 401H
LOCATION:	Section 6, T.24 S., R.27 E., NMP
COUNTY:	Eddy County, New Mexico

COA

H2S	• Yes	🗘 No	
Potash	• None	C Secretary	© R-111-P
Cave/Karst Potential	C Low	C Medium	🖸 High
Cave/Karst Potential	Critical		
Variance	C None	• Flex Hose	C Other
Wellhead	Conventional	• Multibowl	C Both
Wellhead Variance	C Diverter		
Other	□4 String	Capitan Reef	□ WIPP
Other	Fluid Filled	Pilot Hole	Open Annulus
Cementing	Contingency	EchoMeter	Primary Cement
	Cement Squeeze		Squeeze
Special Requirements	Water Disposal	COM	🗆 Unit
Special Requirements	Batch Sundry		
Special Requirements	Break Testing	□ Offline	Casing
Variance		Cementing	Clearance

A. HYDROGEN SULFIDE

A Hydrogen Sulfide (H2S) Drilling Plan shall be activated AT SPUD. As a result, the Hydrogen Sulfide area must meet 43 CFR part 3170 requirements, which includes equipment and personnel/public protection items. If Hydrogen Sulfide is encountered, please provide measured values and formations to the BLM.

B. CASING

Primary Casing Design:

1. The **10-3/4** inch surface casing shall be set at approximately **350 feet per BLM Geologist** (a minimum of 70 feet (Eddy County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface. The surface hole shall be **14-3/4** inch in diameter.

- a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
- b. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u> <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
- c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
- d. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. The minimum required fill of cement behind the **7-5/8** inch intermediate casing is:
 - Cement to surface. If cement does not circulate see B.1.a, c-d above. Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to cave/karst or potash.

Contingency:

Operator has proposed a DV tool, the depth may be adjusted as long as the cement is changed proportionally. The DV tool may be cancelled if cement circulates to surface on the first stage.

- a. First stage to DV tool: Cement to circulate. If cement does not circulate off the DV tool, contact the appropriate BLM office before proceeding with second stage cement job.
- b. Second stage above DV tool:
 - Cement to surface. If cement does not circulate, contact the appropriate BLM office.
 Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to cave/karst or potash.

✤ In <u>High Cave/Karst Areas</u> if cement does not circulate to surface on the first two casing strings, the cement on the 3rd casing string must come to surface.

- 3. The minimum required fill of cement behind the 5-1/2 inch production casing is:
 - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to cave/karst or potash.

C. PRESSURE CONTROL

- 1. Variance approved to use flex line from BOP to choke manifold. Manufacturer's specification to be readily available. No external damage to flex line. Flex line to be installed as straight as possible (no hard bends).'
- 2. Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the **10-3/4** inch surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be **10,000 (10M)** psi.
 - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
 - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
 - c. Manufacturer representative shall install the test plug for the initial BOP test.
 - d. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
 - e. Whenever any seal subject to test pressure is broken, all the tests in OOGO2.III.A.2.i must be followed.

D. SPECIAL REQUIREMENT (S)

Communitization Agreement

- The operator will submit a Communitization Agreement to the Santa Fe Office, 301 Dinosaur Trail Santa Fe, New Mexico 87508, at least 90 days before the anticipated date of first production from a well subject to a spacing order issued by the New Mexico Oil Conservation Division. The Communitization Agreement will include the signatures of all working interest owners in all Federal and Indian leases subject to the Communitization Agreement (i.e., operating rights owners and lessees of record), or certification that the operator has obtained the written signatures of all such owners and will make those signatures available to the BLM immediately upon request.
- The operator will submit an as-drilled survey well plat of the well completion, but are not limited to, those specified in Onshore Order 1 and 2.
- If the operator does not comply with this condition of approval, the BLM may take enforcement actions that include, but are not limited to, those specified in 43 CFR 3163.1.
- In addition, the well sign shall include the surface and bottom hole lease numbers. <u>When the Communitization Agreement number is known, it shall also be on the sign.</u>

GENERAL REQUIREMENTS

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)

Eddy County

EMAIL or call the Carlsbad Field Office, 620 East Greene St., Carlsbad, NM 88220,

BLM_NM_CFO_DrillingNotifications@BLM.GOV (575) 361-2822

Lea County

Call the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240, (575) 689-5981

- 1. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.
 - a. In the event the operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after installing and testing the wellhead, by installing a blind flange of like pressure rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other well(s).
 - b. When the operator proposes to set surface casing with Spudder Rig
 - i. Notify the BLM when moving in and removing the Spudder Rig.
 - Notify the BLM when moving in the 2nd Rig. Rig to be moved in within 90 days of notification that Spudder Rig has left the location.
 - BOP/BOPE test to be conducted per 43 CFR 3172 as soon as 2nd Rig is rigged up on well.
- 2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works are located, this does not include the dog house or stairway area.
- 3. For intervals in which cement to surface is required, cement to surface should be verified with a visual check and density or pH check to differentiate cement from

Page 4 of 8

spacer and drilling mud. The results should be documented in the driller's log and daily reports.

A. CASING

- Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.
- <u>Wait on cement (WOC) for Potash Areas:</u> After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends of both lead and tail cement, 2) until cement has been in place at least <u>8</u> hours. WOC time will be recorded in the driller's log. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 3. <u>Wait on cement (WOC) for Water Basin:</u> After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least <u>8 hours</u>. WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.
- 5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.
- 6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at

Approval Date: 05/08/2025

total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.

- 7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.
- 8. Whenever a casing string is cemented in the R-111-Q potash area, the NMOCD requirements shall be followed.

B. PRESSURE CONTROL

- 1. All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in **43 CFR 3172**.
- 2. If a variance is approved for a flexible hose to be installed from the BOP to the choke manifold, the following requirements apply: The flex line must meet the requirements of API 16C. Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.
- 3. 5M or higher system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.
- 4. If the operator has proposed a multi-bowl wellhead assembly in the APD. The following requirements must be met:
 - i. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
 - ii. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
 - iii. Manufacturer representative shall install the test plug for the initial BOP test.
 - iv. Whenever any seal subject to test pressure is broken, all the tests in 43 CFR 3172.6(b)(9) must be followed.
 - v. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be

Approval Date: 05/08/2025

cut off, cementing operations performed and another wellhead installed.

- 5. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.
 - i. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead cement), whichever is greater. However, if the float does not hold, cut-off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).
 - ii. In potash areas, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. For all casing strings, casing cut-off and BOP installation can be initiated at twelve hours after bumping the cement plug. The BOPE test can be initiated after bumping the cement plug with the casing valve open. (only applies to single stage cement jobs, prior to the cement setting up.)
 - iii. The tests shall be done by an independent service company utilizing a test plug not a cup or J-packer and can be initiated immediately with the casing valve open. The operator also has the option of utilizing an independent tester to test without a plug (i.e. against the casing) pursuant to 43 CFR 3172 with the pressure not to exceed 70% of the burst rating for the casing. Any test against the casing must meet the WOC time for 8 hours or 500 pounds compressive strength, whichever is greater, prior to initiating the test (see casing segment as lead cement may be critical item).
 - iv. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.
 - v. The results of the test shall be reported to the appropriate BLM office.

025 4:14:35 PM Approval Date: 05/08/2025

- vi. All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.
- vii. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- viii. BOP/BOPE must be tested by an independent service company within 500 feet of the top of the Wolfcamp formation if the time between the setting of the intermediate casing and reaching this depth exceeds 20 days. This test does not exclude the test prior to drilling out the casing shoe as per 43 CFR 3172.

C. DRILLING MUD

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the Wolfcamp formation, and shall be used until production casing is run and cemented.

D. WASTE MATERIAL AND FLUIDS

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area. Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

JS 2/28/2025

Approval Date: 05/08/2025

Hydrogen Sulfide Drilling Operations Plan

- 1. Hydrogen Sulfide Training: All personnel shall receive proper H2S awareness training.
- 2. Briefing Area: A minimum of two safe briefing areas will be established, not less than 150 feet, or as practical from the wellhead and in such a location that at least one area will be up wind of the well at all times. Upon recognition of an emergency situation, all personnel must assemble at the designated, up wind briefing area, for muster and instructions.
- 3. Hydrogen Sulfide Safety Equipment and Systems: All hydrogen sulfide safety equipment and systems will be installed, tested, and operational prior to drilling below surface casing.

a) Well Control Equipment

- i. Flare line 150' from wellhead to be ignited by autoignition sparking system.
- ii. Choke manifold with a remotely operated hydraulic choke.
- iii. Mud/gas separator
- iv. Blowout preventer
- v. Rotating head

b) Protective equipment for essential personnel

i. 30-minute self-contained work units located in the doghouse and at briefing areas

*If H2S is encountered in concentrations less than 10 ppm, fans will be placed in work areas to prevent the accumulation of hazardous amounts of poisonous gas

c) Hydrogen Sulfide Detection and Monitoring Equipment

- i. Two portable hydrogen sulfide monitors positioned on location for optimum coverage and detection. The units shall have audible sirens to notify personnel when hydrogen sulfide levels exceed 20 ppm
- ii. If H2S is encountered, measured values and formations will be provided to the BLM.
- iii. Rig floor, shakers, and sub

d) Visual Warning Systems

- i. Wind direction indicators as shown on the wellsite diagram
 - One on the rig floor
 - One at the pits

- ii. One color code condition sign will be placed at each entrance to the site reflecting the possible conditions at the site.
- iii. A colored condition flag will be on display, reflecting the current condition at the site at the time.
- 4. Mud Program: The mud program has been designed to minimize the amount of hydrogen sulfide entrained in the mud system. Proper mud weight, safe drilling practices, and the use of hydrogen sulfide scavengers will minimize hazards while drilling the well.
- 5. Metallurgy: All tubular systems, wellheads, blowout preventers, drilling spools, kill lines, choke manifolds, and valves shall be suitable for service in a hydrogen sulfide environment when chemicallytreated.
- 6. Communications: Communication will be via two-way radios and cell phones on location.

Based on concentrations of offset wells, proximity to main roads, and distance to populated areas, the radius of exposure created by a potential release was determined to be minimal and low enough to not necessitate an H2S contingency plan. This will be reevaluated if H2S is observed during any operations of the well.

Emergency Phone Numbers

Eddy County Sheriff's Office:	911 or 575 887-7551
AmbulanceService	911 or 575 885-2111
Carlsbad Fire Dept	911or 575 885-2111
Eddy County Fire & Rescue Complex	575 628-5450
Eddy County Fire & Rescue Complex Emergency Dispatch	575 616-7155
Otis Volunteer Fire Dept	575 236-6113
Closest Medical Facility – Columbia Medical Center of Carlsbad	575 492-5000
BLM Carlsbad	575 234-5972
NMOCD	575 626-0857
Admiral Permian Operating LLC:	432-653-0245
VP of Operations – Michelle Estes:	432-638-7192
Drilling Manager – Jeremy Ward:	713-540-6060

Received by OCD: 5/9/2025 1:19:25 PM



Released to Imaging: 6/17/2025 4:14:35 PM





Received by OCD: 5/9/2025 1:19:25 PM

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
Admiral Permian Operating LLC	332762
200 N. Loraine St	Action Number:
Midland, TX 79701	460609
	Action Type:
	[C-101] BLM - Federal/Indian Land Lease (Form 3160-3)

CONDITIONS

Created By	Condition	Condition Date
bwood	Cement is required to circulate on both surface and intermediate1 strings of casing.	5/9/2025
bwood	If cement does not circulate on any string, a Cement Bond Log (CBL) is required for that string of casing.	5/9/2025
ward.rikala	Notify the OCD 24 hours prior to casing & cement.	6/17/2025
ward.rikala	File As Drilled C-102 and a directional Survey with C-104 completion packet.	6/17/2025
ward.rikala	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string.	6/17/2025
ward.rikala	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.	6/17/2025

CONDITIONS

Page 35 of 35

Action 460609