.

Form 3160-3 (June 2015)		FORM APP OMB No. 10 Expires: Januar	004-0137
UNITED STATES DEPARTMENT OF THE IN BUREAU OF LAND MANA		5. Lease Serial No.	
APPLICATION FOR PERMIT TO DE	6. If Indian, Allotee or T	ribe Name	
1a. Type of work: DRILL DRILL	ENTER	7. If Unit or CA Agreem	ent, Name and No.
1b. Type of Well: Oil Well Gas Well Oth	ner		
1c. Type of Completion: Hydraulic Fracturing Sin	gle Zone Multiple Zone	8. Lease Name and Well	1 NO.
2. Name of Operator		9. API Well No. 30-025-54769	
3a. Address	3b. Phone No. (include area code)	10. Field and Pool, or Ez	xploratory
4. Location of Well (<i>Report location clearly and in accordance w</i>	ith any State requirements.*)	11. Sec., T. R. M. or Blk	and Survey or Area
At surface			
At proposed prod. zone			
14. Distance in miles and direction from nearest town or post offic	re*	12. County or Parish	13. State
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)	16. No of acres in lease 17. Spaci	ng Unit dedicated to this v	vell
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.	19. Proposed Depth 20. BLM	/BIA Bond No. in file	
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will start*	23. Estimated duration	
	24. Attachments		
The following, completed in accordance with the requirements of (as applicable)	Onshore Oil and Gas Order No. 1, and the I	Hydraulic Fracturing rule p	per 43 CFR 3162.3-3
1. Well plat certified by a registered surveyor.	4. Bond to cover the operation	ns unless covered by an exi	sting bond on file (see
 A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO must be filed with the appropriate Forest Service Office) 	6. Such other site specific info	rmation and/or plans as may	y be requested by the
25. Signature	BLM. Name (Printed/Typed)	Dat	te
Title			
Approved by (Signature)	Name (Printed/Typed)	Dat	te
Title	Office		
Application approval does not warrant or certify that the applicant applicant to conduct operations thereon. Conditions of approval, if any, are attached.	holds legal or equitable title to those rights	in the subject lease which	would entitle the
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, ma of the United States any false, fictitious or fraudulent statements of			department or agency




(Continued on page 2)


C-10	02				ls & Na	tural	ew Mexico Resources Depa			Rev	ised July, 2024
Submit Electronically Via OCD Permitting				/ATI	ON DIVISI	ON	Submittal	Initial Submittal			
									Type:	Amended Report	t
										As Drilled	
	1		Pool Cod		ELL LOC		ON INFORMATIO	N			
	umber <mark>30-02</mark> rty Code	5-54769	Pool Cod [979(Property)3]		PU	WC-02	5 G-08 S2	53235G;	LOWER BONE	SPRING
liope	Ity coue	316114	Troperty	Name	ARAE	BIAN 3	30-19 FED COM			307H	
OGRID	No. 6137		Operator		I ENERG	Y PR	ODUCTION COMPA	NY LP		Ground Level 3362.0'	Elevation
Surfac	e Owner:	□State □	∟ Fee □Trib				Mineral Owner:		□Fee □1	 Fribal ⊠Federal	
UL	Section	Township	Panga	Lot	Ft. fror		ce Location Ft. from E/W	Latitude		Longitude	County
G	30	25-S	Range 32–E	LOU	2488'		2345' E	32.101		103.713441	LEA
								58.101	. 17	100110111	
UL	Section	Township	Range	Lot	B Ft. from		Hole Location Ft. from E/W	Latitude		Longitude	County
В	19	25-S	32-E		20'		1400'E	32.123		103.710425	LEA
Dedicat 240		Infill or Def INFILL	ining Well	Defining	Well API	Overla	pping Spacing Uni	t (Y/N)	Consolid	ation Code	
Order	Numbers					Well s	etbacks are under	Common	Ownersh	ip: □Yes □No	
					Vio	lr Off	Doint (KOD)				
UL	Section	Township	Range	Lot	Ft. from		Point (KOP) Ft. from E/W	Latitude		Longitude	County
G	30	25-S		Lot	2589']		1398' E	32.1013		103.71047260	LEA
	50	25-5	32-Е				e Point (FTP)	02.110110	0070	105.71047200	LLA
UL	Section	Township	Range	Lot	Ft. from		, ,	Latitude		Longitude	County
G	30	25-S	32-E		2540'	Ν	1400'E	32.101	598	103.710389	LEA
L	1				La	st Tak	e Point (LTP)				
UL	Section	Township	Range	Lot	Ft. from		1 /	Latitude		Longitude	County
В	19	25-S	32-E		100'	Ν	1400' E	32.122	803	103.710425	LEA
		•			9	· •	· · · · · · · · · · · · · · · · · · ·				
					Spac	eing Ui	nit Type Horizon	tal Verti		Fround Floor Elev	vation:
1		FICATIONS e information cor	ntained herein i	s true and co	omplete to the	e best	URVEYOR CERTIFIC				
of my kn	owledge and b	belief, and, if the	well is a vertic	al or directio	onal well, tha	t this I	hereby certify that the we of actual surveys made by			and that the same is true a	and
including	the proposed	bottom hole loca	ation or has a ri	ght to drill t	his well at th		correct to the best of my be	elief.		AT R. D	DEL
mineral i	nterest, or to a	ontract with an o voluntary pooli				order				BERINE	DEHOLOS
	e entered by t									T EN MEX	$\langle c_{0} \rangle \langle \tilde{v} \rangle$
		tal well, I further lessee or owner o								23261	
interest in	n each tract (ir	the target pool be located or ob	or formation) in	n which any	part of the w	ell's				B. Aller	A Cont
Signa	Ure	$1 \sim$	Date			s	ignature and Seal	of Profes	sional S	Surveyor ONAL	SUR"
	hand	u /ha	MAL	2/13/2	25						
	ed Name SHANDF	EE THOMA	s			C	ertificate Number	Date of	Survey		
Email	Address						23261	02/20	25		
	SHANDI	EE.THOMA	AS@DVN.	СОМ							

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.





Received l	w () <i>C</i> D+4	4/1/2025	12.21.	27 PM
πεςεινεα υ	// U	nu	t/1/404J	14.41.	4/1/1

	E	Stat nergy, Minerals a	te of New Me and Natural Res		ent	Subr Via l	nit Electronically E-permitting
		1220 \$	onservation D South St. Fran hta Fe, NM 87	cis Dr.			
	Ν	ATURAL G	AS MANA	GEMENT P	LAN		
This Natural Gas Manag	gement Plan m	ust be submitted w	ith each Applica	tion for Permit to I	Drill (AI	PD) for a new or	r recompleted well
			<u>1 – Plan D</u> ffective May 25				
I. Operator:	NERGY PRODUC	CTION COMPANY, LP	OGRID:	6137			01 / 2024
II. Type: 🖾 Original 🛛] Amendment	due to □ 19.15.27	.9.D(6)(a) NMA	C 🗆 19.15.27.9.D((6)(b) N	MAC 🗆 Other.	
If Other, please describe	:						
III. Well(s): Provide the pr					wells pro	oposed to be dri	illed or proposed t
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D		cipated MCF/D P	Anticipated roduced Water BBL/D
See attachment							
IV. Central Delivery P	oint Name:	See attachment			1	[See 19.15.2	7.9(D)(1) NMAC
V. Anticipated Schedul proposed to be recomple	e: Provide the	e following informa			vell or se		
Well Name	API	Spud Date	TD Reached Date	Completion Commencement		Initial Flow Back Date	First Production Date
See attachment							
VI. Separation Equipn VII. Operational Prac Subsection A through F	tices: 🖾 Attac	ch a complete desc		-			
VIII. Best Managemer during active and planne	nt Practices: [x Attach a comple	te description of	f Operator's best n	nanagen	nent practices to	o minimize ventin

NATURAL GAS MANAGEMENT PLAN Section 1 - Plan Description

III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	ULSTR & FOOTAGE	Anticipated Gas/Oil/Water	Central Delivery Point Name:
ARABIAN 30-19 FED COM 305H	n/a	30-255-32E, 2482 FNL & 919 FWL	(+/-)5959mcfd/(+/-)1596bopd/(+/-)7786bwpd	ARABIAN 30 CTB 1
ARABIAN 30-19 FED COM 306H	n/a	30-255-32E, 2486 FNL & 2004 FWL	(+/-)5959mcfd/(+/-)1596bopd/(+/-)7786bwpd	ARABIAN 30 CTB 3
ARABIAN 30-19 FED COM 307H	n/a	30-255-32E, 2488 FNL & 2345 FEL	(+/-)5959mcfd/(+/-)1596bopd/(+/-)7786bwpd	ARABIAN 30 CTB 4
ARABIAN 30-19 FED COM 308H	n/a	30-255-32E, 2484 FNL & 640 FEL	(+/-)5959mcfd/(+/-)1596bopd/(+/-)7786bwpd	ARABIAN 30 CTB 4
ARABIAN 30-19 FED COM 616H	n/a	30-255-32E, 2482 FNL & 979 FWL	(+/-)6539mcfd/(+/-)1857bopd/(+/-)9727bwpd	ARABIAN 30 CTB 1
ARABIAN 30-19 FED COM 618H	n/a	30-255-32E, 2488 FNL & 2315 FEL	(+/-)6539mcfd/(+/-)1857bopd/(+/-)9727bwpd	ARABIAN 30 CTB 4
ARABIAN 30-19 FED COM 625H	n/a	30-25S-32E, 2282 FNL & 639 FWL	(+/-)6539mcfd/(+/-)1857bopd/(+/-)9727bwpd	ARABIAN 30 CTB 1
ARABIAN 30-19 FED COM 627H	n/a	30-25S-32E, 2288 FNL & 2585 FEL	(+/-)6539mcfd/(+/-)1857bopd/(+/-)9727bwpd	ARABIAN 30 CTB 3
ARABIAN 30-19 FED COM 715H	n/a	30-25S-32E, 2482 FNL & 949 FWL	(+/-)6539mcfd/(+/-)1857bopd/(+/-)9727bwpd	ARABIAN 30 CTB 1
ARABIAN 30-19 FED COM 716H	n/a	30-25S-32E, 2486 FNL & 1944 FWL	(+/-)6539mcfd/(+/-)1857bopd/(+/-)9727bwpd	ARABIAN 30 CTB 3
ARABIAN 30-19 FED COM 717H	n/a	30-255-32E, 2488 FNL & 2375 FEL	(+/-)6539mcfd/(+/-)1857bopd/(+/-)9727bwpd	ARABIAN 30 CTB 4
ARABIAN 30-19 FED COM 718H	n/a	30-255-32E, 2484 FNL & 700 FEL	(+/-)6539mcfd/(+/-)1857bopd/(+/-)9727bwpd	ARABIAN 30 CTB 4
ARABIAN 30-19 FED COM 735H	n/a	30-25S-32E, 2282 FNL & 669 FWL	(+/-)6539mcfd/(+/-)1857bopd/(+/-)9727bwpd	ARABIAN 30 CTB 1
ARABIAN 30-19 FED COM 736H	n/a	30-25S-32E, 2486 FNL & 1914 FWL	(+/-)6539mcfd/(+/-)1857bopd/(+/-)9727bwpd	ARABIAN 30 CTB 3
ARABIAN 30-19 FED COM 737H	n/a	30-255-32E, 2288 FNL & 2555 FEL	(+/-)6539mcfd/(+/-)1857bopd/(+/-)9727bwpd	ARABIAN 30 CTB 3
ARABIAN 30-19 FED COM 738H	n/a	30-255-32E, 2484 FNL & 730 FEL	(+/-)6539mcfd/(+/-)1857bopd/(+/-)9727bwpd	ARABIAN 30 CTB 4
ARABIAN 30-19 FED COM 825H	n/a	30-255-32E, 2282 FNL & 609 FWL	(+/-)6319mcfd/(+/-)886bopd/(+/-)4728bwpd	ARABIAN 30 CTB 1
ARABIAN 30-19 FED COM 826H	n/a	30-255-32E, 2482 FNL & 1009 FWL	(+/-)6319mcfd/(+/-)886bopd/(+/-)4728bwpd	ARABIAN 30 CTB 1
ARABIAN 30-19 FED COM 827H	n/a	30-25S-32E, 2288 FNL & 2615 FEL	(+/-)6319mcfd/(+/-)886bopd/(+/-)4728bwpd	ARABIAN 30 CTB 3
ARABIAN 30-19 FED COM 828H	n/a	30-25S-32E, 2488 FNL & 2285 FEL	(+/-)6319mcfd/(+/-)886bopd/(+/-)4728bwpd	ARABIAN 30 CTB 4
ARABIAN 30-19 FED COM 835H	n/a	30-25S-32E, 2282 FNL & 699 FWL	(+/-)7968mcfd/(+/-)528bopd/(+/-)4567bwpd	ARABIAN 30 CTB 1
ARABIAN 30-19 FED COM 836H	n/a	30-25S-32E, 2486 FNL & 1974 FWL	(+/-)7968mcfd/(+/-)528bopd/(+/-)4567bwpd	ARABIAN 30 CTB 3
ARABIAN 30-19 FED COM 837H	n/a	30-25S-32E, 2288 FNL & 2525 FEL	(+/-)7968mcfd/(+/-)528bopd/(+/-)4567bwpd	ARABIAN 30 CTB 3
ARABIAN 30-19 FED COM 838H	n/a	30-255-32E, 2484 FNL & 670 FEL	(+/-)7968mcfd/(+/-)528bopd/(+/-)4567bwpd	ARABIAN 30 CTB 4

V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

				Completion Commencement		
Well Name	API	Spud Date	TD Reached Date	Date	Initial Flow back Date	First Production Date
ARABIAN 30-19 FED COM 305H	n/a	11/9/2025	12/9/2025	4/8/2026	4/8/2026	4/8/2026
ARABIAN 30-19 FED COM 306H	n/a	10/23/2025	11/22/2025	3/22/2026	3/22/2026	3/22/2026
ARABIAN 30-19 FED COM 307H	n/a	11/3/2025	12/3/2025	4/2/2026	4/2/2026	4/2/2026
ARABIAN 30-19 FED COM 308H	n/a	12/2/2025	1/1/2026	5/1/2026	5/1/2026	5/1/2026
ARABIAN 30-19 FED COM 616H	n/a	10/3/2025	11/2/2025	3/2/2026	3/2/2026	3/2/2026
ARABIAN 30-19 FED COM 618H	n/a	10/17/2025	11/16/2025	3/16/2026	3/16/2026	3/16/2026
ARABIAN 30-19 FED COM 625H	n/a	11/27/2025	12/27/2025	4/26/2026	4/26/2026	4/26/2026
ARABIAN 30-19 FED COM 627H	n/a	11/30/2025	12/30/2025	4/29/2026	4/29/2026	4/29/2026
ARABIAN 30-19 FED COM 715H	n/a	11/16/2025	12/16/2025	4/15/2026	4/15/2026	4/15/2026
ARABIAN 30-19 FED COM 716H	n/a	12/2/2025	1/1/2026	5/1/2026	5/1/2026	5/1/2026
ARABIAN 30-19 FED COM 717H	n/a	11/13/2025	12/13/2025	4/12/2026	4/12/2026	4/12/2026
ARABIAN 30-19 FED COM 718H	n/a	10/29/2025	11/28/2025	3/28/2026	3/28/2026	3/28/2026
ARABIAN 30-19 FED COM 735H	n/a	10/23/2025	11/22/2025	3/22/2026	3/22/2026	3/22/2026
ARABIAN 30-19 FED COM 736H	n/a	10/5/2025	11/4/2025	3/4/2026	3/4/2026	3/4/2026
ARABIAN 30-19 FED COM 737H	n/a	10/26/2025	11/25/2025	3/25/2026	3/25/2026	3/25/2026
ARABIAN 30-19 FED COM 738H	n/a	11/15/2025	12/15/2025	4/14/2026	4/14/2026	4/14/2026
ARABIAN 30-19 FED COM 825H	n/a	10/5/2025	11/4/2025	3/4/2026	3/4/2026	3/4/2026
ARABIAN 30-19 FED COM 826H	n/a	10/29/2025	11/28/2025	3/28/2026	3/28/2026	3/28/2026
ARABIAN 30-19 FED COM 827H	n/a	10/8/2025	11/7/2025	3/7/2026	3/7/2026	3/7/2026
ARABIAN 30-19 FED COM 828H	n/a	9/29/2025	10/29/2025	2/26/2026	2/26/2026	2/26/2026
ARABIAN 30-19 FED COM 835H	n/a	10/5/2025	11/4/2025	3/4/2026	3/4/2026	3/4/2026
ARABIAN 30-19 FED COM 836H	n/a	11/9/2025	12/9/2025	4/8/2026	4/8/2026	4/8/2026
ARABIAN 30-19 FED COM 837H	n/a	9/5/2025	10/5/2025	2/2/2026	2/2/2026	2/2/2026
ARABIAN 30-19 FED COM 838H	n/a	10/5/2025	11/4/2025	3/4/2026	3/4/2026	3/4/2026

*dates subject to change

Received by OCD: 4/1/2025 12:21:27 PM

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. \Box Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system \Box will \Box will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

XIII. Line Pressure. Operator \Box does \Box does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

□ Attach Operator's plan to manage production in response to the increased line pressure.

XIV. Confidentiality: \Box Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 \square Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

D Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:*

Well Shut-In. \Box Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. \Box Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (t) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:
Printed Name: Jeffrey Walla Title: Chip Lin II
Title: Surface Land & Regulatory Manager
E-mail Address: jeff.walla@dvn.com
Date: 07/01/2024
Phone: (405) 552-8154
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:



VI. Separation Equipment

Devon Energy Production Company, L.P. utilizes a "stage separation" process in which oil and gas separation is carried out through a series of separators operating at successively reduced pressures. Hydrocarbon liquids are produced into a high-pressure inlet separator, then carried through one or more lower pressure separation vessels before entering the storage tanks. The purpose of this separation process is to attain maximum recovery of liquid hydrocarbons from the fluids and allow maximum capture of produced gas into the sales pipeline. Devon utilizes a series of Low-Pressure Compression units to capture gas off the staged separation and send it to the sales pipeline. This process minimizes the amount of flash gas that enters the end-stage storage tanks that is subsequently vented or flared.



VII. Operational Practices

Devon Energy Production Company, L. P. will employ best management practices and control technologies to maximize the recovery and minimize waste of natural gas through venting and flaring.

- During drilling operations, Devon will utilize flares and/or combustors to capture and control natural gas, where technically feasible. If flaring is deemed technically in-feasible, Devon will employ best management practices to minimize or reduce venting to the extent possible.
- During completions operations, Devon will utilize Green Completion methods to capture gas produced during well completions that is otherwise vented or flared. If capture is technically in-feasible, flares and/or combustors will be used to capture and control flow back fluids entering into frac tanks during initial flowback. Upon indication of first measurable hydrocarbon volumes, Devon will turn operations to onsite separation vessels and flow to the gathering pipeline.
- During production operations, Devon will take every practical effort to minimize waste of natural gas through venting and flaring by:
 - Designing and constructing facilities in a manner consistent to achieve maximum capture and control of hydrocarbon liquids & produced gas
 - Utilizing a closed-loop capture system to collect and route produced gas to sales line via low pressure compression, or to a flare/combustor
 - Flaring in lieu of venting, where technically feasible
 - Utilizing auto-ignitors or continuous pilots, with thermocouples connected to Scada, to quickly detect and resolve issues related to malfunctioning flares/combustors
 - Employ the use of automatic tank gauging to minimize storage tank venting during loading events
 - Installing air-driven or electric-driven pneumatics & combustion engines, where technically feasible to minimize venting to the atmosphere
 - Confirm equipment is properly maintained and repaired through a preventative maintenance and repair program to ensure equipment meets all manufacturer specifications
 - Conduct and document AVO inspections on the frequency set forth in Part 27 to detect and repair any onsite leaks as quickly and efficiently as is feasible



Page 11 of 59

Devon Energy Production Company, L.P. will utilize best management practices to minimize venting during active and planned maintenance activities. Devon is operating under guidance that production facilities permitted under NOI permits have no provisions to allow high pressure flaring and high pressure flaring is only allowed in disruption scenarios so long as the duration is less than eight hours. When technically feasible, flaring during maintenance activities will be utilized in lieu of venting to the atmosphere. Devon will work with third-party operators during scheduled maintenance of downstream pipeline or processing plants to address those events ahead of time to minimize venting. Actions considered include identifying alternative capture approaches or planning to temporarily reduce production or shut in the well to address these circumstances.



Devon Energy Production Company, L.P. 333 W. Sheridan Avenue Oklahoma City, Oklahoma 73102 Phone: (405) 228-4800


WASTE MINIMIZATION PLAN

Per 89 FR 25378 - Waste Prevention, Production Subject to Royalties, and Resource Conservation, requirements:


- (1) initial oil production estimates and decline,
- (2) initial gas production estimates and decline,
- (3) certification that the operator has an executed gas sales contract to sell 100 percent of the produced oil-well gas, and
- (4) any other information demonstrating the operator's plans to avoid the waste of gas.

(1), (2) 3 year Oil and Gas decline curves: Bone Spring and Wolfcamp formation decline curves below supply Year 1, 2, 3 cumulative values for oil and gas, in range format; based on peak IP rates for oil and gas based on Devon Energy Production Company, L.P. operated wells ID post 1/2019, 10K LL norm, P90-10 ranges, annualized rates. Please refer to NGMP for table of initial oil and gas volumes.

Bone Spring



Wolfcamp



(3) Certification (NGMP Section 3 – Certification): Operator (Devon Energy Production Company, L.P.) will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system;

(4) Addl waste avoidance information: Refer to NGMP Sec. VII. Operational Practices & VIII. Best Management Practices during Maintenance

1. Geologic Formations

TVD of target	10953	Pilot hole depth	N/A
MD at TD:	18724	Deepest expected fresh water	

Basin

	Depth	Water/Mineral	
Formation	(TVD)	Bearing/Target	Hazards*
	from KB	Zone?	
Rustler	950		
Salt	1294		
Base of Salt	4161		
Delaware	4423		
Cherry Canyon	5408		
Brushy Canyon	6811		
Bone Spring 1st	9452		
Bone Spring 2nd	10080		
Bone Spring Lime 3rd	10508		

*H2S, water flows, loss of circulation, abnormal pressures, etc.

W/t		Wt			Casing	Interval	Casing Interval	
Hole Size	Csg. Size	(PPF)	Grade	Conn	From (MD)	To (MD)	From (TVD)	To (TVD)
14 3/4	10 3/4	45 1/2	J-55	BTC	0	975	0	975
9 7/8	8 5/8	32	P-110HSCY	MOFXL	0	10450	0	10450
7 7/8	5 1/2	20	P110	DWC / C-IS+	0	18724	0	10953

2. Casing Program (Primary Design)

•All casing strings will be tested in accordance with 43 CFR 3172. Must have table for contingency casing.

3. Cementing Program (Primary Design)

Assuming no returns are established while drilling, Devon requests to pump a two stage cement job on the intermediate casing string with the first stage being pumped conventionally with the calculated top of cement at the Brushy Canyon and the second stage performed as a bradenhead squeeze with planned cement from the Brushy Canyon to surface. The final cement top will be verified by Echo-meter. Devon will include the Echo-meter verified fluid top and the volume of displacement fluid above the cement slurry in the annulus in all post-drill sundries on wells utilizing this cement program. Devon will report to the BLM the volume of fluid (limited to 1 bbls) used to flush intermediate casing valves following backside cementing procedures.

Casing	# Sks	тос	Wt. ppg	Yld (ft3/sack)	Slurry Description
Surface	Surface 591		13.2	1.44	Lead: Class C Cement + additives
Int 1	504	Surf	13.0	2.3	2nd State: Bradenhead Squeeze - Lead: Class C Cement + additives
Int I	416	6880	13.2	1.44	Tail: Class H / C + additives
Production	117	8550	9	3.27	Lead: Class H /C + additives
Froduction	1082	10550	13.2	1.44	Tail: Class H / C + additives

Devon Energy requests to offline cement on intermediate strings that are set in formations shallower than the Wolfcamp. Prior to commencing offline cementing operations, the well will be monitored for any abnormal pressures and confirmed to be static. A dual manifold system (equipped with chokes) for the returns will also be utilized as a redundancy. All equipment used for offline cementing will have a minimum 5M rating to match intermediate sections' 5M BOPE requirements.

Casing String	% Excess
Surface	50%
Intermediate 1	30%
Prod	10%

BOP installed and tested before drilling which hole?	Size?	Min. Required WP	T	уре	~	Tested to:
			An	nular	X	50% of rated working pressure
Int 1	13-5/8"	5M	Blin	d Ram	X	
	15-5/6	5101		e Ram		- 5M
			Doub	le Ram	X	5101
			Other*			
	13-5/8"		Annular (5M)		Х	50% of rated working pressure
Production		5M	Blind Ram		Х	5M
Troduction		5101	Pipe Ram			
			Double Ram		X	
			Other*			
			Annul	ar (5M)		
			Blin			
			Pipe Ram]
			Double Ram]
			Other*			
N A variance is requested for	the use of a	a diverter or	the surface	casing. See	attached for s	schematic.
Y A variance is requested to a	run a 5 M a	nnular on a	10M system	l		

4. Pressure Control Equipment (Three String Design)

5. Mud Program (Three String Design)

Section	Туре	Weight (ppg)		
Surface	FW Gel	8.5-9		
Intermediate	DBE / Cut Brine	10-10.5		
Production	OBM	10-10.5		

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

What will be used to monitor the loss or gain of fluid?	PVT/Pason/Visual Monitoring
---	-----------------------------

6. Logging and Testing Procedures

Logging,	Logging, Coring and Testing						
	Will run GR/CNL from TD to surface (horizontal well - vertical portion of hole). Stated logs run will be in the						
Х	Completion Rpeort and sbumitted to the BLM.						
	No logs are planned based on well control or offset log information.						
	Drill stem test? If yes, explain.						
	Coring? If yes, explain.						

Additiona	al logs planned	Interval
	Resistivity	Int. shoe to KOP
	Density	Int. shoe to KOP
Х	CBL	Production casing
Х	Mud log	Intermediate shoe to TD
	PEX	

7. Drilling Conditions

Condition	Specfiy what type and where?							
BH pressure at deepest TVD	5980							
Abnormal temperature	No							

Mitigation measure for abnormal conditions. Describe. Lost circulation material/sweeps/mud scavengers.

Hydrogren Sulfide (H2S) monitors will be installed prior to drilling out the surface shoe. If H2S is detected in concentrations
greater than 100 ppm, the operator will comply with the provisions of 43 CFR 3176. If Hydrogen Sulfide is encountered
measured values and formations will be provided to the BLM.NH2S is present

Y H2S plan attached.

8. Other facets of operation

Is this a walking operation? Potentially

- 1 If operator elects, drilling rig will batch drill the surface holes and run/cement surface casing; walking the rig to next wells on the pad.
- 2 The drilling rig will then batch drill the intermediate sections and run/cement intermediate casing; the wellbore will be isolated with a blind flange and pressure gauge installed for monitoring the well before walking to the next well.
- 3 The drilling rig will then batch drill the production hole sections on the wells with OBM, run/cement production casing, and install TA caps or tubing heads for completions.

NOTE: During batch operations the drilling rig will be moved from well to well however, it will not be removed from the pad until all wells have production casing run/cemented.

Will be pre-setting casing? Potentially

- 1 Spudder rig will move in and batch drill surface hole.
 - a. Rig will utilize fresh water based mud to drill surface hole to TD. Solids control will be handled entirely on a closed loop basis.,
- 2 After drilling the surface hole section, the spudder rig will run casing and cement following all of the applicable rules and regulations (43 CFR 3172, all COAs and NMOCD regulations).

 3 The wellhead will be installed and tested once the surface casing is cut off and the WOC time has been reached.

- 4 A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead.
- 5 Spudder rig operations is expected to take 4-5 days per well on a multi-well pa.
- 6 The NMOCD will be contacted and notified 24 hours prior to commencing spudder rig operations.
- 7 Drilling operations will be performed with drilling rig. A that time an approved BOP stack will be nippled up and tested on the wellhead before drilling operations commences on each well.
 - a. The NMOCD will be contacted / notified 24 hours before the drilling rig moves back on to the pad with the pre-set surface casing.

Attachments

X Directional Plan Other, describe



Section 1 - Geologic Formations

Formation Name	Elevation	True Vertical		Lithologies	Mineral Resources	Producing Formatio
UNKNOWN	3362	0	0	OTHER : SURFACE	NONE	N
RUSTLER	2412	950	950	SANDSTONE	NONE	N
SALADO	2068	1294	1294	SALT	NONE	N
BASE OF SALT	-799	4161	4161	ANHYDRITE	NATURAL GAS, OIL	N
BELL CANYON	-1061	4423	4423	SANDSTONE	NATURAL GAS, OIL	N
CHERRY CANYON	-2046	5408	5408	SANDSTONE	NATURAL GAS, OIL	N
BRUSHY CANYON	-3449	6811	6811	SANDSTONE	NATURAL GAS, OIL	N
BONE SPRING LIME	-5069	8431	8431	LIMESTONE	NATURAL GAS, OIL	N
BONE SPRING 1ST	-6090	9452	9452	SANDSTONE	NATURAL GAS, OIL	N
BONE SPRING LIME	-6292	9654	9654	LIMESTONE	NATURAL GAS, OIL	N
BONE SPRING 2ND	-6718	10080	10080	SANDSTONE	NATURAL GAS, OIL	N
BONE SPRING LIME	-7146	10508	10508	LIMESTONE	NATURAL GAS, OIL	Y
BONE SPRING 3RD	-7946	11308	11308	SANDSTONE	NATURAL GAS, OIL	N
WOLFCAMP	-8386	11748	11748	SHALE	NATURAL GAS, OIL	N
STRAWN	-10594	13956	13956	LIMESTONE	NATURAL GAS, OIL	N
	RUSTLER SALADO SALADO BASE OF SALT BELL CANYON CHERRY CANYON BRUSHY CANYON BONE SPRING LIME BONE SPRING 1ST BONE SPRING LIME BONE SPRING 2ND BONE SPRING 2ND WOLFCAMP	UNKNOWN3362RUSTLER2412SALADO2068BASE OF SALT-799BELL CANYON-1061CHERRY CANYON-2046BRUSHY CANYON-2046BRUSHY CANYON-3449BONE SPRING LIME-5069BONE SPRING 1ST-6090BONE SPRING LIME-6292BONE SPRING 2ND-6718BONE SPRING 1IME-7146BONE SPRING 3RD-7946WOLFCAMP-8386	UNKNOWN33620RUSTLER2412950SALADO20681294BASE OF SALT-7994161BELL CANYON-10614423CHERRY CANYON-20465408BRUSHY CANYON-34496811BONE SPRING LIME-50698431BONE SPRING LIME-62929654BONE SPRING LIME-671810080BONE SPRING LIME-714610508BONE SPRING LIME-794611308WOLFCAMP-838611748	UNKNOWN 3362 0 0 RUSTLER 2412 950 950 SALADO 2068 1294 1294 BASE OF SALT -799 4161 4161 BELL CANYON -1061 4423 4423 CHERRY CANYON -2046 5408 5408 BRUSHY CANYON -2046 5408 5408 BONE SPRING LIME -5069 8431 8431 BONE SPRING 1ST -6090 9452 9452 BONE SPRING LIME -6292 9654 9654 BONE SPRING LIME -7146 10508 10080 BONE SPRING SRD -7146 11308 11308 BONE SPRING SRD -7946 11308 11308	UNKNOWN3362000OTHER : SURFACERUSTLER2412950950SANDSTONESALADO206812941294SALTBASE OF SALT-79941614161ANHYDRITEBELL CANYON-106144234423SANDSTONECHERRY CANYON-204654085408SANDSTONEBRUSHY CANYON-204654085408SANDSTONEBONE SPRING LIME-506984318431LIMESTONEBONE SPRING 1ST-609094529452SANDSTONEBONE SPRING LIME-6292965410080SANDSTONEBONE SPRING LIME-71461050810508LIMESTONEBONE SPRING SRD-79461130811308SANDSTONEBONE SPRING LIME-71461050810508LIMESTONEBONE SPRING LIME-71461130811308SANDSTONEBONE SPRING LIME-73461130811308SANDSTONE	UNKNOWN3362000OTHER : SÜRFACENONERUSTLER2412950950SANDSTONENONESALADO206812941294SALTNONEBASE OF SALT-79941614161ANHYDRITENATURAL GAS, OILBELL CANYON-106144234423SANDSTONENATURAL GAS, OILCHERRY CANYON-204654085408SANDSTONENATURAL GAS, OILBRUSHY CANYON-204654085408SANDSTONENATURAL GAS, OILBONE SPRING LIME-506984318431LIMESTONENATURAL GAS, OILBONE SPRING LIME-629296549654LIMESTONENATURAL GAS, OILBONE SPRING LIME-611810080SANDSTONENATURAL GAS, OILBONE SPRING LIME-71461050810508LIMESTONENATURAL GAS, OILBONE SPRING SND-79461130811308SANDSTONENATURAL GAS, OILBONE SPRING 3RD-79461174811748SHALENATURAL GAS, OIL

Section 2 - Blowout Prevention





Commitment Runs Deep



Design Plan Operation and Maintenance Plan Closure Plan

SENM - Closed Loop Systems June 2010

I. Design Plan

Devon uses MI SWACO closed loop system (CLS). The MI SWACO CLS is designed to maintain drill solids at or below 5%. The equipment is arranged to progressively remove solids from the largest to the smallest size. Drilling fluids can thus be reused and savings is realized on mud and disposal costs. Dewatering may be required with the centrifuges to insure removal of ultra fine solids.

The drilling location is constructed to allow storm water to flow to a central sump normally the cellar. This insures no contamination leaves the drilling pad in the event of a spill. Storm water is reused in the mud system or stored in a reserve fluid tank farm until it can be reused. All lubricants, oils, or chemicals are removed immediately from the ground to prevent the contamination of storm water. An oil trap is normally installed on the sump if an oil spill occurs during a storm.

A tank farm is utilized to store drilling fluids including fresh water and brine fluids. The tank farm is constructed on a 20 ml plastic lined, bermed pad to prevent the contamination of the drilling site during a spill. Fluids from other sites may be stored in these tanks for processing by the solids control equipment and reused in the mud system. At the end of the well the fluids are transported from the tank farm to an adjoining well or to the next well for the rig.


Prior to installing a closed-loop system on site, the topsoil, if present, will be stripped and stockpiled for use as the final cover or fill at the time of closure.

Signs will be posted on the fence surrounding the closed-loop system unless the closed-loop system is located on a site where there is an existing well, that is operated by Devon.

II. Operations and Maintenance Plan

Primary Shakers: The primary shakers make the first removal of drill solids from the drilling mud as it leaves the well bore. The shakers are sized to handle maximum drilling rate at optimal screen size. The shakers normally remove solids down to 74 microns.

Mud Cleaner: The Mud Cleaner cleans the fluid after it leaves the shakers. A set of hydrocyclones are sized to handle 1.25 to 1.5 times the maximum circulating rate. This ensures all the fluid is being processed to an average cut point of 25 microns. The wet discharged is dewatered on a shaker equipped with ultra fine mesh screens and generally cut at 40 microns.



Centrifuges: The centrifuges can be one or two in number depending on the well geometry or depth of well. The centrifuges are sized to maintain low gravity solids at 5% or below. They may or may not need a dewatering system to enhance the removal rates. The centrifuges can make a cut point of 8-10 microns depending on bowl speed, feed rate, solids loading and other factors.

The centrifuge system is designed to work on the active system and be flexible to process incoming fluids from other locations. This set-up is also dependent on well factors.

Dewatering System: The dewatering system is a chemical mixing and dosing system designed to enhance the solids removal of the centrifuge. Not commonly used in shallow wells. It may contain pH adjustment, coagulant mixing and dosing, and polymer mixing and dosing. Chemical flocculation binds ultra fine solids into a mass that is within the centrifuge operating design. The

dewatering system improves the centrifuge cut point to infinity or allows for the return of clear water or brine fluid. This ability allows for the ultimate control of low gravity solids.

Cuttings Boxes: Cuttings boxes are utilized to capture drill solids that are discarded from the solids control equipment. These boxes are set upon a rail system that allows for the removal and replacement of a full box of cuttings with an empty one. They are equipped with a cover that insures no product is spilled into the environment during the transportation phase.

Process Tank: (Optional) The process tank allows for the holding and process of fluids that are being transferred into the mud system. Additionally, during times of lost circulation the process tank may hold active fluids that are removed for additional treatment. It can further be used as a mixing tank during well control conditions.

Sump and Sump Pump: The sump is used to collect storm water and the pump is used to transfer this fluid to the active system or to the tank for to hold in reserve. It can also be used to collect fluids that may escape during spills. The location contains drainage ditches that allow the location fluids to drain to the sump.

Reserve Fluids (Tank Farm): A series of frac tanks are used to replace the reserve pit. These are steel tanks that are equipped with a manifold system and a transfer pump. These tanks can contain any number of fluids used during the drilling process. These can include fresh water, cut brine, and saturated salt fluid. The fluid can be from the active well or reclaimed fluid from other locations. A 20 ml liner and berm system is employed to ensure the fluids do not migrate to the environment during a spill.

If a leak develops, the appropriate division district office will be notified within 48 hours of the discovery and the leak will be addressed. Spill prevention is accomplished by maintaining pump packing, hoses, and pipe fittings to insure no leaks are occurring. During an upset condition the source of the spill is isolated and repaired as soon as it is discovered. Free liquid is removed by a diaphragm pump and returned to the mud system. Loose topsoil may be used to stabilize the spill and the contaminated soil is excavated and placed in the cuttings boxes. After the well is finished and the rig has moved, the entire location is scrapped and testing will be performed to determine if a release has occurred.

All trash is kept in a wire mesh enclosure and removed to an approved landfill when full. All spent motor oils are kept in separate containers and they are removed and sent to an approved recycling center. Any spilled lubricants, pipe dope, or regulated chemicals are removed from soil and sent to landfills approved for these products.

These operations are monitored by Mi Swaco service technicians. Daily logs are maintained to ensure optimal equipment operation and maintenance. Screen and chemical use is logged to maintain inventory control. Fluid properties are monitored and recorded and drilling mud volumes are accounted for in the mud storage farm. This data is kept for end of well review to insure performance goals are met. Lessons learned are logged and used to help with continuous improvement.

A MI SWACO field supervisor manages from 3-5 wells. They are responsible for training personnel, supervising installations, and inspecting sites for compliance of MI SWACO safety and operational policy.

III. Closure Plan

A maximum 340' X 340' caliche pad is built per well. All of the trucks and steel tanks fit on this pad. All fluid cuttings go to the steel tanks to be hauled by various trucking companies to an agency approved disposal.

Devon Energy APD VARIANCE DATA

OPERATOR NAME: Devon Energy

1. SUMMARY OF Variance:

Devon Energy respectfully requests approval for the following additions to the drilling plan:

1. Potential utilization of a spudder rig to pre-set surface casing.

2. Description of Operations

- **1.** A spudder rig contractor may move in their rig to drill the surface hole section and pre-set surface casing on this well.
 - **a.** After drilling the surface hole section, the rig will run casing and cement following all of the applicable rules and regulations (OnShore Order 2, all COAs and NMOCD regulations).
 - **b.** Rig will utilize fresh water based mud to drill surface hole to TD.
- 2. The wellhead will be installed and tested once the surface casing is cut off and the WOC time has been reached.
- **3.** A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with needle valves installed on two wingvalves.
 - **a.** A means for intervention will be maintained while the drilling rig is not over the well.
- 4. The BLM will be contacted and notified 24 hours prior to commencing spudder rig operations.
- 5. Drilling operation will be performed with the big rig. At that time an approved BOP stack will be nippled up and tested on the wellhead before drilling operations commences on each well.
 - **a.** The BLM will be contacted / notified 24 hours before the big rig moves back on to the pad with the pre-set surface casing.
- **6.** Devon Energy will have supervision on the rig to ensure compliance with all BLM and NMOCD regulations and to oversee operations.
- 7. Once the rig is removed, Devon Energy will secure the wellhead area by placing a guard rail around the cellar area.

Devon Energy Annular Preventer Summary

1. Component and Preventer Compatibility Table

The table below, which covers the drilling and casing of the 10M MASP portion of the well, outlines the tubulars and the compatible preventers in use. This table, combined with the mud program, documents that two barriers to flow can be maintained at all times, independent of the rating of the annular preventer.

Component	OD	Preventer	RWP
Drillpipe	4.5"	Fixed lower 4.5"	10M
		Upper 4.5-7" VBR	
HWDP	4.5"	Fixed lower 4.5"	10M
		Upper 4.5-7" VBR	
Drill collars and MWD tools	4.75"	Upper 4.5-7" VBR	10M
Mud Motor	4.75"	Upper 4.5-7" VBR	10M
Production casing	5.5"	Upper 4.5-7" VBR	10M
ALL	0-13-5/8"	Annular	5M
Open-hole	-	Blind Rams	10M

6-3/4" Production hole section, 10M requirement

VBR = Variable Bore Ram. Compatible range listed in chart.

2. Well Control Procedures

Well control procedures are specific to the rig equipment and the operation at the time the kick occurs. Below are the minimal high-level tasks prescribed to assure a proper shut-in while drilling, tripping, running casing, pipe out of the hole (open hole), and moving the BHA through the BOPs. The pressure at which control is swapped from the annular to another compatible ram is variable, but the operator will document in the submission their operating pressure limit. The operator may chose an operating pressure less than or equal to RWP, but in no case will it exceed the RWP of the annular preventer.

General Procedure While Drilling

- 1. Sound alarm (alert crew)
- 2. Space out drill string
- 3. Shut down pumps (stop pumps and rotary)
- 4. Shut-in Well (uppermost applicable BOP, typically annular preventer first. HCR and choke will already be in the closed position.)
- 5. Confirm shut-in
- 6. Notify toolpusher/company representative
- 7. Read and record the following:
 - a. SIDPP and SICP
 - b. Pit gain
 - c. Time
- 8. Regroup and identify forward plan
- 9. If pressure has built or is anticipated during the kill to reach the RWP of the annular preventer, confirm spacing and swap to the upper pipe ram.

Devon Energy Annular Preventer Summary

General Procedure While Tripping

- 1. Sound alarm (alert crew)
- 2. Stab full opening safety valve and close
- 3. Space out drill string
- 4. Shut-in (uppermost applicable BOP, typically annular preventer first. HCR and choke will already be in the closed position.)
- 5. Confirm shut-in
- 6. Notify toolpusher/company representative
- 7. Read and record the following:
 - a. SIDPP and SICP
 - b. Pit gain
 - c. Time
- 8. Regroup and identify forward plan
- 9. If pressure has built or is anticipated during the kill to reach the RWP of the annular preventer, confirm spacing and swap to the upper pipe ram.

General Procedure While Running Casing

- 1. Sound alarm (alert crew)
- 2. Stab crossover and full opening safety valve and close
- 3. Space out string
- 4. Shut-in (uppermost applicable BOP, typically annular preventer first. HCR and choke will already be in the closed position.)
- 5. Confirm shut-in
- 6. Notify toolpusher/company representative
- 7. Read and record the following:
 - a. SIDPP and SICP
 - b. Pit gain
 - c. Time
- 8. Regroup and identify forward plan
- 9. If pressure has built or is anticipated during the kill to reach the RWP of the annular preventer, confirm spacing and swap to compatible pipe ram.


General Procedure With No Pipe In Hole (Open Hole)

- 1. Sound alarm (alert crew)
- 2. Shut-in with blind rams or BSR. (HCR and choke will already be in the closed position.)
- 3. Confirm shut-in
- 4. Notify toolpusher/company representative
- 5. Read and record the following:
 - a. SICP
 - b. Pit gain
 - c. Time
- 6. Regroup and identify forward plan

Devon Energy Annular Preventer Summary

General Procedures While Pulling BHA thru Stack


- 1. PRIOR to pulling last joint of drillpipe thru the stack.
 - a. Perform flowcheck, if flowing:
 - b. Sound alarm (alert crew)
 - c. Stab full opening safety valve and close
 - d. Space out drill string with tool joint just beneath the upper pipe ram.
 - e. Shut-in using upper pipe ram. (HCR and choke will already be in the closed position.)
 - f. Confirm shut-in
 - g. Notify toolpusher/company representative
 - h. Read and record the following:
 - i. SIDPP and SICP
 - ii. Pit gain
 - iii. Time
 - i. Regroup and identify forward plan
- 2. With BHA in the stack and compatible ram preventer and pipe combo immediately available.
 - a. Sound alarm (alert crew)
 - b. Stab crossover and full opening safety valve and close
 - c. Space out drill string with upset just beneath the compatible pipe ram.
 - d. Shut-in using compatible pipe ram. (HCR and choke will already be in the closed position.)
 - e. Confirm shut-in
 - f. Notify toolpusher/company representative
 - g. Read and record the following:
 - i. SIDPP and SICP
 - ii. Pit gain
 - iii. Time
 - h. Regroup and identify forward plan
- 3. With BHA in the stack and NO compatible ram preventer and pipe combo immediately available.
 - a. Sound alarm (alert crew)
 - b. If possible to pick up high enough, pull string clear of the stack and follow "Open Hole" scenario.
 - c. If impossible to pick up high enough to pull the string clear of the stack:
 - d. Stab crossover, make up one joint/stand of drillpipe, and full opening safety valve and close
 - e. Space out drill string with tooljoint just beneath the upper pipe ram.
 - f. Shut-in using upper pipe ram. (HCR and choke will already be in the closed position.)
 - g. Confirm shut-in
 - h. Notify toolpusher/company representative
 - i. Read and record the following:
 - i. SIDPP and SICP
 - ii. Pit gain
 - iii. Time
 - j. Regroup and identify forward plan



dorror		Well:	ARABIAN 3	30-19 FED COI	M 307H				Geodetic System:	US State Plane 1983
devon		County:							•	North American Datum 1927
		Wellbore:	Permit Plar Permit Plar						•	Clarke 1866 3001 - NM East (NAD83)
		Design:	r er mitt Piðf	1771					Zone:	
	MD	INC	AZI	TVD	NS	EW	VS	DLS	Comment	
	(ft) 0.00	(°) 0.00	(°) 0.00	(ft) 0.00	(ft) 0.00	(ft) 0.00	(ft) 0.00	(°/100ft) 0.00	SHL	
	100.00	0.00	96.00	100.00	0.00	0.00	0.00	0.00		
	200.00	0.00	96.00	200.00	0.00	0.00	0.00	0.00		
	300.00 400.00	0.00 0.00	96.00 96.00	300.00 400.00	0.00 0.00	0.00 0.00	0.00 0.00	0.00 0.00		
	400.00 500.00	0.00	96.00 96.00	500.00	0.00	0.00	0.00	0.00		
	600.00	0.00	96.00	600.00	0.00	0.00	0.00	0.00		
	700.00	0.00	96.00	700.00	0.00	0.00	0.00	0.00		
	800.00	0.00	96.00	800.00	0.00	0.00	0.00	0.00		
	900.00 950.00	0.00 0.00	96.00 96.00	900.00 950.00	0.00 0.00	0.00 0.00	0.00 0.00	0.00 0.00	Rustler	
	1000.00	0.00	96.00	1000.00	0.00	0.00	0.00	0.00	Rustier	
	1100.00	0.00	96.00	1100.00	0.00	0.00	0.00	0.00		
	1200.00	0.00	96.00	1200.00	0.00	0.00	0.00	0.00		
	1294.00 1300.00	0.00 0.00	96.00 96.00	1294.00 1300.00	0.00 0.00	0.00 0.00	0.00 0.00	0.00 0.00	Salt	
	1400.00	0.00	96.00	1400.00	0.00	0.00	0.00	0.00		
	1500.00	0.00	96.00	1500.00	0.00	0.00	0.00	0.00		
	1600.00	0.00	96.00	1600.00	0.00	0.00	0.00	0.00		
	1700.00 1800.00	0.00	96.00 96.00	1700.00 1800.00	0.00 0.00	0.00	0.00	0.00 0.00		
	1900.00	0.00 0.00	96.00 96.00	1900.00	0.00	0.00 0.00	0.00 0.00	0.00		
	2000.00	0.00	96.00	2000.00	0.00	0.00	0.00	0.00	Start Tangent	
	2100.00	2.00	96.00	2099.98	-0.18	1.74	0.02	2.00		
	2200.00	4.00	96.00	2199.84	-0.73	6.94	0.07	2.00		
	2300.00 2400.00	6.00 8.00	96.00 96.00	2299.45 2398.70	-1.64 -2.91	15.61 27.73	0.15 0.27	2.00 2.00		
	2500.00	10.00	96.00	2497.47	-4.55	43.28	0.42	2.00	Hold Tangent	
	2600.00	10.00	96.00	2595.95	-6.36	60.55	0.58	0.00		
	2700.00	10.00	96.00	2694.43	-8.18	77.82	0.75	0.00		
	2800.00 2900.00	10.00 10.00	96.00 96.00	2792.91 2891.39	-9.99 -11.81	95.09 112.36	0.91 1.08	0.00 0.00		
	3000.00	10.00	96.00	2989.87	-13.62	129.63	1.24	0.00		
	3100.00	10.00	96.00	3088.35	-15.44	146.90	1.41	0.00		
	3200.00	10.00	96.00	3186.83	-17.25	164.17	1.58	0.00		
	3300.00 3400.00	10.00 10.00	96.00 96.00	3285.31 3383.79	-19.07 -20.89	181.44 198.71	1.74 1.91	0.00 0.00		
	3500.00	10.00	96.00	3482.27	-22.70	215.98	2.07	0.00		
	3600.00	10.00	96.00	3580.75	-24.52	233.25	2.24	0.00		
	3700.00	10.00	96.00	3679.23	-26.33	250.52	2.40	0.00		
	3800.00 3900.00	10.00 10.00	96.00 96.00	3777.72 3876.20	-28.15 -29.96	267.79 285.06	2.57 2.74	0.00 0.00		
	4000.00	10.00	96.00	3974.68	-31.78	302.33	2.90	0.00		
	4100.00	10.00	96.00	4073.16	-33.59	319.60	3.07	0.00		
	4189.20	10.00	96.00	4161.00	-35.21	335.00	3.21	0.00	Base of Salt	
	4200.00 4300.00	10.00 10.00	96.00 96.00	4171.64 4270.12	-35.41 -37.22	336.87 354.14	3.23 3.40	0.00 0.00		
	4400.00	10.00	96.00	4368.60	-39.04	371.41	3.56	0.00		
	4455.24	10.00	96.00	4423.00	-40.04	380.95	3.66	0.00	Delaware	
	4500.00	10.00	96.00	4467.08	-40.85	388.68	3.73	0.00		
	4600.00 4700.00	10.00 10.00	96.00 96.00	4565.56 4664.04	-42.67 -44.48	405.95 423.22	3.90 4.06	0.00 0.00		
	4800.00	10.00	96.00	4762.52	-46.30	440.49	4.23	0.00		
	4900.00	10.00	96.00	4861.00	-48.11	457.76	4.39	0.00		
	5000.00	10.00	96.00	4959.48	-49.93	475.03	4.56	0.00		
	5100.00 5200.00	10.00 10.00	96.00 96.00	5057.97 5156.45	-51.74 -53.56	492.30 509.57	4.72 4.89	0.00 0.00		
	5300.00	10.00	96.00	5254.93	-55.37	526.84	5.06	0.00		
	5400.00	10.00	96.00	5353.41	-57.19	544.10	5.22	0.00		
	5455.43	10.00	96.00	5408.00	-58.19	553.68	5.31	0.00	Cherry Canyon	
	5500.00 5600.00	10.00 10.00	96.00 96.00	5451.89 5550.37	-59.00 -60.82	561.37 578.64	5.39 5.55	0.00 0.00		
	5700.00	10.00	96.00 96.00	5550.37 5648.85	-60.82	578.64 595.91	5.55 5.72	0.00		
	5800.00	10.00	96.00	5747.33	-64.45	613.18	5.88	0.00		
	5900.00	10.00	96.00	5845.81	-66.26	630.45	6.05	0.00		
	6000.00 6100.00	10.00 10.00	96.00 96.00	5944.29 6042.77	-68.08 -69.89	647.72 664.99	6.22 6.38	0.00 0.00		
	6100.00 6200.00	10.00	96.00 96.00	6042.77 6141.25	-69.89 -71.71	664.99 682.26	6.58 6.55	0.00		
	6300.00	10.00	96.00	6239.73	-73.52	699.53	6.71	0.00		
	6400.00	10.00	96.00	6338.22	-75.34	716.80	6.88	0.00		

devon				0-19 FED CO	VI 307H				Geodetic System: US State Plane 1983
		County:	Lea Permit Plar						Datum: North American Datum 1927 Ellipsoid: Clarke 1866
			Permit Plan						Zone: 3001 - NM East (NAD83)
		-							
	MD	INC	AZI	TVD	NS	EW	VS	DLS	Comment
-	(ft) 6500.00	(°) 10.00	(°) 96.00	(ft) 6436.70	(ft) -77.15	(ft) 734.07	(ft) 7.04	(°/100ft) 0.00	
	6600.00	10.00	96.00	6535.18	-78.97	751.34	7.21	0.00	
	6700.00	10.00	96.00	6633.66	-80.78	768.61	7.38	0.00	
	6800.00	10.00	96.00	6732.14	-82.60	785.88	7.54	0.00	
	6880.08	10.00	96.00	6811.00	-84.05	799.71	7.67	0.00	Brushy Canyon
	6900.00	10.00	96.00	6830.62	-84.41	803.15	7.71	0.00	
	7000.00	10.00	96.00	6929.10	-86.23	820.42	7.87	0.00	
	7100.00 7200.00	10.00 10.00	96.00 96.00	7027.58 7126.06	-88.04 -89.86	837.69 854.96	8.04 8.20	0.00 0.00	
	7300.00	10.00	96.00	7224.54	-91.67	872.23	8.37	0.00	
	7400.00	10.00	96.00	7323.02	-93.49	889.50	8.54	0.00	
	7471.83	10.00	96.00	7393.76	-94.79	901.90	8.66	0.00	Drop to Vertical
	7500.00	9.44	96.00	7421.53	-95.29	906.63	8.70	2.00	
	7600.00	7.44	96.00	7520.44	-96.82	921.22	8.84	2.00	
	7700.00	5.44	96.00	7619.81	-98.00	932.37	8.95	2.00	
	7800.00	3.44	96.00	7719.50	-98.80	940.06	9.02	2.00	
	7900.00 7971.83	1.44 0.00	96.00 96.00	7819.41 7891.23	-99.25 -99.34	944.29 945.19	9.06 9.07	2.00 2.00	Hold Vertical
	8000.00	0.00	359.59	7919.40	-99.34	945.19	9.07	0.00	
	8100.00	0.00	359.59	8019.40	-99.34	945.19	9.07	0.00	
	8200.00	0.00	359.59	8119.40	-99.34	945.19	9.07	0.00	
	8300.00	0.00	359.59	8219.40	-99.34	945.19	9.07	0.00	
	8400.00	0.00	359.59	8319.40	-99.34	945.19	9.07	0.00	
	8500.00	0.00	359.59	8419.40	-99.34	945.19	9.07	0.00	
	8600.00 8700.00	0.00 0.00	359.59 359.59	8519.40 8619.40	-99.34 -99.34	945.19 945.19	9.07 9.07	0.00 0.00	
	8800.00	0.00	359.59	8719.40	-99.34	945.19	9.07	0.00	
	8900.00	0.00	359.59	8819.40	-99.34	945.19	9.07	0.00	
	9000.00	0.00	359.59	8919.40	-99.34	945.19	9.07	0.00	
	9100.00	0.00	359.59	9019.40	-99.34	945.19	9.07	0.00	
	9200.00	0.00	359.59	9119.40	-99.34	945.19	9.07	0.00	
	9300.00 9400.00	0.00 0.00	359.59 359.59	9219.40 9319.40	-99.34 -99.34	945.19 945.19	9.07 9.07	0.00 0.00	
	9500.00	0.00	359.59	9419.40	-99.34	945.19 945.19	9.07	0.00	
	9532.60	0.00	359.59	9452.00	-99.34	945.19	9.07	0.00	Bone Spring 1st
	9600.00	0.00	359.59	9519.40	-99.34	945.19	9.07	0.00	· -
	9700.00	0.00	359.59	9619.40	-99.34	945.19	9.07	0.00	
	9800.00	0.00	359.59	9719.40	-99.34	945.19	9.07	0.00	
	9900.00	0.00	359.59	9819.40	-99.34	945.19	9.07	0.00	
	10000.00 10100.00	0.00 0.00	359.59 359.59	9919.40 10019.40	-99.34 -99.34	945.19 945.19	9.07 9.07	0.00 0.00	
	10160.60	0.00	359.59	10080.00	-99.34	945.19	9.07	0.00	Bone Spring 2nd
	10200.00	0.00	359.59	10119.40	-99.34	945.19	9.07	0.00	
	10300.00	0.00	359.59	10219.40	-99.34	945.19	9.07	0.00	
	10400.00	0.00	359.59	10319.40	-99.34	945.19	9.07	0.00	
	10500.00	0.00	359.59	10419.40	-99.34	945.19	9.07	0.00	KOP
	10549.69 10588.63	0.00 3.89	359.59 359.59	10469.09 10508.00	-99.34 -98.02	945.19 945.18	9.07 10.38	0.00 10.00	Bone Spring Lime 3rd / Point of Penetration
	10600.00	5.03	359.59	10500.00	-97.14	945.17	11.26	10.00	bole spring time sid / Folik of Feletation
	10700.00	15.03	359.59	10617.68	-79.74	945.05	28.53	10.00	
	10800.00	25.03	359.59	10711.51	-45.53	944.80	62.49	10.00	
	10900.00	35.03	359.59	10797.98	4.45	944.44	112.10	10.00	
	11000.00	45.03	359.59	10874.45	68.69	943.98	175.87	10.00	
	11100.00 11200.00	55.03 65.03	359.59 359.59	10938.60 10988.49	145.23 231.75	943.44 942.82	251.85 337.73	10.00 10.00	
	11200.00	75.03	359.59	11022.60	325.61	942.02 942.14	430.91	10.00	
	11400.00	85.03	359.59	11039.89	423.97	941.44	528.55	10.00	
	11456.78	90.71	359.59	11042.00	480.70	941.04	584.85	10.00	Landing Point
	11500.00	90.71	359.59	11041.46	523.91	940.73	627.75	0.00	
	11600.00	90.71	359.59	11040.23	623.90	940.01	727.00	0.00	
	11700.00	90.71	359.59	11038.99	723.89	939.30	826.26	0.00	
	11800.00 11900.00	90.71 90.71	359.59 359.59	11037.75 11036.51	823.88 923.87	938.58 937.86	925.51 1024.77	0.00 0.00	
	12000.00	90.71 90.71	359.59 359.59	11036.51	923.87 1023.86	937.86 937.15	1024.77 1124.03	0.00	
	12100.00	90.71	359.59	11033.27	1123.85	936.43	1223.28	0.00	
	12200.00	90.71	359.59	11032.80	1223.84	935.72	1322.54	0.00	
	12300.00	90.71	359.59	11031.56	1323.83	935.00	1421.79	0.00	
	12400.00	90.71	359.59	11030.32	1423.81	934.28	1521.05	0.00	
	12500.00 12600.00	90.71 90.71	359.59	11029.08 11027.84	1523.80	933.57	1620.31 1719.56	0.00 0.00	
	12000.00	90.71	359.59	11027.04	1623.79	932.85	06.8171	0.00	

MD IV. AZ TVD NS EV VS DLS Comment 120000 0071 35559 1102537 122377 9213 18182 0.00 120000 0071 35559 1102289 20275 92907 21713 18124 0.00 130000 0071 35599 1102289 22277 29287 21846 0.00 130000 0071 35599 1102041 222373 92892 21854 0.00 130000 0071 35599 1107144 242371 92714 21436 0.00 130000 0071 35599 1101744 222637 92447 21138 0.00 130000 0071 35599 1101174 22263 92149 2113 12844 0.00 130000 0071 35595 1100163 32234 300849 0.00 140000 0071 35595 1100154 22235 91235 66643	L	County: Wellbore:	Lea Permit Plan	0-19 FED CO	M 307H				Geodetic System: US State Plane 1983 Datum: North American Datum 1927 Ellipsoid: Clarke 1866 Zone: 3001 - NM East (NAD83)
(h) (h) <th>MD</th> <th>5</th> <th></th> <th></th> <th>NS</th> <th>EW</th> <th>vs</th> <th>DLS</th> <th></th>	MD	5			NS	EW	vs	DLS	
1280.00 90.71 359.59 1023.37 912.42 918.08 0.00 1300.00 90.71 359.59 1102.43 1223.75 929.92 215.54 0.00 1300.00 90.71 359.59 1102.16 223.75 929.52 215.16 0.00 1300.00 90.71 359.59 1101.16 223.71 927.64 144.66 0.00 1300.00 90.71 359.59 1101.74 223.71 927.14 211.86 0.00 1300.00 90.71 359.59 1101.42 223.66 92.42 211.81 0.00 1300.00 90.71 359.59 1101.52 223.65 92.15 0.00 1300.00 90.71 359.59 1100.53 323.64 92.11 320.64 0.00 1400.00 90.71 359.59 1100.53 323.65 91.53 370.66 0.00 1400.00 90.71 359.59 1100.30 322.56 91.53 370.46 0.00 </th <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Comment</th>									Comment
1200.00 90.71 359.59 1102.41 312.72 92.99 211.55 0.00 13100.00 90.71 359.59 1102.16 221.37.4 92.99 211.55 0.00 13200.00 90.71 359.59 1101.17.4 222.37.2 92.74 251.51 0.00 13400.00 90.71 359.59 1101.17.4 222.37.0 92.64 261.24 0.00 13600.00 90.71 359.59 1101.16.4 222.37.0 92.64 261.24 0.00 13600.00 90.71 359.59 1101.24 222.86 92.45 210.04 0.00 13800.00 90.71 359.59 1101.27 322.86 92.11 320.44 0.00 1400.00 90.71 359.59 1100.67 322.32 92.11 320.44 0.00 1400.00 90.71 359.59 1100.13 322.66 91.92.5 305.61 0.00 1400.00 90.71 359.59 1000.13 322.66 <td< td=""><td>12700.00</td><td></td><td></td><td>11026.60</td><td>1723.78</td><td>932.13</td><td>1818.82</td><td>0.00</td><td></td></td<>	12700.00			11026.60	1723.78	932.13	1818.82	0.00	
130000 90.71 359.59 11022.80 2023.75 92.927 215.84 0.00 130000 90.71 359.59 11021.61 2123.73 928.55 2315.10 0.00 130000 90.71 359.59 11017.04 223.73 928.55 231.51 0.00 130000 90.71 359.59 11017.04 222.74 247.14 24.14 6.00 130000 90.71 359.59 11017.62 222.66 92.42 211.64 0.00 130000 90.71 359.59 1101.129 228.26 92.42 211.61 0.00 130000 90.71 359.59 11001.51 322.62 92.105 0.00 140000 90.71 359.59 11001.30 322.62 92.105 1.00 140000 90.71 359.59 1100.61 322.56 91.50 1.00 140000 90.71 359.59 1100.30 322.56 91.50 1.00 1400000 <t< td=""><td></td><td>90.71</td><td></td><td></td><td></td><td>931.42</td><td>1918.08</td><td></td><td></td></t<>		90.71				931.42	1918.08		
131000 90.71 359.59 110216.5 2123.74 928.55 231.51 0.00 133000 90.71 359.59 110191.72 2223.72 927.84 241.36 0.00 136000 90.71 359.59 11017.74 2223.72 927.44 241.36 0.00 136000 90.71 359.59 11017.42 2223.66 924.97 241.138 0.00 1360000 90.71 359.59 1101.22 222.66 92.143 30.00 1390000 90.71 359.59 1101.02 322.66 92.11 320.61 0.00 140000 90.71 359.59 1100.67 322.26 92.11 320.64 0.00 1440000 90.71 359.59 1100.13 322.66 91.92.5 356.34 0.00 1440000 90.71 359.59 1100.13 322.66 91.92.5 365.43 0.00 1440000 90.71 359.59 1000.14 323.57 91.70 300 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
13200090.71359.991102.01222.3792.85215.100.0013300090.71355.9511017.4242.3792.74251.360.0013500090.71355.9511016.40262.3692.66271.120.0013700090.71359.5911016.42272.3692.64201.240.0013700090.71359.9511014.22272.3692.4972811.380.0013800090.71359.5911011.72223.6692.263291.640.0013900090.71359.5911001.72213.6492.211320.640.0014000090.71359.5911000.80322.3691.96307.660.0014000090.71359.5911000.81322.3691.92305.610.0014000090.71359.591100.18323.2691.25305.610.0014000090.71359.591100.18372.3591.78307.460.0014000090.71359.591100.18372.3591.78303.240.0014000090.71359.591100.18372.3591.78303.240.0014000090.71359.591099.68412.3591.6940.021.0015000090.71359.591099.68412.3591.6940.021.0015000090.71359.591098.64423.3091.6940.241.00150000									
130000 90.71 359.99 11019.12 223.27 92.74 241.43 0.00 13500.00 90.71 359.59 11011.70 223.37 92.64 261.82 0.00 13600.00 90.71 359.59 11011.42 273.83 0.00 13800.00 90.71 359.59 11011.22 273.64 221.13 0.00 13800.00 90.71 359.59 11011.22 273.66 922.54 910.64 0.00 1400.00 90.71 359.59 11000.27 323.65 922.84 300.98.90 0.00 14400.00 90.71 359.59 11000.75 323.26.5 920.64 20.01 0.00 14400.00 90.71 359.59 1100.106 323.26.5 912.55 370.46 0.00 14400.00 90.71 359.59 1100.106 323.25 915.83 300.20 0.00 14400.00 90.71 359.59 1100.14 372.35 917.10 309.320 0.00 14500.00 90.71 359.59 1100.63 323.25 915.31 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
134000 90.71 359.59 11016.70 222.37 92.712 251.84 0.00 136000 90.71 359.59 11016.70 222.30 92.64 212.12 0.00 13700.00 90.71 359.59 11011.42 228.66 92.47 211.38 0.00 13800.00 90.71 359.59 11011.51 228.26 92.21 210.64 0.00 13900.00 90.71 359.59 11001.50 328.36 92.13 300.766 0.00 14100.00 90.71 359.59 11006.03 323.63 91.96 300.766 0.00 14200.00 90.71 359.59 1100.80 323.26 91.68 300.766 0.00 14400.00 90.71 359.59 1100.80 323.26 91.68 300.20 0.00 14500.00 90.71 359.59 1100.80 323.25 91.63 400.24 0.00 1400.00 90.71 359.59 10999.64 323.25 91.50									
13500090.71359.5911015.40252.37092.441612.870.0013700.0090.71359.5911015.40223.6692.69221.910.0013800.0090.71359.5911011.74223.6692.34300.980.0014000.0090.71359.5911010.52312.3692.34300.980.0014000.0090.71359.5911005.27312.3692.34300.980.0014200.0090.71359.5911005.73322.3692.13307.660.0014200.0090.71359.5911005.73322.3692.13306.520.0014400.0090.71359.5911001.00322.3591.65306.170.0014400.0090.71359.5911001.00322.3591.63370.4690.0014400.0090.71359.5911001.00322.3591.53370.4690.0014700.0090.71359.591099.81242.3591.51300.2400.0014700.0090.71359.591099.81242.3591.570.001500.0090.71359.591099.84412.3591.570.001500.0090.71359.591099.64423.3591.27430.220.001500.0090.71359.591099.64423.4591.200.001500.0090.71359.591099.64423.4591.200.001500.0090.71359									
137000 90.71 359.59 1012.58 232.63 924.67 231.64 0.00 13900.00 90.71 359.59 11011.74 292.366 92.83 3109.15 0.00 1400.00 90.71 359.59 1100.27 123.244 92.211 320.64 0.00 1420.00 90.71 359.59 1100.673 322.63 321.39 3307.66 0.00 1440.00 90.71 359.59 1100.55 342.361 919.66 3506.17 0.00 1440.00 90.71 359.59 1100.83 823.50 919.53 370.469 0.00 14400.00 90.71 359.59 1100.84 823.57 917.10 393.20 0.00 14400.00 90.71 359.59 1100.84 823.55 91.67 10.01 114.70 114.70 110.71 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
138000 90.71 359.59 11017.4 232.66 232.46 201.04 0.00 14000.00 90.71 359.59 11010.51 302.365 92.83 3109.15 0.00 14100.00 90.71 359.59 1100.63 323.63 92.13 3307.66 0.00 14200.00 90.71 359.59 11006.07 323.62 92.068 3406.92 0.00 14300.00 90.71 359.59 1100.18 372.359 365.63.4 0.00 14400.00 90.71 359.59 1100.18 372.359 918.25 360.54.3 0.00 14700.00 90.71 359.59 1100.184 372.359 917.10 3903.20 0.00 14700.00 90.71 359.59 1099.68 422.35 917.10 390.32 0.00 1500.00 90.71 359.59 1099.68 422.35 917.4 400.47.3 0.00 1500.00 90.71 359.59 1099.68 422.34 400.22 0.00 1550.00 0.01 1550.00 0.01 1550.00 0.01									
13900090.71359.591101.74292.366292.354300.890.0014000090.71355.551100.92.7312.36492.11320.8410.0014200090.71355.551100.67.9322.36322.1393307.660.0014400.0090.71359.551100.57.9322.363220.8410.0014400.0090.71359.551100.57.9322.3691.92.5360.5430.0014600.0090.71359.591100.184372.35091.78.1380.39.40.0014700.0090.71359.591100.184372.3591.71.0390.3.200.0014800.0090.71359.591009.84372.3591.71.0390.3.200.0014900.0090.71359.591098.12422.3591.53400.240.0015000.0090.71359.591098.12422.3591.53400.240.0015000.0090.71359.591098.14423.5291.28430.220.0015000.0090.71359.591098.14423.5291.28430.470.0015000.0090.71359.591098.41423.5291.28430.270.0015000.0090.71359.591098.44423.5291.27467.250.0015000.0090.71359.591098.54423.4790.55523.400.0015000.0090.71359.591098.54423.4693.2240.	13700.00	90.71	359.59	11014.22	2723.68	924.97	2811.38	0.00	
1400.0090.71359.591100.81302.86922.83310.150.0014100.0090.71359.591100.80.3322.36921.193307.660.0014300.0090.71359.591100.67323.82320.823307.660.0014400.0090.71359.591100.55323.62920.683406.920.0014500.0090.71359.591100.18623.59916.53370.4690.0014600.0090.71359.591100.18623.59917.81380.340.0014600.0090.71359.591100.18623.55917.81380.340.0014400.0090.71359.591099.81823.5591.71390.320.001500.0090.71359.591099.68423.5591.57410.1710.001500.0090.71359.591099.68423.5591.57410.1710.001500.0090.71359.591099.54423.4391.0091.711500.0090.71359.591099.64423.4591.57400.70.001500.0090.71359.591098.45472.4491.774697.250.001500.0090.71359.591098.68423.4690.22495.020.001500.0090.71359.591098.68423.4490.77592.780.001500.0090.71359.591098.65423.4490.77593.530.00 <td>13800.00</td> <td>90.71</td> <td>359.59</td> <td>11012.98</td> <td>2823.67</td> <td>924.26</td> <td>2910.64</td> <td>0.00</td> <td></td>	13800.00	90.71	359.59	11012.98	2823.67	924.26	2910.64	0.00	
1410.0090.71359.5911008.033223.6222.11230.410.0014200.0090.71359.5911006.79323.6292.063466.920.0014400.0090.71359.5911005.75323.6292.063406.920.0014400.0090.71359.5911003.18323.6291.653605.410.0014600.0090.71359.5911001.84323.5291.63370.460.0014700.0090.71359.5911001.84323.5591.71390.320.0014800.0090.71359.5911001.84323.5591.634002.450.0014800.0090.71359.591099.66382.3591.71110.710.01500.0090.71359.591099.68423.5591.524300.270.001500.0090.71359.591099.14423.5291.324300.20.001500.0090.71359.591099.14423.5291.37469.720.001500.0090.71359.591099.14423.4591.37469.720.001500.0090.71359.591098.45123.4490.574796.500.001500.0090.71359.591098.45123.4490.57519.520.001500.0090.71359.591098.45123.4490.57519.550.001500.0090.71359.591098.45123.4490.55539.26									
14200090.71359.5911008.033223.63921.393307.660.0014300090.71359.5911006.553423.61919.96350.6710.0014500090.71359.5911003.13352.36919.25360.57.30.00147000090.71359.5911003.13352.50917.1303.930.00147000090.71359.5911003.103223.55917.11303.300.00148000090.71359.5911099.103223.55916.384002.450.0015000090.71359.5910999.124023.55915.674101.710.0015000090.71359.5910999.124223.51914.234002.20.0015000090.71359.5910999.124223.51912.044498.730.0015000090.71359.5910994.144223.51912.044498.730.0015000090.71359.5910994.544223.49913.74697.250.0015000090.71359.5910984.544223.47909.444895.760.0015000090.71359.5910984.544223.47909.444895.760.0015000090.71359.5910984.544223.46909.224095.020.0015000090.71359.5910984.54523.44907.79519.350.0016000090.71359.5910984.56523.4990.79 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
14400.0090.71359.5911005.79323.62920.68406.9220.0014400.0090.71359.5911003.03352.16919.25360.540.0014600.0090.71359.5911003.03352.35918.533704.690.0014700.0090.71359.5911003.00352.35917.10303.020.0014800.0090.71359.5910993.63223.55916.74400.2450.0015000.0090.71359.5910998.16223.55915.674101.710.0015000.0090.71359.5910998.184123.54914.554200.970.0015000.0090.71359.5910998.14423.51912.204497.790.0015000.0090.71359.5910999.17422.51912.004597.990.0015000.0090.71359.5910999.69452.49913.74697.250.0015000.0090.71359.5910984.54521.34910.22499.720.0015000.0090.71359.5910984.54521.44907.79513.530.0015000.0090.71359.5910984.54521.44907.79513.530.0015000.0090.71359.5910986.74522.43906.365392.040.0015000.0090.71359.5910986.74522.43906.365392.040.0015000.0090.71359.5910986.74522.43<									
14400090.71359.5911005.55342.61919.653605.430.00145000090.71359.5911003.83362.359918.23370.4690.00147000090.71359.5911001.84372.358917.81380.3940.0014800.0090.71359.5911099.163322.35917.10393.200.0014900.0090.71359.5910999.86322.35917.10393.200.001500.0090.71359.5910999.86422.35915.74101.710.001500.0090.71359.5910994.81422.35914.234309.480.001500.0090.71359.5910994.64422.35912.094597.990.001500.0090.71359.5910994.54422.35912.094597.990.001500.0090.71359.5910996.54422.34910.554706.500.001500.0090.71359.5910986.74502.345908.51504.270.001500.0090.71359.5910986.74502.345908.51504.270.001500.0090.71359.5910986.74502.345908.51504.270.001600.0090.71359.5910987.45523.44907.07529.780.001600.0090.71359.591097.55523.40904.21569.510.001600.0090.71359.591097.55523.4090.42<									
148000090.71359.591100.31352.36919.25805.430.0014600.0090.71359.591100.803623.59918.53370.4690.0014800.0090.71359.591100.803623.57917.10390.320.0014800.0090.71359.5910999.8124023.55915.674101.710.0015000.0090.71359.5910998.812423.53914.544200.970.0015000.0090.71359.5910998.814123.54914.954200.970.0015000.0090.71359.5910991.934223.51912.044498.730.0015000.0090.71359.5910991.934523.50912.094597.990.0015000.0090.71359.5910991.934523.50912.094597.990.0015000.0090.71359.5910984.54512.344909.424957.600.0015000.0090.71359.5910986.74502.345906.31504.270.0015000.0090.71359.5910986.74502.345905.15504.270.0016000.0090.71359.5910986.74502.345905.61504.270.0016000.0090.71359.5910982.02523.42905.620.0016000.0090.71359.5910982.02523.4390.425590.550.0016000.0090.71359.591097.35523.439									
14600.0 90.71 359.59 11003.08 3622.59 918.53 3704.69 0.00 14700.00 90.71 359.59 11001.04 3723.58 917.10 3903.20 0.00 14900.00 90.71 359.59 10999.36 3923.56 916.38 4002.45 0.00 15000.00 90.71 359.59 10996.68 4123.54 914.27 4000.2 0.00 15000.00 90.71 359.59 10995.65 4223.53 914.23 4300.22 0.00 15000.00 90.71 359.59 10991.93 4423.52 913.24 490.49 0.00 15000.00 90.71 359.59 10999.45 4723.54 910.65 4796.50 0.00 15000.00 90.71 359.59 10984.54 4723.48 910.65 4796.50 0.00 15000.00 90.71 359.59 10984.54 5023.44 907.7 503.30 0.00 16000.00 90.71 359.59 10982.05 522									
14700.00 90.71 359.59 11001.84 3723.58 917.81 3803.94 0.00 14800.00 90.71 359.59 10990.00 3823.57 917.81 3803.94 0.00 15000.00 90.71 359.59 10999.82 4023.55 916.67 4101.71 0.00 15000.00 90.71 359.59 10994.84 4223.52 914.23 4300.22 0.00 15000.00 90.71 359.59 10994.44 4223.52 914.23 4300.22 0.00 15000.00 90.71 359.59 10991.69 4623.49 911.37 4697.25 0.00 15000.00 90.71 359.59 10994.69 4623.49 911.65 4796.70 0.00 15000.00 90.71 359.59 10986.94 4923.46 905.22 0.00 16100.00 90.71 359.59 10981.26 522.44 907.99 0.00 16100.00 90.71 359.59 10982.26 523.44 907.97 529.78 0.00 16100.00 90.71 359.59 10987.85 523.44 906.29 590.50									
14800.0 90.71 359.59 11000.60 3823.57 917.10 3903.20 0.00 14800.00 90.71 359.59 10998.12 8223.55 1516.7 4101.71 0.00 15000.00 90.71 359.59 10996.88 4123.54 914.55 4200.97 0.00 15200.00 90.71 359.59 10994.64 423.25 913.22 4390.22 0.00 15300.00 90.71 359.59 10993.17 4423.51 913.20 4498.73 0.00 15600.00 90.71 359.59 10991.99 4623.49 911.37 4697.25 0.00 15600.00 90.71 359.59 10984.54 4723.48 910.65 4796.50 0.00 15800.00 90.71 359.59 10984.54 4723.44 907.79 5193.53 0.00 16000.00 90.71 359.59 10984.25 523.42 906.45 590.25 0.00 16000.00 90.71 359.59 10977.07 57									
14900.0 90.71 359.59 10999.36 3923.56 916.38 4002.45 0.00 15000.0 90.71 359.59 10996.68 4123.54 914.95 4200.27 0.00 15200.00 90.71 359.59 10995.65 4223.52 913.52 4399.48 0.00 15300.00 90.71 359.59 10991.41 4323.52 913.52 4399.48 0.00 15600.00 90.71 359.59 10991.93 4523.50 912.09 4597.99 0.00 15600.00 90.71 359.59 10990.68 4623.49 911.37 4697.25 0.00 15600.00 90.71 359.59 10988.22 4723.48 910.65 4795.50 0.00 15800.00 90.71 359.59 10984.50 5123.44 907.95 5092.20 0.00 16000.00 90.71 359.59 10984.50 5123.44 907.75 5135.50 0.00 16200.00 90.71 359.59 10977.65 523.49 904.21 5689.81 0.00 16400.00 90.71									
15000.0 90.71 359.59 10996.81 41023.55 914.95 4200.97 0.00 15000.0 90.71 359.59 10995.68 4223.52 914.23 4200.22 0.00 15300.0 90.71 359.59 10991.71 4423.51 912.09 4439.73 0.00 15600.0 90.71 359.59 1099.69 4623.49 911.37 4697.25 0.00 15600.00 90.71 359.59 1099.69 4623.49 911.37 4697.25 0.00 15600.00 90.71 359.59 10984.54 4723.48 910.65 4796.50 0.00 15600.00 90.71 359.59 10986.58 4923.45 909.24 495.76 0.00 15600.00 90.71 359.59 10986.74 5023.45 908.51 504.27 0.00 16000.00 90.71 359.59 10982.05 512.34 907.79 513.30 0.00 16200.00 90.71 359.59 10982.05 523.42 906.36 5392.04 0.00 16400.00 90.71									
15100.00 90.71 359.59 10996.88 4123.54 914.23 4300.22 0.00 15200.00 90.71 359.59 10993.17 4323.52 913.52 4399.48 0.00 15400.00 90.71 359.59 10991.37 4423.51 912.09 4498.73 0.00 15600.00 90.71 359.59 10991.93 4523.50 912.09 4597.99 0.00 15600.00 90.71 359.59 10998.45 472.48 911.37 4697.50 0.00 15700.00 90.71 359.59 10986.24 4923.44 908.22 495.02 0.00 15600.00 90.71 359.59 10984.50 5123.44 907.79 5193.50 0.00 16000.00 90.71 359.59 10984.50 5123.44 907.79 5193.50 0.00 16300.00 90.71 359.59 10982.02 532.34 907.35 502.00 164600.00 90.71 359.59 1097.05 552.340 90.421 5690.55 0.00 16400.00 90.71 359.59 1097.63 562.34<									
15300.0090.71359.5910994.414323.52913.524399.480.0015400.0090.71359.5910991.37423.51912.804498.730.0015500.0090.71359.5910990.694623.49911.374697.250.0015700.0090.71359.5910988.42423.47909.544796.500.0015800.0090.71359.5910986.984223.46909.224995.020.0016000.0090.71359.591098.745023.45908.515094.270.0016000.0090.71359.591098.26523.44907.795193.530.0016000.0090.71359.591098.26523.44907.795193.530.0016300.0090.71359.591098.75523.40904.325390.550.0016400.0090.71359.591097.55523.43904.215689.810.0016500.0090.71359.591097.55523.43904.215689.810.0016600.0090.71359.591097.63523.2390.26597.580.0016700.0090.71359.591097.63523.23902.665987.580.0016700.0090.71359.591097.45523.23892.466.001700.0090.71359.591097.61623.23891.466.001700.0090.71359.591097.64623.23892.676.38.11 <td< td=""><td>15100.00</td><td></td><td></td><td>10996.88</td><td>4123.54</td><td>914.95</td><td>4200.97</td><td></td><td></td></td<>	15100.00			10996.88	4123.54	914.95	4200.97		
15400.0 90.71 359.59 10993.17 4423.51 912.80 4498.73 0.00 15500.00 90.71 359.59 10991.93 4523.50 912.09 4597.99 0.00 15700.00 90.71 359.59 10980.45 4723.48 910.55 4796.50 0.00 15800.00 90.71 359.59 10986.24 423.47 909.94 4959.76 0.00 15800.00 90.71 359.59 10985.74 5023.45 908.51 5094.27 0.00 16000.00 90.71 359.59 10982.02 523.44 907.79 5193.53 0.00 16200.00 90.71 359.59 10982.02 523.42 906.36 5392.04 0.00 16400.00 90.71 359.59 10982.05 523.44 905.45 5.00 1640.00 16600.00 90.71 359.59 1097.83 582.33 904.21 5688.31 0.00 16600.00 90.71 359.59 1097.45 523.34 901.43 5688.32 0.00 16700.00 90.71 <td< td=""><td>15200.00</td><td>90.71</td><td>359.59</td><td>10995.65</td><td>4223.53</td><td>914.23</td><td>4300.22</td><td>0.00</td><td></td></td<>	15200.00	90.71	359.59	10995.65	4223.53	914.23	4300.22	0.00	
15500.0090.71359.5910991.934523.50912.094597.990.0015600.0090.71359.5910990.694623.49911.374697.250.0015700.0090.71359.5910988.244223.46909.244995.020.0015900.0090.71359.5910986.844923.46909.244995.020.0016000.0090.71359.5910985.745023.45908.515094.270.0016100.0090.71359.5910983.765223.44907.795193.530.0016200.0090.71359.5910983.265223.42906.655392.040.0016300.0090.71359.5910983.765223.42906.665392.040.0016400.0090.71359.591097.55552.34904.92559.550.0016600.0090.71359.591097.55552.34904.215689.310.0016600.0090.71359.591097.70572.33903.495789.060.0016600.0090.71359.591097.83582.36902.78588.320.0017000.0090.71359.591097.84622.32899.10628.340.0017000.0090.71359.591097.16622.31899.20638.600.0017200.0090.71359.591096.46623.21899.26638.400.0017200.0090.71359.591096.46623.21<	15300.00	90.71	359.59	10994.41	4323.52	913.52	4399.48	0.00	
15600.00 90.71 359.59 10990.69 4623.49 911.37 4697.25 0.00 15700.00 90.71 359.59 10980.42 4823.47 909.94 4895.76 0.00 15900.00 90.71 359.59 10986.82 4823.47 909.94 4895.76 0.00 16000.00 90.71 359.59 10985.74 5023.45 908.51 5094.27 0.00 16100.00 90.71 359.59 10980.20 5323.42 907.75 522.78 0.00 16200.00 90.71 359.59 10980.20 5323.42 906.36 5392.04 0.00 16400.00 90.71 359.59 10970.75 552.340 904.92 5590.55 0.00 16600.00 90.71 359.59 10978.31 562.339 904.21 5689.81 0.00 16600.00 90.71 359.59 10978.33 562.34 901.78 5883.32 0.00 1600.00 90.71 359.59 10971.85 592.31 990.63 6186.09 0.00 1700.00 90.71									
15700.0090.71359.5910989.454723.48910.654796.500.0015800.0090.71359.5910988.224823.47909.944895.760.0016000.0090.71359.5910986.745023.45908.515094.270.0016100.0090.71359.5910984.505123.44907.795193.530.0016200.0090.71359.5910983.265223.43907.775292.780.0016300.0090.71359.5910980.205323.44907.775292.580.0016400.0090.71359.5910978.205323.44905.645491.300.0016600.0090.71359.591097.555523.40904.925590.550.0016600.0090.71359.591097.705723.37903.495789.060.0016600.0090.71359.591097.735623.34902.065987.580.0016900.0090.71359.591097.835823.46902.665987.580.0017000.0090.71359.5910978.366223.32899.16638.4600.0017200.0090.71359.5910966.46623.30898.486483.860.0017200.0090.71359.5910966.46623.22897.76638.3110.0017400.0090.71359.5910966.46623.22897.76638.110.0017400.0090.71359.5910966.77 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
15800.00 90.71 359.59 10986.22 4823.47 909.94 4895.76 0.00 15900.00 90.71 359.59 10986.98 4923.46 909.22 4995.02 0.00 16000.00 90.71 359.59 10984.50 5123.44 907.79 5193.53 0.00 16200.00 90.71 359.59 10983.26 522.343 907.07 5292.78 0.00 16300.00 90.71 359.59 10980.22 5323.42 906.36 5392.04 0.00 16600.00 90.71 359.59 10979.55 552.34.0 904.92 5590.55 0.00 16600.00 90.71 359.59 10979.55 552.34.0 904.92 5590.55 0.00 16600.00 90.71 359.59 10978.31 5623.39 904.21 5689.81 0.00 16700.00 90.71 359.59 10978.35 5623.45 90.20 5987.58 0.00 16900.00 90.71 359.59 10978.45 5623.24 891.30 0.00 17200.00 90.71 359.59									
15900.00 90.71 359.59 10986.98 4923.46 909.22 4995.02 0.00 16000.00 90.71 359.59 10985.74 5023.45 908.51 5094.27 0.00 16100.00 90.71 359.59 10982.02 5123.44 907.79 5193.53 0.00 16200.00 90.71 359.59 10982.02 5323.42 906.36 5392.04 0.00 16400.00 90.71 359.59 10980.79 5423.41 905.64 5491.30 0.00 16600.00 90.71 359.59 1097.53 5523.30 904.21 5589.56 0.00 16600.00 90.71 359.59 10977.07 5723.37 903.49 5789.06 0.00 16700.00 90.71 359.59 10975.83 5823.36 902.76 5888.32 0.00 17000.00 90.71 359.59 10975.83 5823.34 901.34 6086.83 0.00 17000.00 90.71 359.59 10976.86 623.23 899.91 6285.34 0.00 17000.00 90.71									
16000.00 90.71 359.59 10985.74 5023.45 908.51 5094.27 0.00 16100.00 90.71 359.59 10983.26 5223.43 907.07 5193.53 0.00 16200.00 90.71 359.59 10983.26 5223.43 907.07 5392.78 0.00 16400.00 90.71 359.59 10980.79 5423.41 905.64 5491.30 0.00 16600.00 90.71 359.59 1097.83 5623.39 904.21 5590.55 0.00 16600.00 90.71 359.59 10975.83 5823.36 902.78 5888.32 0.00 16600.00 90.71 359.59 10974.59 592.33 902.66 5987.58 0.00 16800.00 90.71 359.59 10974.59 592.33 902.66 688.30 0.00 17000.00 90.71 359.59 10972.12 6123.33 906.3 6186.80 0.00 17200.00 90.71 359.59 10967.46 6223.22 899.16 6285.34 0.00 17400.00 90.71									
16100.00 90.71 359.59 10984.50 5123.44 907.79 5193.53 0.00 16200.00 90.71 359.59 10982.02 5323.42 906.36 5392.04 0.00 16400.00 90.71 359.59 10982.02 5323.42 906.36 5392.04 0.00 16500.00 90.71 359.59 10970.55 5523.40 904.92 5590.55 0.00 16600.00 90.71 359.59 10970.77 5723.37 903.49 5789.06 0.00 16700.00 90.71 359.59 10974.55 5523.40 904.21 5689.81 0.00 16800.00 90.71 359.59 10974.75 5723.37 903.49 5789.06 0.00 17000.00 90.71 359.59 10974.55 5923.35 902.06 5887.58 0.00 17000.00 90.71 359.59 10970.86 623.32 899.91 6285.40 0.00 17200.00 90.71 359.59 10968.46 6423.30 898.46 6483.36 0.00 17400.00 90.71									
16200.00 90.71 359.59 10983.26 5223.43 907.07 5292.78 0.00 16300.00 90.71 359.59 10980.02 5323.42 906.36 5392.04 0.00 16400.00 90.71 359.59 10979.55 5523.40 904.22 5590.55 0.00 16600.00 90.71 359.59 10977.07 5723.37 903.49 5789.06 0.00 16600.00 90.71 359.59 10977.05 5723.37 903.49 5789.06 0.00 16800.00 90.71 359.59 10977.83 5823.36 902.76 5888.32 0.00 17000.00 90.71 359.59 10973.36 6023.34 901.34 6086.83 0.00 17200.00 90.71 359.59 10970.86 623.32 899.91 6283.44 0.00 17200.00 90.71 359.59 10968.40 6423.30 898.48 6483.36 0.00 17200.00 90.71 359.59 10968.45 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>									
16300.00 90.71 359.59 10982.02 5323.42 906.36 5392.04 0.00 16400.00 90.71 359.59 10979.55 5523.40 904.92 5590.55 0.00 16600.00 90.71 359.59 10978.51 5623.39 904.21 5689.81 0.00 16600.00 90.71 359.59 10977.07 5723.37 903.49 5789.06 0.00 16800.00 90.71 359.59 10977.05 523.35 902.66 5987.58 0.00 16800.00 90.71 359.59 10974.59 5923.35 902.06 5987.58 0.00 17000.00 90.71 359.59 10973.86 6223.32 909.16 6384.60 0.00 17200.00 90.71 359.59 10970.86 623.23 899.16 6285.34 0.00 17400.00 90.71 359.59 10966.46 623.20 897.76 6583.11 0.00 17500.00 90.71 359.59 10966.49 6723.27 896.33 678.63 0.00 17600.00 90.71									
16400.00 90.71 359.59 10980.79 5423.41 905.64 5491.30 0.00 16500.00 90.71 359.59 10979.55 5523.40 904.92 5590.55 0.00 16600.00 90.71 359.59 10978.31 5623.39 904.21 5689.81 0.00 16700.00 90.71 359.59 10977.07 5723.37 903.49 5789.06 0.00 16800.00 90.71 359.59 10974.59 5923.35 902.06 5987.58 0.00 17000.00 90.71 359.59 10972.12 6123.33 900.63 6186.09 0.00 17200.00 90.71 359.59 10970.88 6223.32 899.91 6285.34 0.00 17200.00 90.71 359.59 10968.40 6223.32 899.76 6682.11 0.00 17400.00 90.71 359.59 10967.16 6523.29 897.76 6682.17 0.00 17500.00 90.71 359.59 10964.69 6723.27 896.30 6781.63 0.00 17600.00 90.71									
16600.0 90.71 359.59 10978.31 5623.39 904.21 5689.81 0.00 16700.00 90.71 359.59 10977.07 5723.37 903.49 5789.06 0.00 16800.00 90.71 359.59 10974.59 5923.35 902.76 5888.32 0.00 16900.00 90.71 359.59 10974.59 5923.35 902.66 5987.58 0.00 17000.00 90.71 359.59 10973.36 6023.34 901.34 6086.83 0.00 17100.00 90.71 359.59 10970.88 6223.32 899.91 6285.34 0.00 17200.00 90.71 359.59 10966.44 6323.31 899.20 6384.60 0.00 17400.00 90.71 359.59 10967.16 6523.29 897.76 6583.11 0.00 17500.00 90.71 359.59 10964.69 6723.27 896.33 6781.63 0.00 17600.00 90.71 359.59 10964.45 6823.26 894.08 0.00 17700.00 90.71 359.59					5423.41				
16700.00 90.71 359.59 10977.07 5723.37 903.49 5789.06 0.00 16800.00 90.71 359.59 10975.83 5823.36 902.78 5888.32 0.00 16900.00 90.71 359.59 10974.59 5923.35 902.06 5987.58 0.00 17000.00 90.71 359.59 10972.12 6123.34 901.34 6086.83 0.00 17100.00 90.71 359.59 10970.86 6223.32 899.91 6285.34 0.00 17200.00 90.71 359.59 10968.40 6423.30 898.48 6483.86 0.00 17400.00 90.71 359.59 10967.16 6523.29 897.76 6583.11 0.00 17600.00 90.71 359.59 10964.40 6423.30 898.48 6483.86 0.00 17600.00 90.71 359.59 10964.45 6523.27 896.33 6781.63 0.00 17700.00 90.71 359.59 10963.45 6823.26 895.62 6880.88 0.00 1780.00 90.71	16500.00	90.71	359.59	10979.55	5523.40	904.92	5590.55	0.00	
16800.00 90.71 359.59 10975.83 5823.36 902.78 5888.32 0.00 16900.00 90.71 359.59 10974.59 5923.35 902.06 5987.58 0.00 17000.00 90.71 359.59 10972.12 6123.34 901.34 6086.83 0.00 17100.00 90.71 359.59 10970.12 6123.33 900.63 6186.09 0.00 17200.00 90.71 359.59 10967.46 6223.31 899.91 6285.34 0.00 17400.00 90.71 359.59 10968.40 6423.30 898.48 6483.86 0.00 17400.00 90.71 359.59 10967.16 6523.29 897.76 6583.11 0.00 17600.00 90.71 359.59 10964.49 6723.27 896.33 6781.63 0.00 17700.00 90.71 359.59 10964.45 6823.26 895.62 6880.88 0.00 17800.00 90.71 359.59 10962.21 6923.25 894.90 6980.14 0.00 1800.00 90.71	16600.00	90.71	359.59			904.21	5689.81	0.00	
16900.00 90.71 359.59 10974.59 5923.35 902.06 5987.58 0.00 17000.00 90.71 359.59 10973.36 6023.34 901.34 6086.83 0.00 17100.00 90.71 359.59 10972.12 6123.33 900.63 6186.09 0.00 17200.00 90.71 359.59 10970.88 6223.32 899.91 6285.34 0.00 17300.00 90.71 359.59 10969.64 6323.31 899.20 6384.60 0.00 17400.00 90.71 359.59 10967.16 6523.29 897.76 6583.11 0.00 17500.00 90.71 359.59 10964.69 6723.27 896.33 6781.63 0.00 17600.00 90.71 359.59 10964.45 6823.26 895.62 6880.88 0.00 17700.00 90.71 359.59 10963.45 6823.26 894.14 0.00 17800.00 90.71 359.59 10959.73 7123.23 893.47 7178.65 0.00 18000.00 90.71 359.59									
17000.0 90.71 359.59 10973.36 6023.34 901.34 6086.83 0.00 17100.00 90.71 359.59 10972.12 6123.33 900.63 6186.09 0.00 17200.00 90.71 359.59 10970.88 6223.32 899.91 6285.34 0.00 17300.00 90.71 359.59 10960.64 6323.31 899.20 6384.60 0.00 17400.00 90.71 359.59 10967.16 6523.29 897.76 6583.11 0.00 17500.00 90.71 359.59 10965.93 6623.28 897.05 6682.37 0.00 17600.00 90.71 359.59 10963.45 6823.26 895.62 6880.88 0.00 17700.00 90.71 359.59 10963.45 6823.26 894.90 6980.14 0.00 17800.00 90.71 359.59 10963.45 6823.26 894.90 6980.14 0.00 1800.00 90.71 359.59 10959.73 7123.23 893.47 7178.65 0.00 18200.00 90.71									
17100.0090.71359.5910972.126123.33900.636186.090.0017200.0090.71359.5910970.886223.32899.916285.340.0017300.0090.71359.5910969.646323.31899.206384.600.0017400.0090.71359.5910968.406423.30898.486483.860.0017500.0090.71359.5910967.166523.29897.766583.110.0017600.0090.71359.5910964.696723.27896.336781.630.0017700.0090.71359.5910964.456823.26895.626880.880.0017700.0090.71359.5910964.216923.25894.906980.140.0017800.0090.71359.5910960.977023.24894.187079.390.0018000.0090.71359.5910957.377123.23893.477178.650.0018200.0090.71359.5910957.67723.22892.757277.910.0018300.0090.71359.5910957.67723.22891.327476.420.0018400.0090.71359.5910954.787223.22891.327476.420.0018400.0090.71359.5910955.457623.18889.897674.930.0018600.0090.71359.5910954.747523.19890.607575.670.0018600.0090.71359.5910954.									
17200.00 90.71 359.59 10970.88 6223.32 899.91 6285.34 0.00 17300.00 90.71 359.59 10969.64 6323.31 899.20 6384.60 0.00 17400.00 90.71 359.59 10968.40 6423.30 898.48 6483.86 0.00 17500.00 90.71 359.59 10967.16 6523.29 897.76 6583.11 0.00 17600.00 90.71 359.59 10964.69 6723.27 896.33 6781.63 0.00 17700.00 90.71 359.59 10964.69 6723.27 896.33 6781.63 0.00 17800.00 90.71 359.59 10962.21 6923.25 894.90 6980.14 0.00 18000.00 90.71 359.59 10969.77 7023.24 894.18 7079.39 0.00 18100.00 90.71 359.59 10957.37 7123.23 893.47 7178.65 0.00 18200.00 90.71 359.59 10957.67 723.22 892.75 7277.91 0.00 18400.00 90.71									
17300.00 90.71 359.59 10969.64 6323.31 899.20 6384.60 0.00 17400.00 90.71 359.59 10968.40 6423.30 898.48 6483.86 0.00 17500.00 90.71 359.59 10967.16 6523.29 897.76 6583.11 0.00 17600.00 90.71 359.59 10964.69 6723.27 896.33 6781.63 0.00 17700.00 90.71 359.59 10964.69 6723.27 896.33 6781.63 0.00 17800.00 90.71 359.59 10963.45 6823.26 895.62 6880.88 0.00 17900.00 90.71 359.59 10960.97 7023.24 894.18 7079.39 0.00 18000.00 90.71 359.59 10957.37 7123.23 893.47 7178.65 0.00 18200.00 90.71 359.59 10958.50 7223.22 892.75 7277.91 0.00 18200.00 90.71 359.59 10957.26 7323.21 892.44 7377.16 0.00 18400.00 90.71									
17400.00 90.71 359.59 10968.40 6423.30 898.48 6483.86 0.00 17500.00 90.71 359.59 10967.16 6523.29 897.76 6583.11 0.00 17600.00 90.71 359.59 10965.93 6623.28 897.05 6682.37 0.00 17700.00 90.71 359.59 10964.69 6723.27 896.33 6781.63 0.00 17800.00 90.71 359.59 10964.45 6823.26 895.62 6880.88 0.00 17900.00 90.71 359.59 10960.97 7023.24 894.18 7079.39 0.00 18000.00 90.71 359.59 10950.73 7123.23 893.47 7178.65 0.00 18100.00 90.71 359.59 10957.26 723.21 892.04 7377.16 0.00 18200.00 90.71 359.59 10956.02 7423.20 891.22 7476.42 0.00 18400.00 90.71 359.59 10956.78 7523.19 890.60 7575.67 0.00 18600.00 90.71									
17500.00 90.71 359.59 10967.16 6523.29 897.76 6583.11 0.00 17600.00 90.71 359.59 10965.93 6623.28 897.05 6682.37 0.00 17700.00 90.71 359.59 10964.69 6723.27 896.33 6781.63 0.00 17800.00 90.71 359.59 10963.45 6823.26 895.62 6880.88 0.00 17900.00 90.71 359.59 10963.45 6823.26 894.90 6980.14 0.00 18000.00 90.71 359.59 10960.97 7023.24 894.18 7079.39 0.00 18100.00 90.71 359.59 10959.73 7123.23 893.47 7178.65 0.00 18200.00 90.71 359.59 10957.26 723.21 892.04 7377.16 0.00 18300.00 90.71 359.59 10956.02 7423.20 891.22 7476.42 0.00 18400.00 90.71 359.59 10954.78 7523.19 890.60 7575.67 0.00 18600.00 90.71									
17600.00 90.71 359.59 10965.93 6623.28 897.05 6682.37 0.00 17700.00 90.71 359.59 10964.69 6723.27 896.33 6781.63 0.00 17800.00 90.71 359.59 10963.45 6823.26 895.62 6880.88 0.00 17900.00 90.71 359.59 10962.21 6923.25 894.90 6980.14 0.00 18000.00 90.71 359.59 10969.97 7023.24 894.18 7079.39 0.00 18100.00 90.71 359.59 10959.73 7123.23 893.47 7178.65 0.00 18200.00 90.71 359.59 10957.26 7323.21 892.04 7377.16 0.00 18300.00 90.71 359.59 10957.26 7323.21 892.04 7377.16 0.00 18400.00 90.71 359.59 10954.78 7523.19 890.60 7575.67 0.00 18600.00 90.71 359.59 10954.78 7523.19 890.60 7575.67 0.00 18604.00 90.71									
17700.00 90.71 359.59 10964.69 6723.27 896.33 6781.63 0.00 17800.00 90.71 359.59 10963.45 6823.26 895.62 6880.88 0.00 17900.00 90.71 359.59 10962.21 6923.25 894.90 6980.14 0.00 18000.00 90.71 359.59 10960.97 7023.24 894.18 7079.39 0.00 18100.00 90.71 359.59 10959.73 7123.23 893.47 7178.65 0.00 18200.00 90.71 359.59 10958.05 7223.22 892.75 7277.91 0.00 18300.00 90.71 359.59 10957.26 7323.21 892.04 7377.16 0.00 18400.00 90.71 359.59 10956.02 7423.20 891.32 7476.42 0.00 18500.00 90.71 359.59 10954.78 7523.19 890.60 7575.67 0.00 18600.00 90.71 359.59 10953.54 7623.18 889.89 7674.93 0.00 18643.77 90.71									
17900.00 90.71 359.59 10962.21 6923.25 894.90 6980.14 0.00 18000.00 90.71 359.59 10960.97 7023.24 894.18 7079.39 0.00 18100.00 90.71 359.59 10959.73 7123.23 893.47 7178.65 0.00 18200.00 90.71 359.59 10958.80 7223.22 892.75 7277.91 0.00 18300.00 90.71 359.59 10957.26 7323.21 892.04 7377.16 0.00 18400.00 90.71 359.59 10956.02 7423.20 891.32 7476.42 0.00 18500.00 90.71 359.59 10954.78 7523.19 890.60 7575.67 0.00 18600.00 90.71 359.59 10954.78 7523.19 890.60 7575.67 0.00 18604.377 90.71 359.59 10953.00 7666.95 889.57 7718.38 0.00 exit 18643.77 90.71 359.59 10952.30 7723.17 889.17 7774.19 0.00 exit </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
18000.00 90.71 359.59 10960.97 7023.24 894.18 7079.39 0.00 18100.00 90.71 359.59 10959.73 7123.23 893.47 7178.65 0.00 18200.00 90.71 359.59 10958.50 7223.22 892.75 7277.91 0.00 18300.00 90.71 359.59 10957.26 7323.21 892.04 7377.16 0.00 18400.00 90.71 359.59 10956.02 7423.20 891.32 7476.42 0.00 18500.00 90.71 359.59 10954.78 7523.19 890.60 7575.67 0.00 18500.00 90.71 359.59 10954.78 7523.19 890.60 7575.67 0.00 18600.00 90.71 359.59 10953.54 7623.18 889.89 7674.93 0.00 18643.77 90.71 359.59 10953.00 7666.95 889.57 7718.38 0.00 exit 18700.00 90.71 359.59 10	17800.00	90.71	359.59	10963.45	6823.26	895.62	6880.88	0.00	
18100.00 90.71 359.59 10959.73 7123.23 893.47 7178.65 0.00 18200.00 90.71 359.59 10958.50 7223.22 892.75 7277.91 0.00 18300.00 90.71 359.59 10957.26 7323.21 892.04 7377.16 0.00 18400.00 90.71 359.59 10957.26 7223.21 892.04 7377.16 0.00 18400.00 90.71 359.59 10956.02 7423.20 891.32 7476.42 0.00 18500.00 90.71 359.59 10954.78 7523.19 890.60 7575.67 0.00 18600.00 90.71 359.59 10953.54 7623.18 889.89 7674.93 0.00 18643.77 90.71 359.59 10953.00 7666.95 889.57 7718.38 0.00 exit 18700.00 90.71 359.59 10952.30 7723.17 889.17 7774.19 0.00	17900.00					894.90			
18200.00 90.71 359.59 10958.50 7223.22 892.75 7277.91 0.00 18300.00 90.71 359.59 10957.26 7323.21 892.04 7377.16 0.00 18400.00 90.71 359.59 10956.02 7423.20 891.32 7476.42 0.00 18500.00 90.71 359.59 10954.78 7523.19 890.60 7575.67 0.00 18600.00 90.71 359.59 10953.54 7623.18 889.89 7674.93 0.00 18643.77 90.71 359.59 10953.00 7666.95 889.57 718.38 0.00 exit 18700.00 90.71 359.59 10952.30 7723.17 889.17 7774.19 0.00									
18300.00 90.71 359.59 10957.26 7323.21 892.04 7377.16 0.00 18400.00 90.71 359.59 10956.02 7423.20 891.32 7476.42 0.00 18500.00 90.71 359.59 10954.78 7523.19 890.60 757.67 0.00 18600.00 90.71 359.59 10953.54 7623.18 889.89 7674.93 0.00 18643.77 90.71 359.59 10953.00 7666.95 889.57 7718.38 0.00 exit 18700.00 90.71 359.59 10952.30 7723.17 889.17 7774.19 0.00									
18400.00 90.71 359.59 10956.02 7423.20 891.32 7476.42 0.00 18500.00 90.71 359.59 10954.78 7523.19 890.60 7575.67 0.00 18600.00 90.71 359.59 10953.54 7623.18 889.89 7674.93 0.00 18643.77 90.71 359.59 10953.00 7666.95 889.57 7718.38 0.00 exit 18700.00 90.71 359.59 10952.30 7723.17 889.17 7774.19 0.00									
18500.00 90.71 359.59 10954.78 7523.19 890.60 7575.67 0.00 18600.00 90.71 359.59 10953.54 7623.18 889.89 7674.93 0.00 18643.77 90.71 359.59 10953.00 7666.95 889.57 7718.38 0.00 exit 18700.00 90.71 359.59 10952.30 7723.17 889.17 7774.19 0.00									
18600.00 90.71 359.59 10953.54 7623.18 889.89 7674.93 0.00 18643.77 90.71 359.59 10953.00 7666.95 889.57 7718.38 0.00 exit 18700.00 90.71 359.59 10952.30 7723.17 889.17 7774.19 0.00									
18643.77 90.71 359.59 10953.00 7666.95 889.57 7718.38 0.00 exit 18700.00 90.71 359.59 10952.30 7723.17 889.17 7774.19 0.00									
18700.00 90.71 359.59 10952.30 7723.17 889.17 7774.19 0.00									ovit
									EVIC
	18723.77	90.71	359.59	10952.00	7746.94	889.04	7797.79	0.00	BHL



A multibowl wellhead may be used. The BOP will be tested per Onshore Order #2 after installation on the surface casing which will cover testing requirements for a maximum of 30 days. If any seal subject to test pressure is broken the system must be tested.

Devon proposes using a multi-bowl wellhead assembly. This assembly will only be tested when installed on the surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be 5000 (5M) psi.


- Wellhead will be installed by wellhead representatives.
- If the welding is performed by a third party, the wellhead representative will monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
- Wellhead representative will install the test plug for the initial BOP test.
- Wellhead company will install a solid steel body pack-off to completely isolate the lower head after cementing intermediate casing. After installation of the pack-off, the pack-off and the lower flange will be tested to 5M, as shown on the attached schematic. Everything above the pack-off will not have been altered whatsoever from the initial nipple up. Therefore the BOP components will not be retested at that time.
- If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head will be cut and top out operations will be conducted.
- Devon will pressure test all seals above and below the mandrel (but still above the casing) to full working pressure rating.
- Devon will test the casing to 0.22 psi/ft or 1500 psi, whichever is greater, as per Onshore Order #2.

After running the surface casing, a 13-5/8" BOP/BOPE system with a minimum rating of 5M will be installed on the wellhead system and will undergo a 250 psi low pressure test followed by a 5,000 psi high pressure test. The 5,000 psi high and 250 psi low test will cover testing requirements a maximum of 30 days, as per Onshore Order #2. If the well is not complete within 30 days of this BOP test, another full BOP test will be conducted, as per Onshore Order #2.

After running the intermediate casing with a mandrel hanger, the 13-5/8" BOP/BOPE system with a minimum rating of 5M will already be installed on the wellhead.

The pipe rams will be operated and checked each 24 hour period and each time the drill pipe is out of the hole. These tests will be logged in the daily driller's log. A 2" kill line and 3" choke line will be incorporated into the drilling spool below the ram BOP. In addition to the rams and annular preventer, additional BOP accessories include a kelly cock, floor safety valve, choke lines, and choke manifold rated at 5,000 psi WP.

Devon's proposed wellhead manufactures will be FMC Technologies, Cactus Wellhead, or Cameron.



13-5/8" 5 M BOPE & Closed Loop

Equipment Schematic

Section 2 - Blowout Preventer Testing Procedure

Variance Request

Devon Energy requests to only test BOP connection breaks after drilling out of surface casing and while skidding between wells which conforms to API Standard 53 and industry standards. This test will include the Top Pipe Rams, HCR, Kill Line Check Valve, QDC (quick disconnect to wellhead) and Shell of the 10M BOPE to 5M for 10 minutes. If a break to the flex hose that runs to the choke manifold is required due to repositioning from a skid, the HCR will remain open during the shell test to include that additional break. The variance only pertains to intermediate hole-sections and no deeper than the Bone Springs Formation where 5M BOP tests are required. The initial BOP test will follow 43 CFR 3172, and subsequent tests following a skid will only test connections that are broken. The annular preventer will be tested to 100% working pressure. This variance will meet or exceed 43 CFR 3172 per the following: Devon Energy will perform a full BOP test per 43 CFR 3172 before drilling out of the intermediate casing string(s) and starting the production hole, before starting any hole section that requires a 10M test, before the expiration of the allotted 14-days for 5M intermediate batch drilling or when the drilling rig is fully mobilized to a new well pad, whichever is sooner. We will utilize a 200' TVD tolerance between intermediate shoes as the cutoff for a full BOP test. The BLM will be contacted 4hrs prior to a BOPE test. The BLM will be notified if and when a well control event is encountered. Break test will be a 14 day interval and not a 30 day full BOPE test interval. If in the event break testing is not utilized, then a full BOPE test would be conducted.

1. Well Control Response:

1. Primary barrier remains fluid

2. In the event of an influx due to being underbalanced and after a realized gain or flow, the order of closing BOPE is as follows:

- a) Annular first
- b) If annular were to not hold, Upper pipe rams second (which were tested on the skid BOP test)
- c) If the Upper Pipe Rams were to not hold, Lower Pipe Rams would be third

Casing Assumptions and Load Cases

Surface

All casing design assumptions were ran in Stress Check to determine safety factor which meet or exceed both Devon Energy and BLM minimum requirements. All casing strings will be filled while running in hole in order to not exceed collapse rating of the pipe.

Surface Casing Burst Design					
Load Case	External Pressure	Internal Pressure			
Pressure Test	Formation Pore Pressure	Max mud weight of next hole-			
		section plus Test psi			
Drill Ahead	Formation Pore Pressure	Max mud weight of next hole			
		section			
Displace to Gas	Formation Pore Pressure	Dry gas from next casing point			

Surface Casing Collapse Design						
Load Case	External Pressure	Internal Pressure				
Full Evacuation	Water gradient in cement, mud above TOC	None				
Cementing	Wet cement weight	Water (8.33ppg)				

Surface Casing Tension Design				
Load Case	Assumptions			
Overpull	100kips			
Runing in hole	3 ft/s			
Service Loads	N/A			

Casing Assumptions and Load Cases

Intermediate

All casing design assumptions were ran in Stress Check to determine safety factor which meet or exceed both Devon Energy and BLM minimum requirements. All casing strings will be filled while running in hole in order to not exceed collapse rating of the pipe.

Intermediate Casing Burst Design				
Load Case External Pressure Internal Pressure				
Pressure Test	Formation Pore Pressure	Max mud weight of next hole-		
		section plus Test psi		
Drill Ahead	Formation Pore Pressure	Max mud weight of next hole		
		section		
Fracture @ Shoe	Formation Pore Pressure	Dry gas		

Intermediate Casing Collapse Design					
Load Case External Pressure Internal Pressure					
Full Evacuation	Water gradient in cement, mud above TOC	None			
Cementing	Wet cement weight	Water (8.33ppg)			

Intermediate Casing Tension Design			
Load Case Assumptions			
Overpull	100kips		
Runing in hole	2 ft/s		
Service Loads N/A			

Metal One Corp.				MO-FXL 8-5/8 32.0	
	MO-FXL *1 Pipe Body: BMP P110HSCY MinYS125ksi		000#	P110H	SCY
Metal One			CDS#	MinYS1	25ksi
11100000 01100		Special Drift 7.875"		SD7.8	375
	Connection Data	a Sheet	Date	27-No	
	Geometry	Imperial <u>S.I.</u>			
	Pipe Body				
	Grade *1	P110HSCY		P110HSCY	
	MinYS *1	125	ksi	125	ksi
	Pipe OD (D)	8 5/8	in	219.08	mm
MO-FXL	Weight	32.00	lb/ft	47.68	kg/m
	Actual weight	31.10		46.34	kg/m
	Wall Thickness (t)	0.352	in	8.94	mm
	Pipe ID (d)	7.921	in	201.19	mm
	Pipe body cross section	9.149	in ²	5,902	mm ²
	Special Drift Dia. *1	7.875	in	200.03	mm
		-	-	-	-
					<u> </u>
	Connection	0.005		040.00	
$\uparrow \leftrightarrow$	Box OD (W)	8.625	in	219.08	mm
	PIN ID	7.921	in	201.19	mm
Box	Make up Loss	3.847	in	97.71	mm
critical	Box Critical Area	5.853	in ²	3686	mm ²
area	Joint load efficiency	69	%	69	%
5	Thread Taper Number of Threads	1		2" per ft) TPI	
Make	Performance				
up loss D		erformance Properties for Pipe Body			
	S.M.Y.S. *1	1,144	kips	5,087	kN
5	M.I.Y.P. *1	8,930		61.59	MPa
۲. Pin	Collapse Strength *1	4.300	psi psi	29.66	MPa
critical	Note S.M.Y.S.= Specified Minimum YIELD Strength of Pipe body				
area	M.I.Y.P. = Minin				цу
	*1: BMP P110HSCY: MinYS				Inci
\leftarrow	Performance Properties		-	e Strength 4,500	Jhai
	Tensile Yield load	789 kips		of S.M.Y.S.)	
V	Min. Compression Yield	789 kips		of S.M.Y.S.)	
	Internal Pressure	6,250 psi		of M.I.Y.P.)	
	External Pressure	0,200 ps		of Collapse St	renath
	Max. DLS (deg. /100ft)		2	-	longin
		1	2	5	
	Pasammandad Taraua				
	Recommended Torque Min.	12 600	ft lb	19 400	Nm
		13,600	ft-lb	18,400	N-m
	Opti.	14,900	ft-lb	20,200	N-m
	Max.	16,200	ft-lb	21,900	N-m
	Operational Max.	28,400	ft-lb	38,500	N-m
	Note : Operational Max. t	orque can be appli	ed for high	n torque applicatio	n
al Notice					
e use of this information is at the	reader/user's risk and no warranty is implied				
ares (nerein conectively referred	I to as "Metal One") with respect to the use o	mormation contained I			uns conne
Sheet is for informational purp sheet is for informational purp	oses only, and was prepared by reference to	engineering information	n that is spec	ific to the subject prod	ucts, without
rd to safety-related factors, all	of which are the sole responsibility of the ope				
	of which are the sole responsibility of the ope				

Statements regarding the suitability of products for certain types of applications are based on Metal One's knowledge of typical requirements that are often placed on Metal One products in standard well configurations. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application

The products described in this Connection Data Sheet are not recommended for use in deep water offshore applications. For more information, please refer to <u>http://www.mtlo.co.jp/mo-con/_images/top/WebsiteTerms_Active_20333287_1.pdf</u> the contents of which are incorporated by reference into this Connection Data Sheet.

Casing Assumptions and Load Cases

Production

All casing design assumptions were ran in Stress Check to determine safety factor which meet or exceed both Devon Energy and BLM minimum requirements. All casing strings will be filled while running in hole in order to not exceed collapse rating of the pipe.

Production Casing Burst Design					
Load Case External Pressure Internal Pressure					
Pressure Test	Formation Pore Pressure	Fluid in hole (water or produced			
		water) + test psi			
Tubing Leak	Formation Pore Pressure	Packer @ KOP, leak below			
		surface 8.6 ppg packer fluid			
Stimulation	Formation Pore Pressure	Max frac pressure with heaviest			
		frac fluid			

Production Casing Collapse Design					
Load Case External Pressure Internal Pressure					
Full Evacuation	Water gradient in cement, mud	None			
above TOC.					
Cementing	Wet cement weight	Water (8.33ppg)			

Production Casing Tension Design			
Load Case Assumptions			
Overpull	100kips		
Runing in hole	2 ft/s		
Service Loads N/A			

PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

OPERATOR'S NAME:	Devon Energy Production Company LP
LOCATION:	Section 30, T.25 S., R.32 E., NMPM
COUNTY:	Lea County, New Mexico
WELL NAME & NO.:	Arabian 30-19 Fed Com 305H
ATS/API ID:	ATS-24-245
APD ID:	10400099505
Sundry ID:	N/a
WELL NAME & NO.:	Sapphire Federal Com 306H
ATS/API ID:	ATS-24-2696
APD ID:	10400099581
Sundry ID:	N/a
WELL NAME & NO.:	Sapphire Federal Com 307H
ATS/API ID:	ATS-24-2697
APD ID:	10400100631
Sundry ID:	N/a
WELL NAME & NO.:	Sapphire Federal Com 308H
ATS/API ID:	ATS-24-2698
APD ID:	10400100683
Sundry ID:	N/a
WELL NAME & NO.:	Arabian 30-19 Fed Com 616H
ATS/API ID:	ATS-24-247
APD ID:	10400099525
Sundry ID:	N/a
WELL NAME & NO.:	Sapphire Federal Com 618H
ATS/API ID:	ATS-24-2699
APD ID:	10400100633
Sundry ID:	N/a
Sunury ID.	11/4
WELL NAME & NO.:	Sapphire Federal Com 625H
ATS/API ID:	ATS-24-1003
APD ID:	10400099521
Sundry ID:	N/a
······································	

Approval Date: 03/25/2025

WELL NAME & NO.:	Sapphire Federal Com 627H
ATS/API ID:	ATS-24-2700
APD ID:	10400100595
Sundry ID:	N/a
WELL NAME & NO	

WELL NAME & NO.:	Sapphire Federal Com 718H
ATS/API ID:	ATS-24-2703
APD ID:	10400100678
Sundry ID:	N/a

COA

H2S	No		
Potash	None 💌	None	
Cave/Karst Potential	Low		
Cave/Karst Potential	Critical		
Variance	C None	🖸 Flex Hose	C Other
Wellhead	Conventional and Multibov	vl 🚽	
Other	\Box 4 String \Box 5 String	Capitan Reef	□WIPP
		None 🔻	
Other	Pilot Hole	C Open Annulus	
	None 🔻		
Cementing	Contingency Squeeze	Echo-Meter	Primary Cement
	None	Int 1	Squeeze
			None 🚽
Special	□ Water	COM	🗖 Unit
Requirements	Disposal/Injection		
Special	Batch Sundry	Waste Prevention	
Requirements		Waste MP <	
Special	Break Testing	✓ Offline	Casing
Requirements		Cementing	Clearance
Variance			

A. HYDROGEN SULFIDE

Hydrogen Sulfide (H2S) monitors shall be installed prior to drilling out the surface shoe. If H2S is detected in concentrations greater than 100 ppm, the Hydrogen Sulfide area shall meet **43 CFR part 3170 Subpart 3176**, which includes equipment and personnel/public protection items. If Hydrogen Sulfide is encountered, provide measured values and formations to the BLM.

B. CASING

- The 10-3/4 inch surface casing shall be set at approximately 1100 feet (a minimum of 25 feet (Lea County) into the Rustler Anhydrite and above the salt when present, and below usable fresh water) and cemented to the surface. The surface hole shall be 14 3/4 inch in diameter.
 - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
 - b. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u> <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
 - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
 - d. If cement falls back, remedial cementing will be done prior to drilling out that string.

Intermediate casing must be kept fluid filled to meet BLM minimum collapse requirement.

2. The minimum required fill of cement behind the 8-5/8 inch intermediate casing is:

Option 1 (Single Stage):

• Cement to surface. If cement does not circulate see B.1.a, c-d above.

Option 2:

Operator has proposed to cement in two stages by conventionally cementing the first stage and performing a bradenhead squeeze on the second stage, contingent upon no returns to surface.

Approval Date: 03/25/2025

- a. First stage: Operator will cement with intent to reach the top of the **Brushy** Canyon at 6811'.
- b. Second stage:
 - Operator will perform bradenhead squeeze and top-out. Cement to surface. If cement does not reach surface, the appropriate BLM office shall be notified. (Squeeze 500 sxs Class C)

Operator has proposed to pump down **10-3/4**" X **8-5/8**" annulus after primary cementing stage. <u>Operator must run Echo-meter to verify Cement Slurry/Fluid top in the annulus Or operator shall run a CBL from TD of the **8-5/8**" casing to surface after the second stage <u>BH to verify TOC.</u></u>

Submit results to the BLM. No displacement fluid/wash out shall be utilized at the top of the cement slurry between second stage BH and top out. Operator must run one CBL per Well Pad. Operator may conduct a negative and positive pressure test during completion to remediate sustained casing pressure.

If cement does not reach surface, the next casing string must come to surface.

Operator must use a limited flush fluid volume of 1 bbl following backside cementing procedures.

- 3. The minimum required fill of cement behind the 5-1/2 inch production casing is:
 - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

C. PRESSURE CONTROL

1. Variance approved to use flex line from BOP to choke manifold. Manufacturer's specification to be readily available. No external damage to flex line. Flex line to be installed as straight as possible (no hard bends).'

2.

Option 1:

- a. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be **5000 (5M)** psi. Annular which shall be tested to **5000 (5M)** psi.
- b. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the **8-5/8** inch intermediate casing shoe shall be **5000 (5M)** psi.

Option 2:

Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the **10-3/4** inch surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be **5000 (5M)** psi.

- a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
- b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
- c. Manufacturer representative shall install the test plug for the initial BOP test.
- d. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
- e. Whenever any seal subject to test pressure is broken, all the tests in 43 CFR 3172.6(b)(9) must be followed.

D. SPECIAL REQUIREMENT (S)

Communitization Agreement

- The operator will submit a Communitization Agreement to the Santa Fe Office, 301 Dinosaur Trail Santa Fe, New Mexico 87508, at least 90 days before the anticipated date of first production from a well subject to a spacing order issued by the New Mexico Oil Conservation Division. The Communitization Agreement will include the signatures of all working interest owners in all Federal and Indian leases subject to the Communitization Agreement (i.e., operating rights owners and lessees of record), or certification that the operator has obtained the written signatures of all such owners and will make those signatures available to the BLM immediately upon request.
- The operator will submit an as-drilled survey well plat of the well completion, but are not limited to, those specified in 43 CFR part 3170 Subpart 3171
- If the operator does not comply with this condition of approval, the BLM may take enforcement actions that include, but are not limited to, those specified in 43 CFR 3163.1.
- In addition, the well sign shall include the surface and bottom hole lease numbers. <u>When the Communitization Agreement number is known, it shall also be on the sign.</u>

BOPE Break Testing Variance (Approved)

• BOPE Break Testing is ONLY permitted for 5M BOPE or less. (Annular preventer

must be tested to a minimum of 70% of BOPE working pressure and shall be higher than the MASP)

- BOPE Break Testing is NOT permitted to drilling the production hole section.
- Variance only pertains to the intermediate hole-sections and no deeper than the Bone Springs formation.
- While in transfer between wells, the BOPE shall be secured by the hydraulic carrier or cradle.
- Any well control event while drilling require notification to the BLM Petroleum Engineer (575-706-2779) prior to the commencement of any BOPE Break Testing operations.
- A full BOPE test is required prior to drilling the first deep intermediate hole section. If any subsequent hole interval is deeper than the first, a full BOPE test will be required. (200' TVD tolerance between intermediate shoes is allowable).
- The BLM is to be contacted (575-689-5981 Lea County) 4 hours prior to BOPE tests.
- As a minimum, a full BOPE test shall be performed at **21**-day intervals.
- In the event any repairs or replacement of the BOPE is required, the BOPE shall test as per 43 CFR part 3170 Subpart 3172.
- If in the event break testing is not utilized, then a full BOPE test would be conducted.

Offline Cementing

Operator has been (Approved) to pump the proposed cement program offline in the Intermediate(s) interval.

Offline cementing should commence within 24 hours of landing the casing for the interval.

Notify the BLM 4hrs prior to cementing offline at Lea County: 575-689-5981.

Approval Date: 03/25/2025

GENERAL REQUIREMENTS

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)
 - Lea County Call the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240, (575) 689-5981
- 1. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.
 - a. In the event the operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after installing and testing the wellhead, by installing a blind flange of like pressure rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other well(s).
 - b. When the operator proposes to set surface casing with Spudder Rig
 - Notify the BLM when moving in and removing the Spudder Rig.
 - Notify the BLM when moving in the 2nd Rig. Rig to be moved in within 90 days of notification that Spudder Rig has left the location.
 - BOP/BOPE test to be conducted per **43** CFR part **3170** Subpart **3172** as soon as 2nd Rig is rigged up on well.
- 2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works are located, this does not include the dog house or stairway area.

A. CASING

1. Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.

8:41 PM Approval Date: 03/25/2025

- 2. Wait on cement (WOC) for Potash Areas: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends of both lead and tail cement, 2) until cement has been in place at least <u>8 hours</u>. WOC time will be recorded in the driller's log. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 3. <u>Wait on cement (WOC) for Water Basin:</u> After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least <u>8 hours</u>. WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.
- 5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.
- 6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.
- 7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.
- 8. Whenever a casing string is cemented in the R-111-P potash area, the NMOCD requirements shall be followed.
- B. PRESSURE CONTROL
- All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in 43 CFR part 3170 Subpart 3172 and API STD 53 Sec. 5.3.
- 2. If a variance is approved for a flexible hose to be installed from the BOP to the choke manifold, the following requirements apply: The flex line must meet the requirements of API 16C. Check condition of flexible line from BOP to choke

Page 8 of 11

manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.

- 3. 5M or higher system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.
- 4. If the operator has proposed a multi-bowl wellhead assembly in the APD. The following requirements must be met:
 - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
 - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
 - c. Manufacturer representative shall install the test plug for the initial BOP test.
 - d. Whenever any seal subject to test pressure is broken, all the tests in 43 CFR 3172.6(b)(9) must be followed.
 - e. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
- 5. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.
 - a. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead cement), whichever is greater. However, if the float does not hold, cut-off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).
 - b. In potash areas, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. For all casing strings, casing cut-off and BOP installation can be initiated at twelve hours after bumping the cement plug. The BOPE test can be

initiated after bumping the cement plug with the casing valve open. (only applies to single stage cement jobs, prior to the cement setting up.)

- c. The tests shall be done by an independent service company utilizing a test plug not a cup or J-packer and can be initiated immediately with the casing valve open. The operator also has the option of utilizing an independent tester to test without a plug (i.e. against the casing) pursuant to 43 CFR part 3170 Subpart 3172 with the pressure not to exceed 70% of the burst rating for the casing. Any test against the casing must meet the WOC time for 8 hours or 500 pounds compressive strength, whichever is greater, prior to initiating the test (see casing segment as lead cement may be critical item).
- d. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.
- e. The results of the test shall be reported to the appropriate BLM office.
- f. All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.
- g. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- h. BOP/BOPE must be tested by an independent service company within 500 feet of the top of the Wolfcamp formation if the time between the setting of the intermediate casing and reaching this depth exceeds 20 days. This test does not exclude the test prior to drilling out the casing shoe as per 43 CFR part 3170 Subpart 3172.

C. DRILLING MUD

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the Wolfcamp formation, and shall be used until production casing is run and cemented.

D. WASTE MATERIAL AND FLUIDS

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and

disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area.

Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

Long Vo (LVO) 11/1/2024

Approval Date: 03/25/2025



Devon Energy Center 333 West Sheridan Avenue Oklahoma City, Oklahoma 73102-5015

Hydrogen Sulfide (H₂S) Contingency Plan


For

Arabian 30-19 Fed Com 307H

Sec-30 T-25S R-32E 2488' FNL & 2345' FEL LAT. = 32.101742° N (NAD83) LONG = 103.713441° W

Lea County NM

E



Assumed 100 ppm ROE = 3000' (Radius of Exposure) 100 ppm H2S concentration shall trigger activation of this plan.

Escape

Crews shall escape upwind of escaping gas in the event of an emergency release of gas. Escape can be facilitated from the location entrance road. Crews should then block the entrance to the location from the lease road so as not to allow anyone traversing into a hazardous area. The blockade should be at a safe distance outside of the ROE. <u>There are no homes or buildings in or near the ROE</u>.

Assumed 100 ppm ROE = 3000'

100 ppm H₂S concentration shall trigger activation of this plan.

Emergency Procedures

In the event of a release of gas containing H₂S, the first responder(s) must

- Isolate the area and prevent entry by other persons into the 100 ppm ROE.
- Evacuate any public places encompassed by the 100 ppm ROE.
- Be equipped with H₂S monitors and air packs in order to control the release.
- Use the "buddy system" to ensure no injuries occur during the response
- Take precautions to avoid personal injury during this operation.
- Contact operator and/or local officials to aid in operation. See list of phone numbers attached.
- Have received training in the
 - \circ Detection of H₂S, and
 - Measures for protection against the gas,
 - Equipment used for protection and emergency response.

Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (SO₂). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas

Common	Chemical	Specific	Threshold	Hazardous Limit	Lethal
Name	Formula	Gravity	Limit		Concentration
Hydrogen Sulfide	H₂S	1.189 Air = 1	10 ppm	100 ppm/hr	600 ppm
Sulfur Dioxide	SO2	2.21 Air = 1	2 ppm	N/A	1000 ppm

Characteristics of H₂S and SO₂

Contacting Authorities

Devon Energy Corp. personnel must liaison with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind direction, location of release, etc. Be prepared with all information available. The following call list of essential and potential responders has been prepared for use during a release. Devon Energy Corp. Company response must be in coordination with the State of New Mexico's 'Hazardous Materials Emergency Response Plan' (HMER)

Hydrogen Sulfide Drilling Operation Plan

I. HYDROGEN SULFIDE (H₂S) TRAINING

All personnel, whether regularly assigned, contracted, or employed on an unscheduled basis, will receive training from a qualified instructor in the following areas prior to commencing drilling operations on this well:

- 1. The hazards and characteristics of hydrogen sulfide (H₂S)
- 2. The proper use and maintenance of personal protective equipment and life support systems.
- 3. The proper use of H₂S detectors, alarms, warning systems, briefing areas, evacuation procedures, and prevailing winds.
- 4. The proper techniques for first aid and rescue procedures.

In addition, supervisory personnel will be trained in the following areas:

- 1. The effects of H₂S metal components. If high tensile tubulars are to be used, personnel will be trained in their special maintenance requirements.
- 2. Corrective action and shut-in procedures when drilling or reworking a well and blowout prevention and well control procedures.
- 3. The contents and requirements of the H₂S Drilling Operations Plan.

There will be weekly H₂S and well control drills for all personnel in each crew.

II. HYDROGEN SULFIDE TRAINING

Note: All H_2S safety equipment and systems will be installed, tested, and operational when drilling reaches a depth of 500 feet above, or three days prior to penetrating the first zone containing or reasonably expected to contain H_2S .

1. Well Control Equipment

- A. Flare line
- B. Choke manifold Remotely Operated
- C. Blind rams and pipe rams to accommodate all pipe sizes with properly sized closing unit
- D. Auxiliary equipment may include if applicable: annular preventer and rotating head.
- E. Mud/Gas Separator

2. Protective equipment for essential personnel:

30-minute SCBA units located at briefing areas, as indicated on well site diagram, with escape units available in the top doghouse. As it may be difficult to communicate audibly while wearing these units, hand signals shall be utilized.

3. H₂S detection and monitoring equipment:

Portable H₂S monitors positioned on location for best coverage and response. These units have warning lights which activate when H₂S levels reach 10 ppm and audible sirens which activate at 10 ppm. Sensor locations:

- Bell nipple
- Possum Belly/Shale shaker
- Rig floor
- Choke manifold
- Cellar

Visual warning systems:

- A. Wind direction indicators as shown on well site diagram
- B. Caution/ Danger signs shall be posted on roads providing direct access to locations. Signs will be painted a high visibility yellow with black lettering of sufficient size to be reasonable distance from the immediate location. Bilingual signs will be used when appropriate.

4. Mud program:

The mud program has been designed to minimize the volume of H_2S circulated to surface. Proper mud weight, safe drilling practices and the use of H_2S scavengers will minimize hazards when penetrating H_2S bearing zones.

5. Metallurgy:

- A. All drill strings, casings, tubing, wellhead, blowout preventer, drilling spool, kill lines, choke manifold lines, and valves shall be H₂S trim.
- B. All elastomers used for packing and seals shall be H₂S trim.

6. Communication:

- A. Company personnel have/use cellular telephones in the field.
- B. Land line (telephone) communications at Office

7. Well testing:


- A. Drill stem testing will be performed with a minimum number of personnel in the immediate vicinity, which are necessary to safety and adequately conduct the test. The drill stem testing will be conducted during daylight hours and formation fluids will not be flowed to the surface. All drill-stem-testing operations conducted in an H₂S environment will use the closed chamber method of testing.
- B. There will be no drill stem testing.

Devon Energy Corp. Company Call List						
Employee/Company Contact Representative	Position	Phone Number	After Hours Number			
Jonathan Fisher (North)	Drilling Manager	832-967-7912				
Jason Hildebrand (South)	Drilling Manager	405-552-6514				
Rich Downey	Drilling VP	405-228-2415				
Josh Harvey	EHS Manager	405-228-2440	918-500-5536			
Laura Wright	EHS Supervisor	405-552-5334	832-969-8145			
Robert Glover	EHS Professional	575-703-5712	575-703-5712			
Lane Frank	Lead EHS	580-579-7052	580-579-7052			
Rickey Porter	Lead EHS	903-720-8315	903-720-8315			
Ronnie Handy	Lead EHS	918-839-2046	918-839-2046			
Brock Vise	Lead EHS	918-413-3291	918-413-3291			

Agency	Call List	
Lea Occurrentes	Hobbs	
County	Lea County Communication Authority	397-9265
<u>(575)</u>	State Police	885-3138
	City Police	397-9265
	Sheriff's Office Ambulance	396-3611
		911
	Fire Department	397-9308
	LEPC (Local Emergency Planning Committee)	393-2870
	NMOCD	393-6161
	US Bureau of Land Management (Closed)	393-0002
Eddy	Carlsbad	
<u>County</u>	State Police	885-3137
<u>(575)</u>	City Police	885-2111
	Sheriff's Office	887-7551
	Ambulance	911
	Fire Department	885-3125
	LEPC (Local Emergency Planning Committee)	887-3798
	US Bureau of Land Management	234-5972
	NM Emergency Response Commission (Santa Fe)	(505) 476-9600
	24 HR	(505) 827-9126
	National Emergency Response Center	(800) 424-8802
	National Pollution Control Center: Direct	(703) 872-6000
	For Oil Spills	(800) 280-7118
	Emergency Services	
	Wild Well Control	(281) 784-4700
	Cudd Pressure Control (915) 699-0139	(915) 563-3356
	Halliburton	(575) 746-2757
	B. J. Services	(575) 746-3569
Give	Native Air – Emergency Helicopter – Hobbs	(575) 347-9836
GPS	For Air Ambulance - Eddy County Dispatch	(575)-616-7155
position:	For Air Ambulance - Lea County (LCCA)	(575)-397-9265
	Poison Control (24/7)	(800) 222-1222
	Oil & Gas Pipeline 24 Hour Service	(800) 364-4366
	NOAA – Website - www.nhc.noaa.gov	
	National Pollution Control Center	202-795-6958
	NPCC – Oil Spills	800-280-7118

Prepared in conjunction with Dave Small

.



Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Page 59 of 59

Action 447701

CONDITIONS

Operator:	OGRID:	
DEVON ENERGY PRODUCTION COMPANY, LP	6137	
333 West Sheridan Ave.	Action Number:	
Oklahoma City, OK 73102	447701	
	Action Type:	
	[C-101] BLM - Federal/Indian Land Lease (Form 3160-3)	

CONDITIONS

Created By	Condition	Condition Date
wsalter	Cement is required to circulate on both surface and intermediate1 strings of casing.	4/1/2025
wsalter	If cement does not circulate on any string, a Cement Bond Log (CBL) is required for that string of casing.	4/1/2025
matthew.gomez	Administrative order required for non-standard location prior to production.	6/17/2025
matthew.gomez	Notify the OCD 24 hours prior to casing & cement.	6/17/2025
matthew.gomez	A [C-103] Sub. Drilling (C-103N) is required within (10) days of spud.	6/17/2025
matthew.gomez	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string.	6/17/2025
matthew.gomez	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.	6/17/2025
matthew.gomez	File As Drilled C-102 and a directional Survey with C-104 completion packet.	6/17/2025