

Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: RANA SALADA 0112 FED Well Location: T23S / R28E / SEC 1 /

LOT 2 / 32.3415162 / -104.0374678

C 1 / County or Parish/State: EDDY / NM

Well Number: 222H Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMNM091078,

NMNM91078

COM

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001553470

Well Status: Drilling Well

Operator: NOVO OIL AND GAS NORTHERN DELAWARE LLC

Subsequent Report

Sundry ID: 2761601

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 11/14/2023 Time Sundry Submitted: 03:18

Date Operation Actually Began: 09/01/2023

Actual Procedure: 09/01/2023 - NOTIFIED BLM OF INTENT TO SPUD -SPUD WELL 09/02/2023 - DRILL 17.5" SURFACE HOLE TO 423' MD -NOTIFY BLM OF INTENT TO RUN & CEMENT 13.375" SURFACE CASING -RUN 10 JTS, 13.375", 54.5#, J-55 BTC CSG SET @ 423' MD -CEMENT SURFACE CASING LEAD -129 BBLS (525 SXS) CLASS C @ 1.38 YIELD *CIRCULATED 72 BBLS (292 SXS) CEMENT TO SURFACE -RELEASE SPUDDER RIG 10/12/2023 - NOTIFIED BLM OF INTENT TO TEST BOPE & RESUME DRILLING OPERATIONS 10/13/2023 - TEST BOPE; CHOKE, VALVES, PIPE, RAMS; 250 LOW/5000 HIGH; 10 MIN EA. TEST; ALL GOOD TEST -TEST ANNULAR; 250 LOW/3500 HIGH; 10 MIN; GOOD TEST -PRESSURE TEST 13.375" SURFACE CASING; 1500 PSI; 30 MIN; GOOD TEST 10/16/2023 - NOTIFY BLM OF INTENT TO RUN & CMNT 8.625" INTERMEDIATE CASING -DRILL 9.875" INTERMEDIATE HOLE TO 9480' MD 10/17/2023 - RUN 215 JTS, 8.625", 32# P-110 HC ANACONDA SP CSG SET @ 9465' MD 10/18/2023 - CEMENT 8.625" INTERMEDIATE CASING LEAD - 397 BBLS (870 SXS) CLASS C @ 2.56 YIELD TAIL - 37 BBLS (135 SXS) CLASS C @ 1.54 YIELD *CIRCULATED 131 BBLS (287 SXS) CEMENT TO SURFACE -WOC 24 HOURS -PRESSURE TESTED 8.625" INTERMEDIATE CASING; 2060 PSI; 30 MIN; GOOD TEST 10/30/2023 - DRILL 7.875" PRODUCTION HOLE TO 17,689' TOTAL DEPTH -NOTIFIED BLM OF INTENT TO RUN & CEMENT 5.5" PRODUCTION CASING 10/31/2023 - RUN 405 JTS, 5.5", 20#, P-110 RY HC CBCD CASING SET @ 17,656' MD 11/01/2023 - CEMENT 5.5" PRODUCTION CASING LEAD - 285 BBLS (1010 SXS) CLASS H @ 1.58 YIELD TAIL - 380 BBLS (1485 SXS) CLASS H @ 1.44 YIELD *CIRCULATED 100 BBLS (355 SXS) CEMENT TO SURFACE -RIG RELEASED **PRODUCTION CASING PRESSURE TEST WILL BE CONDUCTED PRIOR TO **COMPLETIONS OPERATIONS****

by OCD: 1/15/2024 10:01:38 AM Name: RANA SALADA 0112 FED

COM

Well Location: T23S / R28E / SEC 1 / LOT 2 / 32.3415162 / -104.0374678

County or Parish/State: EDD 200

NM

Well Number: 222H

Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

Lease Number: NMNM091078,

NMNM91078

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001553470

Well Status: Drilling Well

Operator: NOVO OIL AND GAS NORTHERN DELAWARE LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JENNIFER ELROD Signed on: NOV 14, 2023 03:18 PM

Name: NOVO OIL AND GAS NORTHERN DELAWARE LLC

Title: Senior Regulatory Analyst

Street Address: 300 N MARIENFIELD STREET SUITE 1000

City: MIDLAND State: TX

Phone: (940) 452-6214

Email address: JENNIFER.ELROD@PERMIANRES.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted Disposition Date: 11/29/2023

Signature: Jonathon Shepard

Page 2 of 2

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BUREAU OF LAND MANAGEMENT			5. Lease Serial No.	5. Lease Serial No. NMNM91078		
Do not use this t	OTICES AND REPORTS ON Worm for proposals to drill or to Use Form 3160-3 (APD) for suc	re-enter an	6. If Indian, Allottee			
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit of CA/Agre	7. If Unit of CA/Agreement, Name and/or No.		
1. Type of Well	7-11 041		8. Well Name and No	O. RANA SALADA 0112 FED COM/222		
Oil Well Gas Well Other 2. Name of Operator NOVO OIL AND GAS NORTHERN DELAWARE LLC			9 API Well No	RANA SALADA 0112 FED COM/222		
				9. API Well No. 3001553470 10. Field and Pool or Exploratory Area		
3a. Address 228 ST. CHARLES AVENUE, SUITE 912, NEW (3b. Phone No. (include area code) (504) 523-1831			PURPLE SAGE	Exploratory Area		
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 1/T23S/R28E/NMP			11. Country or Parish EDDY/NM	ı, State		
12. CHE	CK THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE OF NO	OTICE, REPORT OR OT	HER DATA		
TYPE OF SUBMISSION		TYPE OF A	ACTION			
Notice of Intent Subsequent Report Final Abandonment Notice	Casing Repair New Change Plans Plug	aulic Fracturing R Construction R and Abandon T	Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal	Water Shut-Off Well Integrity Other		
the Bond under which the work will completion of the involved operation completed. Final Abandonment No is ready for final inspection.) 09/01/2023 - NOTIFIED BLM (19/10/2023) - DRILL 17.5" SUFFINITION OF INTENT TO SUFFINITION OF INTENT SUFFINITION OF INTE	RFACE HOLE TO 423' MD RUN & CEMENT 13.375" SURFACE C J-55 BTC CSG SET @ 423' MD G CLASS C @ 1.38 YIELD SXS) CEMENT TO SURFACE OF INTENT TO TEST BOPE & RESUM OKE, VALVES, PIPE, RAMS; 250 LOW 8500 HIGH; 10 MIN; GOOD TEST	ile with BLM/BIA. Requinpletion or recompletion is, including reclamation, is, including reclamation, is a sample of the control of the contr	ired subsequent reports min a new interval, a Form 3 have been completed and	ust be filed within 30 days following 3160-4 must be filed once testing has been the operator has detennined that the site		
JENNIFER ELROD / Ph: (940) 452		Senior Regulato	ry Analyst			
Signature (Electronic Submission		Title Date	11/14/2	2023		
	THE SPACE FOR FED	ERAL OR STATE	OFICE USE			
Approved by						
JONATHON W SHEPARD / Ph: (5	75) 234-5972 / Accepted	Petroleum I Title	Engineer	11/29/2023 Date		
	ned. Approval of this notice does not warran equitable title to those rights in the subject le duct operations thereon.		AD			

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Additional Remarks

-PRESSURE TEST 13.375" SURFACE CASING; 1500 PSI; 30 MIN; GOOD TEST

10/16/2023 - NOTIFY BLM OF INTENT TO RUN & CMNT 8.625" INTERMEDIATE CASING

-DRILL 9.875" INTERMEDIATE HOLE TO 9480' MD

10/17/2023 - RUN 215 JTS, 8.625", 32# P-110 HC ANACONDA SP CSG SET @ 9465' MD

10/18/2023 - CEMENT 8.625" INTERMEDIATE CASING

LEAD - 397 BBLS (870 SXS) CLASS C @ 2.56 YIELD

TAIL - 37 BBLS (135 SXS) CLASS C @ 1.54 YIELD

*CIRCULATED 131 BBLS (287 SXS) CEMENT TO SURFACE

- -WOC 24 HOURS
- -PRESSURE TESTED 8.625" INTERMEDIATE CASING; 2060 PSI; 30 MIN; GOOD TEST

10/30/2023 - DRILL 7.875" PRODUCTION HOLE TO 17,689' TOTAL DEPTH

-NOTIFIED BLM OF INTENT TO RUN & CEMENT 5.5" PRODUCTION CASING

10/31/2023 - RUN 405 JTS, 5.5", 20#, P-110 RY HC CBCD CASING SET @ 17,656' MD

11/01/2023 - CEMENT 5.5" PRODUCTION CASING

LEAD - 285 BBLS (1010 SXS) CLASS H @ 1.58 YIELD

TAIL - 380 BBLS (1485 SXS) CLASS H @ 1.44 YIELD

*CIRCULATED 100 BBLS (355 SXS) CEMENT TO SURFACE

- -RIG RELEASED
- **PRODUCTION CASING PRESSURE TEST WILL BE CONDUCTED PRIOR TO COMPLETIONS OPERATIONS**

Location of Well

0. SHL: LOT 2 / 195 FNL / 1705 FEL / TWSP: 23S / RANGE: 28E / SECTION: 1 / LAT: 32.3415162 / LONG: -104.0374678 (TVD: 0 feet, MD: 0 feet)

PPP: SESW / 41 FSL / 2310 FWL / TWSP: 22S / RANGE: 28E / SECTION: 36 / LAT: 32.3421623 / LONG: -104.0417561 (TVD: 9900 feet, MD: 10148 feet)

BHL: SENW / 2510 FNL / 2310 FWL / TWSP: 23S / RANGE: 28E / SECTION: 12 / LAT: 32.3204952 / LONG: -104.0419429 (TVD: 10006 feet, MD: 18070 feet)

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 303443

CONDITIONS

Operator:	OGRID:
COLGATE OPERATING, LLC	371449
300 North Marienfeld Street	Action Number:
Midland, TX 79701	303443
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	Report pressure test on next sundry. Include test pressure and duration.	6/24/2025