

Well Name: CLETUS FED COM	Well Location: T23S / R26E / SEC 28 / SESW / 32.2691711 / -104.3012747	County or Parish/State: EDDY / NM
Well Number: 402H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM092900	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001553604	Well Status: Drilling Well	Operator: EARTHSTONE OPERATING LLC

Subsequent Report

Sundry ID: 2767814

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 01/02/2024

Time Sundry Submitted: 02:39

Date Operation Actually Began: 09/03/2023

Actual Procedure: 09/02/2023 - NOTIFIED BLM OF INTENT TO SPUD WELL 09/03/2023 - SPUD WELL 09/04/2023 - NOTIFIED BLM OF INTENT TO RUN & CMNT SURFACE CASING -DRILL 14.75" SURFACE CASING TO 506' MD - RUN 12 JTS, 45.5#, J-55 BTC CSG SET @ 506' MD -CEMENT 10.75" SURFACE CASING W/125 BBLS (525 SXS) CLASS C @ 1.34 YIELD **CIRCULATED 54 BBLS (226 SXS) CEMENT TO SURFACE -PRESSURE TEST 10.75" SURFACE CASING TO 1500 PSI; 30 MIN; GOOD TEST -WOC 8 HOURS -CEASE DRILLING OPERATIONS & RELEASE RIG 10/21/2023 - NOTIFY BLM OF INTENT TO RESUME DRILLING OPERATIONS & TEST BOPE 10/22/2023 - TEST BOP; CHOKE, VALVES, RAMS, PUMPS; 10 MIN EACH TEST; ALL GOOD TEST -TEST ANNULAR; 250 LOW; 2500 HIGH; 10 MIN; GOOD TEST 10/23/2023 - BEGIN DRILLING 9.875" INTERMEDIATE HOLE -DRILL 9.875" INTERMEDIATE HOLE TO 1820' MD -NOTIFIED BLM OF INTENT TO RUN & CMNT 8.625" INTERMEDIATE CASING -RUN 39 JTS, 8.625", 32# EHCL-80 MO-FXL CSG SET @ 1805' MD 10/23 - 10/24/2023 - CEMENT 8.625" INTERMEDIATE CASING LEAD - 143 BBLS (350 SXS) CLASS C @ 2.3 YIELD TAIL - 24 BBLS (100 SXS) CLASS C @ 1.32 YIELD **CIRCULATED 141 BBLS (247 SXS) CEMENT TO SURFACE 10/24/2023 - PRESSURE TEST 8.625" INTERMEDIATE CASING TO 1500 PSI; 30 MIN; GOOD TEST -WOC 8 HOURS 11/2/2023 - DRILL 7.875" PRODUCTION HOLE TO 18,667' TD 11/3/2023 - NOTIFY BLM OF INTENT TO RUN & CMNT PRODUCTION CASING 11/3-11/4/2023 - RUN 409 JTS, 5.5", 20# P-110 GBCD CSG SET @ 18,644' MD 11/4/2023 - CEMNT 5.5" PRODUCTION CASING LEAD - 323 BBLS (595 SXS) CLASS H @ 3.05 YIELD TAIL - 440 BBLS (1280 SXS) CLASS H @ 1.93 YIELD **CIRCULATED 73 BBLS (134 SXS) CEMENT TO SURFACE -RIG RELEASED

Received by OCD: 1/15/2024 12:51:58 PM

Page 2 of 6

Well Name: CLETUS FED COM	Well Location: T23S / R26E / SEC 28 / SESW / 32.2691711 / -104.3012747	County or Parish/State: EDDY / NM
Well Number: 402H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM092900	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001553604	Well Status: Drilling Well	Operator: EARTHSTONE OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JENNIFER ELROD	Signed on: JAN 02, 2024 02:39 PM
Name: EARTHSTONE OPERATING LLC	
Title: Senior Regulatory Analyst	
Street Address: 300 N MARIENFIELD STREET SUITE 1000	
City: MIDLAND	State: TX
Phone: (940) 452-6214	
Email address: JENNIFER.ELROD@PERMIANRES.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/11/2024
Signature: Jonathon Shepard	

Form 3160-5 (June 2019)	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.		5. Lease Serial No. NMNM092900
		6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2		7. If Unit of CA/Agreement, Name and/or No.
1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. CLETUS FED COM/402H
2. Name of Operator EARTHSTONE OPERATING LLC		9. API Well No. 3001553604
3a. Address 300 N MARIENFIELD STREET SUITE 1000, MID	3b. Phone No. (include area code) (432) 695-4222	10. Field and Pool or Exploratory Area PURPLE SAGE/WOLFCAMP
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 28/T23S/R26E/NMP		11. Country or Parish, State EDDY/NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

09/02/2023 - NOTIFIED BLM OF INTENT TO SPUD WELL
09/03/2023 - SPUD WELL
09/04/2023 - NOTIFIED BLM OF INTENT TO RUN & CMENT SURFACE CASING
-DRILL 14.75" SURFACE CASING TO 506' MD
-RUN 12 JTS, 45.5#, J-55 BTC CSG SET @ 506' MD
-CEMENT 10.75" SURFACE CASING W/125 BBLS (525 SXS) CLASS C @ 1.34 YIELD
**CIRCULATED 54 BBLS (226 SXS) CEMENT TO SURFACE
-PRESSURE TEST 10.75" SURFACE CASING TO 1500 PSI; 30 MIN; GOOD TEST
-WOC 8 HOURS
-CEASE DRILLING OPERATIONS & RELEASE RIG
10/21/2023 - NOTIFY BLM OF INTENT TO RESUME DRILLING OPERATIONS & TEST BOPE
10/22/2023 - TEST BOP; CHOKE, VALVES, RAMS, PUMPS; 10 MIN EACH TEST; ALL GOOD TEST
Continued on page 3 additional information

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) JENNIFER ELROD / Ph: (940) 452-6214	Title Senior Regulatory Analyst
Signature (Electronic Submission)	Date 01/02/2024

THE SPACE FOR FEDERAL OR STATE OFFICE USE		
Approved by JONATHON W SHEPARD / Ph: (575) 234-5972 / Accepted	Title Petroleum Engineer	Date 01/11/2024
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office CARLSBAD	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

-TEST ANNULAR; 250 LOW; 2500 HIGH; 10 MIN; GOOD TEST
10/23/2023 - BEGIN DRILLING 9.875" INTERMEDIATE HOLE
-DRILL 9.875" INTERMEDIATE HOLE TO 1820' MD
-NOTIFIED BLM OF INTENT TO RUN & CMNT 8.625" INTERMEDIATE CASING
-RUN 39 JTS, 8.625", 32# EHCL-80 MO-FXL CSG SET @ 1805' MD
10/23 - 10/24/2023 - CEMENT 8.625" INTERMEDIATE CASING
LEAD - 143 BBLS (350 SXS) CLASS C @ 2.3 YIELD
TAIL - 24 BBLS (100 SXS) CLASS C @ 1.32 YIELD
**CIRCULATED 141 BBLS (247 SXS) CEMENT TO SURFACE
10/24/2023 - PRESSURE TEST 8.625" INTERMEDIATE CASING TO 1500 PSI; 30 MIN; GOOD TEST
-WOC 8 HOURS
11/2/2023 - DRILL 7.875" PRODUCTION HOLE TO 18,667' TD
11/3/2023 - NOTIFY BLM OF INTENT TO RUN & CMNT PRODUCTION CASING
11/3-11/4/2023 - RUN 409 JTS, 5.5", 20# P-110 GBCD CSG SET @ 18,644' MD
11/4/2023 - CEMENT 5.5" PRODUCTION CASING
LEAD - 323 BBLS (595 SXS) CLASS H @ 3.05 YIELD
TAIL - 440 BBLS (1280 SXS) CLASS H @ 1.93 YIELD
**CIRCULATED 73 BBLS (134 SXS) CEMENT TO SURFACE
-RIG RELEASED

Location of Well

0. SHL: SESW / 503 FSL / 1580 FWL / TWSP: 23S / RANGE: 26E / SECTION: 28 / LAT: 32.2691711 / LONG: -104.3012747 (TVD: 0 feet, MD: 0 feet)
PPP: NESW / 1420 FSL / 2210 FWL / TWSP: 23S / RANGE: 26E / SECTION: 21 / LAT: 32.285916 / LONG: -104.299285 (TVD: 8717 feet, MD: 15159 feet)
PPP: SESW / 100 FSL / 2210 FWL / TWSP: 23S / RANGE: 26E / SECTION: 21 / LAT: 32.282291 / LONG: -104.299275 (TVD: 8718 feet, MD: 13829 feet)
PPP: SESW / 330 FSL / 2210 FWL / TWSP: 23S / RANGE: 26E / SECTION: 28 / LAT: 32.2687019 / LONG: -104.2992361 (TVD: 8723 feet, MD: 9102 feet)
BHL: NENW / 330 FNL / 2210 FWL / TWSP: 23S / RANGE: 26E / SECTION: 21 / LAT: 32.2958831 / LONG: -104.299313 (TVD: 8713 feet, MD: 18989 feet)

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 303581

CONDITIONS

Operator: COLGATE OPERATING, LLC 300 North Marienfeld Street Midland, TX 79701	OGRID: 371449
	Action Number: 303581
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	Report pressure test on next sundry. Include test pressure and duration.	6/25/2025