

Well Name: SND JAVELINA UNIT	Well Location: T24S / R31E / SEC 12 / SESW / 32.227336 / -103.734762	County or Parish/State: EDDY / NM
Well Number: 225H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM120901	Unit or CA Name: BONE SPRING FORMATION PA "A"	Unit or CA Number: NMNM139115B
US Well Number: 300154551000S1	Operator: CHEVRON USA INCORPORATED	

Subsequent Report

Sundry ID: 2768728

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 01/08/2024	Time Sundry Submitted: 03:03
Date Operation Actually Began: 05/09/2021	

Actual Procedure: INTERMEDIATE- 5/9/2021-5/10/2021- DRILL 12 1/4" HOLE TO 4,634' 5/11/2021- RAN 9 5/8" 40#/ L-80IC BTC CASING TO 4,623' 5/11/2021- CEMENT WITH LEAD 525 SACKS CLASS C @ 2.81 YIELD TAIL- 272 SACKS CLASS C @ 1.63 YIELD/ 20 BBLS CEMENT TO SURFACE/ ESTIMATED TOC @ LEAD-0' TAIL- 3,624'/ FC @ 4537' FS @ 4621'/ TEST 2950 PSI FOR 30 MINUTES- INITIAL- 2950 /FINAL- 2938 /DROP- 0.4 % NTERMEDIATE 2 5/12/2021- 5/12/2021- DRILL 8 3/4" HOLE TO 8,683' 5/13/2021- RAN 7" 29#/ TN110S TSHBLUE CASING TO 8,673' 5/13/2021- CEMENT WITH LEAD 581 SACKS CLASS C @ 2.58 YIELD TAIL- 131 SACKS CLASS C @ 1.40 YIELD/ 0 BBLS CEMENT TO SURFACE/ ESTIMATED TOC @ LEAD-7002' TAIL-7673'/ FC @ 8,582' FS @ 8,671'/ TEST 3700 PSI FOR 30 MINUTES INITIAL- 3790 / FINAL- 3789 / DROP- 0.03% 5/14/2021- RIG RELEASED @ 08:45 HRS REMEDIAL CEMENT 5/14/2021- CEMENT 1006 SACKS CLASS C @ 1.35 YIELD ESTIMATED TOC @ 248'/ 1 BBLS TO SURFACE PRODUCTION 6/10/2021-6/16/2021- DRILL 6 1/8" HOLE TO 19,495' 6/16/2021- TD REACHED 6/17/2021- 6/18/2021- RUN 5" 18# P-110 W-513 CASING TO 9024'/ 4 1/2" 11.6# P-110 W-521 TO 19485'/ CEMENT SLURRY WITH TAIL- 664 SACKS CLASS G @ 1.84 YIELD/36 BBLS CEMENT TO SURFACE/ ESTIMATED TOC @ 8,258' / ESTIMATED BOC@ 19495'/ FC @ 19,458' FS @ 19,481' KOP@ 8,702' 6/19/2021- RIG RELEASED @ 09:00 HRS

Received by OCD: 6/24/2025 11:54:34 AM

Page 2 of 7

Well Name: SND JAVELINA UNIT	Well Location: T24S / R31E / SEC 12 / SESW / 32.227336 / -103.734762	County or Parish/State: EDDY / NM
Well Number: 225H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM120901	Unit or CA Name: BONE SPRING FORMATION PA "A"	Unit or CA Number: NMNM139115B
US Well Number: 300154551000S1	Operator: CHEVRON USA INCORPORATED	

SR Attachments

PActual Procedure

JAVELINA_UNIT_225H__SND_12_01_FED_002_1H__20240108150329.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: NICOLE TAYLOR	Signed on: JAN 08, 2024 03:03 PM
Name: CHEVRON USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: 6301 DEAUVILLE BLVD	
City: MIDLAND	State: TX
Phone: (432) 687-7328	
Email address: NICOLE.TAYLOR@CHEVRON.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/18/2024
Signature: Jonathon Shepard	

Form 3160-5
(June 2019)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No. NMNM120901

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator CHEVRON USA INCORPORATED

3a. Address PO BOX 1392, BAKERSFIELD, CA 93302

3b. Phone No. (include area code)
(661) 633-40007. If Unit of CA/Agreement, Name and/or No.
BONE SPRING FORMATION PA "A"/NMNM139115B8. Well Name and No.
SND JAVELINA UNIT/225H

9. API Well No. 3001545510

10. Field and Pool or Exploratory Area
Wildcat4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEC 12/T24S/R31E/NMP11. Country or Parish, State
EDDY/NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

INTERMEDIATE-

5/9/2021-5/10/2021- DRILL 12 1/4 HOLE TO 4,634

5/11/2021- RAN 9 5/8 40#/ L-80IC BTC CASING TO 4,623

5/11/2021- CEMENT WITH LEAD 525 SACKS CLASS C @ 2.81 YIELD TAIL- 272 SACKS CLASS C @ 1.63 YIELD/ 20 BBLS CEMENT TO SURFACE/ ESTIMATED TOC @ LEAD-0 TAIL- 3,624/ FC @ 4537 FS @ 4621/ TEST 2950 PSI FOR 30 MINUTES- INITIAL- 2950 /FINAL- 2938 /DROP- 0.4 %

NTERMEDIATE 2

5/12/2021- 5/12/2021- DRILL 8 3/4 HOLE TO 8,683

5/13/2021- RAN 7 29#/ TN110S TSHBLUE CASING TO 8,673

5/13/2021- CEMENT WITH LEAD 581 SACKS CLASS C @ 2.58 YIELD TAIL- 131 SACKS CLASS C @ 1.40 YIELD/ 0 BBLS CEMENT TO SURFACE/ ESTIMATED TOC @ LEAD-7002 TAIL-7673/ FC @ 8,582 FS @ 8,671/ TEST 3700 PSI FOR 30 MINUTES INITIAL- 3790

Continued on page 3 additional information

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)
NICOLE TAYLOR / Ph: (432) 687-7328

Regulatory Coordinator
Title(Electronic Submission)
Signature

Date 01/08/2024

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

JONATHON W SHEPARD / Ph: (575) 234-5972 / Accepted

Petroleum Engineer
Title

Date 01/18/2024

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CARLSBAD

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

/ FINAL- 3789 / DROP- 0.03%

5/14/2021- RIG RELEASED @ 08:45 HRS

REMEDIAL CEMENT

5/14/2021- CEMENT 1006 SACKS CLASS C @ 1.35 YIELD ESTIMATED TOC @ 248/ 1 BBLS TO SURFACE

PRODUCTION

6/10/2021-6/16/2021- DRILL 6 1/8 HOLE TO 19,495

6/16/2021- TD REACHED

6/17/2021- 6/18/2021- RUN 5 18# P-110 W-513 CASING TO 9024/ 4 1/2 11.6# P-110 W-521 TO 19485/ CEMENT SLURRY WITH TAIL-

664 SACKS CLASS G @ 1.84 YIELD/36 BBLS CEMENT TO SURFACE/ ESTIMATED TOC @ 8,258 / ESTIMATED BOC@ 19495/ FC @

19,458 FS @ 19,481

KOP@ 8,702

6/19/2021- RIG RELEASED @ 09:00 HRS

Location of Well

0. SHL: SESW / 982 FSL / 1640 FWL / TWSP: 24S / RANGE: 31E / SECTION: 12 / LAT: 32.227336 / LONG: -103.734762 (TVD: 0 feet, MD: 0 feet)

PPP: SWSW / 330 FSL / 330 FWL / TWSP: 24S / RANGE: 31E / SECTION: 12 / LAT: 32.225546 / LONG: -103.738998 (TVD: 9036 feet, MD: 18950 feet)

BHL: NWNW / 100 FNL / 330 FWL / TWSP: 24S / RANGE: 31E / SECTION: 1 / LAT: 32.253394 / LONG: -103.738986 (TVD: 9036 feet, MD: 18950 feet)

SND 12 01 FED 002 1H (API 30-015-45510)

SURFACE

4/3/2021- NOTIFIED OMAR ALOMAR WITH BLM AT 18:45 HRS OF INTENT TO SPUD

4/4/2021- SPUD WELL

4/5/2021- 4/5/2021- DRILL 17 1/2" SURFACE HOLE TO 884'

4/5/2021- NOTIFIED KENT CAFFALL WITH BLM AT 10:20 HRS WITH INTENT TO RUN CASING AND CEMENT

4/5/2021- RAN 13 3/8" 54.5#/ J-55 BTC CASING TO 874' / TAIL CEMENT WITH 863 SACKS CLASS C @ 1.33 YIELD/ 100 BBLs CEMENT TO SURFACE/ FC @ 834' FS @ 872' / TEST TO 1500 PSI FOR 30 MINUTES- INTIAL: 1590 /FINAL: 1590 / DROP- 0%

4/5/2021- RIG RELEASED @ 17:00 HRS

INTERMEDIATE-

5/9/2021-5/10/2021- DRILL 12 1/4" HOLE TO 4,634'

5/11/2021- RAN 9 5/8" 40#/ L-80IC BTC CASING TO 4,623'

5/11/2021- CEMENT WITH LEAD 525 SACKS CLASS C @ 2.81 YIELD TAIL- 272 SACKS CLASS C @ 1.63 YIELD/ 20 BBLs CEMENT TO SURFACE/ ESTIMATED TOC @ LEAD-0' TAIL- 3,624'/ FC @ 4537' FS @ 4621' / TEST 2950 PSI FOR 30 MINUTES- INITIAL- 2950 /FINAL- 2938 /DROP- 0.4 %

INTERMEDIATE 2

5/12/2021- 5/12/2021- DRILL 8 3/4" HOLE TO 8,683'

5/13/2021- RAN 7" 29#/ TN110S TSHBLUE CASING TO 8,673'

5/13/2021- CEMENT WITH LEAD 581 SACKS CLASS C @ 2.58 YIELD TAIL- 131 SACKS CLASS C @ 1.40 YIELD/ 0 BBLs CEMENT TO SURFACE/ ESTIMATED TOC @ LEAD-7002' TAIL-7673'/ FC @ 8,582' FS @ 8,671' / TEST 3700 PSI FOR 30 MINUTES INITIAL- 3790 / FINAL- 3789 / DROP- 0.03%

5/14/2021- RIG RELEASED @ 08:45 HRS

REMEDIAL CEMENT

5/14/2021- CEMENT 1006 SACKS CLASS C @ 1.35 YIELD ESTIMATED TOC @ 248' / 1 BBL CEMENT TO SURFACE

PRODUCTION

6/10/2021-6/16/2021- DRILL 6 1/8" HOLE TO 19,495'

6/16/2021- TD REACHED

6/17/2021- 6/18/2021- RUN 5" 18# P-110 W-513 CASING TO 9024' / 4 1/2" 11.6# P-110 W-521 TO 19485' / CEMENT SLURRY WITH TAIL- 664 SACKS CLASS G @ 1.84 YIELD/36 BBLs CEMENT TO SURFACE/ ESTIMATED TOC @ 8,258' / ESTIMATED BOC@ 19495' / FC @ 19,458' FS @ 19,481'

KOP@ 8,702'

6/19/2021- RIG RELEASED @ 09:00 HRS

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 478395

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 478395
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	Report pressure test on next sundry. Include test pressure and duration.	6/30/2025