Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: LITTLEFIELD AB Well Location: T18S / R31E / SEC 22 / County or Parish/State: EDDY /

NENE / 32.7384582 / -103.8509099

Well Number: 8 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM014103 Unit or CA Name: Unit or CA Number:

**OPERATING LLC** 

#### **Notice of Intent**

Sundry ID: 2852336

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date proposed operation will begin: 06/23/2025

**Procedure Description:** Permian Resources Operating, LLC respectfully respects approval of the attached plug and abandon procedure for the Littlefield AB #8. Attachments: P&A Procedure Current WBD Proposed WBD

## **Surface Disturbance**

Is any additional surface disturbance proposed?: No

#### **NOI Attachments**

## **Procedure Description**

 $Little field\_AB\_Federal\_\_8\_PA\_Procedure\_WBDs\_20250512104928.pdf$ 

Page 1 of 2

eceived by OCD: 6/4/2025 10:10:44 AM
Well Name: LITTLEFIELD AB

Well Location: T18S / R31E / SEC 22 /

NENE / 32.7384582 / -103.8509099

County or Parish/State: EDDY? of

NM

Well Number: 8

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM014103

Unit or CA Name:

**Unit or CA Number:** 

**US Well Number: 3001520279** 

**Operator: PERMIAN RESOURCES** 

**OPERATING LLC** 

## **Conditions of Approval**

#### **Specialist Review**

Littlefield\_AB\_8\_Sundry\_ID\_2852336\_P\_A\_20250604075236.pdf

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JESSICA DOOLING Signed on: MAY 12, 2025 10:49 AM

Name: PERMIAN RESOURCES OPERATING LLC

Title: Regulatory Specialist

Street Address: 300 N MARIENFELD ST STE 1000

City: MIDLAND State: TX

Phone: (432) 999-3072

Email address: JESSICA.DOOLING@PERMIANRES.COM

#### **Field**

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

Email address:

#### **BLM Point of Contact**

**BLM POC Name:** LONG VO **BLM POC Title:** Petroleum Engineer

BLM POC Phone: 5759885402 BLM POC Email Address: LVO@BLM.GOV

**Disposition:** Approved **Disposition Date:** 06/04/2025

Signature: Long Vo

Page 2 of 2

Form 3160-5 (June 2019)

## UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BURE	EAU OF LAND MANAGEMENT		3. Lease Serial No.	
Do not use this fo	OTICES AND REPORTS ON Vorm for proposals to drill or t Use Form 3160-3 (APD) for su	o re-enter an	6. If Indian, Allottee or Tribe	Name
	RIPLICATE - Other instructions on page		7. If Unit of CA/Agreement, N	Name and/or No.
1. Type of Well Gas W	ell Other		8. Well Name and No.	
2. Name of Operator			9. API Well No.	
3a. Address	3b. Phone No.	. (include area code)	10. Field and Pool or Explora	tory Area
4. Location of Well (Footage, Sec., T.,R	.,M., or Survey Description)		11. Country or Parish, State	
12. CHE	CK THE APPROPRIATE BOX(ES) TO IN	DICATE NATURE	_  OF NOTICE, REPORT OR OTI	HER DATA
TYPE OF SUBMISSION		TYP	E OF ACTION	
Notice of Intent	Acidize Dee Alter Casing Hyd	pen raulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity
Subsequent Report		Construction g and Abandon	Recomplete Temporarily Abandon	Other
Final Abandonment Notice		g Back	Water Disposal	
is ready for final inspection.)  4. Thereby certify that the foregoing is	true and correct. Name (Printed/Typed)			
4. I hereby certify that the foregoing is	true and correct. Name (Printed/Typed)	Title		
Signature		Date		
	THE SPACE FOR FED	ERAL OR STA	TE OFICE USE	
Approved by		Title		Date
	ned. Approval of this notice does not warran quitable title to those rights in the subject leduct operations thereon.			
Fitle 18 U.S.C Section 1001 and Title 43	U.S.C Section 1212, make it a crime for a	ny person knowingly	and willfully to make to any do	epartment or agency of the United States

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Released to Imaging: 7/1/2025 3:01:54 PM

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

#### **Additional Information**

#### **Location of Well**

 $0. \ SHL: \ NENE \ / \ 660 \ FNL \ / \ 660 \ FEL \ / \ TWSP: \ 18S \ / \ RANGE: \ 31E \ / \ SECTION: \ 22 \ / \ LAT: \ 32.7384582 \ / \ LONG: \ -103.8509099 \ ( \ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )$   $BHL: \ NENE \ / \ 660 \ FNL \ / \ 660 \ FEL \ / \ TWSP: \ 18S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ ( \ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )$ 

## Proposed P&A NOI Permian Resources Operating, LLC Littlefield AB Federal #8 30-015-20279

Note: All cement is Class C mixed at 14.8 ppg, yield 1.32 cu ft / sx. Cement volumes are based on inside capacities + 50' excess and outside capacities + 100% excess.

- 1. Hold Pre job meeting, comply with all NMOCD, BLM and environmental regulations.
- 2. Set 4 1/2" CIBP at 3325.
- **3.** MIRU logging truck. Run CBL from CIBP to log TOC to surface. Log with zero psi. NOTE: Results of CBL may change the following plugs. Electronic copy of CBL to be sent to NMOCD representatives.
- **4.** RIH with tubing. Drop ball valve down tubing and pressure test to 1,000#. Pressure test casing to 500#. If casing does not test, then discuss with representatives for procedure change.
- 5. Plug #1:(Queen Perfs, 7 Rivers, Yates, & B/Salt): Spot 99 sxs class C cmt w/ 2% CaCl @ 3,325-1,955'. WOC & Tag.
- 6. Plug #2: (8 5/8" Shoe, Anhy, Surface plug): Perf and squeeze 352 sxs class C cement (294 sxs outside, 58 sxs inside)

  @ 782' and circulate cement to surface.
- 7. Cut off wellhead, fill any exposed annulus with cement, as necessary. Install DHM.
- **8.** Record GPS coordinates for P&A marker and the Final P&A Report. Photograph the P&A marker and attach to the report. RDMO all rig and cement equipment. Assure that location is free of trash before moving off.
- 9. Send all reports and attachments will be uploaded to NMOCD website within 30 days of completion.

Permian	Resources Operating L	PROPOSED	
Author:	Abby @ JMR		
Well Name	Littlefield AB Fed	Well No.	#8
Field/Pool	Shugart;Yates-7Rvs- Qn-GRBG	API#:	30-015-20279
County	Eddy	Location:	660 FNL & 660 FEL
State	NM		Sec 22-18S-31E
Spud Date	1/30/1970	GL:	3676

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	K55	24#	732	11	350	0
Prod Csg	4 1/2	K55	9.5#	3,499	7 7/8	425	1370'

= _	1/30/1970	GL:	3676		Formation Top
			8 5/8 24# CSG @ 732 Hole Size: 11		Anhy 680 B/Salt 2005 Yates 2175 7 Rivers 2630 Queen 3348
		Plug #2:	Perf & Sqz 352 sxs class (325 sx outside, 64 sx in	s C cmt @ 782' & circulate to surface. (Anhy side)	/ & 8 5/8" Shoe)
		Plug #1:	Set 4 1/2" CIBP @ 3,329 Tag (7 Rivers, Yates, B/	5'. Spot 99 sxs class C cmt w/ 2% CaCl @ 3 Salt)	,325-1,955'. WOC &
	PBTD @ 3466 TD @ 3499	Perfs @	3375-3385' 4 1/2 9.5# CSG @ 3,499 Hole Size: 7 7/8		

Permia	n Resources Operating L	CURRENT	
Author:	Abby @ JMR		
Well Name	Littlefield AB Fed	Well No.	#8
Field/Pool	Shugart;Yates-7Rvs- Qn-GRBG	API#:	30-015-20279
County	Eddy	Location:	660 FNL & 660 FEL
State	NM	•	Sec 22-18S-31E
Spud Date	1/30/1970	GL:	3676
			·

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	K55	24#	732	11	350	0
Prod Csg	4 1/2	K55	9.5#	3,499	7 7/8	425	1370'

_			8 5/8 24# Hole Size:		732
	PBTD @ 3466 TD @ 3499	Perfs @ 2 3/8" tbg	3375-3385'   @ 3450'   4 1/2   9.5#   Hole Size:	CSG @ 7 7/8	3,499

Formation	Top
Red Bed	600
Anhy	815
T/Salt	2005
B/Salt	2175

## Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: LITTLEFIELD AB Well Location: T18S / R31E / SEC 22 / County or Parish/State: EDDY /

NENE / 32.7384582 / -103.8509099

Well Number: 8 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM014103 Unit or CA Name: Unit or CA Number:

**OPERATING LLC** 

#### **Notice of Intent**

**Sundry ID: 2852336** 

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date Sundry Submitted: 05/12/2025 Time Sundry Submitted: 10:50

Date proposed operation will begin: 06/23/2025

**Procedure Description:** Permian Resources Operating, LLC respectfully respects approval of the attached plug and abandon procedure for the Littlefield AB #8. Attachments: P&A Procedure Current WBD Proposed WBD

### **Surface Disturbance**

Is any additional surface disturbance proposed?: No

#### **NOI Attachments**

**Procedure Description** 

Littlefield\_AB\_Federal\_\_8\_PA\_Procedure\_WBDs\_20250512104928.pdf

APPROVAL SUBJECT TO
GENERAL REQUIREMENTS AND
SPECIAL STIPULATIONS
ATTACHED

Page 1 of 2

eceived by OCD: 6/4/2025 10:10:44 AM
Well Name: LITTLEFIELD AB

Well Location: T18S / R31E / SEC 22 /

NENE / 32.7384582 / -103.8509099

County or Parish/State: Page 10 of

Well Number: 8

Type of Well: OIL WELL

**Allottee or Tribe Name:** 

Lease Number: NMNM014103

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 3001520279** 

**Operator: PERMIAN RESOURCES** 

**OPERATING LLC** 

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: MAY 12, 2025 10:49 AM Operator Electronic Signature: JESSICA DOOLING

Name: PERMIAN RESOURCES OPERATING LLC

Title: Regulatory Specialist

Street Address: 300 N MARIENFELD ST STE 1000

City: MIDLAND State: TX

Phone: (432) 999-3072

Email address: JESSICA.DOOLING@PERMIANRES.COM

## **Field**

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

APPROVED by Long Vo Petroleum Engineer Carlsbad Field Office 575-988-50402 LVO@BLM.GOV

Page 2 of 2

Form 3160-5 (June 2019)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

DEI	AKTIVILINI OF THE I	NILKIOK		F		
BUR	EAU OF LAND MANA	AGEMENT	5. Lease Serial	No.		
Do not use this	NOTICES AND REPO form for proposals t Use Form 3160-3 (A	o drill or to re-ei	nter an	ottee or Tribe Name		
SUBMIT IN	TRIPLICATE - Other instru	ıctions on page 2	7. If Unit of CA	A/Agreement, Name a	and/or No.	
1. Type of Well	_		8. Well Name a	nd No.		—
Oil Well Gas V	Well Other					
2. Name of Operator			9. API Well No			
3a. Address		3b. Phone No. (include	area code) 10. Field and Po	ool or Exploratory Ar	rea	
4. Location of Well (Footage, Sec., T., I	R.,M., or Survey Description)		11. Country or l	Parish, State		
12. CHE	ECK THE APPROPRIATE BO	OX(ES) TO INDICATE	NATURE OF NOTICE, RE	PORT OR OTHER D	)ATA	
TYPE OF SUBMISSION			TYPE OF ACTION			
Notice of Intent	Acidize	Deepen	Production (S	Start/Resume)	Water Shut-Off	
Trouce of intent	Alter Casing	Hydraulic Fra	acturing Reclamation		Well Integrity	
Subsequent Report	Casing Repair	New Constru	= '		Other	
	Change Plans	Plug and Aba				
Final Abandonment Notice  13. Describe Proposed or Completed C	Convert to Injection	Plug Back	Water Dispos			
14. I hereby certify that the foregoing is	strue and correct. Name (Pri	,				
		Title				
Signature		Date				
	THE SPACE	FOR FEDERAL	OR STATE OFICE U	JSE		
Approved by Long Vo	2	>	Petroleum Engi	neer	6-3-2025	
Conditions of approval, if any, are attac certify that the applicant holds legal or which would entitle the applicant to co	equitable title to those rights i	loes not warrant or	Office Carlsbad Field	Date		
Title 18 U.S.C Section 1001 and Title 4		it a crime for any person	n knowingly and willfully to	make to any departm	ent or agency of the United St	ates
	,		J J		J .,	

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Released to Imaging: 7/1/2025 3:01:54 PM

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

#### **Additional Information**

#### **Location of Well**

 $0. \ SHL: \ NENE \ / \ 660 \ FNL \ / \ 660 \ FEL \ / \ TWSP: \ 18S \ / \ RANGE: \ 31E \ / \ SECTION: \ 22 \ / \ LAT: \ 32.7384582 \ / \ LONG: \ -103.8509099 \ ( \ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )$   $BHL: \ NENE \ / \ 660 \ FNL \ / \ 660 \ FEL \ / \ TWSP: \ 18S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ ( \ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )$ 

Prairie Chicken

## Proposed P&A NOI Permian Resources Operating, LLC Littlefield AB Federal #8 30-015-20279

Note: All cement is Class C mixed at 14.8 ppg, yield 1.32 cu ft / sx. Cement volumes are based on inside capacities + 50' excess and outside capacities + 100% excess.

- 1. Hold Pre job meeting, comply with all NMOCD, BLM and environmental regulations.
- 2. Set 4 1/2" CIBP at 3325.
- **3.** MIRU logging truck. Run CBL from CIBP to log TOC to surface. Log with zero psi. NOTE: Results of CBL may change the following plugs. Electronic copy of CBL to be sent to NMOCD representatives.
- **4.** RIH with tubing. Drop ball valve down tubing and pressure test to 1,000#. Pressure test casing to 500#. If casing does not test, then discuss with representatives for procedure change.
- 5. Plug #1:(Queen Perfs, 7 Rivers, Yates, & B/Salt): Spot 99 sxs class C cmt w/ 2% CaCl @ 3,325-1,955'. WOC & Tag.
- 6. Plug #2: (8 5/8" Shoe, Anhy, Surface plug): Perf and squeeze 352 sxs class C cement (294 sxs outside, 58 sxs inside)

  @ 782' and circulate cement to surface.
- 7. Cut off wellhead, fill any exposed annulus with cement, as necessary. Install DHM.
- **8.** Record GPS coordinates for P&A marker and the Final P&A Report. Photograph the P&A marker and attach to the report. RDMO all rig and cement equipment. Assure that location is free of trash before moving off.
- 9. Send all reports and attachments will be uploaded to NMOCD website within 30 days of completion.

Formation

Top

Permian	Resources Operating L	PROPOSED	
Author:	Abby @ JMR		
Well Name	Littlefield AB Fed	Well No.	#8
Field/Pool	Shugart;Yates-7Rvs- Qn-GRBG	API#:	30-015-20279
County	Eddy	Location:	660 FNL & 660 FEL
State	NM		Sec 22-18S-31E
Spud Date	1/30/1970	GL:	3676

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	K55	24#	732	11	350	0
Prod Csg	4 1/2	K55	9.5#	3,499	7 7/8	425	1370'

4	Plug #2:	8 5/8 24# CSG @ 732 Hole Size: 11  Perf & Sqz 352 sxs class C cmt @ 782' & circulate to surface. (Anhy & 8 (325 sx outside, 64 sx inside)	Formation Anhy B/Salt Yates 7 Rivers Queen	Top 680 2005 2175 2630 3348
	Plug #1:	Set 4 1/2" CIBP @ 3,325'. Spot 99 sxs class C cmt w/ 2% CaCl @ 3,325 Tag (7 Rivers, Yates, B/Salt)	5-1,955'. W	OC &

\*Run CBL from CIBP to surface.

Perfs @

3375-3385'

4 1/2 9.5# CSG @ 3,499 Hole Size: 7 7/8

Submit results to BLM.

PBTD @ 3466 TD @ 3499

Permiar	n Resources Operating L	CURRENT	
Author:	Abby @ JMR		
Well Name	Littlefield AB Fed	Well No.	#8
Field/Pool	Shugart;Yates-7Rvs- Qn-GRBG	API#:	30-015-20279
County	Eddy	Location:	660 FNL & 660 FEL
State	NM	•	Sec 22-18S-31E
Spud Date	1/30/1970	GL:	3676

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	K55	24#	732	11	350	0
Prod Csg	4 1/2	K55	9.5#	3,499	7 7/8	425	1370'

Formation	Тор
Red Bed	600
Anhy	815
T/Salt	2005
B/Salt	2175

		8 5/8 24# Hole Size:	CSG @ 11	732
PBTD @ 3466 TD @ 3499	Perfs @ 2 3/8" tbg	3375-3385' @ 3450' 4 1/2 9.5# Hole Size:	CSG @ 7 7/8	3,499

#### Lesser Prairie Chicken Area

### BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

#### Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90<sup>th</sup> day provide this office, prior to the 90<sup>th</sup> day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

Notification: Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Lea County, call 575-689-5981. Eddy County, please email notifications to: <a href="mailto:BLM NM CFO PluggingNotifications@BLM.GOV">BLM NM CFO PluggingNotifications@BLM.GOV</a>. The Eddy County inspector on call phone, 575-361-2822, will remain active as a secondary contact.

<u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.

<u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of water. Minimum nine (9) pounds per gallon.

<u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours for Class C or accelerated cement (calcium chloride) and 6 hours for Class H. Tagging the plug means running in the hole with a string of tubing or drill pipe and placing sufficient weight on the plug to ensure its integrity. Other methods of tagging the plug may be approved by the BLM authorized officer or BLM field representative.

Released to Imaging: 7/1/2025 3:01:54 PM

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. **Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.** 

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

Fluid used to mix the cement in R111Q shall be saturated with the salts common to the section penetrated, and in suitable proportions but not less than 1% and not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

Above Ground Level Marker: If outside of Lesser Prairie-Chicken Habitat an above ground level marker shall be utilized. All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified BY PHONE (numbers listed in 2. Notifications) a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 14<sup>th</sup> day, the BLM is to be contacted with justification to receive an extension for completing the cut off. The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds). A weep hole shall be left if a metal plate is welded in place.

Below Ground Level Marker: If within Lesser Prairie-Chicken Habitat a below ground level marker shall be utilized. All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified BY PHONE (numbers listed in 2. Notifications) a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 14<sup>th</sup> day, the BLM is to be contacted with justification to receive an extension for completing the cut off. Upon the plugging and subsequent abandonment of wells that are located in lesser prairie-chicken habitat, the casings shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be covered with a metal plate at least ¼ inch thick and welded in place. A weep hole shall be left in the plate and/or casing. The following information shall be permanently inscribed on the plate: well name and number, name of operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds).

NMOCD also requires the operator to notify NMOCD when this type of dry hole marker is used. This can be done on the subsequent report of abandonment which is submitted to the BLM after the well is plugged. State that a below ground cap was installed as required in the COA's from the BLM.

Operator to verify the ground marker type with the BLM before setting dry hole Marker.

Subsequent Plugging Reporting: Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. Show date well was plugged.

<u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.

<u>Timing Limitation Stipulation/ Condition of Approval for Lesser Prairie-Chicken:</u>
From March 1<sup>st</sup> through June 15<sup>th</sup> annually, abandonment activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted.



## **United States Department of the Interior**

#### BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

#### **Reclamation Objectives and Procedures**

**Reclamation Objective:** Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its pre-disturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any/all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip (across the slope and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No.

For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.

The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.

Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and

Released to Imaging: 7/1/2025 3:01:54 PM

access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.

It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.

At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech/Environmental Protection Specialist 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Jose Martinez-Colon Environmental Protection Specialist 575-234-5951

Angela Mohle Environmental Protection Specialist 575-234-9226

Robert Duenas Environmental Protection Specialist 575-234-2229

Terry Gregston Environmental Protection/HAZMAT Specialist 575-234-5958 Sundry ID 2852336

Surface Plug	Sunary ID	2852336		ı			1	1
Surface Plug							1	
8.625 inch- Shoe Plug    674.68   782.00   107.32   Tag/Verify	Plug Type	Тор	Bottom	Length	Tag	Sacks	Class	Notes
8.625 inch- Shoe Plug    674.68   782.00   107.32   Tag/Verify								
8.625 inch- Shoe Plug    674.68   782.00   107.32   Tag/Verify   Perf and circulate from 970' to surface.	Surface Plug	0.00	100.00	100.00	Tag/Verify			
Top of Salt @ 920   860.80   970.00   109.20   Tag/Verify   246.00   C   Verify at surface.	8.625 inch- Shoe Plug	674.68	782.00	107.32	Tag/Verify			
Top of Salt @ 920   860.80   970.00   109.20   Tag/Verify   246.00   C   Verify at surface.								
Top of Salt @ 920								
Base of Salt @ 2150   2078.50   2200.00   121.50   Tag/Verify     Yates @ 2175   2103.25   2225.00   121.75   base no     Queen @ 3348   3264.52   3398.00   133.48   base no     If solid base no need to Tag (CIBP present and/or Mechanic at Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio (Open Perforatio (Open Perforatio (Open Spot cement from Sa25') to 1955'.   CIBP Plug   3290.00   3325.00   33.00   33.85   Tag/Verify     Perforations Plug (If No CIBP)   3301.15   3435.00   133.85   Tag/Verify					_			
Yates @ 2175         2103.25         2225.00         121.75         base no           Queen @ 3348         3264.52         3398.00         133.48         base no           If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio         Set CIBP at 3325'. Leak test CIBP. Spot cement from 3325' to 1955'.           CIBP Plug         3290.00         3325.00         35.00 ns         95.00 C         WOC and Tag.           Perforations Plug (If No CIBP)         3301.15         3435.00         133.85         Tag/Verify							C	Verify at surface.
Queen @ 3348       3264.52       3398.00       133.48 base no         If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio       Sqz then Tag, Leak Test all CIBP if no Open Perforatio       Set CIBP at 3325'. Leak test CIBP. Spot cement from 3325' to 1955'.         CIBP Plug       3290.00       3325.00       35.00       ns       95.00       C WOC and Tag.         Perforations Plug (If No CIBP)       3301.15       3435.00       133.85       Tag/Verify								
If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio   Spot cement from 3325' to 1955'.   CIBP Plug   3290.00   3325.00   35.00   ns   95.00 C   WOC and Tag.								
base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforation Splot cement from 3325' to 1955'.  CIBP Plug 3290.00 3325.00 35.00 ns 95.00 C WOC and Tag.  Perforations Plug (If No CIBP) 3301.15 3435.00 133.85 Tag/Verify	Queen @ 3348	3264.52	3398.00	133.48	base no			
base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforation Splot cement from 3325' to 1955'.  CIBP Plug 3290.00 3325.00 35.00 ns 95.00 C WOC and Tag.  Perforations Plug (If No CIBP) 3301.15 3435.00 133.85 Tag/Verify					16 11 -1			
Need to   Tag   (CIBP   present   and/or   Mechanic   al Integrity   Test), If   Perf &   Sqz then   Tag, Leak   Test all   CIBP if no   Open   Spot cement from   3325' to 1955'.					1			
Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio  CIBP Plug  3290.00 3325.00 35.00 ns 95.00 C WOC and Tag.  Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio 3325'. Leak test CIBP. Spot cement from 3325' to 1955'.								
CIBP   present   and/or   Mechanic   al Integrity   Test), If   Perf & Sqz then   Tag, Leak   Test all   CiBP if no   Ci					1			
Present and/or   Mechanic al Integrity   Test), If   Perf &   Sqz then   Tag, Leak   Test all   CIBP if no   Open   Spot cement from   3325' to 1955'.								
And/or   Mechanic   All Integrity   Test), If   Perf &   Sqz then   Tag, Leak   Test all   CIBP if no   Open   Spot cement from   3325' to 1955'.					1,			
Mechanic   al Integrity   Test), If   Perf &   Sqz then   Tag, Leak   Test all   CIBP if no   Open   Spot cement from   3325' to 1955'.     CIBP Plug   3290.00   3325.00   35.00   ns   95.00   C   WOC and Tag.     Perforations Plug (If No CIBP)   33301.15   3435.00   133.85   Tag/Verify   Spot cement   Tag, Leak   Test all   CIBP at 3325'.   Leak test CIBP.   Spot cement from   3325' to 1955'.   CIBP Plug   3290.00   3325.00   35.00   ns   95.00   C   WOC and Tag.   CIBP Plug   Tag/Verify   Spot cement   Tag/Verify   Test), If the performance   Tag/Verify   Test, If					1.			
Set CIBP at 3325'.   CIBP Plug   3290.00   3325.00   35.00   ns   95.00   C   WOC and Tag.					1 '			
Test), If   Perf &   Sqz then   Tag, Leak   Test all   Set CIBP at 3325'.   Leak test CIBP.   Spot cement from   Spot cement								
Perf & Sqz then   Tag, Leak   Test all   Set CIBP at 3325'.   Leak test CIBP.   Spot cement from   Spot ce								
Sqz then   Tag, Leak   Test all   Set CIBP at 3325'.   Leak test CIBP.   Spot cement from   Spot cement fr								
Tag, Leak Test all CIBP if no Open								
Test all   CIBP if no   Open   Spot cement from   3325'.   CIBP Plug   3290.00   3325.00   35.00   ns   95.00   C   WOC and Tag.								
CIBP if no Open   CIBP if no Open   Spot cement from 3325 to 1955'.								Set CIBP at 3325'
CIBP Plug         3290.00         3325.00         35.00         ns         95.00         C         WOC and Tag.           Perforations Plug (If No CIBP)         3301.15         3435.00         133.85         Tag/Verify         Tag/Verify					1			
CIBP Plug         3290.00         3325.00         35.00         ns         95.00         C         WOC and Tag.           Perforations Plug (If No CIBP)         3301.15         3435.00         133.85         Tag/Verify         Tag/Verify					T -			
CIBP Plug         3290.00         3325.00         35.00 ns         95.00 C         WOC and Tag.           Perforations Plug (If No CIBP)         3301.15         3435.00         133.85 Tag/Verify         Tag/Verify								1 •
	CIBP Plug	3290.00	3325.00		ns		С	
	Perforations Plug (If No CIBP)	3301.15	3435.00	133.85	Tag/Verify			
	4.5 inch- Shoe Plug	3414.01	3549.00					

No more than 2000' is to be allowed between plugs in open hole, and no more than 3000' between plugs in cased hole. Class H >7500' Class C<7500'

Fluid used to mix the cement in R111P shall be saturated with the salts common to the section penetrated, and in suitable proportions, but not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

Medium, Secretary: Top of salt to surface If no salt take the deepest fresh water or Karst Depth

High, Critical: Bottom of Karst to surface or Deepest fresh water, whichever is greater R111P: 50 Feet from Base of Salt to surface.

Class C: 1.32 ft^3/sx Class H: 1.06 ft^3/sx

Onshore Order 2.III.G Drilling Abandonment Requirements: "All formations bearing usable-quality water, oil, gas, or geothermal resources, and/or a prospectively valuable deposit of minerals shall be protected.

 Cave Karst/Potash Cement Requirement:
 Low

 Wild Life
 Within Lesser Prairie Chicken Area

 8.625 inch- Shoe Plug @
 732.00

 4.5 inch- Shoe Plug @
 3499.00
 TOC @
 1370.00

 Perforations Top @

 3375.00
 Perforations
 3385.00

CIBP @ 3325.00

Permia	n Resources Operating L	CURRENT	
Author:	Abby @ JMR		
Well Name	Littlefield AB Fed	Well No.	#8
Field/Pool	Shugart;Yates-7Rvs- Qn-GRBG	API#:	30-015-20279
County	Eddy	Location:	660 FNL & 660 FEL
State	NM	•	Sec 22-18S-31E
Spud Date	1/30/1970	GL:	3676

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	K55	24#	732	11	350	0
Prod Csg	4 1/2	K55	9.5#	3,499	7 7/8	425	1370'

	8 5/8 24# CSG @ 732 Hole Size: 11
PBTD @ 3466 TD @ 3499	Perfs @ 3375-3385' 2 3/8" tbg @ 3450' 4 1/2 9.5# CSG @ 3,499 Hole Size: 7 7/8

Formation	Top
Red Bed	600
Anhy	815
T/Salt	2005
B/Salt	2175

## Littlefield AB #008 Proposed WBD

Permian	Resources Operating L	PROPOSED	
Author:	Abby @ JMR		
Well Name	Littlefield AB Fed	Well No.	#8
Field/Pool	Shugart;Yates-7Rvs- Qn-GRBG	API #:	30-015-20279
County	Eddy	Location:	660 FNL & 660 FEL
State	NM		Sec 22-18S-31E
Spud Date	1/30/1970	GL:	3676

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	K55	24#	732	11	350	0
Prod Csg	4 1/2	K55	9.5#	3,499	7 7/8	425	1370'

e	1/30/1970	GL:	3676			
						Top
					nhy	68
			8 5/8 24# CSG @ 732		/Salt	200
			Hole Size: 11		ates	217
					Rivers	263
				Q	ueen (	334
4		4		L		
		Plug #2:	Perf & Sqz 352 sxs cla (325 sx outside, 64 sx	ss C cmt @ 782' & circulate to surface. (Anhy & 8 5	5/8" Shoe	∍)
		Plug #1:	Set 4 1/2" CIBP @ 3,3. Tag (7 Rivers, Yates, E	25'. Spot 99 sxs class C cmt w/ 2% CaCl @ 3,325-1 3/Salt)	∣,955'. W	/OC &
/	PBTD @ 3466 TD @ 3499	Perfs @	3375-3385' 4 1/2 9.5# CSG @ 3,499 Hole Size: 7 7/8			

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory <a href="https://www.emnrd.nm.gov/ocd/contact-us">https://www.emnrd.nm.gov/ocd/contact-us</a>

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 470656

#### **CONDITIONS**

Operator:	OGRID:
Permian Resources Operating, LLC	372165
300 N. Marienfeld St Ste 1000	Action Number:
Midland, TX 79701	470656
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

#### CONDITIONS

	Created By		Condition Date
gcordero A Cement Bond Log (CBL) is required to be submitted to electronic permitting		A Cement Bond Log (CBL) is required to be submitted to electronic permitting.	7/1/2025
	gcordero	Submit Cement Bond Logs (CBL) prior to submittal of C-103P.	7/1/2025