eceived by OCD: 1/24/2024 11:36:0	State of New Mexico	Form C-103 <sup>1</sup> of 3							
Office <u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resources	Revised July 18, 2013							
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283		WELL API NO. 30-015-53858							
811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	5. Indicate Type of Lease							
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.	STATE FEE							
<u>District IV</u> – (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.							
1220 S. St. Francis Dr., Santa Fe, NM 87505									
(DO NOT USE THIS FORM FOR PROPO	ICES AND REPORTS ON WELLS SALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A CATION FOR PERMIT" (FORM C-101) FOR SUCH	7. Lease Name or Unit Agreement Name BUBBA BURTON 14 15 24S 28E							
PROPOSALS.)	CATION FOR FERWIT (FORM C-101) FOR SOCI	8. Well Number							
1. Type of Well: Oil Well	Gas Well  Other	131H							
2. Name of Operator	dor Production Company	9. OGRID Number							
	228937								
	0 LBJ Freeway, Ste 1500, Dallas, TX 75240	10. Pool name or Wildcat MALAGA;BONE SPRING							
4. Well Location									
Unit Letter A		30 feet from the <u>East</u> line							
Section 14	Township 24S Range 28E	NMPM County Eddy							
	11. Elevation (Show whether DR, RKB, RT, GR, etc., 2,977'	)							
	2,311								
of starting any proposed we proposed completion or rec	PLUG AND ABANDON	ILLING OPNS. PAND A  T JOB  d give pertinent dates, including estimated date							
Spud Date: 10/29/2023  I hereby certify that the information	Rig Release Date: 11/17/2023  above is true and complete to the best of my knowledg	e and belief.							
•									
SIGNATURE: Elsen M/									
PRINT NAME: Eileen M Kosakow	rski E-mail address: eileen.kosakowski@matadorr	esources.com PHONE: 832-672-4604							
For State Use Only									

## Surface Casing Sundry

Bubba Burton #131H																										
	*estimated due to batch drilling/will have actuals at time of setting next string																									
DATE	STRING	FLUID TYPE	WT LB/FT	GRADE	CONN	HOLE SZ	CSG SZ						STAGE	STAGE TOOL DEPTH	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBIs			METHOD USED	BBLS TO SURF	SX TO SURF	LENGTH 1" RAN
		(list)	(decimal)			(fraction)	(fraction)	(feet)	(feet)	(decimal hours)	(psi)	(decimal hours)		(Btm)							(list)	(feet)	(list)	(if circulated)	(if circulated)	(if topped out)
10/29/2023	SURF	WBM	68.00	J-55	Buttress	17-1/2"	13-3/8"	610	599	0.0	1500	0.5	1				970	1.34	970	231.487	n	0	Circ	144	603	
*Test with crnt truck  Intermediate Cooling Sundry																										
8ubba Burton #131H																										
*estimated due to batch drilling/will have actuals at time of setting next string																										
DATE	STRING	FLUID TYPE	WT LB/FT	GRADE	CONN	HOLE SZ	CSG SZ	HOLE DEPTH	DEPTH SET	WAIT ON CMT	PRESS HELD	DURATION HELD	STAGE	STAGE TOOL DEPTH	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBIs	CLASS	TOP OF CMT	METHOD USED	BBLS TO SURF	SX TO SURF	LENGTH 1" RAN
		(list)	(decimal)			(fraction)	(fraction)	(feet)	(feet)	(decimal hours)	(psi)	(decimal hours)		(Btm)							(list)	(feet)	(list)	(if circulated)	(if circulated)	(if topped out)
10/29/2023	SURF	WBM	68.00	J-55	Buttress	17-1/2"	13-3/8"	610	599	0.0	1500	0.5	1				970	1.34	970	231.487	n	0	Circ	144	603	0
11/3/2023	INT 1	WBM	29.70	P-110	Buttress	9-7/8"	7-5/8"	8166	8151	15.5	1500	0.5	1	2767	475	2.79	340	1.76	815	342.591	C	2764	Circ	0		
													2				810	1.77	810	255.334	C	0	Circ	67	213	
Production Caling Sundry  Production Caling Sundry																										
Bubba Burton #131H																										
										ing/will have actual																
DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)			(fraction)	CSG SZ (fraction)	(feet)	(feet)	(decimal hours)	(psi)	(decimal hours)		STAGE TOOL DEPTH (Btm)	LD SX	LD YIELD		TL YIELD			(list)	(feet)	METHOD USED (list)	(if circulated)	SX TO SURF (if circulated)	(if topped out)
10/29/2023	SURF	WBM	68.00	J-55	Buttress	17-1/2"	13-3/8"	610	599	0.0	1500	0.5	1				970	1.34		231.487	C	0	Circ	144	603	0
11/3/2023	INT 1	WBM	29.70	P-110	Buttress	9-7/8"	7-5/8"	8166	8151	15.5	1500	0.5	1	2767	475	2.79	340	1.76	815	342.591	С	2764	Circ	0		0
													2				810	1.77	810	255.334	C	0	Circ	67	213	0
	PROD	Oil-Based Mud	20.00	P-110	VAM	6-3/4"	5-1/2"	19731	19703	*1500	*1500		1		190	2.44	935	1.27	1125	294.043	C	468	Calc	0		
	10/29/2023 Spud Date						*Test with cmt tru	:k													*89 bbls circ off I	OV				
11/5/2023 KOP: 8255' MD / 8177' TVD																										
11/14/2023 TD: 19,731' MD / 8534' TVD																										
		f Prod Casing Float Collar (feet):																								

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

## State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 307286

## **CONDITIONS**

Operator:	OGRID:
MATADOR PRODUCTION COMPANY	228937
One Lincoln Centre	Action Number:
Dallas, TX 75240	307286
	Action Type:
	[C-103] Sub. Drilling (C-103N)

## CONDITIONS

Created By	Condition	Condition Date
crystal.walker	Report pressure test on next sundry. Include test pressure and duration.	7/21/2025