This form is not to be used for reporting			(Oil Co	nservati	ion Divi	sion				
packer leakage tests			t New	New Mexico Packer-Leakage Test					Page Revised June 10, 200		
Operator Hilcorp Energy	gy Comp	any		Lea	ase Name	SAN JU	AN 27-5 l	JNIT		Well No.	26
Location of Well: Unit	Letter	В	Sec	17	Twp	027N	Rge	005W	API #	30-039-070	93
1	Name of Re	eservoir c	or Pool		Typ of P			Method of Prod		Prod Medium	
Upper											

Tubing

Tubing

Yes

194

Flow

Artificial Lift

	Pre	-Flow Shut-In Pressure Data	1	
Upper	Hour, Date, Shut-In		SI Press. PSIG	Stabilized?(Yes or No)
Completion	5/7/2025	Length of Time Shut-In	158	Yes
Lower	Hour, Date, Shut-In	131	SI Press. PSIG	Stabilized?(Yes or No)

Gas

Gas

		Flo	w Test No. 1		
Commenced at: 5/1	2/2025		Zone Pro	oducing (Upper	or Lower): LOWER
Time	Lapsed Time	PRES	SURE	Prod Zone	
(date/time)	Since*	Upper zone	Lower zone	Temperature	Remarks
5/12/2025 10:50 AM	10	158	194	76	start
5/12/2025 11:02 AM	11	158	76	76	crossover
5/12/2025 11:32 AM	11	158	71	76	final 30min after crossover

Production rate during test

Completion

Lower Completion

Completion

PC

MV

5/7/2025

Oil: B	OPD Based on:	Bbls. In	Hrs.	Grav.	GOR
--------	---------------	----------	------	-------	-----

_MCFPD; Test thru (Orifice or Meter) Gas

Mid-Test Shut-In Pressure Data

Upper Completion	Hour, Date, Shut-In	Length of Time Shut-In	SI Press. PSIG	Stabilized?(Yes or No)
Lower Completion	Hour, Date, Shut-In		SI Press. PSIG	Stabilized?(Yes or No)

(Continue on reverse side)

		North	west New Me		ei-Leakaye	1651	Page 2		
			Flo	ow Test No. 2					
Commenced at: Zone Producing (Upper or Lower)									
	ne	Lapsed Time	PRESSURE		Prod Zone				
(date	te/time) Since*	Upper zone	Lower zone	Temperature	Rer	marks			
Production	rate during	test							
Oil:	BOPE) Based on:	Bbls. In	Hrs.	(Grav.	GOR		

Gas	MCFPD; Test thru (Orifice or I	Meter)
Remarks:		
I hereby certify that th	e information herein contained is tru	le and complete to the best of my knowledge.
Approved:	20	Operator: Hilcorp Energy Company

	•	
New Mexico Oil Conservation Division	By:	Teddy McDaniel
Ву:	Title:	Multi-Skilled Operator
Title:	Date:	Monday, May 12, 2025

NORTHWEST NEWMEXICO PACKER LEAKAGE TEST INSTRUCTIONS

A packer leakage test shall be commenced on each multiply completed well within seven days after actual 1. completion of the well, and annually thereafter as prescribed by the order authorizing the multiple completion. Such tests shall also be commenced on all multiple completions within seven days following recompletion and/or chemical or fracture treatment, and whenever remedial work has been done on a well during which the packer or the tubing have been disturbed. Tests shall also be taken at any time that communication is suspected or when requested by the Division.

At least 72 hours prior to the commencement of any packer leakage test, the operator shall notify the Division in writing of the exact time the test is to be commenced. Offset operators shall also be so notified.

The packer leakage test shall commence when both zones of the dual completion are shut-in for pressure stabilization. Both zones shall remain shut-in until the well-head pressure in each has stabilized, provided however, that they need not remain shut-in more than seven days

4. For Flow Test No. 1, one zone of the dual completion shall be produced at the normal rate of production while the other zone remains shut-in. Such test shall be continued for seven days in the case of a gas well and for 24 hours in the case of an oil well. Note: if, on an initial packer leakage test, a gas well is being flowed to the atmosphere due to lack of a pipeline connection the flow period shall be three hours.

5. Following completion of Flow Test No. 1, the well shall again be shut-in, in accordance with Paragraph 3

Released to Imaging: 7/22/2025 8:45:18 AM

Flow Test No. 2 shall be conducted even though no leak was indicated during Flow Test No. 1. Procedure 6. for Flow Test No. 2 is to be the same as for Flow Test No. 1 except that the previously produced zone shall remain shut-in while the zone which was previously shut-in is produced.

7. Pressures for gas-zone tests must be measured on each zone with a deadweight pressure gauge at time intervals as follows: 3 hours tests: immediately prior to the beginning of each flow period, at fifteen-minute intervals during the first hour thereof, and at hourly intervals thereafter, including one pressure measurement immediately prior to the conclusion of each flow period. 7-day tests: immediately prior to the beginning of each flow period, at least one time during each flow period (at approximately the midway point) and immediately prior to the conclusion of each flow period. Other pressures may be taken as desired, or may be requested on wells which have previously shown questionable test data.

24-hour oil zone tests: all pressures, throughout the entire test, shall be continuously measured and recorded with recording pressure gauges the accuracy of which must be checked at least twice, once at the beginning and once at the end of each test, with a deadweight pressure gauge. If a well is a gas-oil or an oil-gas dual completion, the recording gauge shall be required on the oil zone only, with deadweight pressures as required above being taken on the gas zone.

 The results of the above-described tests shall be filed in triplicate within 15 days after completion of the test. Tests shall be filed with the Aztec District Office of the New Mexico Oil Conservation Division on Northwest New Mexico Packer Leakage Test Form Revised 10-01-78 with all deadweight pressures indicated thereon as well as the flowing temperatures (gas zones only) and gravity and GOR (oil zones only).

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

00	IDIT	
COI	NDII	IONS
COI	NDII	ION3

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	471969
	Action Type:
	[UF-PLT] Packer Leakage Test (NW) (PACKER LEAKAGE TEST (NW))

CONDITIONS

Created By		Condition Date
jdurham	None	7/22/2025

Page 3 of 3

Action 471969