Received by OCD:		:56 PM									Page 1 of
This form is not to used for reporting packer leakage tes in Southeast New I	ts	No				ion Divi Packer		e Test		Revised Ju	Page 1 une 10, 2003
Operator Hilcor	p Energy Comp	bany		Le	ase Name	JICARIL	LA D			Well No.	10
Location of Well	: Unit Letter	Н	Sec	31	Twp	026N	Rge	003W	API #	30-039-081	100
	Name of Reservoir or Pool			Type of Prod			Method of Prod		Prod Medium		
Upper Completion	PC			G	as		Flo	w	C	Casing	

	Pre	e-Flow Shut-In Pressure Data	a	
Upper Completion	Hour, Date, Shut-In 4/21/2025	Length of Time Shut-In	SI Press. PSIG 86	Stabilized?(Yes or No) Yes
Lower	Hour, Date, Shut-In	108	SI Press. PSIG	Stabilized?(Yes or No)

Flow Test No. 1 Commenced at: 4/25/2025 Zone Producing (Upper or Lower): UPPER PRESSURE Time Lapsed Time Prod Zone Since* (date/time) Temperature Remarks Upper zone Lower zone 4/25/2025 11:30 AM 11 86 73 pressures stabalied begin test 4/25/2025 11:35 AM 11 51 73 20% crossover reached 4/25/2025 12:04 PM 12 30 73 final pressures 30 min after crossover

Production rate during test

Oil:	BOPD Based on:	Bbls. In	Hrs.	Grav.	GOR

Gas:

Lower Completion

Completion

MV

4/21/2025

MCFPD; Test thru (Orifice or Meter)

Mid-Test Shut-In Pressure Data

Upper Completion	Hour, Date, Shut-In	Length of Time Shut-In	SI Press. PSIG	Stabilized?(Yes or No)
Lower Completion	Hour, Date, Shut-In		SI Press. PSIG	Stabilized?(Yes or No)

(Continue on reverse side)

Gas

Artificial Lift

Tubing

Yes

73

Northwest New Mexico Packer-Leakage Test

Flow Test No. 2 Commenced at: Zone Producing (Upper or Lower) Time Lapsed Time PRESSURE Prod Zone (date/time) Since* Temperature Remarks Upper zone Lower zone Production rate during test Oil: BOPD Based on: Bbls. In Hrs. Grav. GOR Gas: MCFPD; Test thru (Orifice or Meter) Remarks: I hereby certify that the information herein contained is true and complete to the best of my knowledge. Approved: 20 Operator: Hilcorp Energy Company New Mexico Oil Conservation Division By: Damian Cassador By: Title: Multi-Skilled Operator Date: Sunday, April 27, 2025 Title: NORTHWEST NEWMEXICO PACKER LEAKAGE TEST INSTRUCTIONS

NORTHWEST NEW MEAICO FACKER LEARAGE TEST INSTRUCTIO

 A packer leakage test shall be commenced on each multiply completed well within seven days after actual completion of the well, and annually thereafter as prescribed by the order authorizing the multiple completion. Such tests shall also be commenced on all multiple completions within seven days following recompletion and/or chemical or fracture treatment, and whenever remedial work has been done on a well during which the packer or the tubing have been disturbed. Tests shall also be taken at any time that communication is suspected or when requested by the Division.

 At least 72 hours prior to the commencement of any packer leakage test, the operator shall notify the Division in writing of the exact time the test is to be commenced. Offset operators shall also be so notified.

3. The packer leakage test shall commence when both zones of the dual completion are shut-in for pressure stabilization. Both zones shall remain shut-in until the well-head pressure in each has stabilized, provided however, that they need not remain shut-in more than seven days.

4. For Flow Test No. 1, one zone of the dual completion shall be produced at the normal rate of production while the other zone remains shut-in. Such test shall be continued for seven days in the case of a gas well and for 24 hours in the case of an oil well. Note: if, on an initial packer leakage test, a gas well is being flowed to the atmosphere due to lack of a pipeline connection the flow period shall be three hours.

5. Following completion of Flow Test No. 1, the well shall again be shut-in, in accordance with Paragraph 3 above.

Released to Imaging: 7/22/2025 11:06:38 AM

6. Flow Test No. 2 shall be conducted even though no leak was indicated during Flow Test No. 1. Procedure for Flow Test No. 2 is to be the same as for Flow Test No. 1 except that the previously produced zone shall remain shut-in while the zone which was previously shut-in is produced.

7. Pressures for gas-zone tests must be measured on each zone with a deadweight pressure gauge at time intervals as follows: 3 hours tests: immediately prior to the beginning of each flow period, at fifteen-minute intervals during the first hour thereof, and at hourly intervals thereafter, including one pressure measurement immediately prior to the conclusion of each flow period. 7-day tests: immediately prior to the beginning of each flow period, at least one time during each flow period (at approximately the midway point) and immediately prior to the conclusion of each flow period (at approximately the midway point) and immediately prior to the conclusion of each flow period. Other pressures may be taken as desired, or may be requested on wells which have previously shown questionable test data.

24-hour oil zone tests: all pressources, throughout the entire test, shall be continuously measured and recorded with recording pressure gauges the accuracy of which must be checked at least twice, once at the beginning and once at the end of each test, with a deadweight pressure gauge. If a well is a gas-oil or an oil-gas dual completion, the recording gauge shall be required on the oil zone only, with deadweight pressures as required above being taken on the gas zone.

8. The results of the above-described tests shall be filed in triplicate within 15 days after completion of the test. Tests shall be filed with the Aztec District Office of the New Mexico Oil Conservation Division on Northwest New Mexico Packer Leakage Test Form Revised 10-01-78 with all deadweight pressures indicated thereon as well as the flowing temperatures (gas zones only) and gravity and GOR (oil zones only).

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS					
Operator:	OGRID:				
HILCORP ENERGY COMPANY	372171				
1111 Travis Street	Action Number:				
Houston, TX 77002	455964				
	Action Type: [UF-PLT] Packer Leakage Test (NW) (PACKER LEAKAGE TEST (NW))				

CONDITIONS

Created By		Condition Date
jdurham	None	7/22/2025

Page 3 of 3

.

Action 455964