This form is not to be used for reporting packer leakage tests in Southeast New Mexico Northwe			(	Oil Conservation Division							
			rthwest	st New Mexico Packer-Leakage Test				Page Revised June 10, 2003			
Operator Hilco	rp Energy Comp	any		Lea	ase Name	JICARIL	LA D			Well No.	11
_ocation of We	II: Unit Letter	А	Sec	29	Twp	026N	Rge	003W	API #	30-039-205	66
	Name of Re	eservoir c	er Pool		Typ of P			Method of Prod		Prod Medium	
Upper Completion	PC			Ga	as		Flo	w	т	ubing	
Lower Completion	MV			Ga	as		Arti	ficial Lift	т	ubing	

Upper	Hour, Date, Shut-In		SI Press. PSIG		Stabilized?(Yes or No)			
Completion	4/11/2025	Length of Time Shut-In		114	Yes			
Lower	Hour, Date, Shut-In	110	SI Press. PSIG		Stabilized?(Yes or No)			
Completion	4/11/2025			395	Yes			

Flow Test No. 1							
Commenced at: 4/1	5/2025	Zone Producing (Upper or Lower): LOWER					
Time	Lapsed Time	PRES	SURE	Prod Zone			
(date/time)	Since*	Upper zone	Lower zone	Temperature	Remarks		
4/15/2025 2:05 PM	14	114	395		stabilized pressures begin test		
4/15/2025 2:15 PM	14	114	60		20% crossover reached		
4/15/2025 2:47 PM	14	114	47		Final pressures 30 min after crossover		

Production rate during test

Oil: BOPD Based on: Bbl	اما ام	s. Grav.	GOR
-------------------------	--------	----------	-----

Gas \_\_\_\_\_MCFPD; Test thru (Orifice or Meter) \_\_\_\_\_

## Mid-Test Shut-In Pressure Data

Upper Completion	Hour, Date, Shut-In	Length of Time Shut-In	SI Press. PSIG	Stabilized?(Yes or No)
Lower Completion	Hour, Date, Shut-In		SI Press. PSIG	Stabilized?(Yes or No)

(Continue on reverse side)

## Northwest New Mexico Packer-Leakage Test

•

		Flo	ow Test No. 2		
Commenced at:			Zone Pro	oducing (Upper	r or Lower)
Time	Lapsed Time	PRES	SURE	Prod Zone	
(date/time)	Since*	Upper zone	Lower zone	Temperature	Remarks
Production rate during	test				
-					
Oil:BOPE	) Based on:	Bbls. In	Hrs.	(	GravGOR
Gas	MCFPD; Test th	nru (Orifice or M	eter)		
Remarks:					
L boroby cortify that the	information barain a	antained is true	and complete	to the heat of	mytroutedro
I hereby certify that the	e mornation herein c		and complete	to the pest of	my knowledge.
Approved:		20	Operat	tor: Hilcorp E	nergy Company
New Mexico Oil Co	nservation Division		By:	Damian Case	sador
By:			Title:	Multi-Skilled	Operator
Title:			 Date:	Wodposday	April 16, 2025
nue				weunesuay,	April 16, 2025
	NORT	HWEST NEWMEXICO	PACKER LEAKAGE	E TEST INSTRUCTIO	NS
1. A packer leakage test shall be comm	nenced on each multiply completed well	l within seven days after actu	al 6. Flow T	est No. 2 shall be conduct	ed even though no leak was indicated during Flow Test No. 1. Procedure
completion of the well, and annually ther Such tests shall also be commenced on al	I multiple completions within seven day	s following recompletion an	d/or remain shut-		is for Flow Test No. 1 except that the previously produced zone shall as previously shut-in is produced.
chemical or fracture treatment, and when the tubing have been disturbed. Tests sh requested by the Division.			n	tes for and zono tests must	be measured on each zone with a deadweight pressure gauge at time
requested by the Division.			intervals as i	follows: 3 hours tests: imm	adiately prior to the beginning of each flow period, at fifteen-minute and at hourly intervals thereafter, including one pressure measurement
2. At least 72 hours prior to the comm Division in writing of the exact time the t	encement of any packer leakage test, the set is to be commenced. Offset operator		immediately flow period,	prior to the conclusion of at least one time during ea	each flow period. 7-day tests: immediately prior to the beginning of each ach flow period (at approximately the midway point) and immediately prior
-			which have j	previously shown question	
3. The packer leakage test shall comm			e with recordi	ng pressure gauges the acc	es, throughout the entire test, shall be continuously measured and recorded uracy of which must be checked at least twice, once at the beginning and dweight pressure gauge. If a well is a gas-oil or an oil-gas dual
stabilization. Both zones shall remain shi however, that they need not remain shut-		n nas stabilized, provided	completion,		be required on the oil zone only, with deadweight pressures as required
4. For Flow Test No. 1, one zone of the					
while the other zone remains shut-in. Su 24 hours in the case of an oil well. Note:	ch test shall be continued for seven day ; if, on an initial packer leakage test, a g	s in the case of a gas well and as well is being flowed to the	d for e 8. The res		d tests shall be filed in triplicate within 15 days after completion of the
atmosphere due to lack of a pipeline com	nection the flow period shall be three ho	ours.	Northwest N	lew Mexico Packer Leaka	District Office of the New Mexico Oil Conservation Division on ge Test Form Revised 10-01-78 with all deadweight pressures indicated tures (gas zones only) and gravity and GOR (oil zones only).
5. Following completion of Flow Test	No. 1, the well shall again be shut-in, in	n accordance with Paragraph		nog temperat	
above.	- , ,	0 1			
Palaasad to Imaging 7/	02/2025 1.27.12 DM				

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

## State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS		וחו	<b>ON</b>	C

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	452897
	Action Type:
	[UF-PLT] Packer Leakage Test (NW) (PACKER LEAKAGE TEST (NW))

## CONDITIONS

Created By		Condition Date
jdurham	None	7/22/2025

Page 3 of 3

Action 452897