Received by OCD: 6/9/2025 8:33: This form is not to be used for reporting	37 AM	Oil Conservation Division Northwest New Mexico Packer-Leakage Test							Γt	ige 1 of
packer leakage tests in Southeast New Mexico	No								Pag Revised June 10, 2	
Operator Hilcorp Energy Company			Lease Name ARIZONA JICARILLA B			ILLA B	Well No. 8		8	
Location of Well: Unit Letter	С	Sec	09	Twp	026N	Rge	005W	API #	30-039-21501	
Name of F	Reservoir o	or Pool			pe Prod		Method of Prod		Prod Medium	

Flow

SI Press. PSIG

Tubing

106

Stabilized?(Yes or No)

Yes

Completion MV Artificial Lift Tubing Gas **Pre-Flow Shut-In Pressure Data** Hour, Date, Shut-In SI Press. PSIG Stabilized?(Yes or No) Upper Completion Length of Time Shut-In Yes 5/12/2025 50 106

Gas

	Flow Test No. 1								
Commenced at: 5/1	Zone Producing (Upper or Lower): LOWER								
Time	Lapsed Time	PRESSURE		Prod Zone					
(date/time)	Since*	Upper zone	Lower zone	Temperature	Remarks				
5/16/2025 8:45 AM	8	50	106		begin test				
5/16/2025 9:33 AM	9	52	40		crossover met				
5/16/2025 10:03 AM	10	52	39		End Test				

Production rate during test

Upper Completion

Lower

Lower Completion PC

Hour, Date, Shut-In

5/12/2025

Oil: BOPD Based on: Bbls. In Hrs. Grav. GOR	
---	--

MCFPD; Test thru (Orifice or Meter) Gas

Mid-Test Shut-In Pressure Data

Upper Completion	Hour, Date, Shut-In	Length of Time Shut-In	SI Press. PSIG	Stabilized?(Yes or No)
Lower Completion	Hour, Date, Shut-In		SI Press. PSIG	Stabilized?(Yes or No)

(Continue on reverse side)

Northwest New Mexico Packer-Leakage Test

•

·		FIO	w Test No. 2					
Commenced at:			Zone Pro	Zone Producing (Upper or Lower)				
Time Lapsed Time PRESSUR			SURE					
(date/time)	Since*	Upper zone	Lower zone	Temperature	Remarks			
Production rate durin	g test							
Oil: BOF	D Based on:	Bbls. In	Hrs.	(Grav. GOR			
	MCFPD; Test th							
Remarks:								
I hereby certify that th	he information herein co	ontained is true a	and complete	to the best of	my knowledge.			
Approved:		20	Operat	or: Hilcorp E	nergy Company			
New Mexico Oil Conservation Division			By:	David Rubio				
By:			Title:	Multi-Skilled	Operator			
Title:			Date:	Monday, May	/ 19 2025			
				monday, may	10,2020			
	NORTH	IWEST NEWMEXICO F	PACKER LEAKAGE	TEST INSTRUCTIO	NS			
completion of the well, and annually th	mmenced on each multiply completed well v ereafter as prescribed by the order authoriz	ing the multiple completion.	for Flow Te	st No. 2 is to be the same a	ed even though no leak was indicated during Flow Test No. 1. Procedure is for Flow Test No. 1 except that the previously produced zone shall			
chemical or fracture treatment, and wh	all multiple completions within seven days nenever remedial work has been done on a w shall also be taken at any time that commun	vell during which the packer of		in while the zone which wa	as previously shut-in is produced.			
requested by the Division.	shan also be taken at any time that commun	nearion is suspected of when	intervals as i	follows: 3 hours tests: imm	be measured on each zone with a deadweight pressure gauge at time ediately prior to the beginning of each flow period, at fifteen-minute			
	nmencement of any packer leakage test, the		intervals dur immediately	ing the first hour thereof, a prior to the conclusion of	and at hourly intervals thereafter, including one pressure measurement each flow period. 7-day tests: immediately prior to the beginning of each ch flow period (at approximately the midway point) and immediately prior			
uvision in writing of the exact time th	e test is to be commenced. Offset operator	s shall also be so notified.	to the conch which have	usion of each flow period. previously shown questions	Other pressures may be taken as desired, or may be requested on wells able test data.			
	nmence when both zones of the dual comple		with recordi	24-hour oil zone tests: all pressures, throughout the entire test, shall be continuously measured and recorded with recording pressure gauges the accuracy of which must be checked at least twice, once at the beginning and once at the end of each test, with a deadweight pressure gauge. If a well is a gas-oil or an oil-gas dual				
stabilization. Both zones shall remain a however, that they need not remain shu	shut-in until the well-head pressure in each ut-in more than seven days.	nas staomzeu, provided	completion,		be required on the oil zone only, with deadweight pressures as required			
	f the dual completion shall be produced at the Such test shall be continued for seven days		for					
24 hours in the case of an oil well. No	ote: if, on an initial packer leakage test, a gas onnection the flow period shall be three hou	s well is being flowed to the	 The rest test. Tests s 	hall be filed with the Aztec	I tests shall be filed in triplicate within 15 days after completion of the District Office of the New Mexico Oil Conservation Division on			
					ge Test Form Revised 10-01-78 with all deadweight pressures indicated tures (gas zones only) and gravity and GOR (oil zones only).			
5. Following completion of Flow Te above.	est No. 1, the well shall again be shut-in, in a	accordance with Paragraph 3						
Released to Imaging: 7	/22/2025 9:07:26 AM							

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Page 3 of 3

Action 471967

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	471967
	Action Type:
	[UF-PLT] Packer Leakage Test (NW) (PACKER LEAKAGE TEST (NW))

CONDITIONS

Created By		Condition Date
jdurham	None	7/22/2025