This form is not to be used for reporting			Oil Conservation Division								
packer leakage tests			orthwes	t New Mexico Packer-Leakage Test					Page 1 Revised June 10, 2003		
Operator Hilcor	p Energy Com	bany		Lea	ase Name	e OMLER	A			Well No.	5E
Location of Well	: Unit Letter	Е	Sec	25	Twp	028N	Rge	010W	API #	30-045-241	10
	Name of R	eservoir o	or Pool			∕pe ⊃rod		Method of Prod		Prod Medium	
Upper Completion	СН			G	as		Flo	w		Tubing	
Lower Completion	DK			G	as		Arti	ficial Lift	-	Tubing	

#### **Pre-Flow Shut-In Pressure Data** Stabilized?(Yes or No) Hour, Date, Shut-In SI Press. PSIG Upper Length of Time Shut-In Completion 4/8/2025 267 Yes 152 Lower Hour, Date, Shut-In SI Press. PSIG Stabilized?(Yes or No) Completion 4/8/2025 155 Yes

### Flow Test No. 1 Commenced at: 4/14/2025 Zone Producing (Upper or Lower): UPPER PRESSURE Time Lapsed Time Prod Zone (date/time) Since\* Temperature Remarks Upper zone Lower zone 4/14/2025 7:52 AM 7 267 155 start test 8 4/14/2025 8:07 AM 122 155 20% crossover reached 4/14/2025 8:45 AM 8 61 155 30 min psi, test complete

Production rate during test

Oil: BOPD Based on: Bbls. In Hrs. Grav. GOR	
---	--

Gas MCFPD; Test thru (Orifice or Meter)

## Mid-Test Shut-In Pressure Data

Upper Completion	Hour, Date, Shut-In	Length of Time Shut-In	SI Press. PSIG	Stabilized?(Yes or No)			
Lower Completion	Hour, Date, Shut-In		SI Press. PSIG	Stabilized?(Yes or No)			

(Continue on reverse side)

# Northwest New Mexico Packer-Leakage Test

•

		Flo	w Test No. 2					
Commenced at:			Zone Pro	oducing (Upper	or Lower)			
Time	Lapsed Time	PRES	SURE	Prod Zone				
(date/time)	Since*	Upper zone	Lower zone	Temperature	Remark	٢S		
Production rate during	g test							
Oil:BOPI	D Based on:	Bbls. In	Hrs.	(	GO GO	R		
Gas	MCFPD; Test th	nru (Orifice or Me	eter)					
I hereby certify that th	e information herein c	ontained is true			ny knowledge. nergy Company			
	onservation Division			Tommy Rich				
Ву:			Title:	Multi-Skilled	Operator			
Title:			Date:	Date: Monday, April 14, 2025				
	NORT	HWEST NEWMEXICO	PACKER LEAKAGE	E TEST INSTRUCTIO	JS			
completion of the well, and annually the Such tests shall also be commenced on a chemical or fracture treatment, and whe the tubing have been disturbed. Tests sl	menced on each multiply completed wel reafter as prescribed by the order author all multiple completions within seven day never remedial work has been done on a hall also be taken at any time that commu	izing the multiple completion. s following recompletion and well during which the packer	for Flow Te: l/or remain shut- or	st No. 2 is to be the same a in while the zone which wa	d even though no leak was indicated during for Flow Test No. 1 except that the previ s previously shut-in is produced.	ously produced zone shall		
requested by the Division. 2. At least 72 hours prior to the commencement of any packer leakage test, the operator shall notify the Division in writing of the exact time the test is to be commenced. Offset operators shall also be so notified.			intervals as f intervals dur immediately flow period, to the conclu- which have	7. Pressures for gas-zone tests must be measured on each zone with a deadweight pressure gauge at time intervals as follows: 3 hours tests: immediately prior to the beginning of each flow period, at fifteen-minute intervals during the first hour thereof, and at hourly intervals thereafter, including one pressure measurement immediately prior to the conclusion of each flow period. 7-day tests: immediately prior to the beginning of each flow period, at least one time during each flow period (at approximately the midway point) and immediately prior to the conclusion of each flow period. Other pressures may be taken as desired, or may be requested on wells which have previously shown questionable test data. 24-hour oil zone tests: all pressures, throughout the entire test, shall be continuously measured and record.				
	nence when both zones of the dual comp nut-in until the well-head pressure in eac t-in more than seven days.		with recordi once at the e completion,	ng pressure gauges the acc end of each test, with a dea	s, unorgiout the entrie test, shart be contra racy of which must be checked at least tw lweight pressure gauge. If a well is a gas- e required on the oil zone only, with deadw	ice, once at the beginning and bil or an oil-gas dual		
while the other zone remains shut-in. S 24 hours in the case of an oil well. Note	the dual completion shall be produced at uch test shall be continued for seven day e: if, on an initial packer leakage test, a g nection the flow period shall be three ho	s in the case of a gas well and as well is being flowed to the	for 8. The res test. Tests s Northwest N	shall be filed with the Aztec New Mexico Packer Leakag	tests shall be filed in triplicate within 15 d District Office of the New Mexico Oil Con e Test Form Revised 10-01-78 with all der Ires (gas zones only) and gravity and GOR	nservation Division on adweight pressures indicated		
<ol><li>Following completion of Flow Tes above.</li></ol>	t No. 1, the well shall again be shut-in, in	n accordance with Paragraph .	3					
eleased to Imaging: 7/	22/2025 2:25:14 PM							

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	451680
	Action Type:
	[UF-PLT] Packer Leakage Test (NW) (PACKER LEAKAGE TEST (NW))

### CONDITIONS

Created By		Condition Date
jdurham	None	7/22/2025

Page 3 of 3

Action 451680