

Well Name: GOLD MEDAL	Well Location: T24N / R10W / SEC 31 / NESE / 36.268036 / -107.929764	County or Parish/State: SAN JUAN / NM
Well Number: 3	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM22044	Unit or CA Name:	Unit or CA Number:
US Well Number: 300452682200S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2863745

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 07/17/2025	Time Sundry Submitted: 06:25
Date Operation Actually Began: 03/24/2025	

Actual Procedure: Dugan Production P&A'd the well from 3/24/2025 - 3/31/2025 per the attached procedure.

SR Attachments

Actual Procedure

- Gold_Medal_3_BLM_OCD_apvd_plug_changes_20250717062422.pdf
- Gold_Medal_3_SR_PA_formation_tops_20250717062352.pdf
- Gold_Medal_3_SR_PA_completed_wellbore_schematic_20250717062340.pdf
- Gold_Medal_3_SR_PA_work_completed_20250717062328.pdf

Received by OCD: 7/21/2025 11:42:09 AM

Page 2 of 9

Well Name: GOLD MEDAL	Well Location: T24N / R10W / SEC 31 / NESE / 36.268036 / -107.929764	County or Parish/State: SAN JUAN / NM
Well Number: 3	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM22044	Unit or CA Name:	Unit or CA Number:
US Well Number: 300452682200S1	Operator: DUGAN PRODUCTION CORPORATION	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL	Signed on: JUL 17, 2025 06:24 AM
Name: DUGAN PRODUCTION CORPORATION	
Title: Authorized Representative	
Street Address: PO BOX 420	
City: FARMINGTON	State: NM
Phone: (505) 325-1821	
Email address: TYRAFEIL@DUGANPRODUCTION.COM	

Field

Representative Name: Aliph Reena		
Street Address: PO Box 420		
City: Farmington	State: NM	Zip: 87499-0420
Phone: (505)360-9192		
Email address: Aliph.Reena@duganproduction.com		

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 07/21/2025
Signature: Matthew Kade	

Dugan Production Corp. P&A'd the well on 03/24/2025 – 03/31/2025 per the following procedure:

- MI & RU Aztec Rig 481 and cement equipment.
- *Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.*
- LD rods & 2-3/8" production tubing.
- PU & tally 2-3/8" workstring. RIH w 4½" string mill, bit sub & tubing to 4366'. TOOH & SB.
- RIH w/4½" **cement retainer set at 4303'**. Load and circulate hole w/68 bbls. Attempt to pressure test casing to 650 psi, casing won't test.
- RU Wireline and run CBL from 4303' to surface. Sent copy and revised procedure to NMOCD & BLM. Copy of communications attached.
- *Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.*
- TIH and sting in 4½" CR at 4303'. Attempted to get rates through perforations, locked up to 1100 psi, cannot get a rate through perforations. Perforations plugged. Notify BLM/NMOCD. Obtained permission to do inside plug.
- **Plug I:** Spot Plug I, inside 4½" casing w/74 sks, 85.1 cu ft Class G neat cement to cover the Gallup perforations, Gallup top, Mancos & DV tool. Displaced w/12.9 bbls. WOC 4 hrs. Tagged TOC at 3351'. Good tag. **Plug I, inside 4½" casing, 74 sks, 85.1 cu ft Class G, Gallup perforations, Gallup top, Mancos & DV tool, 3351'-4303'.**
- Attempt to pressure test casing casing won't test. Start circulating drilling mud out of the BH.
- *Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.*
- **Plug II:** Spot Plug II inside 4½" from 2369' w/18 sks, 20.7 cu ft Class G neat cement to cover Mesaverde top. Displaced w/8.2 bbls. RO from 2111'. Circulated 0.3 bbls to surface. TOOH to 1487' & SD. WOC overnight. Checked pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi. TIH & tag TOC at 2115'. Good tag. **Plug II, inside 4½" casing, 18 sks, 20.7 cu ft, Mesaverde, 2115'-2369'.**
- **Plug III:** Spot Plug III, inside 4½" casing from 1768' w/48 sks, 55.2 cu ft Class G neat cement to cover the Lower Chacra & Upper Chacra tops. Displaced w/4.4 bbls. WOC 4 hrs. Tagged TOC at 1135'. Good tag. **Plug III, inside 4½" casing, 48 sks, 55.2 cu ft, Lower Chacra-Upper Chacra, 1135'-1768'.**
- **Plug IV:** Spot inside Plug IV inside 4½" casing from 1068' w/42 sks, 48.3 cu ft Class G neat cement to cover Pictured Cliffs & Fruitland tops. Displaced w/2 bbls water. WOC overnight. Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi. Tagged TOC at 525'. Good tag. **Plug IV, Inside 4½" casing, 42 sks, 48.3 cu ft, Pictured Cliffs-Fruitland, 525'-1068'.**
- **Plug V:** TOOH w/all tubing and SB. RU Wireline and shoot squeeze holes at 450'. RIH and set 4½" cement retainer at 402'. Sting in and establish rates through the squeeze holes. Established rates at 1 bpm at 600 psi. Swapped to cement. Spot and squeeze inside/outside plug w/142 sks, 163.3 cu ft Class G neat cement to cover the Kirtland top and surface casing shoe to surface. Circulated cement to surface through BH. LD all tubing No displacement. WOC 4 hrs. RU welder and cut off wellhead. Tagged TOC at 40' inside 4½" casing & 0' inside annulus. Good tag. **Plug V, Inside/Outside, Perforations at 450', CR at 402', 142 sks, 163.3 cu ft, Kirtland-Surface, 0-450'.**
- Fill up cellar & install dry hole marker w/25 sks, 28.8 cu ft Class G neat cement. Clean location. RD Aztec 481. Natasha Dishface w/BLM witnessed job.
- **Well P&A'd 03/31/2025.**

Gold Medal # 003


API: 30-045-26822

Sec 31 T24N R10W

1980' FSL & 660' FEL

San Juan County, NM

Lat: 36.268086, Long: -107.930402



8-5/8" J-55 24# casing @ 205'. Cemented with 150 sks Cement.
Circulated 1 bbl cement to surface.

**Plug V, Inside/Outside, perforations at 450', CR at 402', 142 sks,
163.3 cu ft, Kirtland-Surface, 0-450'.**

**Plug IV, Inside 4½" casing, 42 sks, 48.3 cu ft, Pictured Cliffs-Fruitland,
525'-1068'.**

**Plug III, inside 4½" casing, 48 sks, 55.2 cu ft, Lower Chacra-Upper
Chacra, 1135'-1768'.**

Plug II, inside 4½" casing, 18 sks, 20.7 cu ft, Mesaverde, 2115'-2369'.

Cemented Stage I w/ 190 sks, 50-50 Poz. **DV tool @ 3612'**. Stage II w/ 520 sks 65-35-12
cement followed by 50 sks Poz. TOC @ 3351'

**CIBP @ 4303'. Plug I, inside 4½" casing, 74 sks, 85.1 cu ft Class G,
Gallup perforations, Gallup top, Mancos & DV tool, 3351'-4303'.**

Gallup Perforations @ 4353'-4613'

4 ½" J-55 10.5 # casing @ 4744', Hole size 7-7/8"

Gold Medal # 003
API: 30-045-26822
Sec 31 T24N R10W
1980' FSL & 660' FEL
San Juan County, NM
Lat: 36.268086, Long: -107.930402

Elevation ASL : 6561' GL

Formation Tops (Referenced for P & A)

- **Ojo Alamo - Surface**
- **Surface Casing - 205'**
- **Kirtland - 400'**
- **Fruitland - 700'/800'**
- **Pictured Cliffs - 985'/1018'**
- **Lewis - 1110'**
- **Chacra Upper- 1330'**
- **Chacra Lower - 1718'**
- **Cliffhouse - 2315'**
- **Menefee - 2450**
- **Mancos - 3520'**
- **Gallup - 4353'**
- **DV tool - 5547'**
- **Gallup perforations - 4353'-4613'**

Tyra Feil

From: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>
Sent: Thursday, March 27, 2025 3:35 PM
To: Kade, Matthew H; Aliph Reena; Dishface, Natasha N; Lucero, Virgil S; Rennick, Kenneth G
Cc: Tyra Feil; Alex Prieto-Robles; Omar Ramirez
Subject: RE: [EXTERNAL] RE: dugan_gold_medal_3_cbl.pdf

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

NMOCD approves below.

Thank you

Monica Kuehling
Compliance Officer Supervisor
Deputy Oil and Gas Inspector
New Mexico Oil Conservation Division
North District
Cell Phone: 505-320-0243
Email - monica.kuehling@emnrd.nm.gov

From: Kade, Matthew H <mkade@blm.gov>
Sent: Thursday, March 27, 2025 2:40 PM
To: Aliph Reena <Aliph.Reena@duganproduction.com>; Dishface, Natasha N <ndishface@blm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>
Cc: Tyra Feil <Tyra.Feil@duganproduction.com>; Alex Prieto-Robles <arobles@aztecwell.com>; Omar Ramirez <oramirez@aztecwell.com>
Subject: Re: [EXTERNAL] RE: dugan_gold_medal_3_cbl.pdf

The BLM approves of the proposed changes to procedure.

Thanks,

Matthew Kade
Petroleum Engineer | Bureau of Land Management

Farmington Field Office | 6251 College Blvd., Suite A / Farmington, NM 87402
Office: 505-564-7736



From: Aliph Reena <Aliph.Reena@duganproduction.com>

Sent: Thursday, March 27, 2025 2:35 PM

To: Dishface, Natasha N <ndishface@blm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Rennick, Kenneth G <krennick@blm.gov>; MONICA <monica.kuehling@emnrd.nm.gov>; Kade, Matthew H <mkade@blm.gov>

Cc: Tyra Feil <Tyra.Feil@duganproduction.com>; Alex Prieto-Robles <arobles@aztecwell.com>; Omar Ramirez <oramirez@aztecwell.com>

Subject: [EXTERNAL] RE: dugan_gold_medal_3_cbl.pdf

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Dugan Production Corp.

API : 300-45-26822

Well Name: **Gold Medal # 3**

Based on the CBL, the TOC appear to be at 650'. We request the following changes to the original approved NOI to P & A

1. **Plug V, Kirtland-Surface:** Change plug from inside plug to inside/outside plug. Perforate at 450'. Attempt to break circulation to surface through BH.

All other plugs will be done as inside plug as approved in the original NOI.

If the requested changes are acceptable to BLM/NMOCD, please let us know and we will proceed accordingly.

Regards,
Aliph Reena

Aliph Reena P.E
Engineering Supervisor
Dugan Production Corp.
Cell: 505-360-9192

From: Alex Prieto-Robles <arobles@aztecwell.com>

Sent: Wednesday, March 26, 2025 6:17 PM

To: Aliph Reena <Aliph.Reena@duganproduction.com>

Cc: Tyra Feil <Tyra.Feil@duganproduction.com>; Dishface, Natasha N <ndishface@blm.gov>; VIRGIL <vlucero@blm.gov>; KENNETH <krennick@blm.gov>; MONICA <monica.kuehling@emnrd.nm.gov>; MATHEW <mkade@blm.gov>

Subject: dugan_gold_medal_3_cbl.pdf

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

Alex Prieto
Rig Manager – San Juan Basin

Aztec Well Servicing Co.

P.O. Box 100

Aztec, New Mexico 87410

Cell: 505-419-9882

Office: 505-334-6191

Arobles@aztecwell.com



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 487071

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 487071
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	7/22/2025