

|                                                      |                                                                                                     |                      |
|------------------------------------------------------|-----------------------------------------------------------------------------------------------------|----------------------|
| C-104<br>Submit Electronically<br>Via OCD Permitting | State of New Mexico<br>Energy, Minerals & Natural Resources Department<br>OIL CONSERVATION DIVISION | Revised July 9, 2024 |
|------------------------------------------------------|-----------------------------------------------------------------------------------------------------|----------------------|

## REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

## Section 1 - Operator and Well Information

|                                                                                                                                                                                                                                                    |                           |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
| Submittal Type: <input type="checkbox"/> Test Allowable (C-104RT) <input checked="" type="checkbox"/> New Well (C-104NW) <input type="checkbox"/> Recomplete (C-104RC) <input type="checkbox"/> Pay Add (C-104RC) <input type="checkbox"/> Amended |                           |
| Operator Name: OXY USA INC.                                                                                                                                                                                                                        | OGRID: 16696              |
| Property Name and Well Number:<br>CORRAL BLUFF 11-14 FEDERAL COM #025H                                                                                                                                                                             | Property Code:<br>329731  |
| Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal                                                                                  | API Number: 30-0 15-48884 |
| Pool Name: PIERCE CROSSING; BONE SPRING, EAST                                                                                                                                                                                                      | Pool Code:<br>96473       |

## Section 2 – Surface Location

|    |         |          |       |     |              |              |           |             |        |
|----|---------|----------|-------|-----|--------------|--------------|-----------|-------------|--------|
| UL | Section | Township | Range | Lot | Ft. from N/S | Ft. from E/W | Latitude  | Longitude   | County |
| A  | 11      | 25S      | 29E   |     | 934'FNL      | 1164'FEL     | 32.149383 | -103.950357 | EDDY   |

## Section 3 – Completion Information

|                             |                          |                                   |                                   |
|-----------------------------|--------------------------|-----------------------------------|-----------------------------------|
| Producing Method<br>FLOWING | Ready Date<br>07/13/2024 | Perforations MD<br>9820'M-19428'M | Perforations TVD<br>9377'V-9413'V |
|-----------------------------|--------------------------|-----------------------------------|-----------------------------------|

## Section 4 – Action IDs for Submissions and Order Numbers

| List Action IDs for Drilling Sundries                                                                                         | Was an Order required / needed (Y/N), if yes list Order number:                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| C-104 RT Action ID (if C-104NW):                                                                                              | Communitization Agreement <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No, Order No. PENDING BLM APPROVAL                     |
| Surface Casing Action ID: 340589                                                                                              | Unit: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, Order No.                                                              |
| Intermediate 1 Casing Action ID: 363731                                                                                       | Compulsory Pooling: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, Order No.                                                |
| Intermediate 2 Casing Action ID: NA                                                                                           | Down Hole Commingling: <input type="checkbox"/> Yes <input type="checkbox"/> No, Order No.                                                        |
| Production Casing Action ID: 363731                                                                                           | Surface Commingling: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, Order No.                                               |
| All casing was pressure tested in accordance with NMAC<br><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | Non-standard Location: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Common ownership<br>Order No. |
| Liner 1 Action ID: NA                                                                                                         | Non-standard Proration: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, Order No.                                            |
| Casing was installed prior to OCD's Action ID system (Y/N): N                                                                 | Simultaneous Dedication: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, Order No.                                           |

## Section 5 - Operator Signature and Certification

|                                                                                                                                                                                                                                |                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| <input checked="" type="checkbox"/> I hereby certify that the required Water Use Report has been, or will be, submitted for this well's completion.                                                                            |                    |
| <input checked="" type="checkbox"/> I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well's completion.                                                                        |                    |
| <input checked="" type="checkbox"/> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. |                    |
| Name<br>LESLIE REEVES <i>Leslie T. Reeves</i>                                                                                                                                                                                  |                    |
| Title<br>REGULATORY MANAGER                                                                                                                                                                                                    | Date<br>07/24/2025 |

|                                                          |                                                                                                     |                      |                                                       |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------|----------------------|-------------------------------------------------------|
| C-102<br><br>Submit Electronically<br>Via OCD Permitting | State of New Mexico<br>Energy, Minerals & Natural Resources Department<br>OIL CONSERVATION DIVISION | Revised July 9, 2024 |                                                       |
|                                                          |                                                                                                     | Submittal<br>Type:   | <input checked="" type="checkbox"/> Initial Submittal |
|                                                          |                                                                                                     |                      | <input type="checkbox"/> Amended Report               |
|                                                          |                                                                                                     |                      | <input type="checkbox"/> As Drilled                   |

## WELL LOCATION INFORMATION

|                                                                                                                                                        |                                             |                                                                                                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| API Number<br>30-015-48884                                                                                                                             | Pool Code<br>96473                          | Pool Name<br>PIERCE CROSSING; BONE SPRING, EAST                                                                                                                   |
| Property Code<br>329731                                                                                                                                | Property Name<br>CORRAL BLUFF 11-14 FED COM | Well Number<br>25H                                                                                                                                                |
| OGRID No.<br>16696                                                                                                                                     | Operator Name<br>OXY USA INC.               | Ground Level Elevation<br>3078.2                                                                                                                                  |
| Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal |                                             | Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal |

## Surface Location

|         |               |                 |              |     |                           |                           |                                 |                                    |                |
|---------|---------------|-----------------|--------------|-----|---------------------------|---------------------------|---------------------------------|------------------------------------|----------------|
| UL<br>A | Section<br>11 | Township<br>25S | Range<br>29E | Lot | Ft. from N/S<br>934 NORTH | Ft. from E/W<br>1164 EAST | Latitude (NAD 83)<br>32.149383° | Longitude (NAD 83)<br>-103.950357° | County<br>EDDY |
|---------|---------------|-----------------|--------------|-----|---------------------------|---------------------------|---------------------------------|------------------------------------|----------------|

## Bottom Hole Location

|         |               |                 |              |     |                          |                           |                                 |                                    |                |
|---------|---------------|-----------------|--------------|-----|--------------------------|---------------------------|---------------------------------|------------------------------------|----------------|
| UL<br>O | Section<br>14 | Township<br>25S | Range<br>29E | Lot | Ft. from N/S<br>23 SOUTH | Ft. from E/W<br>1750 EAST | Latitude (NAD 83)<br>32.122818° | Longitude (NAD 83)<br>-103.952207° | County<br>EDDY |
|---------|---------------|-----------------|--------------|-----|--------------------------|---------------------------|---------------------------------|------------------------------------|----------------|

|                        |                                     |                                                                                                    |                                     |                    |
|------------------------|-------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------|--------------------|
| Dedicated Acres<br>320 | Infill or Defining Well<br>DEFINING | Defining Well API                                                                                  | Overlapping Spacing Unit (Y/N)<br>N | Consolidation Code |
| Order Numbers.         |                                     | Well setbacks are under Common Ownership: <input type="checkbox"/> Yes <input type="checkbox"/> No |                                     |                    |

## Kick Off Point (KOP)

|         |               |                 |              |     |                           |                           |                                 |                                    |                |
|---------|---------------|-----------------|--------------|-----|---------------------------|---------------------------|---------------------------------|------------------------------------|----------------|
| UL<br>B | Section<br>11 | Township<br>25S | Range<br>29E | Lot | Ft. from N/S<br>226 NORTH | Ft. from E/W<br>1563 EAST | Latitude (NAD 83)<br>32.151329° | Longitude (NAD 83)<br>-103.951655° | County<br>EDDY |
|---------|---------------|-----------------|--------------|-----|---------------------------|---------------------------|---------------------------------|------------------------------------|----------------|


## First Take Point (FTP)

|         |               |                 |              |     |                           |                           |                                 |                                    |                |
|---------|---------------|-----------------|--------------|-----|---------------------------|---------------------------|---------------------------------|------------------------------------|----------------|
| UL<br>B | Section<br>11 | Township<br>25S | Range<br>29E | Lot | Ft. from N/S<br>850 NORTH | Ft. from E/W<br>1692 EAST | Latitude (NAD 83)<br>32.149615° | Longitude (NAD 83)<br>-103.952065° | County<br>EDDY |
|---------|---------------|-----------------|--------------|-----|---------------------------|---------------------------|---------------------------------|------------------------------------|----------------|

## Last Take Point (LTP)



|         |               |                 |              |     |                           |                           |                                 |                                    |                |
|---------|---------------|-----------------|--------------|-----|---------------------------|---------------------------|---------------------------------|------------------------------------|----------------|
| UL<br>O | Section<br>14 | Township<br>25S | Range<br>29E | Lot | Ft. from N/S<br>171 SOUTH | Ft. from E/W<br>1752 EAST | Latitude (NAD 83)<br>32.123225° | Longitude (NAD 83)<br>-103.952213° | County<br>EDDY |
|---------|---------------|-----------------|--------------|-----|---------------------------|---------------------------|---------------------------------|------------------------------------|----------------|

|                                           |                                                                                                    |                         |
|-------------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------|
| Unitized Area or Area of Uniform Interest | Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical | Ground Floor Elevation: |
|-------------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------|


|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>OPERATOR CERTIFICATIONS</b><br><br><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i><br><br><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i><br><br><i>Leslie T. Reeves</i> 9/30/2024<br><br>Signature _____ Date _____<br>LESLIE REEVES<br><br>Printed Name _____<br>LESLIE_REEVES@OXY.COM<br>Email Address _____ | <b>SURVEYOR CERTIFICATIONS</b><br><br><i>I hereby certify that the well location shown on this plat was plotted from the field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i><br><br><br><br>Signature and Seal of Professional Surveyor _____<br>23782 August 10, 2023<br>Certificate Number _____ Date of Survey _____ |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Note: No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

|                                             |                    |                             |            |
|---------------------------------------------|--------------------|-----------------------------|------------|
| Property Name<br>CORRAL BLUFF 11-14 FED COM | Well Number<br>25H | Drawn By<br>T.I.R. 08-07-24 | Revised By |
|---------------------------------------------|--------------------|-----------------------------|------------|



Detail "A"  
No Scale



Detail "B"  
No Scale

- = SURFACE HOLE LOCATION
- ◆ = AS-DRILLED KICK OFF POINT/TAKE POINTS
- ☆ = AS-DRILLED LEASE PENETRATION POINT
- = AS-DRILLED BOTTOM HOLE LOCATION
- ▲ = SECTION CORNER LOCATED
- = HORIZONTAL SPACING UNIT
- = AS-DRILLED WELL BORE
- N.O.W. = NORTH OF WELL
- S.O.W. = SOUTH OF WELL
- W.O.W. = WEST OF WELL



| LINE TABLE |             |          |
|------------|-------------|----------|
| LINE       | DIRECTION   | LENGTH   |
| L1         | N89°52'57"W | 2651.01' |
| L2         | N89°49'38"W | 2652.05' |
| L3         | N00°10'27"W | 2654.36' |
| L4         | N00°10'06"W | 2662.50' |
| L5         | N89°44'45"W | 2661.28' |
| L6         | N89°52'29"W | 2664.71' |
| L7         | N00°04'47"E | 2656.13' |
| L8         | N00°04'20"E | 2656.52' |
| L9         | N00°03'48"E | 2652.67' |
| L10        | N00°03'31"E | 2654.12' |
| L11        | N89°50'56"W | 2659.03' |
| L12        | N89°51'12"W | 2659.90' |
| L13        | N00°01'13"W | 2654.26' |
| L14        | N00°00'36"W | 2656.33' |

| APPROXIMATE WELL BORE MEASURED DEPTH DISTANCE FROM FTP TO LTP |           |
|---------------------------------------------------------------|-----------|
| TRACT                                                         | DISTANCE  |
| FEE                                                           | 4,467.98' |
| NMNM 015303                                                   | 5,140.02' |
| TOTAL                                                         | 9,608.00' |

## NOTE:

- Distances referenced on plat to section lines are perpendicular.
- Basis of Bearings is a Transverse Mercator Projection with a Central Meridian of W103°53'00" (NAD 83)
- As-Drilled well head has not been field verified.
- Well Bore data provided by Oxy USA Inc.
- Colored areas within section lines represent oil & gas leases.

| NAD 83 (SURFACE HOLE LOCATION)            |  |
|-------------------------------------------|--|
| LATITUDE = 32°08'57.78" (32.149383°)      |  |
| LONGITUDE = -103°57'01.29" (-103.950357°) |  |
| NAD 27 (SURFACE HOLE LOCATION)            |  |
| LATITUDE = 32°08'57.33" (32.149259°)      |  |
| LONGITUDE = -103°56'59.54" (-103.949872°) |  |
| STATE PLANE NAD 83 (N.M. EAST)            |  |
| N: 418291.67' E: 659863.11'               |  |
| STATE PLANE NAD 27 (N.M. EAST)            |  |
| N: 418233.29' E: 618678.46'               |  |

| NAD 83 (AS-DRILLED LPP #1)                |  |
|-------------------------------------------|--|
| LATITUDE = 32°08'14.45" (32.137347°)      |  |
| LONGITUDE = -103°57'07.92" (-103.952200°) |  |
| NAD 27 (AS-DRILLED LPP #1)                |  |
| LATITUDE = 32°08'14.00" (32.137223°)      |  |
| LONGITUDE = -103°57'06.17" (-103.951715°) |  |
| STATE PLANE NAD 83 (N.M. EAST)            |  |
| N: 413911.35' E: 659308.24'               |  |
| STATE PLANE NAD 27 (N.M. EAST)            |  |
| N: 413853.06' E: 618123.48'               |  |

| NAD 83 (AS-DRILLED KOP)                   |  |
|-------------------------------------------|--|
| LATITUDE = 32°09'04.78" (32.151329°)      |  |
| LONGITUDE = -103°57'05.96" (-103.951655°) |  |
| NAD 27 (AS-DRILLED KOP)                   |  |
| LATITUDE = 32°09'04.34" (32.151205°)      |  |
| LONGITUDE = -103°57'04.21" (-103.951170°) |  |
| STATE PLANE NAD 83 (N.M. EAST)            |  |
| N: 418998.26' E: 659458.91'               |  |
| STATE PLANE NAD 27 (N.M. EAST)            |  |
| N: 418939.87' E: 618274.28'               |  |

| NAD 83 (AS-DRILLED LTP)                   |  |
|-------------------------------------------|--|
| LATITUDE = 32°07'23.61" (32.123225°)      |  |
| LONGITUDE = -103°57'07.97" (-103.952213°) |  |
| NAD 27 (AS-DRILLED LTP)                   |  |
| LATITUDE = 32°07'23.16" (32.123101°)      |  |
| LONGITUDE = -103°57'06.22" (-103.951729°) |  |
| STATE PLANE NAD 83 (N.M. EAST)            |  |
| N: 408773.98' E: 659322.28'               |  |
| STATE PLANE NAD 27 (N.M. EAST)            |  |
| N: 408715.79' E: 618137.37'               |  |

| NAD 83 (AS-DRILLED FTP)                   |  |
|-------------------------------------------|--|
| LATITUDE = 32°08'58.61" (32.149615°)      |  |
| LONGITUDE = -103°57'07.43" (-103.952065°) |  |
| NAD 27 (AS-DRILLED FTP)                   |  |
| LATITUDE = 32°08'58.17" (32.149491°)      |  |
| LONGITUDE = -103°57'05.69" (-103.951579°) |  |
| STATE PLANE NAD 83 (N.M. EAST)            |  |
| N: 418374.30' E: 659334.33'               |  |
| STATE PLANE NAD 27 (N.M. EAST)            |  |
| N: 418135.91' E: 618149.69'               |  |

| NAD 83 (AS-DRILLED BHL)                   |  |
|-------------------------------------------|--|
| LATITUDE = 32°07'22.15" (32.122818°)      |  |
| LONGITUDE = -103°57'07.94" (-103.952207°) |  |
| NAD 27 (AS-DRILLED BHL)                   |  |
| LATITUDE = 32°07'21.70" (32.122694°)      |  |
| LONGITUDE = -103°57'06.20" (-103.951723°) |  |
| STATE PLANE NAD 83 (N.M. EAST)            |  |
| N: 408626.00' E: 659324.82'               |  |
| STATE PLANE NAD 27 (N.M. EAST)            |  |
| N: 408567.82' E: 618139.91'               |  |

# **OXY - Delaware Basin**

Eddy County, NM (NAD27 - NM E 3001)

Corral Bluff 11\_14 Pad

Corral Bluff 11\_14 Fed Com 25H

OH

Design: OH

## **Standard Survey Report**

25 June, 2024





Project: Eddy County, NM (NAD27 - NM E 3001)  
Site: Corral Bluff 11\_14 Pad  
Well: Corral Bluff 11\_14 Fed Com 25H  
Wellbore: OH  
Design: OH  
Lat: 32.149259  
Long: -103.949872  
GL: 3078.20  
KB: 25'KB @ 3103.20usft (H&P 267)

T  
G  
M

Azimuths to Grid North  
True North: -0.20°  
Magnetic North: 6.22°  
  
Magnetic Field  
Strength: 47305.4nT  
Dip Angle: 59.67°  
Date: 6/1/2024  
Model: HRGM

| WELL DETAILS: Corral Bluff 11_14 Fed Com 25H |       |           |           |           |             |
|----------------------------------------------|-------|-----------|-----------|-----------|-------------|
| +N/-S                                        | +E/-W | Northing  | Easting   | Latitude  | Longitude   |
| 0.00                                         | 0.00  | 418233.29 | 618678.46 | 32.149259 | -103.949872 |

| ANNOTATIONS |         |                         |
|-------------|---------|-------------------------|
| MD          | TVD     | Annotation              |
| 800.00      | 799.98  | First AEP Svy @ 800' MD |
| 19540.00    | 9412.69 | Last Svy @ 19540' MD    |
| 19576.00    | 9412.58 | TD @ 19576' MD          |



Survey Report

|           |                                     |                              |                                     |
|-----------|-------------------------------------|------------------------------|-------------------------------------|
| Company:  | OXY - Delaware Basin                | Local Co-ordinate Reference: | Well Corral Bluff 11_14 Fed Com 25H |
| Project:  | Eddy County, NM (NAD27 - NM E 3001) | TVD Reference:               | 25KB @ 3103.20usft (H&P 267)        |
| Site:     | Corral Bluff 11_14 Pad              | MD Reference:                | 25KB @ 3103.20usft (H&P 267)        |
| Well:     | Corral Bluff 11_14 Fed Com 25H      | North Reference:             | Grid                                |
| Wellbore: | OH                                  | Survey Calculation Method:   | Minimum Curvature                   |
| Design:   | OH                                  | Database:                    | Fhartmann                           |

|             |                                      |               |                |
|-------------|--------------------------------------|---------------|----------------|
| Project     | Eddy County, NM (NAD27 - NM E 3001)  |               |                |
| Map System: | US State Plane 1927 (Exact solution) | System Datum: | Mean Sea Level |
| Geo Datum:  | NAD 1927 (NADCON CONUS)              |               |                |
| Map Zone:   | New Mexico East 3001                 |               |                |

|                       |     |                        |                 |            |             |
|-----------------------|-----|------------------------|-----------------|------------|-------------|
| Site                  |     | Corral Bluff 11_14 Pad |                 |            |             |
| Site Position:        |     | Northing:              | 418,261.00 usft | Latitude:  | 32.149335   |
| From:                 | Map | Easting:               | 618,699.82 usft | Longitude: | -103.949803 |
| Position Uncertainty: |     | 0.00 usft              | Slot Radius:    | 13-3/16 "  |             |

|                      |                                |           |                     |                 |               |               |
|----------------------|--------------------------------|-----------|---------------------|-----------------|---------------|---------------|
| Well                 | Corral Bluff 11_14 Fed Com 25H |           |                     |                 |               |               |
| Well Position        | +N/-S                          | 0.00 usft | Northing:           | 418,233.29 usft | Latitude:     | 32.149259     |
|                      | +E/-W                          | 0.00 usft | Easting:            | 618,678.46 usft | Longitude:    | -103.949872   |
| Position Uncertainty |                                | 0.00 usft | Wellhead Elevation: | usft            | Ground Level: | 3,078.20 usft |
| Grid Convergence:    |                                | 0.20 °    |                     |                 |               |               |

|           |            |             |                 |               |                     |
|-----------|------------|-------------|-----------------|---------------|---------------------|
| Wellbore  | OH         |             |                 |               |                     |
| Magnetics | Model Name | Sample Date | Declination (°) | Dip Angle (°) | Field Strength (nT) |
|           | HRGM       | 6/1/2024    | 6.43            | 59.67         | 47,305.42776219     |

|                   |                         |              |              |               |      |
|-------------------|-------------------------|--------------|--------------|---------------|------|
| Design            | OH                      |              |              |               |      |
| Audit Notes:      |                         |              |              |               |      |
| Version:          | 1.0                     | Phase:       | ACTUAL       | Tie On Depth: | 0.00 |
| Vertical Section: | Depth From (TVD) (usft) | +N/-S (usft) | +E/-W (usft) | Direction (°) |      |
|                   | 0.00                    | 0.00         | 0.00         | 183.19        |      |

|                |           |                   |                      |                   |  |
|----------------|-----------|-------------------|----------------------|-------------------|--|
| Survey Program | Date      | 6/25/2024         |                      |                   |  |
| From (usft)    | To (usft) | Survey (Wellbore) | Tool Name            | Description       |  |
| 25.00          | 653.00    | Survey #1 (OH)    | B001Mc_MWD+HRGM_R5   | MWD+HRGM          |  |
| 800.00         | 19,576.00 | Survey #2 (OH)    | SQC_C705Mb_MWD+IFR1+ | MWD+IFR1+Sag+FDIR |  |

|                       |                 |             |                       |              |              |                         |                         |                        |                       |  |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|--|
| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |  |
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 0.00                  | 0.00            | 0.00        | 0.00                  | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |  |
| 25.00                 | 0.00            | 0.00        | 25.00                 | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |  |
| 191.00                | 0.50            | 135.87      | 191.00                | -0.52        | 0.50         | 0.49                    | 0.30                    | 0.30                   | 0.00                  |  |
| 274.00                | 0.53            | 136.44      | 273.99                | -1.06        | 1.02         | 1.00                    | 0.04                    | 0.04                   | 0.69                  |  |
| 405.00                | 0.47            | 130.69      | 404.99                | -1.85        | 1.85         | 1.74                    | 0.06                    | -0.05                  | -4.39                 |  |
| 493.00                | 0.45            | 130.66      | 492.99                | -2.31        | 2.38         | 2.17                    | 0.02                    | -0.02                  | -0.03                 |  |
| 579.00                | 0.13            | 167.38      | 578.99                | -2.62        | 2.66         | 2.47                    | 0.41                    | -0.37                  | 42.70                 |  |
| 653.00                | 0.16            | 220.82      | 652.99                | -2.78        | 2.61         | 2.63                    | 0.18                    | 0.04                   | 72.22                 |  |
| 800.00                | 0.33            | 287.58      | 799.98                | -2.81        | 2.07         | 2.69                    | 0.21                    | 0.12                   | 45.41                 |  |

## Survey Report

|                  |                                     |                                     |                                     |
|------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| <b>Company:</b>  | OXY - Delaware Basin                | <b>Local Co-ordinate Reference:</b> | Well Corral Bluff 11_14 Fed Com 25H |
| <b>Project:</b>  | Eddy County, NM (NAD27 - NM E 3001) | <b>TVD Reference:</b>               | 25'KB @ 3103.20usft (H&P 267)       |
| <b>Site:</b>     | Corral Bluff 11_14 Pad              | <b>MD Reference:</b>                | 25'KB @ 3103.20usft (H&P 267)       |
| <b>Well:</b>     | Corral Bluff 11_14 Fed Com 25H      | <b>North Reference:</b>             | Grid                                |
| <b>Wellbore:</b> | OH                                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                   |
| <b>Design:</b>   | OH                                  | <b>Database:</b>                    | Fhartmann                           |

| Survey                  |                 |             |                       |              |              |                         |                         |                        |                       |
|-------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)   | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| First AEP Svy @ 800' MD |                 |             |                       |              |              |                         |                         |                        |                       |
| 896.00                  | 0.71            | 314.39      | 895.98                | -2.31        | 1.38         | 2.23                    | 0.46                    | 0.40                   | 27.93                 |
| 992.00                  | 0.99            | 311.76      | 991.97                | -1.34        | 0.34         | 1.32                    | 0.29                    | 0.29                   | -2.74                 |
| 1,087.00                | 1.00            | 344.13      | 1,086.96              | 0.00         | -0.50        | 0.03                    | 0.58                    | 0.01                   | 34.07                 |
| 1,182.00                | 0.92            | 358.34      | 1,181.94              | 1.56         | -0.75        | -1.52                   | 0.26                    | -0.08                  | 14.96                 |
| 1,278.00                | 0.07            | 78.37       | 1,277.94              | 2.34         | -0.71        | -2.30                   | 0.95                    | -0.89                  | 83.36                 |
| 1,373.00                | 0.27            | 175.11      | 1,372.94              | 2.13         | -0.64        | -2.09                   | 0.30                    | 0.21                   | 101.83                |
| 1,468.00                | 0.76            | 41.78       | 1,467.94              | 2.38         | -0.20        | -2.36                   | 1.02                    | 0.52                   | -140.35               |
| 1,563.00                | 1.16            | 56.91       | 1,562.92              | 3.37         | 1.03         | -3.43                   | 0.49                    | 0.42                   | 15.93                 |
| 1,658.00                | 1.12            | 56.69       | 1,657.90              | 4.41         | 2.61         | -4.55                   | 0.04                    | -0.04                  | -0.23                 |
| 1,753.00                | 1.03            | 70.12       | 1,752.89              | 5.21         | 4.19         | -5.43                   | 0.28                    | -0.09                  | 14.14                 |
| 1,849.00                | 0.09            | 301.25      | 1,848.88              | 5.54         | 4.94         | -5.81                   | 1.13                    | -0.98                  | -134.24               |
| 1,944.00                | 1.53            | 265.98      | 1,943.87              | 5.49         | 3.61         | -5.68                   | 1.53                    | 1.52                   | -37.13                |
| 2,039.00                | 1.71            | 255.77      | 2,038.83              | 5.05         | 0.97         | -5.10                   | 0.36                    | 0.19                   | -10.75                |
| 2,134.00                | 1.63            | 250.92      | 2,133.79              | 4.26         | -1.68        | -4.16                   | 0.17                    | -0.08                  | -5.11                 |
| 2,229.00                | 1.53            | 252.09      | 2,228.76              | 3.43         | -4.17        | -3.19                   | 0.11                    | -0.11                  | 1.23                  |
| 2,324.00                | 1.29            | 259.16      | 2,323.73              | 2.84         | -6.42        | -2.48                   | 0.31                    | -0.25                  | 7.44                  |
| 2,419.00                | 0.97            | 266.32      | 2,418.71              | 2.59         | -8.28        | -2.12                   | 0.37                    | -0.34                  | 7.54                  |
| 2,515.00                | 0.49            | 243.56      | 2,514.70              | 2.35         | -9.46        | -1.82                   | 0.57                    | -0.50                  | -23.71                |
| 2,610.00                | 1.11            | 132.75      | 2,609.69              | 1.55         | -9.14        | -1.04                   | 1.44                    | 0.65                   | -116.64               |
| 2,705.00                | 1.47            | 136.38      | 2,704.67              | 0.04         | -7.63        | 0.38                    | 0.39                    | 0.38                   | 3.82                  |
| 2,800.00                | 2.11            | 140.92      | 2,799.62              | -2.20        | -5.68        | 2.51                    | 0.69                    | 0.67                   | 4.78                  |
| 2,895.00                | 3.11            | 133.37      | 2,894.52              | -5.33        | -2.71        | 5.47                    | 1.11                    | 1.05                   | -7.95                 |
| 2,990.00                | 4.31            | 135.26      | 2,989.32              | -9.63        | 1.68         | 9.52                    | 1.27                    | 1.26                   | 1.99                  |
| 3,085.00                | 2.53            | 127.30      | 3,084.15              | -13.44       | 5.86         | 13.09                   | 1.93                    | -1.87                  | -8.38                 |
| 3,180.00                | 1.54            | 115.43      | 3,179.09              | -15.26       | 8.68         | 14.75                   | 1.13                    | -1.04                  | -12.49                |
| 3,275.00                | 1.89            | 3.45        | 3,274.07              | -14.24       | 9.93         | 13.67                   | 3.00                    | 0.37                   | -117.87               |
| 3,370.00                | 4.51            | 350.39      | 3,368.91              | -8.99        | 9.40         | 8.46                    | 2.85                    | 2.76                   | -13.75                |
| 3,466.00                | 5.65            | 340.75      | 3,464.53              | -0.81        | 7.21         | 0.41                    | 1.48                    | 1.19                   | -10.04                |
| 3,561.00                | 7.76            | 329.68      | 3,558.88              | 9.14         | 2.43         | -9.26                   | 2.59                    | 2.22                   | -11.65                |
| 3,656.00                | 7.80            | 328.23      | 3,653.01              | 20.16        | -4.20        | -19.89                  | 0.21                    | 0.04                   | -1.53                 |
| 3,751.00                | 7.67            | 327.61      | 3,747.14              | 30.99        | -10.99       | -30.33                  | 0.16                    | -0.14                  | -0.65                 |
| 3,846.00                | 7.75            | 326.73      | 3,841.29              | 41.70        | -17.90       | -40.64                  | 0.15                    | 0.08                   | -0.93                 |
| 3,941.00                | 7.38            | 323.79      | 3,935.46              | 51.98        | -25.02       | -50.51                  | 0.56                    | -0.39                  | -3.09                 |
| 4,036.00                | 8.50            | 316.24      | 4,029.55              | 61.98        | -33.48       | -60.02                  | 1.61                    | 1.18                   | -7.95                 |
| 4,131.00                | 9.84            | 314.92      | 4,123.33              | 72.78        | -44.09       | -70.21                  | 1.43                    | 1.41                   | -1.39                 |
| 4,226.00                | 11.51           | 320.35      | 4,216.69              | 85.81        | -55.88       | -82.57                  | 2.05                    | 1.76                   | 5.72                  |
| 4,322.00                | 14.66           | 321.10      | 4,310.18              | 102.64       | -69.63       | -98.61                  | 3.29                    | 3.28                   | 0.78                  |
| 4,416.00                | 16.27           | 321.59      | 4,400.78              | 122.22       | -85.28       | -117.29                 | 1.72                    | 1.71                   | 0.52                  |
| 4,512.00                | 17.63           | 324.28      | 4,492.61              | 144.56       | -102.12      | -138.66                 | 1.63                    | 1.42                   | 2.80                  |
| 4,607.00                | 18.65           | 327.94      | 4,582.89              | 169.12       | -118.59      | -162.26                 | 1.61                    | 1.07                   | 3.85                  |
| 4,702.00                | 18.83           | 327.24      | 4,672.85              | 194.88       | -134.94      | -187.07                 | 0.30                    | 0.19                   | -0.74                 |
| 4,797.00                | 18.92           | 326.98      | 4,762.74              | 220.69       | -151.63      | -211.91                 | 0.13                    | 0.09                   | -0.27                 |

## Survey Report

|                  |                                     |                                     |                                     |
|------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| <b>Company:</b>  | OXY - Delaware Basin                | <b>Local Co-ordinate Reference:</b> | Well Corral Bluff 11_14 Fed Com 25H |
| <b>Project:</b>  | Eddy County, NM (NAD27 - NM E 3001) | <b>TVD Reference:</b>               | 25'KB @ 3103.20usft (H&P 267)       |
| <b>Site:</b>     | Corral Bluff 11_14 Pad              | <b>MD Reference:</b>                | 25'KB @ 3103.20usft (H&P 267)       |
| <b>Well:</b>     | Corral Bluff 11_14 Fed Com 25H      | <b>North Reference:</b>             | Grid                                |
| <b>Wellbore:</b> | OH                                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                   |
| <b>Design:</b>   | OH                                  | <b>Database:</b>                    | Fhartmann                           |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |  |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 4,892.00              | 18.52           | 328.29      | 4,852.72              | 246.44       | -167.96      | -236.71                 | 0.61                    | -0.42                  | 1.38                  |  |
| 4,987.00              | 17.55           | 328.53      | 4,943.05              | 271.49       | -183.36      | -260.87                 | 1.02                    | -1.02                  | 0.25                  |  |
| 5,082.00              | 17.74           | 328.33      | 5,033.58              | 296.02       | -198.44      | -284.53                 | 0.21                    | 0.20                   | -0.21                 |  |
| 5,177.00              | 18.21           | 329.55      | 5,123.94              | 321.14       | -213.56      | -308.76                 | 0.63                    | 0.49                   | 1.28                  |  |
| 5,272.00              | 16.65           | 329.97      | 5,214.58              | 345.72       | -227.90      | -332.51                 | 1.65                    | -1.64                  | 0.44                  |  |
| 5,368.00              | 16.70           | 329.57      | 5,306.54              | 369.52       | -241.77      | -355.50                 | 0.13                    | 0.05                   | -0.42                 |  |
| 5,463.00              | 16.31           | 331.23      | 5,397.63              | 392.98       | -255.10      | -378.18                 | 0.64                    | -0.41                  | 1.75                  |  |
| 5,558.00              | 15.32           | 331.31      | 5,489.03              | 415.69       | -267.55      | -400.16                 | 1.04                    | -1.04                  | 0.08                  |  |
| 5,653.00              | 14.72           | 329.69      | 5,580.78              | 437.11       | -279.66      | -420.88                 | 0.77                    | -0.63                  | -1.71                 |  |
| 5,748.00              | 14.50           | 333.11      | 5,672.71              | 458.14       | -291.13      | -441.24                 | 0.94                    | -0.23                  | 3.60                  |  |
| 5,843.00              | 15.35           | 339.47      | 5,764.51              | 480.53       | -300.92      | -463.04                 | 1.94                    | 0.89                   | 6.69                  |  |
| 5,938.00              | 14.82           | 338.75      | 5,856.24              | 503.63       | -309.73      | -485.61                 | 0.59                    | -0.56                  | -0.76                 |  |
| 6,033.00              | 13.29           | 345.46      | 5,948.40              | 525.52       | -316.88      | -507.08                 | 2.35                    | -1.61                  | 7.06                  |  |
| 6,129.00              | 12.86           | 344.47      | 6,041.91              | 546.50       | -322.51      | -527.71                 | 0.51                    | -0.45                  | -1.03                 |  |
| 6,224.00              | 11.50           | 347.72      | 6,134.77              | 565.94       | -327.36      | -546.85                 | 1.60                    | -1.43                  | 3.42                  |  |
| 6,319.00              | 9.87            | 349.20      | 6,228.12              | 583.19       | -330.90      | -563.88                 | 1.74                    | -1.72                  | 1.56                  |  |
| 6,414.00              | 9.93            | 348.23      | 6,321.71              | 599.21       | -334.09      | -579.69                 | 0.19                    | 0.06                   | -1.02                 |  |
| 6,509.00              | 8.19            | 348.51      | 6,415.52              | 613.86       | -337.11      | -594.15                 | 1.83                    | -1.83                  | 0.29                  |  |
| 6,604.00              | 6.83            | 347.45      | 6,509.70              | 626.00       | -339.69      | -606.13                 | 1.44                    | -1.43                  | -1.12                 |  |
| 6,700.00              | 6.59            | 347.32      | 6,605.04              | 636.95       | -342.14      | -616.93                 | 0.25                    | -0.25                  | -0.14                 |  |
| 6,795.00              | 6.48            | 345.47      | 6,699.42              | 647.46       | -344.68      | -627.28                 | 0.25                    | -0.12                  | -1.95                 |  |
| 6,890.00              | 6.19            | 344.82      | 6,793.84              | 657.59       | -347.36      | -637.24                 | 0.31                    | -0.31                  | -0.68                 |  |
| 6,985.00              | 5.96            | 344.72      | 6,888.31              | 667.29       | -350.01      | -646.78                 | 0.24                    | -0.24                  | -0.11                 |  |
| 7,081.00              | 6.07            | 344.10      | 6,983.78              | 676.98       | -352.71      | -656.31                 | 0.13                    | 0.11                   | -0.65                 |  |
| 7,176.00              | 5.05            | 343.34      | 7,078.33              | 685.81       | -355.28      | -664.99                 | 1.08                    | -1.07                  | -0.80                 |  |
| 7,271.00              | 4.44            | 340.13      | 7,173.01              | 693.28       | -357.73      | -672.30                 | 0.70                    | -0.64                  | -3.38                 |  |
| 7,366.00              | 3.89            | 332.34      | 7,267.76              | 699.59       | -360.48      | -678.45                 | 0.83                    | -0.58                  | -8.20                 |  |
| 7,461.00              | 3.86            | 318.80      | 7,362.54              | 704.85       | -364.08      | -683.51                 | 0.96                    | -0.03                  | -14.25                |  |
| 7,556.00              | 3.54            | 308.08      | 7,457.35              | 709.07       | -368.50      | -687.47                 | 0.80                    | -0.34                  | -11.28                |  |
| 7,652.00              | 2.99            | 290.61      | 7,553.19              | 711.78       | -373.17      | -689.91                 | 1.18                    | -0.57                  | -18.20                |  |
| 7,747.00              | 2.61            | 284.37      | 7,648.08              | 713.18       | -377.59      | -691.07                 | 0.51                    | -0.40                  | -6.57                 |  |
| 7,842.00              | 2.18            | 277.31      | 7,743.00              | 713.95       | -381.47      | -691.62                 | 0.55                    | -0.45                  | -7.43                 |  |
| 7,937.00              | 1.71            | 271.14      | 7,837.94              | 714.21       | -384.68      | -691.70                 | 0.54                    | -0.49                  | -6.49                 |  |
| 8,032.00              | 1.01            | 277.14      | 7,932.91              | 714.34       | -386.93      | -691.71                 | 0.75                    | -0.74                  | 6.32                  |  |
| 8,127.00              | 1.05            | 266.00      | 8,027.90              | 714.39       | -388.63      | -691.66                 | 0.21                    | 0.04                   | -11.73                |  |
| 8,222.00              | 1.22            | 260.17      | 8,122.88              | 714.15       | -390.50      | -691.32                 | 0.22                    | 0.18                   | -6.14                 |  |
| 8,317.00              | 1.87            | 243.65      | 8,217.85              | 713.29       | -392.88      | -690.33                 | 0.82                    | 0.68                   | -17.39                |  |
| 8,412.00              | 1.38            | 246.75      | 8,312.81              | 712.15       | -395.32      | -689.06                 | 0.52                    | -0.52                  | 3.26                  |  |
| 8,507.00              | 0.78            | 264.60      | 8,407.79              | 711.64       | -397.02      | -688.45                 | 0.72                    | -0.63                  | 18.79                 |  |
| 8,602.00              | 1.17            | 219.44      | 8,502.78              | 710.83       | -398.28      | -687.57                 | 0.87                    | 0.41                   | -47.54                |  |
| 8,698.00              | 1.62            | 240.19      | 8,598.75              | 709.40       | -400.08      | -686.04                 | 0.70                    | 0.47                   | 21.61                 |  |
| 8,729.00              | 2.01            | 234.99      | 8,629.73              | 708.87       | -400.90      | -685.47                 | 1.36                    | 1.26                   | -16.77                |  |
| 8,737.00              | 2.26            | 241.39      | 8,637.73              | 708.71       | -401.15      | -685.30                 | 4.31                    | 3.13                   | 80.00                 |  |
| 8,832.00              | 2.23            | 228.14      | 8,732.66              | 706.58       | -404.18      | -683.00                 | 0.55                    | -0.03                  | -13.95                |  |



## Survey Report

|                  |                                     |                                     |                                     |
|------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| <b>Company:</b>  | OXY - Delaware Basin                | <b>Local Co-ordinate Reference:</b> | Well Corral Bluff 11_14 Fed Com 25H |
| <b>Project:</b>  | Eddy County, NM (NAD27 - NM E 3001) | <b>TVD Reference:</b>               | 25'KB @ 3103.20usft (H&P 267)       |
| <b>Site:</b>     | Corral Bluff 11_14 Pad              | <b>MD Reference:</b>                | 25'KB @ 3103.20usft (H&P 267)       |
| <b>Well:</b>     | Corral Bluff 11_14 Fed Com 25H      | <b>North Reference:</b>             | Grid                                |
| <b>Wellbore:</b> | OH                                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                   |
| <b>Design:</b>   | OH                                  | <b>Database:</b>                    | Fhartmann                           |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 8,928.00              | 11.22           | 184.50      | 8,827.93              | 696.00       | -406.30      | -672.32                 | 10.13                   | 9.36                   | -45.46                |
| 9,023.00              | 22.38           | 186.40      | 8,918.73              | 668.73       | -409.05      | -644.93                 | 11.76                   | 11.75                  | 2.00                  |
| 9,118.00              | 29.27           | 191.39      | 9,004.20              | 627.93       | -415.67      | -603.84                 | 7.60                    | 7.25                   | 5.25                  |
| 9,213.00              | 33.65           | 192.24      | 9,085.22              | 579.42       | -425.84      | -554.83                 | 4.63                    | 4.61                   | 0.89                  |
| 9,308.00              | 43.07           | 191.04      | 9,159.63              | 521.73       | -437.66      | -496.57                 | 9.95                    | 9.92                   | -1.26                 |
| 9,403.00              | 49.86           | 192.25      | 9,225.03              | 454.33       | -451.59      | -428.50                 | 7.21                    | 7.15                   | 1.27                  |
| 9,498.00              | 58.47           | 193.42      | 9,280.59              | 379.32       | -468.72      | -352.65                 | 9.12                    | 9.06                   | 1.23                  |
| 9,594.00              | 64.85           | 192.66      | 9,326.14              | 297.04       | -487.76      | -269.45                 | 6.68                    | 6.65                   | -0.79                 |
| 9,689.00              | 74.26           | 191.52      | 9,359.29              | 210.09       | -506.36      | -181.60                 | 9.97                    | 9.91                   | -1.20                 |
| 9,742.00              | 81.39           | 190.32      | 9,370.46              | 159.26       | -516.16      | -130.29                 | 13.63                   | 13.45                  | -2.26                 |
| 9,823.00              | 88.84           | 188.38      | 9,377.36              | 79.68        | -529.25      | -50.11                  | 9.50                    | 9.20                   | -2.40                 |
| 9,886.00              | 89.27           | 189.06      | 9,378.39              | 17.42        | -538.80      | 12.58                   | 1.28                    | 0.68                   | 1.08                  |
| 9,981.00              | 88.78           | 188.63      | 9,380.01              | -76.44       | -553.41      | 107.11                  | 0.69                    | -0.52                  | -0.45                 |
| 10,076.00             | 88.86           | 186.91      | 9,381.97              | -170.54      | -566.25      | 201.78                  | 1.81                    | 0.08                   | -1.81                 |
| 10,172.00             | 88.69           | 185.35      | 9,384.02              | -265.97      | -576.50      | 297.63                  | 1.63                    | -0.18                  | -1.63                 |
| 10,267.00             | 88.41           | 183.27      | 9,386.42              | -360.66      | -583.63      | 392.57                  | 2.21                    | -0.29                  | -2.19                 |
| 10,362.00             | 89.37           | 181.81      | 9,388.26              | -455.55      | -587.84      | 487.55                  | 1.84                    | 1.01                   | -1.54                 |
| 10,457.00             | 90.18           | 183.64      | 9,388.64              | -550.44      | -592.36      | 582.54                  | 2.11                    | 0.85                   | 1.93                  |
| 10,552.00             | 90.12           | 184.70      | 9,388.39              | -645.18      | -599.27      | 677.52                  | 1.12                    | -0.06                  | 1.12                  |
| 10,648.00             | 89.60           | 180.72      | 9,388.62              | -741.06      | -603.80      | 773.50                  | 4.18                    | -0.54                  | -4.15                 |
| 10,743.00             | 90.01           | 179.35      | 9,388.95              | -836.05      | -603.86      | 868.35                  | 1.51                    | 0.43                   | -1.44                 |
| 10,838.00             | 89.93           | 178.26      | 9,389.00              | -931.03      | -601.88      | 963.07                  | 1.15                    | -0.08                  | -1.15                 |
| 10,933.00             | 90.00           | 178.14      | 9,389.05              | -1,025.98    | -598.90      | 1,057.71                | 0.15                    | 0.07                   | -0.13                 |
| 11,028.00             | 89.95           | 178.36      | 9,389.10              | -1,120.94    | -596.00      | 1,152.36                | 0.24                    | -0.05                  | 0.23                  |
| 11,124.00             | 89.86           | 177.85      | 9,389.26              | -1,216.89    | -592.82      | 1,247.98                | 0.54                    | -0.09                  | -0.53                 |
| 11,220.00             | 89.97           | 178.01      | 9,389.40              | -1,312.82    | -589.35      | 1,343.58                | 0.20                    | 0.11                   | 0.17                  |
| 11,316.00             | 90.21           | 178.44      | 9,389.25              | -1,408.78    | -586.38      | 1,439.22                | 0.51                    | 0.25                   | 0.45                  |
| 11,411.00             | 89.92           | 178.27      | 9,389.14              | -1,503.74    | -583.65      | 1,533.88                | 0.35                    | -0.31                  | -0.18                 |
| 11,507.00             | 89.95           | 178.07      | 9,389.25              | -1,599.69    | -580.59      | 1,629.51                | 0.21                    | 0.03                   | -0.21                 |
| 11,603.00             | 90.00           | 178.08      | 9,389.29              | -1,695.63    | -577.36      | 1,725.13                | 0.05                    | 0.05                   | 0.01                  |
| 11,699.00             | 90.08           | 179.21      | 9,389.22              | -1,791.61    | -575.09      | 1,820.83                | 1.18                    | 0.08                   | 1.18                  |
| 11,795.00             | 89.71           | 178.48      | 9,389.40              | -1,887.59    | -573.16      | 1,916.55                | 0.85                    | -0.39                  | -0.76                 |
| 11,891.00             | 90.06           | 180.16      | 9,389.59              | -1,983.58    | -572.02      | 2,012.33                | 1.79                    | 0.36                   | 1.75                  |
| 11,986.00             | 89.77           | 180.57      | 9,389.73              | -2,078.57    | -572.62      | 2,107.21                | 0.53                    | -0.31                  | 0.43                  |
| 12,081.00             | 90.33           | 180.40      | 9,389.65              | -2,173.57    | -573.43      | 2,202.10                | 0.62                    | 0.59                   | -0.18                 |
| 12,177.00             | 90.02           | 179.30      | 9,389.36              | -2,269.57    | -573.18      | 2,297.94                | 1.19                    | -0.32                  | -1.15                 |
| 12,272.00             | 89.39           | 178.47      | 9,389.85              | -2,364.55    | -571.33      | 2,392.67                | 1.10                    | -0.66                  | -0.87                 |
| 12,367.00             | 90.19           | 179.43      | 9,390.19              | -2,459.53    | -569.59      | 2,487.41                | 1.32                    | 0.84                   | 1.01                  |
| 12,462.00             | 90.12           | 179.41      | 9,389.94              | -2,554.52    | -568.63      | 2,582.20                | 0.08                    | -0.07                  | -0.02                 |
| 12,557.00             | 90.38           | 180.12      | 9,389.52              | -2,649.52    | -568.24      | 2,677.03                | 0.80                    | 0.27                   | 0.75                  |
| 12,652.00             | 89.91           | 179.19      | 9,389.28              | -2,744.52    | -567.66      | 2,771.85                | 1.10                    | -0.49                  | -0.98                 |
| 12,747.00             | 89.62           | 178.35      | 9,389.67              | -2,839.49    | -565.62      | 2,866.56                | 0.94                    | -0.31                  | -0.88                 |
| 12,842.00             | 89.95           | 179.37      | 9,390.03              | -2,934.47    | -563.73      | 2,961.29                | 1.13                    | 0.35                   | 1.07                  |

## Survey Report

|                  |                                     |                                     |                                     |
|------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| <b>Company:</b>  | OXY - Delaware Basin                | <b>Local Co-ordinate Reference:</b> | Well Corral Bluff 11_14 Fed Com 25H |
| <b>Project:</b>  | Eddy County, NM (NAD27 - NM E 3001) | <b>TVD Reference:</b>               | 25'KB @ 3103.20usft (H&P 267)       |
| <b>Site:</b>     | Corral Bluff 11_14 Pad              | <b>MD Reference:</b>                | 25'KB @ 3103.20usft (H&P 267)       |
| <b>Well:</b>     | Corral Bluff 11_14 Fed Com 25H      | <b>North Reference:</b>             | Grid                                |
| <b>Wellbore:</b> | OH                                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                   |
| <b>Design:</b>   | OH                                  | <b>Database:</b>                    | Fhartmann                           |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 12,938.00             | 89.68           | 179.16      | 9,390.34              | -3,030.46    | -562.50      | 3,057.06                | 0.36                    | -0.28                  | -0.22                 |
| 13,033.00             | 89.69           | 178.89      | 9,390.86              | -3,125.45    | -560.89      | 3,151.81                | 0.28                    | 0.01                   | -0.28                 |
| 13,128.00             | 89.87           | 179.71      | 9,391.22              | -3,220.44    | -559.73      | 3,246.59                | 0.88                    | 0.19                   | 0.86                  |
| 13,223.00             | 89.04           | 179.77      | 9,392.13              | -3,315.43    | -559.29      | 3,341.41                | 0.88                    | -0.87                  | 0.06                  |
| 13,318.00             | 89.54           | 180.29      | 9,393.31              | -3,410.43    | -559.34      | 3,436.26                | 0.76                    | 0.53                   | 0.55                  |
| 13,413.00             | 88.79           | 180.53      | 9,394.69              | -3,505.41    | -560.02      | 3,531.14                | 0.83                    | -0.79                  | 0.25                  |
| 13,508.00             | 88.95           | 179.93      | 9,396.56              | -3,600.39    | -560.41      | 3,625.99                | 0.65                    | 0.17                   | -0.63                 |
| 13,603.00             | 88.86           | 179.66      | 9,398.38              | -3,695.37    | -560.07      | 3,720.81                | 0.30                    | -0.09                  | -0.28                 |
| 13,698.00             | 89.09           | 179.56      | 9,400.08              | -3,790.36    | -559.42      | 3,815.61                | 0.26                    | 0.24                   | -0.11                 |
| 13,793.00             | 89.06           | 179.75      | 9,401.61              | -3,885.34    | -558.85      | 3,910.42                | 0.20                    | -0.03                  | 0.20                  |
| 13,888.00             | 88.89           | 179.28      | 9,403.31              | -3,980.32    | -558.04      | 4,005.21                | 0.53                    | -0.18                  | -0.49                 |
| 13,983.00             | 88.92           | 179.49      | 9,405.13              | -4,075.30    | -557.02      | 4,099.98                | 0.22                    | 0.03                   | 0.22                  |
| 14,078.00             | 89.05           | 179.83      | 9,406.81              | -4,170.28    | -556.46      | 4,194.78                | 0.38                    | 0.14                   | 0.36                  |
| 14,173.00             | 89.04           | 179.52      | 9,408.39              | -4,265.27    | -555.92      | 4,289.59                | 0.33                    | -0.01                  | -0.33                 |
| 14,268.00             | 88.97           | 179.64      | 9,410.04              | -4,360.25    | -555.22      | 4,384.39                | 0.15                    | -0.07                  | 0.13                  |
| 14,364.00             | 88.94           | 178.94      | 9,411.79              | -4,456.23    | -554.04      | 4,480.15                | 0.73                    | -0.03                  | -0.73                 |
| 14,459.00             | 89.66           | 175.90      | 9,412.95              | -4,551.11    | -549.76      | 4,574.65                | 3.29                    | 0.76                   | -3.20                 |
| 14,554.00             | 89.33           | 176.31      | 9,413.79              | -4,645.89    | -543.31      | 4,668.92                | 0.55                    | -0.35                  | 0.43                  |
| 14,649.00             | 89.39           | 175.67      | 9,414.85              | -4,740.65    | -536.66      | 4,763.17                | 0.68                    | 0.06                   | -0.67                 |
| 14,744.00             | 90.22           | 175.79      | 9,415.18              | -4,835.39    | -529.59      | 4,857.36                | 0.88                    | 0.87                   | 0.13                  |
| 14,840.00             | 91.47           | 178.64      | 9,413.76              | -4,931.25    | -524.93      | 4,952.82                | 3.24                    | 1.30                   | 2.97                  |
| 14,935.00             | 91.92           | 181.47      | 9,410.95              | -5,026.20    | -525.02      | 5,047.62                | 3.02                    | 0.47                   | 2.98                  |
| 15,030.00             | 91.67           | 181.19      | 9,407.97              | -5,121.13    | -527.22      | 5,142.53                | 0.40                    | -0.26                  | -0.29                 |
| 15,125.00             | 91.23           | 181.14      | 9,405.57              | -5,216.08    | -529.15      | 5,237.44                | 0.47                    | -0.46                  | -0.05                 |
| 15,220.00             | 90.72           | 180.88      | 9,403.95              | -5,311.05    | -530.83      | 5,332.35                | 0.60                    | -0.54                  | -0.27                 |
| 15,315.00             | 90.62           | 180.59      | 9,402.84              | -5,406.03    | -532.05      | 5,427.26                | 0.32                    | -0.11                  | -0.31                 |
| 15,410.00             | 90.78           | 180.69      | 9,401.68              | -5,501.02    | -533.11      | 5,522.16                | 0.20                    | 0.17                   | 0.11                  |
| 15,505.00             | 89.17           | 180.91      | 9,401.72              | -5,596.01    | -534.43      | 5,617.07                | 1.71                    | -1.69                  | 0.23                  |
| 15,600.00             | 88.03           | 180.44      | 9,404.04              | -5,690.97    | -535.55      | 5,711.95                | 1.30                    | -1.20                  | -0.49                 |
| 15,696.00             | 87.22           | 180.42      | 9,408.02              | -5,786.88    | -536.27      | 5,807.76                | 0.84                    | -0.84                  | -0.02                 |
| 15,791.00             | 86.42           | 180.63      | 9,413.29              | -5,881.73    | -537.14      | 5,902.51                | 0.87                    | -0.84                  | 0.22                  |
| 15,886.00             | 86.66           | 180.45      | 9,419.03              | -5,976.56    | -538.03      | 5,997.23                | 0.32                    | 0.25                   | -0.19                 |
| 15,983.00             | 91.99           | 181.67      | 9,420.17              | -6,073.50    | -539.83      | 6,094.12                | 5.64                    | 5.49                   | 1.26                  |
| 16,077.00             | 91.27           | 181.36      | 9,417.49              | -6,167.42    | -542.31      | 6,188.04                | 0.83                    | -0.77                  | -0.33                 |
| 16,172.00             | 91.31           | 181.17      | 9,415.36              | -6,262.38    | -544.41      | 6,282.97                | 0.20                    | 0.04                   | -0.20                 |
| 16,267.00             | 91.03           | 181.43      | 9,413.42              | -6,357.33    | -546.56      | 6,377.89                | 0.40                    | -0.29                  | 0.27                  |
| 16,362.00             | 90.91           | 182.10      | 9,411.81              | -6,452.27    | -549.49      | 6,472.85                | 0.72                    | -0.13                  | 0.71                  |
| 16,457.00             | 90.88           | 182.60      | 9,410.32              | -6,547.18    | -553.38      | 6,567.83                | 0.53                    | -0.03                  | 0.53                  |
| 16,553.00             | 90.88           | 182.11      | 9,408.85              | -6,643.09    | -557.33      | 6,663.81                | 0.51                    | 0.00                   | -0.51                 |
| 16,647.00             | 90.99           | 182.26      | 9,407.32              | -6,737.01    | -560.91      | 6,757.78                | 0.20                    | 0.12                   | 0.16                  |
| 16,743.00             | 90.83           | 181.46      | 9,405.79              | -6,832.94    | -564.03      | 6,853.74                | 0.85                    | -0.17                  | -0.83                 |
| 16,838.00             | 89.91           | 180.47      | 9,405.18              | -6,927.93    | -565.63      | 6,948.67                | 1.42                    | -0.97                  | -1.04                 |
| 16,933.00             | 89.65           | 180.77      | 9,405.54              | -7,022.92    | -566.66      | 7,043.57                | 0.42                    | -0.27                  | 0.32                  |

Survey Report

|           |                                     |                              |                                     |
|-----------|-------------------------------------|------------------------------|-------------------------------------|
| Company:  | OXY - Delaware Basin                | Local Co-ordinate Reference: | Well Corral Bluff 11_14 Fed Com 25H |
| Project:  | Eddy County, NM (NAD27 - NM E 3001) | TVD Reference:               | 25'KB @ 3103.20usft (H&P 267)       |
| Site:     | Corral Bluff 11_14 Pad              | MD Reference:                | 25'KB @ 3103.20usft (H&P 267)       |
| Well:     | Corral Bluff 11_14 Fed Com 25H      | North Reference:             | Grid                                |
| Wellbore: | OH                                  | Survey Calculation Method:   | Minimum Curvature                   |
| Design:   | OH                                  | Database:                    | Fhartmann                           |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 17,028.00             | 89.87           | 180.93      | 9,405.94              | -7,117.91    | -568.07      | 7,138.49                | 0.29                    | 0.23                   | 0.17                  |
| 17,123.00             | 89.74           | 179.80      | 9,406.26              | -7,212.91    | -568.67      | 7,233.37                | 1.20                    | -0.14                  | -1.19                 |
| 17,218.00             | 89.47           | 179.95      | 9,406.92              | -7,307.90    | -568.46      | 7,328.21                | 0.33                    | -0.28                  | 0.16                  |
| 17,313.00             | 89.82           | 180.23      | 9,407.51              | -7,402.90    | -568.61      | 7,423.07                | 0.47                    | 0.37                   | 0.29                  |
| 17,408.00             | 89.94           | 180.86      | 9,407.71              | -7,497.90    | -569.52      | 7,517.97                | 0.68                    | 0.13                   | 0.66                  |
| 17,504.00             | 90.00           | 180.54      | 9,407.76              | -7,593.89    | -570.69      | 7,613.88                | 0.34                    | 0.06                   | -0.33                 |
| 17,598.00             | 89.59           | 180.14      | 9,408.09              | -7,687.89    | -571.25      | 7,707.76                | 0.61                    | -0.44                  | -0.43                 |
| 17,694.00             | 89.77           | 179.82      | 9,408.63              | -7,783.88    | -571.21      | 7,803.61                | 0.38                    | 0.19                   | -0.33                 |
| 17,789.00             | 89.84           | 179.06      | 9,408.95              | -7,878.88    | -570.28      | 7,898.40                | 0.80                    | 0.07                   | -0.80                 |
| 17,884.00             | 90.02           | 178.14      | 9,409.07              | -7,973.85    | -567.96      | 7,993.10                | 0.99                    | 0.19                   | -0.97                 |
| 17,979.00             | 89.83           | 178.06      | 9,409.19              | -8,068.80    | -564.81      | 8,087.72                | 0.22                    | -0.20                  | -0.08                 |
| 18,074.00             | 89.91           | 178.66      | 9,409.41              | -8,163.76    | -562.09      | 8,182.38                | 0.64                    | 0.08                   | 0.63                  |
| 18,169.00             | 90.19           | 178.91      | 9,409.33              | -8,258.74    | -560.08      | 8,277.10                | 0.40                    | 0.29                   | 0.26                  |
| 18,264.00             | 89.82           | 179.93      | 9,409.32              | -8,353.73    | -559.12      | 8,371.90                | 1.14                    | -0.39                  | 1.07                  |
| 18,359.00             | 89.66           | 179.22      | 9,409.75              | -8,448.72    | -558.41      | 8,466.71                | 0.77                    | -0.17                  | -0.75                 |
| 18,455.00             | 89.85           | 179.35      | 9,410.16              | -8,544.72    | -557.22      | 8,562.48                | 0.24                    | 0.20                   | 0.14                  |
| 18,549.00             | 89.87           | 180.59      | 9,410.39              | -8,638.71    | -557.17      | 8,656.33                | 1.32                    | 0.02                   | 1.32                  |
| 18,645.00             | 89.68           | 178.01      | 9,410.77              | -8,734.70    | -555.99      | 8,752.10                | 2.69                    | -0.20                  | -2.69                 |
| 18,740.00             | 89.93           | 180.06      | 9,411.09              | -8,829.68    | -554.39      | 8,846.85                | 2.17                    | 0.26                   | 2.16                  |
| 18,835.00             | 89.69           | 178.50      | 9,411.40              | -8,924.67    | -553.20      | 8,941.62                | 1.66                    | -0.25                  | -1.64                 |
| 18,930.00             | 89.99           | 177.19      | 9,411.67              | -9,019.60    | -549.63      | 9,036.21                | 1.41                    | 0.32                   | -1.38                 |
| 19,025.00             | 89.84           | 179.02      | 9,411.81              | -9,114.54    | -546.49      | 9,130.83                | 1.93                    | -0.16                  | 1.93                  |
| 19,120.00             | 89.96           | 178.45      | 9,411.98              | -9,209.52    | -544.39      | 9,225.54                | 0.61                    | 0.13                   | -0.60                 |
| 19,215.00             | 89.65           | 180.07      | 9,412.30              | -9,304.51    | -543.16      | 9,320.31                | 1.74                    | -0.33                  | 1.71                  |
| 19,311.00             | 90.17           | 179.49      | 9,412.45              | -9,400.50    | -542.79      | 9,416.14                | 0.81                    | 0.54                   | -0.60                 |
| 19,406.00             | 89.71           | 178.87      | 9,412.55              | -9,495.49    | -541.43      | 9,510.91                | 0.81                    | -0.48                  | -0.65                 |
| 19,501.00             | 90.04           | 179.31      | 9,412.76              | -9,590.48    | -539.93      | 9,605.67                | 0.58                    | 0.35                   | 0.46                  |
| 19,540.00             | 90.17           | 178.82      | 9,412.69              | -9,629.48    | -539.29      | 9,644.57                | 1.30                    | 0.33                   | -1.26                 |
| Last Svy @ 19540' MD  |                 |             |                       |              |              |                         |                         |                        |                       |
| 19,576.00             | 90.17           | 178.82      | 9,412.58              | -9,665.47    | -538.55      | 9,680.46                | 0.00                    | 0.00                   | 0.00                  |
| TD @ 19576' MD        |                 |             |                       |              |              |                         |                         |                        |                       |

| Design Annotations    |                       |                   |              |                         |
|-----------------------|-----------------------|-------------------|--------------|-------------------------|
| Measured Depth (usft) | Vertical Depth (usft) | Local Coordinates |              | Comment                 |
|                       |                       | +N/-S (usft)      | +E/-W (usft) |                         |
| 800.00                | 799.98                | -2.81             | 2.07         | First AEP Svy @ 800' MD |
| 19,540.00             | 9,412.69              | -9,629.48         | -539.29      | Last Svy @ 19540' MD    |
| 19,576.00             | 9,412.58              | -9,665.47         | -538.55      | TD @ 19576' MD          |

Checked By: \_\_\_\_\_

Approved By: \_\_\_\_\_

Date: \_\_\_\_\_

|                                                          |                                                                                                     |                      |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------|----------------------|
| C-105<br><br>Submit Electronically<br>Via OCD Permitting | State of New Mexico<br>Energy, Minerals & Natural Resources Department<br>OIL CONSERVATION DIVISION | Revised July 9, 2024 |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------|----------------------|

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Section 1 - Operator and Well Information

|                                                                                                                                                                                                                                                                                                   |                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
| Submittal Type: <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Workover <input type="checkbox"/> Deepening <input type="checkbox"/> Plugback <input type="checkbox"/> Different Reservoir <input type="checkbox"/> C-144 Closure Attachment <input type="checkbox"/> Other |                           |
| Operator Name: OXY USA INC.                                                                                                                                                                                                                                                                       | OGRID: 16696              |
| Property Name and Well Number:<br>CORRAL BLUFF 11-14 FEDERAL COM #025H                                                                                                                                                                                                                            | Property Code:<br>329731  |
| Mineral Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal                                                                                                                                            | API Number: 30-0 15-48884 |
| Pool Name: PIERCE CROSSING; BONE SPRING, EAST                                                                                                                                                                                                                                                     | Pool Code:<br>96473       |

Section 2 – Well Location

|      | UI or lot no. | Section | Township | Range | Lot Id | Feet from | N/S Line | Feet from | E/W Line | County |
|------|---------------|---------|----------|-------|--------|-----------|----------|-----------|----------|--------|
| SHL: | A             | 11      | 25S      | 29E   |        | 934'      | FNL      | 1164'     | FEL      | EDDY   |
| BHL  | O             | 14      | 25S      | 29E   |        | 23'       | FSL      | 1750'     | FEL      | EDDY   |

Section 3 – Completion Information

|                                 |                                                           |                                            |                                                                                                                         |
|---------------------------------|-----------------------------------------------------------|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Date T.D. Reached<br>05/13/2024 | Total Measured Depth of Well<br>19576'M/9412'V            | Acid Volume (bbls)                         | <input checked="" type="checkbox"/> Directional Survey Submitted<br><input type="checkbox"/> Deviation Survey Submitted |
| Date Rig Released<br>05/18/2024 | Plug-Back Measured Depth<br>19509'M/9412'V                | Completion Fluid Used (bbls)<br>419393     | Were Logs Ran (Y/N)<br>Y                                                                                                |
| Completion Date<br>07/13/2024   | Perforations (MD and TVD)<br>9820'M/9377'V-19428'M/9413'V | Completion Proppant Used (lbs)<br>24085601 | List Type of Logs Ran if applicable:<br>GR,CBL                                                                          |

Section 4 – Action IDs for Submissions and Order Numbers

|                                         |                                                                                                                            |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Surface Casing Action ID: 340589        | UIC Permit/Order (UIC wells only) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, Order No.           |
| Intermediate 1 Casing Action ID: 363731 | NOI Recomplete Action ID (if applicable):                                                                                  |
| Intermediate 2 Casing Action ID: NA     | NOI Plugback Action ID (if applicable):                                                                                    |
| Production Casing Action ID: 363731     | Cement Squeeze Action ID (if applicable):                                                                                  |
| Tubing Action ID: NA                    | All casing was pressure tested in accordance with NMAC <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| Liner 1 Action ID: NA                   | Casing was installed prior to Action ID system (Y/N): N                                                                    |

Section 5 – Test Data

|                                     |                              |                            |                           |
|-------------------------------------|------------------------------|----------------------------|---------------------------|
| Date First Production<br>07/17/2024 | Production Method<br>FLOWING | Well Status<br>PROD        | Gas – Oil Ratio           |
| Date of Test<br>07/30/2024          | Choke Size                   | Flowing Tubing Pressure    | Casing Pressure<br>796psi |
| 24 hr Oil (bbls)<br>2323            | 24 hr Gas (MCF)<br>5348      | 24 hr Water (bbls)<br>6250 | Oil Gravity - API         |
| Disposition of Gas: SOLD            |                              |                            |                           |

Section 6 – Pits


|                                                                                                                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> A temporary pit was used at the well. If so, attach a plat with the location of the temporary pit.                    |
| <input checked="" type="checkbox"/> A Closed Loop System was used.                                                                             |
| <input type="checkbox"/> If an on-site burial was used at the well, report the exact location of the on-site burial:<br>LAT: _____ LONG: _____ |

Section 7 - Operator Signature and Certification

|                                                                                                                                                                                                                                |                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| <input checked="" type="checkbox"/> I hereby certify that the required Water Use Report has been, or will be, submitted for this well’s completion.                                                                            |                   |
| <input checked="" type="checkbox"/> I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well’s completion.                                                                        |                   |
| <input checked="" type="checkbox"/> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. |                   |
| Name<br>LESLIE REEVES <i>Leslie T. Reeves</i>                                                                                                                                                                                  |                   |
| Title<br>REGULATORY MANAGER                                                                                                                                                                                                    | Date<br>7/24/2025 |

| South Formations    |      |      |       | North Formations   |    |     |       |
|---------------------|------|------|-------|--------------------|----|-----|-------|
| Formation/Zone      | MD   | TVD  | W/O/G | Formation/Zone     | MD | TVD | W/O/G |
| T. Anhy             | 367  | 367  | W     | T. San Jose        |    |     |       |
| T. Salt             | 765  | 765  |       | T. Nacimiento      |    |     |       |
| B. Salt             | 1757 | 1757 |       | T. Ojo Alamo       |    |     |       |
| T. Yates            |      |      |       | T. Kirtland        |    |     |       |
| T. 7 Rivers         |      |      |       | T. Fruitland       |    |     |       |
| T. Queen            |      |      |       | T. Pictured Cliffs |    |     |       |
| T. Grayburg         |      |      |       | T. Lewis Shale     |    |     |       |
| T. San Andres       |      |      |       | T. Chacra          |    |     |       |
| T. Glorieta         |      |      |       | T. Cliff House     |    |     |       |
| T. Yeso             |      |      |       | T. Menefee         |    |     |       |
| T. Paddock          |      |      |       | T. Point Lookout   |    |     |       |
| T. Blinebry         |      |      |       | T. Mancos          |    |     |       |
| T.Tubb              |      |      |       | T. Gallup          |    |     |       |
| T. Drinkard         |      |      |       | T. Greenhorn       |    |     |       |
| T. Abo              |      |      |       | T. Graneros        |    |     |       |
| T. Wolfcamp         |      |      |       | T. Dakota          |    |     |       |
| T. Penn             |      |      |       | T. Morrison        |    |     |       |
| T. Cisco            |      |      |       | T. Bluff           |    |     |       |
| T. Canyon           |      |      |       | T.Todilto          |    |     |       |
| T. Strawn           |      |      |       | T. Entrada         |    |     |       |
| T. Atoka            |      |      |       | T. Wingate         |    |     |       |
| T. Morrow           |      |      |       | T. Chinle          |    |     |       |
| T. Barnett Shale    |      |      |       | T. Permian         |    |     |       |
| T. Miss             |      |      |       | T. Penn A"         |    |     |       |
| T. Woodford Shale   |      |      |       | T. Penn. "B"       |    |     |       |
| T. Devonian         |      |      |       | T. Penn. "C"       |    |     |       |
| T. Silurian         |      |      |       | T. Penn. "D"       |    |     |       |
| T. Fusselman        |      |      |       | T. Leadville       |    |     |       |
| T. Montoya          |      |      |       | T. Madison         |    |     |       |
| T. Simpson          |      |      |       | T. Elbert          |    |     |       |
| T. McKee            |      |      |       | T. McCracken       |    |     |       |
| T. Waddell          |      |      |       | T. Ignacio Otzte   |    |     |       |
| T. Connel           |      |      |       | T. Granite         |    |     |       |
| T. Ellenburger      |      |      |       | T. Hermosa         |    |     |       |
| T. Gr. Wash         |      |      |       | T. De Chelly       |    |     |       |
| T. Delaware Sand    |      |      |       | T. Pinkerton       |    |     |       |
| T. Lamar Lime       | 3239 | 3239 | O/G   |                    |    |     |       |
| T. Bell Canyon      | 3269 | 3269 | O/G   |                    |    |     |       |
| T. Cherry Canyon    | 4146 | 4146 | O/G   |                    |    |     |       |
| T. Brushy Canyon    | 5387 | 5387 | O/G   |                    |    |     |       |
| T. Bone Springs     | 7112 | 7014 | O/G   |                    |    |     |       |
| T. 1st BS Sand      | 8038 | 7939 | O/G   |                    |    |     |       |
| T. 2nd BS Carbonate | 8868 | 8758 | O/G   |                    |    |     |       |
| T. 2nd BS Sand      |      |      |       |                    |    |     |       |
| T. 3rd BS Carbonate |      |      |       |                    |    |     |       |
| T. 3rd BS Sand      |      |      |       |                    |    |     |       |

OXY USA Inc.  
CORRAL BLUFF 11-14 FED COM #25H  
API No. 30-015-48884



|                                              |                                                                        |                                      |
|----------------------------------------------|------------------------------------------------------------------------|--------------------------------------|
| Well Name: CORRAL BLUFF 11_14<br>FEDERAL COM | Well Location: T25S / R29E / SEC 11 /<br>NENE / 32.14938 / -103.950357 | County or Parish/State: EDDY /<br>NM |
| Well Number: 25H                             | Type of Well: OIL WELL                                                 | Allottee or Tribe Name:              |
| Lease Number: NMNM15303                      | Unit or CA Name:                                                       | Unit or CA Number:                   |
| US Well Number: 300154888400X1               | Operator: OXY USA INCORPORATED                                         |                                      |

Subsequent Report

Sundry ID: 2800100

|                                           |                                      |
|-------------------------------------------|--------------------------------------|
| Type of Submission: Subsequent Report     | Type of Action: Hydraulic Fracturing |
| Date Sundry Submitted: 07/19/2024         | Time Sundry Submitted: 12:25         |
| Date Operation Actually Began: 06/10/2024 |                                      |

**Actual Procedure:** RUPU 06/10/24, RIH & clean out to PBTD @ 19509'M/9412'. Ran CBL. Pressure tested casing to 6000# for 30 min, good test. RIH & perf @ 9820'-19428'. Total 1173 holes. Frac in 39 stages w/ 407573 bbls Produced Water + 11820 bbls Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 24085601# sand. RD Frac 07/09/24. RD CT and well ready to produce 07/13/24. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 08/31/2024.

Received by OCD: 7/24/2025 2:31:12 PM

Page 16 of 18

|                                              |                                                                        |                                      |
|----------------------------------------------|------------------------------------------------------------------------|--------------------------------------|
| Well Name: CORRAL BLUFF 11_14<br>FEDERAL COM | Well Location: T25S / R29E / SEC 11 /<br>NENE / 32.14938 / -103.950357 | County or Parish/State: EDDY /<br>NM |
| Well Number: 25H                             | Type of Well: OIL WELL                                                 | Allottee or Tribe Name:              |
| Lease Number: NMNM15303                      | Unit or CA Name:                                                       | Unit or CA Number:                   |
| US Well Number: 300154888400X1               | Operator: OXY USA INCORPORATED                                         |                                      |

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

|                                              |                                  |
|----------------------------------------------|----------------------------------|
| Operator Electronic Signature: LESLIE REEVES | Signed on: JUL 19, 2024 12:25 PM |
| Name: OXY USA INCORPORATED                   |                                  |
| Title: Advisor Regulatory                    |                                  |
| Street Address: 5 GREENWAY PLAZA, SUITE 110  |                                  |
| City: HOUSTON                                | State: TX                        |
| Phone: (713) 497-2492                        |                                  |
| Email address: LESLIE_REEVES@OXY.COM         |                                  |

Field

|                      |        |      |
|----------------------|--------|------|
| Representative Name: |        |      |
| Street Address:      |        |      |
| City:                | State: | Zip: |
| Phone:               |        |      |
| Email address:       |        |      |

BLM Point of Contact

|                                  |                                         |
|----------------------------------|-----------------------------------------|
| BLM POC Name: JONATHON W SHEPARD | BLM POC Title: Petroleum Engineer       |
| BLM POC Phone: 5752345972        | BLM POC Email Address: jshepard@blm.gov |
| Disposition: Accepted            | Disposition Date: 07/24/2024            |
| Signature: Jonathon Shepard      |                                         |



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 488548

ACKNOWLEDGMENTS

|                                                                        |                                                                    |
|------------------------------------------------------------------------|--------------------------------------------------------------------|
| Operator:<br><br>OXY USA INC<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br><br>16696                                                |
|                                                                        | Action Number:<br><br>488548                                       |
|                                                                        | Action Type:<br><br>[C-104] Completion Packet - New Well (C-104NW) |

ACKNOWLEDGMENTS

|                                     |                                                                                                                                                                                            |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.                                                                             |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.                                                                         |
| <input checked="" type="checkbox"/> | I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 488548

CONDITIONS

|                                                                    |                                                                |
|--------------------------------------------------------------------|----------------------------------------------------------------|
| Operator:<br>OXY USA INC<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br>16696                                                |
|                                                                    | Action Number:<br>488548                                       |
|                                                                    | Action Type:<br>[C-104] Completion Packet - New Well (C-104NW) |

CONDITIONS

| Created By | Condition                                   | Condition Date |
|------------|---------------------------------------------|----------------|
| plmartinez | File 3160-4 within 10 days of BLM Approval. | 7/24/2025      |