

C-104 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024
--	---	----------------------

REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

Section 1 - Operator and Well Information

Submittal Type: ☐ Test Allowable (C-104RT) ☒ New Well (C-104NW) ☐ Recomplete (C-104RC) ☐ Pay Add (C-104RC) ☐ Amended	
Operator Name: OXY USA INC.	OGRID: 16696
Property Name and Well Number: OLIVE WON UNIT #131H	Property Code: 336102
Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-0 15-54746
Pool Name: WC 22S31E13; WOLFCAMP	Pool Code: 98351

Section 2 – Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
N	25	22S	31E		655'FSL	2057'FWL	32.35701456	-103.73338391	EDDY

Section 3 – Completion Information

Producing Method	Ready Date	Perforations MD	Perforations TVD
FLOWING	07/02/2024	12065'M-22175'M	

Section 4 – Action IDs for Submissions and Order Numbers

List Action IDs for Drilling Sundries	Was an Order required / needed (Y/N), if yes list Order number:
C-104 RT Action ID (if C-104NW):	Communitization Agreement ☐ Yes ☒ No, Order No.
Surface Casing Action ID: 336279	Unit: ☒ Yes ☐ No, Order No. NMNM106319137
Intermediate 1 Casing Action ID: 336280	Compulsory Pooling: ☐ Yes ☒ No, Order No.
Intermediate 2 Casing Action ID:	Down Hole Commingling: ☐ Yes ☒ No, Order No.
Production Casing Action ID: 375098	Surface Commingling: ☒ Yes ☐ No, Order No. PLC-929
All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No	Non-standard Location: ☐ Yes ☒ No ☐ Common ownership Order No.
Liner 1 Action ID:	Non-standard Proration: ☐ Yes ☒ No, Order No.
Casing was installed prior to OCD's Action ID system (Y/N): N	Simultaneous Dedication: ☐ Yes ☒ No, Order No.

Section 5 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name LESLIE REEVES <i>Leslie T. Reeves</i>	
Title REGULATORY MANAGER	Date 09/30/2024

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals, & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024	
		Submittal Type:	☐ Initial Submittal ☐ Amended Report ☒ As Drilled

WELL LOCATION INFORMATION

API Number 30-015-54746	Pool Code 98351	Pool Name WC 22S31E13; WOLFCAMP
Property Code 335226	Property Name OLIVE WON UNIT	Well Number 131H
OGRID No. 16696	Operator Name OXY USA INC.	Ground Level Elevation 3498'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL N	Section 25	Township 22S	Range 31E	Lot	Ft. from N/S 655' FSL	Ft. from E/W 2057' FWL	Latitude (NAD83) 32.35701456	Longitude (NAD83) -103.73338391	County EDDY
---------	---------------	-----------------	--------------	-----	--------------------------	---------------------------	---------------------------------	------------------------------------	----------------

Bottom Hole Location

UL D	Section 24	Township 22S	Range 31E	Lot	Ft. from N/S 50' FNL	Ft. from E/W 341' FWL	Latitude (NAD83) 32.38410890	Longitude (NAD83) -103.73896710	County EDDY
---------	---------------	-----------------	--------------	-----	-------------------------	--------------------------	---------------------------------	------------------------------------	----------------

Dedicated Acres 320.00	Infill or Defining Well INFILL	Defining Well API	Overlapping Spacing Unit (Y/N) N	Consolidation Code
Order Numbers:			Well setbacks are under Common Ownership: ☐ Yes ☐ No	

Kick Off Point (KOP)

UL M	Section 25	Township 22S	Range 31E	Lot	Ft. from N/S 111' FSL	Ft. from E/W 542' FWL	Latitude (NAD83) 32.35553540	Longitude (NAD83) -103.73828789	County EDDY
---------	---------------	-----------------	--------------	-----	--------------------------	--------------------------	---------------------------------	------------------------------------	----------------

First Take Point (FTP)

UL M	Section 25	Township 22S	Range 31E	Lot	Ft. from N/S 324' FSL	Ft. from E/W 375' FWL	Latitude (NAD83) 32.35612287	Longitude (NAD83) -103.73882888	County EDDY
---------	---------------	-----------------	--------------	-----	--------------------------	--------------------------	---------------------------------	------------------------------------	----------------

Last Take Point (LTP)

UL D	Section 24	Township 22S	Range 31E	Lot	Ft. from N/S 170' FNL	Ft. from E/W 344' FWL	Latitude (NAD83) 32.38377917	Longitude (NAD83) -103.73895767	County EDDY
---------	---------------	-----------------	--------------	-----	--------------------------	--------------------------	---------------------------------	------------------------------------	----------------

Unitized Area or Area of Uniform Interest YES	Spacing Unit Type: ☒ Horizontal ☐ Vertical	Ground Floor Elevation 3498'
--	---	---------------------------------

OPERATOR CERTIFICATIONS I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division. <u>Leslie T. Reeves</u> 8/16/2024 Signature Date LESLIE REEVES Printed Name LESLIE_REEVES@OXY.COM Email Address	SURVEYOR CERTIFICATIONS I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by Delta Field Services  Signature and Seal of Professional Surveyor <table><tr><td>Certificate Number 21653</td><td>Date of Survey AUGUST 09, 2024</td></tr></table>	Certificate Number 21653	Date of Survey AUGUST 09, 2024
Certificate Number 21653	Date of Survey AUGUST 09, 2024		

ACREAGE DEDICATION PLATS

NOW I WON 25_24 FED COM 31H

BHL (NAD83)
X:724813.11' / Y:503980.04'
LAT:32.38410890 / LON:-103.73896710

BHL (NAD27)
X:683630.76' / Y:503919.63'
LAT:32.38398630 / LON:-103.73847813

LTP (NAD83)
X:724816.69' / Y:503860.10'
LAT:32.38377917 / LON:-103.73895767

LTP (NAD27)
X:683634.34' / Y:503799.69'
LAT:32.38365656 / LON:-103.73846870

PPP-1 (NAD83)
X:724847.41' / Y:498755.00'
LAT:32.36974634 / LON:-103.73895002

PPP-1 (NAD27)
X:683664.91' / Y:498694.72'
LAT:32.36962366 / LON:-103.73846161

FTP/Furthest (NAD83)
X:724912.34' / Y:493799.02'
LAT:32.35612287 / LON:-103.73882888

FTP/Furthest (NAD27)
X:683729.69' / Y:493738.88'
LAT:32.35600012 / LON:-103.73834102


KOP (NAD83)
X:725080.58' / Y:493586.23'
LAT:32.35553540 / LON:-103.73828789

KOP (NAD27)
X:683897.92' / Y:493526.09'
LAT:32.35541265 / LON:-103.73780007

SHL (NAD83)
X:726591.88' / Y:494132.79'
LAT:32.35701456 / LON:-103.73338391

SHL (NAD27)
X:685409.23' / Y:494072.64'
LAT:32.35689179 / LON:-103.73289617

CORNER COORDINATES NAD 83, SPCS NM EAST	CORNER COORDINATES NAD 27, SPCS NM EAST
A - X: 725793.20' / Y: 504035.44'	A - X: 684610.84' / Y: 503975.02'
B - X: 725825.43' / Y: 498759.15'	B - X: 684642.92' / Y: 498698.88'
C - X: 725861.00' / Y: 493476.80'	C - X: 684678.33' / Y: 493416.66'
D - X: 724539.94' / Y: 493474.89'	D - X: 683357.28' / Y: 493414.76'
E - X: 724517.84' / Y: 496116.14'	E - X: 683335.27' / Y: 496055.94'
F - X: 724504.95' / Y: 498753.54'	F - X: 683322.45' / Y: 498693.27'
G - X: 724471.63' / Y: 504028.35'	G - X: 683289.28' / Y: 503967.93'



*FTP TO LTP LEASE DISTANCES

FEDERAL LEASE ID	LENGTH
NMNM025365	4964.69'
NMNM025876	5105.89'
TOTAL	10070.58'

○ Drill Line Events ● Section Corners — Drill Line — Dimension Lines — Federal Leases — HSU ○ HSU Corners
All bearings and coordinates refer to New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet.

JOB No. OXY_0008_NW
REV 1 NDS 8/6/2024

Distances/areas relative to NAD 83 grid measurements. Combined Scale Factor: 0.99978405 and a Convergence Angle: 0.3159444°



OXY USA INC.

Eddy County, NM (NAD83-NME)

Now I Won 25_24

Now I Won 25_24 Fed Com 31H

OH / 74272

Design: Surveys (H&P 620)

Standard Survey Report

25 April, 2024



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 31H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3528.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3528.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 31H	North Reference:	Grid
Wellbore:	OH / 74272	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Project	Eddy County, NM (NAD83-NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Now I Won 25_24		
Site Position:		Northing:	494,132.79 usft
From:	Map	Easting:	726,591.88 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 21' 25.252377 N
		Longitude:	103° 44' 0.182082 W

Well	Now I Won 25_24 Fed Com 31H		
Well Position	+N/-S	0.00 usft	Northing: 494,132.79 usft
	+E/-W	0.00 usft	Easting: 726,591.88 usft
Position Uncertainty	2.00 usft	Wellhead Elevation:	usft
Grid Convergence:	0.321 °	Ground Level:	3,498.00 usft

Wellbore	OH / 74272				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IFR	4/05/24	6.604	60.001	47,589.90000000

Design	Surveys (H&P 620)				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	349.73	

Survey Program	Date	4/25/24			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
30.50	997.50	SDT MWD Surveys - Adj Surface (OH / 74	B004Mc_MWD+HRGM+S	MWD+HRGM+Sag	
1,154.00	22,295.00	Phoenix MWD Surveys - Final SQC Surve	SQC_C705Mb_MWD+IFF	MWD+IFR1+Sag+FDIR	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
30.50	0.00	0.00	30.50	0.00	0.00	0.00	0.00	0.00	0.00	
179.50	0.75	218.37	179.50	-0.76	-0.61	-0.64	0.50	0.50	0.00	
264.50	0.95	228.39	264.49	-1.67	-1.48	-1.38	0.29	0.24	11.79	
351.50	0.98	222.52	351.47	-2.70	-2.52	-2.20	0.12	0.03	-6.75	
438.50	0.86	226.17	438.46	-3.70	-3.49	-3.01	0.15	-0.14	4.20	
524.50	0.59	222.01	524.46	-4.47	-4.26	-3.64	0.32	-0.31	-4.84	
611.50	0.44	231.15	611.45	-5.01	-4.82	-4.08	0.20	-0.17	10.51	
698.50	0.41	225.35	698.45	-5.44	-5.30	-4.41	0.06	-0.03	-6.67	



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 31H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3528.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3528.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 31H	North Reference:	Grid
Wellbore:	OH / 74272	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
785.50	0.51	227.69	785.45	-5.92	-5.80	-4.79	0.12	0.11	2.69
871.50	0.47	204.89	871.44	-6.50	-6.24	-5.28	0.23	-0.05	-26.51
958.50	0.47	232.51	958.44	-7.04	-6.67	-5.74	0.26	0.00	31.75
997.50	0.52	204.05	997.44	-7.30	-6.87	-5.96	0.64	0.13	-72.97
Tie In									
1,154.00	0.35	149.86	1,153.94	-8.36	-6.92	-6.99	0.27	-0.11	-34.63
First Phoenix MWD Survey									
1,248.00	0.43	155.41	1,247.93	-8.93	-6.63	-7.61	0.09	0.09	5.90
1,341.00	0.45	158.68	1,340.93	-9.59	-6.35	-8.30	0.03	0.02	3.52
1,435.00	0.63	164.94	1,434.93	-10.43	-6.08	-9.18	0.20	0.19	6.66
1,529.00	0.82	160.71	1,528.92	-11.57	-5.72	-10.36	0.21	0.20	-4.50
1,624.00	0.58	156.51	1,623.91	-12.65	-5.31	-11.50	0.26	-0.25	-4.42
1,719.00	0.81	170.67	1,718.91	-13.75	-5.01	-12.64	0.30	0.24	14.91
1,814.00	0.92	175.59	1,813.89	-15.17	-4.84	-14.07	0.14	0.12	5.18
1,909.00	0.96	175.78	1,908.88	-16.73	-4.72	-15.62	0.04	0.04	0.20
2,003.00	0.99	168.53	2,002.87	-18.31	-4.50	-17.21	0.13	0.03	-7.71
2,098.00	1.00	167.34	2,097.85	-19.92	-4.16	-18.86	0.02	0.01	-1.25
2,192.00	1.25	166.86	2,191.84	-21.72	-3.75	-20.71	0.27	0.27	-0.51
2,287.00	1.24	173.18	2,286.81	-23.75	-3.39	-22.77	0.14	-0.01	6.65
2,382.00	1.10	166.90	2,381.79	-25.66	-3.06	-24.70	0.20	-0.15	-6.61
2,476.00	0.96	172.72	2,475.78	-27.32	-2.75	-26.39	0.19	-0.15	6.19
2,571.00	1.05	169.70	2,570.76	-28.97	-2.50	-28.06	0.11	0.09	-3.18
2,665.00	0.94	178.02	2,664.75	-30.58	-2.32	-29.68	0.19	-0.12	8.85
2,760.00	0.84	285.14	2,759.74	-31.18	-2.96	-30.15	1.51	-0.11	112.76
2,854.00	1.47	308.55	2,853.72	-30.25	-4.57	-28.95	0.82	0.67	24.90
2,949.00	1.53	314.51	2,948.69	-28.60	-6.43	-27.00	0.18	0.06	6.27
3,044.00	1.51	320.91	3,043.66	-26.74	-8.12	-24.86	0.18	-0.02	6.74
3,139.00	1.60	325.27	3,138.62	-24.68	-9.67	-22.56	0.16	0.09	4.59
3,233.00	1.71	324.14	3,232.58	-22.46	-11.24	-20.10	0.12	0.12	-1.20
3,328.00	1.41	313.68	3,327.55	-20.51	-12.91	-17.88	0.43	-0.32	-11.01
3,423.00	1.48	315.17	3,422.52	-18.83	-14.62	-15.92	0.08	0.07	1.57
3,517.00	2.39	281.70	3,516.47	-17.57	-17.40	-14.19	1.50	0.97	-35.61
3,612.00	3.15	260.88	3,611.36	-17.58	-21.91	-13.39	1.31	0.80	-21.92
3,706.00	3.63	237.73	3,705.20	-19.58	-26.98	-14.46	1.53	0.51	-24.63
3,801.00	4.23	234.60	3,799.97	-23.22	-32.38	-17.07	0.67	0.63	-3.29
3,896.00	5.22	246.04	3,894.65	-27.00	-39.18	-19.58	1.43	1.04	12.04
3,990.00	5.64	236.54	3,988.23	-31.29	-46.95	-22.41	1.05	0.45	-10.11
4,085.00	6.13	228.24	4,082.73	-37.24	-54.62	-26.90	1.03	0.52	-8.74
4,180.00	7.09	228.92	4,177.10	-44.47	-62.83	-32.55	1.01	1.01	0.72
4,275.00	7.93	239.23	4,271.29	-51.67	-72.88	-37.85	1.67	0.88	10.85
4,369.00	9.91	256.49	4,364.16	-56.88	-86.32	-40.58	3.52	2.11	18.36
4,464.00	10.75	258.85	4,457.62	-60.51	-102.96	-41.17	0.99	0.88	2.48
4,559.00	11.47	255.86	4,550.84	-64.53	-120.81	-41.95	0.97	0.76	-3.15



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 31H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3528.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3528.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 31H	North Reference:	Grid
Wellbore:	OH / 74272	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,654.00	12.71	253.09	4,643.73	-69.87	-139.97	-43.79	1.44	1.31	-2.92
4,748.00	13.23	251.78	4,735.34	-76.25	-160.08	-46.48	0.64	0.55	-1.39
4,843.00	13.50	251.02	4,827.76	-83.25	-180.89	-49.66	0.34	0.28	-0.80
4,937.00	14.07	251.02	4,919.06	-90.54	-202.07	-53.05	0.61	0.61	0.00
5,032.00	14.40	250.52	5,011.14	-98.23	-224.13	-56.69	0.37	0.35	-0.53
5,116.00	14.99	250.17	5,092.39	-105.40	-244.20	-60.16	0.71	0.70	-0.42
5,211.00	15.63	249.01	5,184.02	-114.15	-267.70	-64.58	0.75	0.67	-1.22
5,305.00	15.61	247.73	5,274.55	-123.48	-291.23	-69.56	0.37	-0.02	-1.36
5,400.00	15.63	246.67	5,366.04	-133.39	-314.81	-75.11	0.30	0.02	-1.12
5,495.00	16.22	246.87	5,457.39	-143.67	-338.76	-80.96	0.62	0.62	0.21
5,589.00	17.39	246.69	5,547.38	-154.39	-363.74	-87.05	1.25	1.24	-0.19
5,684.00	17.77	246.38	5,637.94	-165.81	-390.06	-93.60	0.41	0.40	-0.33
5,779.00	19.04	246.49	5,728.08	-177.80	-417.55	-100.49	1.34	1.34	0.12
5,873.00	20.47	246.79	5,816.54	-190.40	-446.72	-107.68	1.53	1.52	0.32
5,968.00	19.83	249.39	5,905.73	-202.62	-477.07	-114.29	1.16	-0.67	2.74
6,062.00	17.30	251.89	5,994.83	-212.58	-505.28	-119.06	2.82	-2.69	2.66
6,157.00	17.72	251.76	6,085.43	-221.49	-532.44	-122.99	0.44	0.44	-0.14
6,252.00	17.84	251.35	6,175.89	-230.67	-559.96	-127.12	0.18	0.13	-0.43
6,346.00	18.52	251.89	6,265.20	-239.92	-587.79	-131.25	0.75	0.72	0.57
6,441.00	17.60	256.32	6,355.52	-248.00	-616.09	-134.16	1.74	-0.97	4.66
6,535.00	16.81	256.38	6,445.32	-254.57	-643.11	-135.80	0.84	-0.84	0.06
6,630.00	15.91	255.24	6,536.47	-261.12	-669.05	-137.62	1.01	-0.95	-1.20
6,725.00	16.25	254.71	6,627.75	-267.94	-694.46	-139.80	0.39	0.36	-0.56
6,819.00	17.55	254.32	6,717.69	-275.24	-720.79	-142.29	1.39	1.38	-0.41
6,914.00	17.78	253.80	6,808.21	-283.16	-748.51	-145.14	0.29	0.24	-0.55
7,009.00	18.28	252.67	6,898.55	-291.64	-776.66	-148.46	0.64	0.53	-1.19
7,103.00	18.96	252.86	6,987.63	-300.53	-805.33	-152.10	0.73	0.72	0.20
7,198.00	18.95	251.60	7,077.48	-309.95	-834.71	-156.13	0.43	-0.01	-1.33
7,292.00	19.29	250.95	7,166.29	-319.84	-863.87	-160.65	0.43	0.36	-0.69
7,387.00	19.57	250.60	7,255.88	-330.24	-893.71	-165.57	0.32	0.29	-0.37
7,481.00	19.99	249.65	7,344.33	-341.06	-923.63	-170.88	0.56	0.45	-1.01
7,576.00	20.44	249.49	7,433.48	-352.52	-954.39	-176.67	0.48	0.47	-0.17
7,670.00	20.62	249.28	7,521.51	-364.13	-985.24	-182.59	0.21	0.19	-0.22
7,765.00	19.07	252.41	7,610.87	-374.74	-1,015.68	-187.60	1.98	-1.63	3.29
7,859.00	20.24	252.35	7,699.39	-384.31	-1,045.82	-191.64	1.24	1.24	-0.06
7,954.00	19.12	253.39	7,788.84	-393.74	-1,076.39	-195.47	1.24	-1.18	1.09
8,048.00	18.00	253.05	7,877.95	-402.37	-1,105.03	-198.86	1.20	-1.19	-0.36
8,143.00	18.78	252.98	7,968.10	-411.13	-1,133.70	-202.36	0.82	0.82	-0.07
8,237.00	18.17	253.49	8,057.25	-419.72	-1,162.22	-205.73	0.67	-0.65	0.54
8,332.00	17.28	254.50	8,147.74	-427.70	-1,190.02	-208.63	0.99	-0.94	1.06
8,426.00	17.69	253.89	8,237.40	-435.39	-1,217.19	-211.35	0.48	0.44	-0.65
8,520.00	16.39	254.18	8,327.27	-442.97	-1,243.67	-214.09	1.39	-1.38	0.31
8,615.00	14.02	255.24	8,418.94	-449.56	-1,267.70	-216.28	2.51	-2.49	1.12
8,710.00	13.44	254.98	8,511.22	-455.35	-1,289.49	-218.10	0.61	-0.61	-0.27



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 31H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3528.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3528.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 31H	North Reference:	Grid
Wellbore:	OH / 74272	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
8,805.00	12.26	253.30	8,603.84	-461.11	-1,309.82	-220.14	1.30	-1.24	-1.77
8,899.00	11.52	253.32	8,695.83	-466.68	-1,328.37	-222.31	0.79	-0.79	0.02
8,993.00	11.10	255.05	8,788.00	-471.70	-1,346.10	-224.09	0.57	-0.45	1.84
9,088.00	10.20	255.42	8,881.36	-476.18	-1,363.08	-225.47	0.95	-0.95	0.39
9,183.00	8.90	255.80	8,975.04	-480.10	-1,378.34	-226.60	1.37	-1.37	0.40
9,277.00	8.08	251.60	9,068.01	-483.97	-1,391.66	-228.04	1.09	-0.87	-4.47
9,372.00	6.98	250.12	9,162.19	-488.04	-1,403.42	-229.94	1.18	-1.16	-1.56
9,467.00	6.13	251.74	9,256.57	-491.59	-1,413.67	-231.61	0.92	-0.89	1.71
9,561.00	5.61	245.39	9,350.08	-495.08	-1,422.61	-233.45	0.88	-0.55	-6.76
9,656.00	5.22	237.13	9,444.66	-499.36	-1,430.46	-236.26	0.92	-0.41	-8.69
9,750.00	5.17	235.97	9,538.27	-504.05	-1,437.57	-239.61	0.12	-0.05	-1.23
9,844.00	5.01	236.40	9,631.90	-508.69	-1,444.49	-242.94	0.17	-0.17	0.46
9,939.00	4.58	225.17	9,726.57	-513.66	-1,450.64	-246.73	1.08	-0.45	-11.82
10,034.00	4.56	223.58	9,821.27	-519.07	-1,455.93	-251.11	0.14	-0.02	-1.67
10,128.00	3.73	225.40	9,915.02	-523.92	-1,460.69	-255.04	0.89	-0.88	1.94
10,222.00	2.97	220.15	10,008.86	-527.93	-1,464.43	-258.32	0.87	-0.81	-5.59
10,317.00	2.71	224.27	10,103.74	-531.42	-1,467.59	-261.19	0.35	-0.27	4.34
10,412.00	2.74	229.52	10,198.64	-534.50	-1,470.88	-263.63	0.26	0.03	5.53
10,506.00	2.52	234.55	10,292.54	-537.16	-1,474.28	-265.64	0.34	-0.23	5.35
10,601.00	1.99	232.39	10,387.46	-539.38	-1,477.28	-267.29	0.56	-0.56	-2.27
10,696.00	2.10	230.74	10,482.40	-541.49	-1,479.94	-268.89	0.13	0.12	-1.74
10,790.00	2.03	246.50	10,576.34	-543.24	-1,482.80	-270.10	0.61	-0.07	16.77
10,885.00	2.12	259.57	10,671.28	-544.23	-1,486.07	-270.49	0.51	0.09	13.76
11,074.00	2.34	277.54	10,860.14	-544.36	-1,493.33	-269.32	0.39	0.12	9.51
11,169.00	2.39	256.76	10,955.06	-544.56	-1,497.18	-268.83	0.90	0.05	-21.87
11,264.00	2.61	251.68	11,049.97	-545.69	-1,501.16	-269.24	0.33	0.23	-5.35
11,318.00	2.59	255.93	11,103.91	-546.37	-1,503.52	-269.49	0.36	-0.04	7.87
11,479.00	3.07	279.27	11,264.72	-546.56	-1,511.30	-268.29	0.77	0.30	14.50
11,574.00	14.92	291.29	11,358.39	-541.69	-1,525.26	-261.01	12.56	12.47	12.65
11,668.00	25.86	300.64	11,446.39	-526.80	-1,554.26	-241.19	12.11	11.64	9.95
11,763.00	31.30	302.59	11,529.79	-502.93	-1,592.91	-210.81	5.81	5.73	2.05
11,858.00	35.04	329.44	11,609.72	-465.95	-1,627.77	-168.19	15.84	3.94	28.26
11,953.00	43.76	339.05	11,683.13	-411.63	-1,653.46	-110.16	11.18	9.18	10.12
12,048.00	49.67	342.87	11,748.25	-346.27	-1,675.89	-41.85	6.87	6.22	4.02
12,142.00	53.27	351.79	11,806.87	-274.63	-1,691.85	31.48	8.35	3.83	9.49
12,237.00	66.27	351.10	11,854.60	-193.65	-1,704.07	113.35	13.70	13.68	-0.73
12,331.00	77.14	354.36	11,884.07	-105.25	-1,715.26	202.32	12.02	11.56	3.47
12,426.00	79.31	354.93	11,903.45	-12.66	-1,723.94	294.97	2.36	2.28	0.60
12,520.00	82.03	357.16	11,918.69	79.86	-1,730.33	387.15	3.72	2.89	2.37
12,615.00	93.29	0.02	11,922.56	174.59	-1,732.65	480.78	12.23	11.85	3.01
12,709.00	92.91	3.52	11,917.48	268.39	-1,729.75	572.56	3.74	-0.40	3.72
12,787.00	93.18	3.69	11,913.34	346.13	-1,724.85	648.17	0.41	0.35	0.22
12,910.00	93.68	3.60	11,905.98	468.66	-1,717.05	767.35	0.41	0.41	-0.07



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 31H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3528.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3528.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 31H	North Reference:	Grid
Wellbore:	OH / 74272	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,099.00	92.37	3.41	11,896.00	657.04	-1,705.51	950.65	0.70	-0.69	-0.10
13,193.00	92.22	2.24	11,892.24	750.85	-1,700.88	1,042.13	1.25	-0.16	-1.24
13,288.00	91.58	0.28	11,889.09	845.77	-1,698.79	1,135.16	2.17	-0.67	-2.06
13,382.00	91.95	359.20	11,886.19	939.72	-1,699.22	1,227.68	1.21	0.39	-1.15
13,477.00	90.14	358.43	11,884.46	1,034.68	-1,701.19	1,321.47	2.07	-1.91	-0.81
13,571.00	89.40	359.02	11,884.84	1,128.65	-1,703.28	1,414.31	1.01	-0.79	0.63
13,665.00	87.80	359.40	11,887.13	1,222.61	-1,704.57	1,506.99	1.75	-1.70	0.40
13,855.00	89.55	0.00	11,891.53	1,412.55	-1,705.57	1,694.06	0.97	0.92	0.32
13,949.00	89.72	359.59	11,892.13	1,506.55	-1,705.90	1,786.61	0.47	0.18	-0.44
14,043.00	89.91	358.60	11,892.43	1,600.53	-1,707.39	1,879.36	1.07	0.20	-1.05
14,138.00	90.12	358.48	11,892.41	1,695.50	-1,709.81	1,973.24	0.25	0.22	-0.13
14,232.00	90.00	356.95	11,892.31	1,789.43	-1,713.56	2,066.32	1.63	-0.13	-1.63
14,327.00	89.76	356.58	11,892.51	1,884.27	-1,718.92	2,160.61	0.46	-0.25	-0.39
14,421.00	89.80	354.45	11,892.87	1,977.98	-1,726.27	2,254.12	2.27	0.04	-2.27
14,515.00	89.85	355.75	11,893.15	2,071.63	-1,734.30	2,347.71	1.38	0.05	1.38
14,610.00	89.74	358.40	11,893.49	2,166.50	-1,739.14	2,441.92	2.79	-0.12	2.79
14,705.00	89.65	358.32	11,894.00	2,261.46	-1,741.86	2,535.84	0.13	-0.09	-0.08
14,800.00	89.63	359.10	11,894.60	2,356.43	-1,744.00	2,629.67	0.82	-0.02	0.82
14,895.00	89.81	359.28	11,895.06	2,451.42	-1,745.34	2,723.38	0.27	0.19	0.19
14,989.00	90.28	0.84	11,894.99	2,545.42	-1,745.25	2,815.85	1.73	0.50	1.66
15,084.00	90.55	1.41	11,894.30	2,640.40	-1,743.38	2,908.97	0.66	0.28	0.60
15,179.00	91.77	2.29	11,892.38	2,735.33	-1,740.31	3,001.83	1.58	1.28	0.93
15,273.00	91.04	4.78	11,890.07	2,829.11	-1,734.52	3,093.08	2.76	-0.78	2.65
15,368.00	90.60	5.06	11,888.71	2,923.75	-1,726.37	3,184.75	0.55	-0.46	0.29
15,462.00	90.92	3.86	11,887.46	3,017.46	-1,719.06	3,275.65	1.32	0.34	-1.28
15,557.00	89.98	2.17	11,886.72	3,112.32	-1,714.07	3,368.10	2.04	-0.99	-1.78
15,651.00	89.51	1.43	11,887.14	3,206.27	-1,711.12	3,460.02	0.93	-0.50	-0.79
15,746.00	89.37	359.31	11,888.07	3,301.26	-1,710.50	3,553.38	2.24	-0.15	-2.23
15,840.00	90.45	357.34	11,888.21	3,395.21	-1,713.25	3,646.31	2.39	1.15	-2.10
15,934.00	91.19	355.18	11,886.87	3,489.00	-1,719.38	3,739.69	2.43	0.79	-2.30
16,029.00	90.96	354.55	11,885.09	3,583.60	-1,727.88	3,834.29	0.71	-0.24	-0.66
16,123.00	91.11	355.64	11,883.39	3,677.24	-1,735.92	3,927.86	1.17	0.16	1.16
16,218.00	90.51	356.33	11,882.04	3,771.99	-1,742.57	4,022.28	0.96	-0.63	0.73
16,313.00	90.69	356.32	11,881.05	3,866.79	-1,748.66	4,116.65	0.19	0.19	-0.01
16,407.00	90.69	356.81	11,879.92	3,960.62	-1,754.29	4,209.97	0.52	0.00	0.52
16,502.00	90.36	358.52	11,879.05	4,055.53	-1,758.16	4,304.06	1.83	-0.35	1.80
16,597.00	90.75	1.70	11,878.13	4,150.51	-1,757.98	4,397.48	3.37	0.41	3.35
16,692.00	91.09	1.19	11,876.60	4,245.47	-1,755.58	4,490.49	0.65	0.36	-0.54
16,786.00	90.75	1.86	11,875.09	4,339.42	-1,753.08	4,582.49	0.80	-0.36	0.71
16,881.00	90.78	2.07	11,873.82	4,434.36	-1,749.82	4,675.33	0.22	0.03	0.22
16,976.00	90.62	1.25	11,872.66	4,529.31	-1,747.07	4,768.27	0.88	-0.17	-0.86
17,068.94	91.20	1.95	11,871.19	4,622.20	-1,744.47	4,859.21	0.98	0.62	0.76
SL: 17068.94' MD, 11871.19' TVD									
17,071.00	91.21	1.97	11,871.15	4,624.26	-1,744.40	4,861.22	0.98	0.62	0.76



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 31H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3528.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3528.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 31H	North Reference:	Grid
Wellbore:	OH / 74272	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
17,166.00	90.70	2.22	11,869.56	4,719.18	-1,740.93	4,954.00	0.60	-0.54	0.26
17,260.00	90.88	2.01	11,868.27	4,813.11	-1,737.46	5,045.80	0.29	0.19	-0.22
17,354.00	90.99	1.24	11,866.73	4,907.06	-1,734.80	5,137.77	0.83	0.12	-0.82
17,449.00	90.75	358.84	11,865.29	5,002.04	-1,734.73	5,231.22	2.54	-0.25	-2.53
17,544.00	90.66	358.26	11,864.12	5,097.00	-1,737.13	5,325.09	0.62	-0.09	-0.61
17,638.00	90.80	357.81	11,862.92	5,190.94	-1,740.36	5,418.09	0.50	0.15	-0.48
17,733.00	90.61	357.19	11,861.75	5,285.84	-1,744.50	5,512.21	0.68	-0.20	-0.65
17,828.00	90.64	356.96	11,860.72	5,380.71	-1,749.35	5,606.43	0.24	0.03	-0.24
17,922.00	90.84	358.15	11,859.50	5,474.62	-1,753.36	5,699.54	1.28	0.21	1.27
18,017.00	89.54	359.69	11,859.19	5,569.60	-1,755.15	5,793.32	2.12	-1.37	1.62
18,111.00	90.67	0.20	11,859.02	5,663.59	-1,755.24	5,885.82	1.32	1.20	0.54
18,206.00	90.20	359.52	11,858.30	5,758.59	-1,755.47	5,979.34	0.87	-0.49	-0.72
18,300.00	90.72	359.43	11,857.54	5,852.58	-1,756.33	6,071.98	0.56	0.55	-0.10
18,395.00	90.69	359.88	11,856.37	5,947.57	-1,756.90	6,165.55	0.47	-0.03	0.47
18,490.00	90.52	359.03	11,855.37	6,042.56	-1,757.81	6,259.18	0.91	-0.18	-0.89
18,584.00	91.03	359.81	11,854.10	6,136.55	-1,758.76	6,351.82	0.99	0.54	0.83
18,679.00	90.64	359.78	11,852.71	6,231.54	-1,759.10	6,445.35	0.41	-0.41	-0.03
18,774.00	90.11	359.56	11,852.09	6,326.53	-1,759.64	6,538.92	0.60	-0.56	-0.23
18,868.00	90.17	358.94	11,851.86	6,420.52	-1,760.88	6,631.63	0.66	0.06	-0.66
18,963.00	90.42	359.70	11,851.37	6,515.52	-1,762.00	6,725.30	0.84	0.26	0.80
19,058.00	90.14	358.97	11,850.91	6,610.51	-1,763.11	6,818.96	0.82	-0.29	-0.77
19,152.00	89.73	358.98	11,851.01	6,704.49	-1,764.79	6,911.74	0.44	-0.44	0.01
19,247.00	90.33	359.59	11,850.96	6,799.48	-1,765.97	7,005.42	0.90	0.63	0.64
19,342.00	90.04	359.70	11,850.66	6,894.48	-1,766.56	7,099.00	0.33	-0.31	0.12
19,437.00	90.52	0.00	11,850.19	6,989.48	-1,766.81	7,192.52	0.60	0.51	0.32
19,531.00	90.10	359.78	11,849.69	7,083.48	-1,766.99	7,285.04	0.50	-0.45	-0.23
19,626.00	89.87	359.57	11,849.71	7,178.48	-1,767.53	7,378.61	0.33	-0.24	-0.22
19,720.00	90.14	0.13	11,849.70	7,272.48	-1,767.77	7,471.15	0.66	0.29	0.60
19,815.00	90.02	0.04	11,849.57	7,367.48	-1,767.63	7,564.60	0.16	-0.13	-0.09
19,910.00	89.98	359.91	11,849.57	7,462.48	-1,767.68	7,658.09	0.14	-0.04	-0.14
20,004.00	89.93	0.05	11,849.64	7,556.48	-1,767.71	7,750.59	0.16	-0.05	0.15
20,099.00	90.29	0.47	11,849.46	7,651.47	-1,767.28	7,843.99	0.58	0.38	0.44
20,193.00	90.10	0.13	11,849.14	7,745.47	-1,766.78	7,936.39	0.41	-0.20	-0.36
20,288.00	90.27	0.11	11,848.83	7,840.47	-1,766.59	8,029.83	0.18	0.18	-0.02
20,382.00	90.65	0.08	11,848.08	7,934.47	-1,766.43	8,122.29	0.41	0.40	-0.03
20,477.00	90.15	359.37	11,847.42	8,029.46	-1,766.89	8,215.85	0.91	-0.53	-0.75
20,572.00	90.36	359.86	11,846.99	8,124.46	-1,767.52	8,309.43	0.56	0.22	0.52
20,666.00	89.91	0.00	11,846.77	8,218.46	-1,767.64	8,401.95	0.50	-0.48	0.15
20,760.00	90.43	359.97	11,846.49	8,312.46	-1,767.66	8,494.44	0.55	0.55	-0.03
20,855.00	90.45	0.24	11,845.76	8,407.46	-1,767.49	8,587.89	0.28	0.02	0.28
20,950.00	90.23	359.92	11,845.20	8,502.45	-1,767.36	8,681.34	0.41	-0.23	-0.34
21,045.00	90.39	0.53	11,844.69	8,597.45	-1,766.98	8,774.75	0.66	0.17	0.64
21,139.00	90.94	1.36	11,843.59	8,691.43	-1,765.43	8,866.94	1.06	0.59	0.88



Phoenix Survey Report



Company:	OXY USA INC.	Local Co-ordinate Reference:	Well Now I Won 25_24 Fed Com 31H
Project:	Eddy County, NM (NAD83-NME)	TVD Reference:	RKB @ 3528.50usft (H&P 620)
Site:	Now I Won 25_24	MD Reference:	RKB @ 3528.50usft (H&P 620)
Well:	Now I Won 25_24 Fed Com 31H	North Reference:	Grid
Wellbore:	OH / 74272	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 620)	Database:	USAEDMDB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
21,233.00	90.34	0.40	11,842.54	8,785.41	-1,763.99	8,959.16	1.20	-0.64	-1.02
21,328.00	90.34	359.77	11,841.98	8,880.41	-1,763.85	9,052.61	0.66	0.00	-0.66
21,423.00	89.82	359.47	11,841.85	8,975.41	-1,764.48	9,146.20	0.63	-0.55	-0.32
21,517.00	90.41	359.60	11,841.66	9,069.40	-1,765.24	9,238.82	0.64	0.63	0.14
21,612.00	91.04	359.49	11,840.46	9,164.39	-1,766.00	9,332.42	0.67	0.66	-0.12
21,707.00	90.09	358.99	11,839.52	9,259.38	-1,767.26	9,426.11	1.13	-1.00	-0.53
21,801.00	90.27	359.00	11,839.23	9,353.36	-1,768.91	9,518.89	0.19	0.19	0.01
21,896.00	89.86	359.07	11,839.12	9,448.35	-1,770.51	9,612.63	0.44	-0.43	0.07
21,991.00	90.25	359.15	11,839.03	9,543.34	-1,771.98	9,706.36	0.42	0.41	0.08
22,085.00	90.32	359.25	11,838.56	9,637.33	-1,773.29	9,799.08	0.13	0.07	0.11
22,179.00	90.06	358.29	11,838.25	9,731.30	-1,775.31	9,891.91	1.06	-0.28	-1.02
Final Phoenix MWD Survey									
22,245.18	90.06	358.29	11,838.18	9,797.45	-1,777.29	9,957.35	0.00	0.00	0.00
LTP: 22245.18' MD, 11838.18' TVD									
22,295.00	90.06	358.29	11,838.13	9,847.25	-1,778.77	10,006.62	0.00	0.00	0.00
Projection to TD									

Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
997.50	997.44	-7.30	-6.87	Tie In
1,154.00	1,153.94	-8.36	-6.92	First Phoenix MWD Survey
17,068.94	11,871.19	4,622.20	-1,744.47	SL: 17068.94' MD, 11871.19' TVD
22,179.00	11,838.25	9,731.30	-1,775.31	Final Phoenix MWD Survey
22,245.18	11,838.18	9,797.45	-1,777.29	LTP: 22245.18' MD, 11838.18' TVD
22,295.00	11,838.13	9,847.25	-1,778.77	Projection to TD

Checked By: _____ Approved By: _____ Date: _____

C-105	State of New Mexico	Revised July 9, 2024
Submit Electronically Via OCD Permitting	Energy, Minerals & Natural Resources Department	
OIL CONSERVATION DIVISION		

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Section 1 - Operator and Well Information

Submittal Type: ☒ New Well ☐ Workover ☐ Deepening ☐ Plugback ☐ Different Reservoir ☐ C-144 Closure Attachment ☐ Other	
Operator Name: OXY USA INC.	OGRID: 16696
Property Name and Well Number: OLIVE WON UNIT #131H	Property Code: 335226
Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-0
Pool Name: WC 22S31E13; WOLFCAMP	Pool Code: 98351

Section 2 – Well Location

	UI or lot no.	Section	Township	Range	Lot Id	Feet from	N/S Line	Feet from	E/W Line	County
SHL:	N	25	22S	31E		655	FSL	2057	FWL	EDDY
BHL	D	24	22S	31E		50	FNL	341	FWL	EDDY

Section 3 – Completion Information

Date T.D. Reached 04/15/2024	Total Measured Depth of Well 22295'M/11838'V	Acid Volume (bbls) 0	☒ Directional Survey Submitted ☐ Deviation Survey Submitted
Date Rig Released 04/19/2024	Plug-Back Measured Depth 22255'M/11838'V	Completion Fluid Used (bbls) 358484	Were Logs Ran (Y/N) Y
Completion Date 07/02/2024	Perforations (MD and TVD) 12065'M/11759'V - 22175'M/11838'V	Completion Proppant Used (lbs) 25,345,009	List Type of Logs Ran if applicable: GR, CBL

Section 4 – Action IDs for Submissions and Order Numbers

Surface Casing Action ID: 336279	UIC Permit/Order (UIC wells only) ☐ Yes ☒ No, Order No.
Intermediate 1 Casing Action ID: 336280	NOI Recomplete Action ID (if applicable):
Intermediate 2 Casing Action ID: NA	NOI Plugback Action ID (if applicable):
Production Casing Action ID: 375098	Cement Squeeze Action ID (if applicable):
Tubing Action ID: NA	All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No
Liner 1 Action ID: NA	Casing was installed prior to Action ID system (Y/N): N

Section 5 – Test Data

Date First Production 07/06/2024	Production Method FLOWING	Well Status PROD	Gas – Oil Ratio
Date of Test 07/20/2024	Choke Size	Flowing Tubing Pressure	Casing Pressure 2485
24 hr Oil (bbls) 2393	24 hr Gas (MCF) 4772	24 hr Water (bbls) 6777	Oil Gravity - API
Disposition of Gas: SOLD			

Section 6 – Pits


☐ A temporary pit was used at the well. If so, attach a plat with the location of the temporary pit.
☒ A Closed Loop System was used.
☐ If an on-site burial was used at the well, report the exact location of the on-site burial: LAT: _____ LONG: _____

Section 7 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name LESLIE REEVES	<i>Leslie T. Reeves</i>
Title REGULATORY MANAGER	Date 9/30/2024

South Formations					North Formations				
Formation/Zone		MD	TVD	W/O/G	Formation/Zone		MD	TVD	W/O/G
T. Anhy	RUSTLER	847	847	W	T. San Jose				
T. Salt	SALADO	1125	1125	Salt	T. Nacimiento				
B. Salt	CASTILE	3516	3517		T. Ojo Alamo				
T. Yates					T. Kirtland				
T. 7 Rivers					T. Fruitland				
T. Queen					T. Pictured Cliffs				
T. Grayburg					T. Lewis Shale				
T. San Andres					T. Chacra				
T. Glorieta					T. Cliff House				
T. Yeso					T. Menefee				
T. Paddock					T. Point Lookout				
T. Blinebry					T. Mancos				
T.Tubb					T. Gallup				
T. Drinkard					T. Greenhorn				
T. Abo					T. Graneros				
T. Wolfcamp		11651	11909	O/G	T. Dakota				
T. Penn					T. Morrison				
T. Cisco					T. Bluff				
T. Canyon					T.Todilto				
T. Strawn					T. Entrada				
T. Atoka					T. Wingate				
T. Morrow					T. Chinle				
T. Barnett Shale					T. Permian				
T. Miss					T. Penn A"				
T. Woodford Shale					T. Penn. "B"				
T. Devonian					T. Penn. "C"				
T. Silurian					T. Penn. "D"				
T. Fusselman					T. Leadville				
T. Montoya					T. Madison				
T. Simpson					T. Elbert				
T. McKee					T. McCracken				
T. Waddell					T. Ignacio Otzte				
T. Connel					T. Granite				
T. Ellenburger					T. Hermosa				
T. Gr. Wash					T. De Chelly				
T. Delaware Sand		4507	4514	O/G	T. Pinkerton				
T. Lamar Lime									
T. Bell Canyon		4547	4555	O/G					
T. Cherry Canyon		5355	5389	O/G					
T. Brushy Canyon		6570	6664	O/G					
T. Bone Springs		8331	8524	O/G					
T. 1st BS Sand		9413	9624	O/G					
T. 2nd BS Carbonate									
T. 2nd BS Sand		10004	10217	O/G					
T. 3rd BS Carbonate									
T. 3rd BS Sand		11169	11383	O/G					

OXY USA Inc.
OLIVE WON UNIT #131H
API No. 30-015-54746



Well Name: OLIVE WON UNIT	Well Location: T22S / R31E / SEC 25 / SESW / 32.3570146 / -103.7333839	County or Parish/State: EDDY / NM
Well Number: 131H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM25365	Unit or CA Name:	Unit or CA Number:
US Well Number: 300155474600X1	Operator: OXY USA INCORPORATED	

Subsequent Report

Sundry ID: 2800016

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 07/19/2024	Time Sundry Submitted: 01:47
Date Operation Actually Began: 06/13/2024	

Actual Procedure: RUPU 06/13/24, RIH & clean out to PBTD @ 22255'M/11838'. Pressure tested casing to 6000# for 30 min, good test. RIH & perf @ 12065'-22175'. Total 1383 holes. Frac in 37 stages w/ 342680 bbls Produced Water + 15804 bbls Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 25345009# sand. RD Frac 06/29/24. RD CT and well ready to produce 07/02/24. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 08/31/2024.

Received by OCD: 9/30/2024 12:40:07 PM

Page 17 of 19

Well Name: OLIVE WON UNIT	Well Location: T22S / R31E / SEC 25 / SESW / 32.3570146 / -103.7333839	County or Parish/State: EDDY / NM
Well Number: 131H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM25365	Unit or CA Name:	Unit or CA Number:
US Well Number: 300155474600X1	Operator: OXY USA INCORPORATED	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LESLIE REEVES	Signed on: JUL 19, 2024 01:46 PM
Name: OXY USA INCORPORATED	
Title: Advisor Regulatory	
Street Address: 5 GREENWAY PLAZA, SUITE 110	
City: HOUSTON	State: TX
Phone: (713) 497-2492	
Email address: LESLIE_REEVES@OXY.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 07/24/2024
Signature: Jonathon Shepard	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division

1220 S. St Francis Dr.

Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 388221

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 388221
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.
☒	I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 388221

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 388221
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	7/24/2025