

Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. <b>30-025-20846</b>	
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name <b>Vacuum Glorieta East Unit</b>	
8. Well Number. <b>001</b>	
9. OGRID Number. <b>331199</b>	
10. Pool name or Wildcat	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	
2. Name of Operator <b>Maverick Permian LLC</b>	
3. Address of Operator <b>1000 Main Street, Ste. 2900 Houston, TX 77002</b>	
4. Well Location Unit Letter <b>L</b> : <b>2310</b> feet from the <b>South</b> line and <b>660</b> feet from the <b>West</b> line Sectional <b>32</b> Township <b>17S</b> Range <b>35E</b> NMPM. County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	


13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

5/27/25—MIRU.  
5/29/25—Set 4.5 CIBP @ 5994' Tagged.  
5/30/25—Circ well w/ MLF spot 25 sxs @ 5994' TOC @ 5632.  
6/02/25—Tag @ 5694' spot 25 sxs @ 4960' TOC @ 4598' Tag @ 4588', spot 45 sxs @ 4405' TOC @ 3754'.  
6/03/25—Tag @ 3751' spot 100 sxs @ 3751' TOC @ 2321' Tag @ 2232', spot 120 sxs from 1700' to surface verified RDMO.

6/11/25 - surface casing cut and capped

Spud Date:		Rig Release Date:	
------------	--	-------------------	--

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE 	TITLE <u>Agent</u>	DATE <u>6/4/25</u>
Type or print name <u>Chris Romero</u>	E-mail address: _____	PHONE: <u>432-212-9165</u>
<b>For State Use Only</b>		
APPROVED BY: _____	TITLE _____	DATE _____
Conditions of Approval (if any): _____		

State: New Mexico  
County: Lea  
Spud Date: 8/14/1964

Maverick Permian LLC  
Vacuum Glorieta East Unit 019-01  
API# 30-025-20846

FINAL WBD  
6/11/2025

MD

Surface Casing:  
8-5/8" 24# J-55  
Cmt w/ 700 sx to Surf

MD

**SURFACE PLUG**

TOC @ Surface  
Spot 120 sx of Class C cement @ 3,751'

1,550'


T. Anhy.....  
T. Salt.....  
B. Salt.....  
T. Yates..... **2777**  
T. 7 Rivers.....  
T. Queen..... **3668**  
T. Grayburg.....  
T. San Andres.....  
T. Glorieta..... **5927**  
Devonian.....  
Silurian.....  
Montoya.....  
Simpson.....  
McKee.....  
Ellenburger.....  
Gr. Wash.....  
Granite.....  
**Paddock**..... **6035**

**From Offset Well:**

Anhydrite: 1,505'  
T. Salt 1,617'  
B. Salt 2,663'  
7 Rivers 3,133'  
Grayburg 4,040'  
San Andres 4,305'

Production Casing:  
4-1/2" 10.5#/9.5#  
Cmt w/ 1460 sx to Surface

6,200'



1,700'

2,232'

**CASING LEAK, QUEEN, SEVEN RIVERS,  
YATES & B. SALT PLUG**

TOC @ 2,232'  
Spot 100 sx of Class C cement @ 3,751'  
Casing Leak from 2,540' - 3,340'

3,751'

**SAN ANDRES & GRAYBURG PLUG**

TOC @ 3,751'  
Spot 45 sx of Class C cement @ 4,405'

4,405'

**CASING LEAK PLUG**

TOC @ 4,588'  
Spot 25 sx of Class C cement @ 4,960'  
Casing Leak from 4,830' - 4,860'

4,588'

4,960'

**PADDOCK & GLORIETA PLUG**

TOC @ 5,694'  
Spot 25 sx of Class C cement @ 5,994'  
Set CIBP @ 5,994'

5,694'

5,994'

**Paddock Perforations**

6,044' - 6,080'  
PBTD @ 6,187'

6,044'

6,187'

**From:** [Wrinkle, Justin, EMNRD](#)  
**To:** [Nicole Lee; Cordero, Gilbert, EMNRD](#)  
**Subject:** RE: [EXTERNAL] Maverick Permian CIL/CIBP COA Review  
**Date:** Wednesday, May 7, 2025 3:54:30 PM  
**Attachments:** [image001.png](#)

Nicole,

For your records; The OCD is omitting the COAs for the below sundries and their corresponding action IDs requirements for Casing Inspection/Integrity Logs and Corrosion Resistant Cement. Please follow all other COAs as written.

Best

**From:** Nicole Lee <Nicole.Lee@mavresources.com>  
**Sent:** Wednesday, May 7, 2025 11:00 AM  
**To:** Wrinkle, Justin, EMNRD <Justin.Wrinkle@emnrd.nm.gov>  
**Subject:** [EXTERNAL] Maverick Permian CIL/CIBP COA Review

**CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.**

Justin,

Here you go! This was a little more time consuming We have only had a few. The ones in green were addressed for the NOI P&A list.

API Number	Action ID	Filing	COA's
30-025-20826	444512	NOI - Plug & Abandon (C-103F),	<ul style="list-style-type: none"> <li>• A Cement Bond Log (CBL) is required to be submitted to electronic permitting.</li> <li>• A Casing Inspection Log is required to be submitted to electronic permitting.</li> <li>• Submit Cement Bond Logs (CBL) prior to submittal of C-103P.</li> <li>• Submit Casing Inspection Log prior to submittal of C-103P.</li> </ul>
30-025-42119	440795	NOI - Temporary Abandonment (C-103I)	<ul style="list-style-type: none"> <li>• Must submit casing integrity log prior to subsequent approval.</li> <li>• Must submit development plan for well with details and timelines.</li> <li>• Passing MIT test in accordance with 19.15.26.11 or 19.15.25.12-14 NMAC will be required at time of work.</li> <li>• Notify the OCD inspection supervisor via email 24 hours prior to beginning Temporarily Abandonment (TA) operations.</li> </ul>
30-025-20846	446118	NOI - Plug & Abandon (C-103F)	<ul style="list-style-type: none"> <li>• A Cement Bond Log (CBL) is required to be submitted to electronic permitting.</li> <li>• A Casing Inspection Log is required to be submitted to electronic permitting.</li> <li>• Submit Cement Bond Logs (CBL) prior to submittal of C-103P.</li> <li>• Must use Corrosion Resistant CIBP and Cement</li> </ul>
30-025-20844	442841	NOI - Plug & Abandon (C-103F)	<ul style="list-style-type: none"> <li>• Submit Cement Bond Logs (CBL) prior to submittal of C-103P.</li> <li>• Submit Casing Inspection Log prior to submitting C-103P</li> <li>• A Cement Bond Log (CBL) is required to be submitted to electronic permitting.</li> <li>• Adhere to current Plug &amp; Abandon (P&amp;A) Conditions Of Approvals (COA).</li> </ul>
30-025-20786	438165	NOI - Plug & Abandon (C-103F)	<ul style="list-style-type: none"> <li>• Must run pipe inspection pipe evaluation log to surface - Submit to OCD permitting</li> <li>• A Cement Bond Log (CBL) is required to be submitted to electronic permitting.</li> <li>• Submit Cement Bond Logs (CBL) prior to submittal of C-103P.</li> <li>• Adhere to current Plug &amp; Abandon (P&amp;A) Conditions Of Approvals (COA).</li> </ul>
30-025-20752	438152	NOI - Plug & Abandon (C-103F)	<ul style="list-style-type: none"> <li>• Must run pipe inspection pipe evaluation log to surface - Submit to OCD permitting</li> <li>• A Cement Bond Log (CBL) is required to be submitted to electronic permitting.</li> <li>• Submit Cement Bond Logs (CBL) prior to submittal of C-103P.</li> <li>• Adhere to current Plug &amp; Abandon (P&amp;A) Conditions Of Approvals (COA).</li> </ul>
30-025-02849	438111	NOI - Plug & Abandon (C-103F)	<ul style="list-style-type: none"> <li>• Must run pipe inspection pipe evaluation log to surface - Submit to OCD permitting</li> <li>• A Cement Bond Log (CBL) is required to be submitted to electronic permitting.</li> <li>• Submit Cement Bond Logs (CBL) prior to submittal of C-103P.</li> <li>• Adhere to current Plug &amp; Abandon (P&amp;A) Conditions Of Approvals (COA).</li> </ul>
30-025-03045	417024	NOI - Plug & Abandon (C-103F)	<ul style="list-style-type: none"> <li>• A Cement Bond Log (CBL) is required to be submitted to electronic permitting.</li> <li>• Submit Cement Bond Logs (CBL) prior to submittal of C-103P.</li> <li>• Adhere to current Plug &amp; Abandon (P&amp;A) Conditions Of Approvals (COA). (BEEN TOLD WE NEED CORROSIVE RESISTANT CIBP AND CEMENT)</li> </ul>
30-025-20833	405062	NOI - Plug & Abandon (C-103F)	<ul style="list-style-type: none"> <li>• A Cement Bond Log (CBL) is required to be submitted to electronic permitting.</li> <li>• Submit Cement Bond Logs (CBL) prior to submittal of C-103P.</li> </ul>
30-025-			<ul style="list-style-type: none"> <li>• Plug must be placed within 100ft of top of perforations.</li> <li>• Passing MIT test in accordance with 19.15.26.11 or 19.15.25.12-14 NMAC will be required at time of work.</li> </ul>

32128	415089	NOI - Temporary Abandonment (C-103I)	<ul style="list-style-type: none"><li>• Notify the OCD inspection supervisor via email 24 hours prior to beginning Temporarily Abandonment (TA) operations.</li><li>• Must submit development plan for well with details and timelines.</li><li>• Must submit casing integrity log prior to subsequent approval.</li></ul>
-------	--------	--------------------------------------	--

Nicole Lee  
Mobile: 281-740-9416  
[nlee@dgoc.com](mailto:nlee@dgoc.com)

**Diversified Energy Company**  
1000 Main Street, Suite 2900  
Houston, TX 77002



---

**From:** Wrinkle, Justin, EMNRD <[Justin.Wrinkle@emnrd.nm.gov](mailto:Justin.Wrinkle@emnrd.nm.gov)>

**Sent:** Tuesday, May 6, 2025 2:52 PM

**To:** Nicole Lee <[Nicole.Lee@mavresources.com](mailto:Nicole.Lee@mavresources.com)>; Goetze, Phillip, EMNRD <[phillip.goetze@emnrd.nm.gov](mailto:phillip.goetze@emnrd.nm.gov)>; Cordero, Gilbert, EMNRD <[Gilbert.Cordero@emnrd.nm.gov](mailto:Gilbert.Cordero@emnrd.nm.gov)>; Powell, Brandon, EMNRD <[Brandon.Powell@emnrd.nm.gov](mailto:Brandon.Powell@emnrd.nm.gov)>

**Subject:** RE: [EXTERNAL] RE: DEC/NMOCD Operations Touchbase Follow Up

Nicole,

Can you provide me with all the NOI's that have the COAs to date and send in separate email? That way I can give you a clean communication for your records and attachment to subsequents. For future NOIs we will forego adding these requirements in the short term. We are still looking at performing the logs after receiving Maverick's recommendations for future wells.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 473194

CONDITIONS

Operator: Maverick Permian LLC 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 331199
	Action Number: 473194
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	7/25/2025
gcordero	Submit C-103Q within one year of plugging.	7/25/2025