

C-104 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024
---	--	----------------------

REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**Section 1 - Operator and Well Information**

Submittal Type: ☐ Test Allowable (C-104RT) ☒ New Well (C-104NW) ☐ Recomplete (C-104RC) ☐ Pay Add (C-104RC) ☐ Amended	
Operator Name: EOG Resources, INC	OGRID: 7377
Property Name and Well Number: Andele 16 STATE COM 705H	Property Code: 315169
Mineral Owner: ☒ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-025-48564
Pool Name: PITCHFORK RANCH; WOLFCAMP; SOUTH	Pool Code: 96994

Section 2 – Surface Location

UL O	Section 16	Township 25S	Range 34E	Lot	Ft. from N/S 326' FSL	Ft. from E/W 1572' FEL	Latitude 32.1241589	Longitude -103.4714403	County LEA
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	----------------------------------	-------------------------------	----------------------------------	----------------------

Section 3 – Completion Information

Producing Method FLOWS FROM WELL	Ready Date 01/01/2022	Perforations MD 12,900'MD-17,810'MD	Perforations TVD 12,705'TVD-12,729'TVD
--	---------------------------------	---	--

Section 4 – Action IDs for Submissions and Order Numbers

List Action IDs for Drilling Sundries	Was an Order required / needed (Y/N), if yes list Order number:
C-104 RT Action ID (if C-104NW): N/A	Communitization Agreement ☒ Yes ☐ No, Order NoNMNM105826868
Surface Casing Action ID: 375326	Unit: ☐ Yes ☒ No, Order No.
Intermediate 1 Casing Action ID: 375326	Compulsory Pooling: ☐ Yes ☒ No, Order No.
Intermediate 2 Casing Action ID:	Down Hole Commingling: ☐ Yes ☒ No, Order No.
Production Casing Action ID: 375326	Surface Commingling: ☒ Yes ☐ No, Order No.
All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No	Non-standard Location: ☐ Yes ☒ No ☐ Common ownership Order No.
Liner 1 Action ID:	Non-standard Proration: ☒ Yes ☒ No, Order No.
Casing was installed prior to OCD's Action ID system (Y/N): N	Simultaneous Dedication: ☐ Yes ☒ No, Order No.

Section 5 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name Kristina Agee	
Title REGULATORY SPECIALIST	Date 10/29/2024

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024	
		Submittal Type:	☐ Initial Submittal
			☐ Amended Report
		☒ As Drilled	

WELL LOCATION INFORMATION

API Number 30-025-48564	Pool Code 96994	Pool Name PITCHFORK RANCH; WOLFCAMP; SOUTH
Property Code 315169	Property Name ANDELE 16 STATE COM	Well Number 705H
OGRID No. 7377	Operator Name EOG Resources, INC	Ground Level Elevation 3349'
Surface Owner: ☒ State ☐ Fee ☐ Tribal ☐ Federal		Mineral Owner: ☒ State ☐ Fee ☐ Tribal ☐ Federal

Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
O	16	25S	34E		326' FSL	1572' FEL	32.1241589	-103.4714403	LEA

Bottom Hole Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
B	16	25S	34E		113'FNL	2466' FEL	32.1374556	-103.4743006	LEA

Dedicated Acres 320.00	Infill or Defining Well INFILL	Defining Well API 30-025-48565	Overlapping Spacing Unit (Y/N)	Consolidation Code
Order Numbers. CTB-1024			Well setbacks are under Common Ownership: ☐ Yes ☐ No	

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
O	16	25S	34E		38'FSL	2416'FEL	32.1233642	-103.4741653	LEA

First Take Point (FTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
O	16	25S	34E		248'FSL	2464'FEL	32.1239439	-103.4743203	LEA

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
B	16	25S	34E		138'FNL	2464'FEL	32.1373871	-103.4742961	LEA


Unitized Area or Area of Uniform Interest	Spacing Unit Type ☐ Horizontal ☐ Vertical	Ground Floor Elevation: 3349'
---	---	-------------------------------

OPERATOR CERTIFICATIONS <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i> <i>Kristina Agee</i> 6/17/2025 Signature Date Kristina Agee Printed Name kristina_agee@eogresources.com Email Address		SURVEYOR CERTIFICATIONS <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> Signature and Seal of Professional Surveyor Certificate Number Date of Survey	
--	--	--	--

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.





Midland

Lea County, NM (NAD 83 NME)

Andele 16 State Com

#705H

OH

Design: OH

Final PVA

23 August, 2021



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #705H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3375.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3375.0usft
Well:	#705H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Project	Lea County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Andele 16 State Com		
Site Position:		Northing:	409,927.00 usft
From:	Map	Easting:	805,232.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 7' 26.755 N
		Longitude:	103° 28' 51.210 W
		Grid Convergence:	0.45 °

Well		#705H				
Well Position	+N/-S	0.0 usft	Northing:	409,972.00 usft	Latitude:	32° 7' 26.970 N
	+E/-W	0.0 usft	Easting:	808,158.00 usft	Longitude:	103° 28' 17.183 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,349.0 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	8/8/2021	6.47	59.82	47,430.29922980

Design	OH			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	349.58

Survey Program	Date	8/19/2021		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
200.0	17,835.0	Gordon MWD (OH)	EOG MWD+IFR1	MWD + IFR1



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #705H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3375.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3375.0usft
Well:	#705H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.0	0.0	
200.0	0.79	173.71	200.0	-1.4	0.2	0.39	0.39	0.00	-1.4	0.0	
291.0	0.82	216.86	291.0	-2.5	-0.2	0.65	0.03	47.42	-2.1	1.4	
377.0	1.18	186.58	377.0	-3.9	-0.6	0.73	0.42	-35.21	-3.9	-0.2	
465.0	1.03	205.61	465.0	-5.5	-1.1	0.45	-0.17	21.62	-5.4	1.4	
552.0	0.70	191.37	551.9	-6.7	-1.5	0.45	-0.38	-16.37	-6.9	-0.2	
651.0	1.03	197.41	650.9	-8.2	-1.9	0.35	0.33	6.10	-8.4	0.6	
746.0	1.15	168.66	745.9	-9.9	-2.0	0.58	0.13	-30.26	-9.3	-3.9	
842.0	1.33	203.05	841.9	-11.9	-2.2	0.78	0.19	35.82	-11.8	2.6	
938.0	1.44	203.52	937.9	-14.0	-3.1	0.12	0.11	0.49	-14.1	2.7	
1,033.0	1.49	183.22	1,032.8	-16.3	-3.7	0.55	0.05	-21.37	-16.5	-2.8	
1,149.0	2.25	181.80	1,148.8	-20.1	-3.8	0.66	0.66	-1.22	-20.2	-3.2	
1,245.0	3.74	236.07	1,244.7	-23.8	-6.5	3.16	1.55	56.53	-17.1	16.5	
1,340.0	6.03	238.53	1,339.3	-28.1	-13.3	2.42	2.41	2.59	-19.9	18.5	
1,436.0	7.45	247.36	1,434.6	-33.1	-23.4	1.83	1.48	9.20	-20.1	22.7	
1,532.0	8.59	255.94	1,529.7	-37.3	-36.1	1.72	1.19	8.94	-18.7	25.5	
1,627.0	9.81	266.66	1,623.5	-39.5	-51.0	2.21	1.28	11.28	-16.1	26.4	
1,723.0	9.72	264.27	1,718.1	-40.7	-67.3	0.43	-0.09	-2.49	-20.5	22.5	
1,817.0	10.30	264.04	1,810.7	-42.4	-83.5	0.62	0.62	-0.24	-24.3	19.6	
1,912.0	10.44	263.03	1,904.1	-44.3	-100.5	0.24	0.15	-1.06	-28.9	16.5	
2,008.0	11.23	262.37	1,998.4	-46.6	-118.4	0.83	0.82	-0.69	-34.2	13.6	
2,104.0	11.54	261.93	2,092.5	-49.2	-137.2	0.34	0.32	-0.46	-40.2	10.9	
2,200.0	12.02	263.50	2,186.5	-51.7	-156.6	0.60	0.50	1.64	-46.6	9.6	
2,295.0	12.24	262.97	2,279.4	-54.1	-176.5	0.26	0.23	-0.56	-53.9	6.5	
2,390.0	12.15	265.48	2,372.2	-56.1	-196.4	0.57	-0.09	2.64	-61.0	6.1	
2,485.0	12.47	256.32	2,465.1	-59.3	-216.3	2.08	0.34	-9.64	-68.3	-6.2	
2,580.0	13.51	252.93	2,557.6	-65.0	-236.9	1.36	1.09	-3.57	-76.2	-11.2	



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #705H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3375.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3375.0usft
Well:	#705H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
2,675.0	11.66	248.91	2,650.3	-71.7	-256.5	2.15	-1.95	-4.23	-82.9	-16.5
2,770.0	11.65	246.57	2,743.4	-79.0	-274.2	0.50	-0.01	-2.46	-88.3	-19.1
2,865.0	11.84	244.40	2,836.4	-87.0	-291.8	0.51	0.20	-2.28	-94.0	-21.1
2,961.0	12.03	241.48	2,930.3	-96.0	-309.5	0.66	0.20	-3.04	-99.7	-24.0
3,057.0	11.97	243.23	3,024.2	-105.3	-327.2	0.38	-0.06	1.82	-107.3	-18.7
3,153.0	12.15	244.97	3,118.1	-114.0	-345.2	0.42	0.19	1.81	-114.8	-13.6
3,247.0	11.80	246.14	3,210.1	-122.1	-363.0	0.45	-0.37	1.24	-121.7	-9.8
3,343.0	12.36	246.41	3,303.9	-130.2	-381.4	0.59	0.58	0.28	-128.7	-8.0
3,439.0	11.86	247.49	3,397.8	-138.1	-399.9	0.57	-0.52	1.12	-135.8	-4.4
3,533.0	11.82	249.19	3,489.8	-145.2	-417.8	0.37	-0.04	1.81	-142.3	0.4
3,628.0	11.91	247.52	3,582.8	-152.4	-436.0	0.37	0.09	-1.76	-148.8	-3.0
3,724.0	11.63	249.25	3,676.7	-159.6	-454.2	0.47	-0.29	1.80	-155.2	2.3
3,916.0	11.75	255.47	3,864.8	-171.4	-491.2	0.66	0.06	3.24	-166.5	19.4
4,012.0	11.88	257.78	3,958.7	-175.9	-510.3	0.51	0.14	2.41	-172.2	25.0
4,107.0	11.09	260.50	4,051.8	-179.5	-528.9	1.01	-0.83	2.86	-176.8	31.5
4,203.0	11.61	265.26	4,146.0	-181.8	-547.6	1.12	0.54	4.96	-179.7	43.6
4,395.0	11.62	272.91	4,334.0	-182.4	-586.2	0.80	0.01	3.98	-186.3	59.9
4,490.0	9.99	265.52	4,427.4	-182.6	-604.0	2.25	-1.72	-7.78	-197.4	31.3
4,585.0	10.06	265.09	4,520.9	-183.9	-620.4	0.11	0.07	-0.45	-201.5	26.7
4,680.0	9.39	258.12	4,614.5	-186.2	-636.3	1.42	-0.71	-7.34	-206.2	-0.2
4,776.0	8.64	251.57	4,709.4	-190.1	-650.8	1.32	-0.78	-6.82	-206.6	-24.3
4,871.0	9.05	254.13	4,803.2	-194.4	-664.8	0.60	0.43	2.69	-209.0	-15.4
4,968.0	8.66	252.03	4,899.1	-198.8	-679.0	0.52	-0.40	-2.16	-209.8	-23.4
5,064.0	8.36	249.78	4,994.0	-203.4	-692.5	0.47	-0.31	-2.34	-209.7	-31.3
5,159.0	7.37	243.57	5,088.1	-208.5	-704.4	1.37	-1.04	-6.54	-205.1	-52.5
5,255.0	6.79	241.58	5,183.4	-214.0	-714.9	0.66	-0.60	-2.07	-201.9	-57.4
5,351.0	6.01	242.75	5,278.8	-219.0	-724.4	0.82	-0.81	1.22	-200.6	-51.2



Final PVA

Company: Midland
Project: Lea County, NM (NAD 83 NME)
Site: Andele 16 State Com
Well: #705H
Wellbore: OH
Design: OH

Local Co-ordinate Reference: Well #705H
TVD Reference: KB = 26' @ 3375.0usft
MD Reference: KB = 26' @ 3375.0usft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
5,447.0	5.82	244.50	5,374.3	-223.4	-733.2	0.27	-0.20	1.82	-198.7	-43.3
5,542.0	5.59	244.14	5,468.8	-227.5	-741.7	0.25	-0.24	-0.38	-194.9	-42.8
5,638.0	5.89	241.87	5,564.3	-231.8	-750.3	0.39	0.31	-2.36	-189.5	-48.3
5,734.0	5.89	241.15	5,659.8	-236.5	-759.0	0.08	0.00	-0.75	-185.7	-48.3
5,830.0	4.69	238.10	5,755.4	-241.0	-766.6	1.28	-1.25	-3.18	-178.8	-55.3
5,925.0	3.27	253.48	5,850.2	-243.8	-772.5	1.86	-1.49	16.19	-180.3	-5.6
6,021.0	2.17	283.53	5,946.1	-244.1	-776.9	1.84	-1.15	31.30	-152.0	79.4
6,117.0	2.14	285.23	6,042.0	-243.2	-780.4	0.07	-0.03	1.77	-142.1	76.6
6,213.0	2.49	281.45	6,137.9	-242.4	-784.2	0.40	0.36	-3.94	-139.2	60.4
6,309.0	2.25	281.85	6,233.9	-241.6	-788.0	0.25	-0.25	0.42	-131.2	54.7
6,405.0	2.49	283.17	6,329.8	-240.7	-791.9	0.26	0.25	1.37	-122.5	50.8
6,501.0	2.56	276.31	6,425.7	-240.0	-796.1	0.32	0.07	-7.15	-119.8	30.1
6,597.0	2.26	273.47	6,521.6	-239.6	-800.1	0.34	-0.31	-2.96	-112.8	19.1
6,692.0	2.27	282.18	6,616.5	-239.1	-803.8	0.36	0.01	9.17	-101.0	29.5
6,788.0	2.08	276.07	6,712.4	-238.5	-807.4	0.31	-0.20	-6.36	-95.1	13.0
6,883.0	2.22	278.55	6,807.4	-238.1	-810.9	0.18	0.15	2.61	-86.3	11.2
7,072.0	1.97	280.98	6,996.3	-236.9	-817.7	0.14	-0.13	1.29	-69.8	2.2
7,167.0	1.80	276.39	7,091.2	-236.4	-820.8	0.24	-0.18	-4.83	-60.9	-8.9
7,262.0	2.06	276.96	7,186.1	-236.1	-824.0	0.27	0.27	0.60	-52.2	-13.9
7,357.0	1.78	272.80	7,281.1	-235.8	-827.2	0.33	-0.29	-4.38	-42.0	-22.5
7,452.0	1.77	269.05	7,376.1	-235.7	-830.1	0.12	-0.01	-3.95	-30.8	-29.1
7,547.0	2.02	270.52	7,471.0	-235.8	-833.3	0.27	0.26	1.55	-22.3	-32.5
7,643.0	1.97	258.69	7,566.9	-236.1	-836.6	0.43	-0.05	-12.32	-5.3	-38.3
7,737.0	2.07	262.90	7,660.9	-236.6	-839.8	0.19	0.11	4.48	1.0	-40.1
7,833.0	0.62	319.33	7,756.9	-236.4	-841.9	1.88	-1.51	58.78	-30.5	-30.9
7,928.0	1.93	72.79	7,851.8	-235.5	-840.7	2.37	1.38	119.43	-24.5	41.0
8,024.0	1.69	81.87	7,947.8	-234.9	-837.8	0.39	-0.25	9.46	-24.5	45.2

Company:	Midland	Local Co-ordinate Reference:	Well #705H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3375.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3375.0usft
Well:	#705H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
8,119.0	1.35	108.95	8,042.8	-235.0	-835.3	0.83	-0.36	28.51	-4.2	52.5
8,214.0	1.41	127.26	8,137.7	-236.1	-833.3	0.47	0.06	19.27	10.3	51.5
8,309.0	1.26	142.66	8,232.7	-237.6	-831.8	0.41	-0.16	16.21	21.4	47.2
8,406.0	1.40	141.82	8,329.7	-239.4	-830.4	0.15	0.14	-0.87	18.5	47.5
8,501.0	1.38	149.29	8,424.7	-241.3	-829.1	0.19	-0.02	7.86	22.2	44.8
8,596.0	1.46	165.66	8,519.6	-243.5	-828.2	0.43	0.08	17.23	31.6	37.1
8,690.0	1.58	172.61	8,613.6	-245.9	-827.7	0.23	0.13	7.39	33.4	33.1
8,786.0	1.52	186.69	8,709.6	-248.5	-827.7	0.40	-0.06	14.67	37.9	24.3
8,976.0	1.33	182.28	8,899.5	-253.2	-828.1	0.12	-0.10	-2.32	31.2	27.0
9,072.0	1.31	188.23	8,995.5	-255.4	-828.3	0.14	-0.02	6.20	31.6	23.7
9,168.0	1.21	194.75	9,091.4	-257.5	-828.7	0.18	-0.10	6.79	32.0	20.1
9,264.0	1.31	203.98	9,187.4	-259.4	-829.4	0.24	0.10	9.61	32.7	14.9
9,361.0	1.38	198.27	9,284.4	-261.6	-830.2	0.16	0.07	-5.89	28.8	17.9
9,457.0	1.40	210.74	9,380.4	-263.7	-831.2	0.32	0.02	12.99	29.7	11.6
9,553.0	1.51	228.47	9,476.3	-265.5	-832.7	0.48	0.11	18.47	29.4	2.3
9,648.0	1.75	223.40	9,571.3	-267.4	-834.7	0.29	0.25	-5.34	26.4	4.8
9,842.0	2.46	214.02	9,765.2	-273.0	-839.0	0.41	0.37	-4.84	18.2	8.6
10,034.0	2.71	214.47	9,957.0	-280.2	-843.9	0.13	0.13	0.23	9.6	8.4
10,130.0	1.35	200.16	10,052.9	-283.1	-845.6	1.50	-1.42	-14.91	3.9	10.0
10,226.0	1.79	185.89	10,148.9	-285.7	-846.1	0.61	0.46	-14.86	-1.3	10.4
10,322.0	2.13	198.57	10,244.8	-288.8	-846.8	0.57	0.35	13.21	-2.2	10.7
10,417.0	0.87	158.63	10,339.8	-291.2	-847.1	1.65	-1.33	-42.04	-10.7	5.7
10,513.0	0.76	239.63	10,435.8	-292.2	-847.4	1.11	-0.11	84.37	3.2	12.1
10,609.0	1.23	350.63	10,531.8	-291.5	-848.1	1.73	0.49	115.62	9.4	-6.7
10,705.0	1.94	8.59	10,627.7	-288.9	-848.1	0.89	0.74	18.71	4.3	-9.0
10,800.0	2.11	11.34	10,722.7	-285.6	-847.5	0.21	0.18	2.89	0.5	-9.1
10,896.0	2.37	342.67	10,818.6	-281.9	-847.7	1.18	0.27	-29.86	1.2	-8.6



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #705H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3375.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3375.0usft
Well:	#705H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
10,992.0	1.27	347.66	10,914.6	-279.0	-848.6	1.16	-1.15	5.20	-2.5	-8.5
11,088.0	0.94	277.30	11,010.5	-277.9	-849.6	1.36	-0.34	-73.29	6.0	-6.3
11,184.0	0.65	265.75	11,106.5	-277.8	-850.9	0.34	-0.30	-12.03	5.8	-5.1
11,375.0	1.22	165.25	11,297.5	-279.8	-851.4	0.78	0.30	-52.62	2.1	5.6
11,471.0	1.44	190.95	11,393.5	-282.0	-851.4	0.66	0.23	26.77	2.2	4.6
11,566.0	2.88	186.72	11,488.4	-285.6	-851.9	1.52	1.52	-4.45	-1.7	4.6
11,663.0	2.69	133.92	11,585.3	-289.6	-850.6	2.56	-0.20	-54.43	-8.5	-0.5
11,819.0	1.24	123.79	11,741.2	-293.0	-846.5	0.95	-0.93	-6.49	-13.5	-2.7
11,888.0	1.20	127.25	11,810.2	-293.9	-845.3	0.12	-0.06	5.01	-15.1	-1.8
11,982.0	1.47	132.34	11,904.2	-295.3	-843.7	0.31	0.29	5.41	-17.4	-0.4
12,078.0	0.62	129.96	12,000.2	-296.5	-842.4	0.89	-0.89	-2.48	-19.1	-1.1
12,174.0	0.59	29.58	12,096.2	-296.4	-841.7	0.97	-0.03	-104.56	4.2	-19.1
12,270.0	0.10	42.41	12,192.2	-295.9	-841.4	0.51	-0.51	13.36	-0.8	-19.5
12,366.0	0.14	138.38	12,288.2	-295.9	-841.3	0.19	0.04	99.97	-19.4	2.9
12,380.0	0.56	325.81	12,302.2	-295.9	-841.3	5.01	3.02	-1,232.63	18.8	-5.4
KOP, MD:12380.0', TVD:12302.2', N/S:-295.9', E/W:-841.3', INC:0.56										
12,462.0	4.67	324.51	12,384.1	-292.8	-843.5	5.01	5.01	-1.59	15.2	-4.9
12,558.0	7.27	318.47	12,479.5	-285.1	-849.8	2.78	2.71	-6.29	11.6	1.3
12,654.0	26.12	323.44	12,571.1	-263.4	-866.5	19.67	19.64	5.18	6.1	15.8
12,717.8	38.44	338.35	12,625.0	-233.5	-882.3	22.87	19.31	23.38	1.3	27.2
FTP Crossing, MD:12717.8', TVD:12625.0', N/S:-233.5', E/W:-882.3', INC:38.44										
12,750.0	45.12	343.02	12,649.0	-213.2	-889.3	22.87	20.74	14.49	-3.0	32.7
12,846.0	62.57	4.98	12,705.9	-137.1	-895.7	25.75	18.18	22.87	-18.9	39.9
12,942.0	75.87	5.34	12,739.8	-47.9	-887.6	13.86	13.85	0.37	-51.7	33.9
13,037.0	79.15	5.83	12,760.4	44.4	-878.6	3.49	3.45	0.52	-79.4	23.7
13,132.0	89.24	3.47	12,770.0	138.5	-870.9	10.90	10.62	-2.48	-95.8	13.0
13,227.0	89.69	7.91	12,770.9	233.0	-861.5	4.70	0.47	4.67	-98.8	1.9



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #705H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3375.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3375.0usft
Well:	#705H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
13,323.0	88.91	3.21	12,772.0	328.5	-852.2	4.96	-0.81	-4.90	-96.9	-7.9
13,419.0	88.94	0.65	12,773.8	424.4	-849.0	2.67	0.03	-2.67	-94.3	-11.7
13,515.0	89.80	1.36	12,774.9	520.4	-847.3	1.16	0.90	0.74	-92.5	-14.0
13,611.0	89.61	3.62	12,775.4	616.3	-843.1	2.36	-0.20	2.35	-91.2	-18.8
13,707.0	88.94	1.95	12,776.6	712.2	-838.5	1.87	-0.70	-1.74	-89.3	-24.1
13,802.0	88.85	8.54	12,778.4	806.7	-829.8	6.94	-0.09	6.94	-86.8	-33.0
13,898.0	91.04	6.76	12,778.5	901.8	-817.0	2.94	2.28	-1.85	-85.9	-46.5
13,993.0	88.38	2.38	12,779.0	996.5	-809.4	5.39	-2.80	-4.61	-84.6	-54.8
14,089.0	92.86	355.04	12,778.0	1,092.4	-811.6	8.96	4.67	-7.65	-85.0	-53.1
14,200.0	89.80	349.41	12,775.4	1,202.3	-826.6	5.77	-2.76	-5.07	-86.9	-38.4
14,281.0	87.31	357.29	12,777.4	1,282.6	-836.0	10.20	-3.07	9.73	-84.0	-30.1
14,376.0	87.78	358.73	12,781.5	1,377.5	-839.3	1.59	0.49	1.52	-79.2	-27.4
14,471.0	88.29	357.69	12,784.8	1,472.4	-842.2	1.22	0.54	-1.09	-75.3	-25.1
14,567.0	89.33	358.26	12,786.8	1,568.3	-845.6	1.24	1.08	0.59	-72.6	-22.3
14,662.0	92.83	359.19	12,785.0	1,663.3	-847.7	3.81	3.68	0.98	-73.7	-20.8
14,790.0	93.30	356.90	12,778.1	1,791.0	-852.1	1.82	0.37	-1.79	-79.6	-17.2
14,853.0	90.20	356.67	12,776.2	1,853.9	-855.6	4.93	-4.92	-0.37	-81.1	-14.1
14,947.0	88.18	9.70	12,777.5	1,947.5	-850.4	14.03	-2.15	13.86	-79.1	-19.7
15,043.0	89.50	2.31	12,779.5	2,042.9	-840.4	7.82	1.37	-7.70	-76.4	-30.6
15,138.0	90.73	0.25	12,779.3	2,137.8	-838.3	2.53	1.29	-2.17	-75.9	-33.3
15,234.0	89.44	358.77	12,779.2	2,233.8	-839.1	2.05	-1.34	-1.54	-75.4	-33.1
15,330.0	90.95	0.43	12,778.8	2,329.8	-839.8	2.34	1.57	1.73	-75.0	-33.1
15,426.0	87.84	355.08	12,779.8	2,425.7	-843.5	6.45	-3.24	-5.57	-73.3	-29.9
15,521.0	89.47	357.50	12,782.1	2,520.5	-849.7	3.07	1.72	2.55	-70.4	-24.4
15,616.0	91.65	357.00	12,781.1	2,615.3	-854.2	2.35	2.29	-0.53	-70.5	-20.4
15,711.0	92.55	357.66	12,777.7	2,710.2	-858.6	1.17	0.95	0.69	-72.8	-16.6
15,806.0	93.68	357.23	12,772.5	2,804.9	-862.9	1.27	1.19	-0.45	-76.9	-13.0



Final PVA

Company:	Midland	Local Co-ordinate Reference:	Well #705H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3375.0usft
Site:	Andele 16 State Com	MD Reference:	KB = 26' @ 3375.0usft
Well:	#705H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
15,902.0	91.37	358.62	12,768.3	2,900.8	-866.3	2.81	-2.41	1.45	-80.0	-10.2
15,997.0	91.79	2.88	12,765.7	2,995.7	-865.1	4.50	0.44	4.48	-81.5	-12.1
16,092.0	92.74	359.98	12,761.9	3,090.6	-862.7	3.21	1.00	-3.05	-84.1	-15.0
16,188.0	93.16	359.33	12,757.0	3,186.5	-863.3	0.81	0.44	-0.68	-87.9	-15.1
16,283.0	93.28	359.80	12,751.6	3,281.3	-864.0	0.51	0.13	0.49	-92.1	-15.0
16,379.0	90.34	359.64	12,748.6	3,377.3	-864.5	3.07	-3.06	-0.17	-94.0	-15.1
16,474.0	92.07	3.60	12,746.6	3,472.2	-861.8	4.55	1.82	4.17	-94.6	-18.5
16,570.0	90.87	7.23	12,744.1	3,567.7	-852.8	3.98	-1.25	3.78	-94.8	-28.1
16,666.0	89.64	1.60	12,743.7	3,663.4	-845.4	6.00	-1.28	-5.86	-93.0	-36.1
16,761.0	89.16	359.90	12,744.7	3,758.3	-844.1	1.86	-0.51	-1.79	-89.7	-38.0
16,856.0	91.59	358.67	12,744.1	3,853.3	-845.3	2.87	2.56	-1.29	-88.1	-37.3
16,951.0	88.80	355.16	12,743.7	3,948.2	-850.4	4.72	-2.94	-3.69	-86.3	-32.7
17,047.0	89.92	356.21	12,744.8	4,043.9	-857.7	1.60	1.17	1.09	-82.9	-26.1
17,143.0	91.80	1.28	12,743.4	4,139.8	-859.8	5.63	1.96	5.28	-82.0	-24.8
17,239.0	88.57	355.90	12,743.1	4,235.7	-862.1	6.54	-3.36	-5.60	-80.1	-22.9
17,335.0	93.70	0.13	12,741.2	4,331.6	-865.4	6.92	5.34	4.41	-79.7	-20.3
17,431.0	91.76	350.30	12,736.6	4,427.0	-873.4	10.43	-2.02	-10.24	-82.1	-12.5
17,526.0	91.85	347.78	12,733.6	4,520.3	-891.5	2.65	0.09	-2.65	-82.8	4.8
17,622.0	90.50	352.92	12,731.6	4,614.8	-907.6	5.53	-1.41	5.35	-82.5	20.1
17,718.0	92.69	356.39	12,728.9	4,710.4	-916.5	4.27	2.28	3.61	-82.9	28.4
Last MWD Survey (MD=17718.0')										
17,835.0	92.69	356.39	12,723.5	4,827.0	-923.9	0.00	0.00	0.00	-85.6	35.0
Projection to Bit (MD=17835.0')										



Final PVA

Company: Midland
Project: Lea County, NM (NAD 83 NME)
Site: Andele 16 State Com
Well: #705H
Wellbore: OH
Design: OH

Local Co-ordinate Reference: Well #705H
TVD Reference: KB = 26' @ 3375.0usft
MD Reference: KB = 26' @ 3375.0usft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: PEDM

Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
12,380.0	12,302.2	-295.9	-841.3	KOP, MD:12380.0', TVD:12302.2', N/S:-295.9', E/W:-841.3', INC:0.56
12,717.8	12,625.0	-233.5	-882.3	FTP Crossing, MD:12717.8', TVD:12625.0', N/S:-233.5', E/W:-882.3', INC:38.44
17,718.0	12,728.9	4,710.4	-916.5	Last MWD Survey (MD=17718.0')
17,835.0	12,723.5	4,827.0	-923.9	Projection to Bit (MD=17835.0')

Checked By: _____ Approved By: _____ Date: _____

I CERTIFY THIS SURVEY TO BE TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE.
 KAY MADDOX 2/2/2022



Lea County, NM (NAD 83 NME)

Andele 16 State Com #705H

Plan #2

PROJECT DETAILS: Lea County, NM (NAD 83 NME)










Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Eastern Zone
System Datum: Mean Sea Level

WELL DETAILS: #705H

		3349.0	
KB = 26' @ 3375.0usft			
Northings	Easting	Latitude	Longitude
409972.00	808158.00	32° 7' 26.970 N	103° 28' 17.183 W



To convert a Magnetic Direction to a Grid Direction, Add 6.02°
To convert a Magnetic Direction to a True Direction, Add 6.47° East
To convert a True Direction to a Grid Direction, Subtract 0.46°



C-105 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024
--	---	----------------------

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Section 1 - Operator and Well Information

Submittal Type: ☒ New Well ☐ Workover ☐ Deepening ☐ Plugback ☐ Different Reservoir ☐ C-144 Closure Attachment ☐ Other	
Operator Name: EOG Resources, INC	OGRID: 7377
Property Name and Well Number: Andele 16 State COM 705H	Property Code: 315169
Mineral Owner: ☒ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-025-48564
Pool Name: PITCHFORK RANCH; WOLFCAMP; SOUTH	Pool Code: 96994

Section 2 – Well Location

	UI or lot no.	Section	Township	Range	Lot Id	Feet from	N/S Line	Feet from	E/W Line	County
SHL:	O	16	25S	34E		326'	S	1572'	E	LEA
BHL	B	16	25S	34E		113'	N	2466'	E	LEA

Section 3 – Completion Information

Date T.D. Reached 08/19/2021	Total Measured Depth of Well 17,835'	Acid Volume (bbls) 225	☒ Directional Survey Submitted ☐ Deviation Survey Submitted
Date Rig Released 08/20/2021	Plug-Back Measured Depth 17,810'	Completion Fluid Used (bbls) 235,034	Were Logs Ran (Y/N) Y
Completion Date 01/01/2022	Perforations (MD and TVD) 12,900'MD-17,810'MD 12,705'TVD-12,729'TVD	Completion Proppant Used (lbs) 12,149,990	List Type of Logs Ran if applicable: MWD, PVA

Section 4 – Action IDs for Submissions and Order Numbers

Surface Casing Action ID: 375326	UIC Permit/Order (UIC wells only) ☐ Yes ☐ No, Order No. N/A
Intermediate 1 Casing Action ID: 375326	NOI Recomplete Action ID (if applicable): N/A
Intermediate 2 Casing Action ID:	NOI Plugback Action ID (if applicable): N/A
Production Casing Action ID: 375326	Cement Squeeze Action ID (if applicable): N/A
Tubing Action ID: N/A	All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No
Liner 1 Action ID: N/A	Casing was installed prior to Action ID system (Y/N): N

Section 5 – Test Data

Date First Production 1/1/2022	Production Method FLOWS FROM WELL	Well Status PRODUCING	Gas – Oil Ratio 1454
Date of Test 01/02/2022	Choke Size 56	Flowing Tubing Pressure	Casing Pressure 1137
24 hr Oil (bbls) 2414	24 hr Gas (MCF) 3509	24 hr Water (bbls) 6378	Oil Gravity - API 46
Disposition of Gas: SOLD			

Section 6 – Pits


☐ A temporary pit was used at the well. If so, attach a plat with the location of the temporary pit.
☒ A Closed Loop System was used.
☐ If an on-site burial was used at the well, report the exact location of the on-site burial: LAT: _____ LONG: _____

Section 7 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name Kristina Agee	
Title REGULATORY SPECIALIST	Date 6/17/2025

South Formations				North Formations			
Formation/Zone	MD	TVD	W/O/G	Formation/Zone	MD	TVD	W/O/G
T. Anhy	974	974		T. San Jose			
T. Salt	1329	1329		T. Nacimiento			
B. Salt	5252	5183		T. Ojo Alamo			
T. Yates				T. Kirtland			
T. 7 Rivers				T. Fruitland			
T. Queen				T. Pictured Cliffs			
T. Grayburg				T. Lewis Shale			
T. San Andres				T. Chacra			
T. Glorieta				T. Cliff House			
T. Yeso				T. Menefee			
T. Paddock				T. Point Lookout			
T. Blinebry				T. Mancos			
T.Tubb				T. Gallup			
T. Drinkard				T. Greenhorn			
T. Abo				T. Graneros			
T. Wolfcamp	12,550	12,384		T. Dakota			
T. Penn				T. Morrison			
T. Cisco				T. Bluff			
T. Canyon				T.Todilto			
T. Strawn				T. Entrada			
T. Atoka				T. Wingate			
T. Morrow				T. Chinle			
T. Barnett Shale				T. Permian			
T. Miss				T. Penn A"			
T. Woodford Shale				T. Penn. "B"			
T. Devonian				T. Penn. "C"			
T. Silurian				T. Penn. "D"			
T. Fusselman				T. Leadville			
T. Montoya				T. Madison			
T. Simpson				T. Elbert			
T. McKee				T. McCracken			
T. Waddell				T. Ignacio Otzte			
T. Connel				T. Granite			
T. Ellenburger				T. Hermosa			
T. Gr. Wash				T. De Chelly			
T. Delaware Sand				T. Pinkerton			
T. Lamar Lime							
T. Bell Canyon							
T. Cherry Canyon							
T. Brushy Canyon	8079	7947					
T. Bone Springs							
T. 1st BS Sand	10,475	10,339					
T. 2nd BS Carbonate							
T. 2nd BS Sand	10,989	10,818					
T. 3rd BS Carbonate							
T. 3rd BS Sand	12,075	12,000					

Well Name				Rig Name	API #	County	State	Rig Release
ANDELE 16 STATE COM #705H				H&P 246	300254856400	LEA	NEW MEXICO	2021-08-20T00:00:00
Top Perf	Bottom Perf	Sec.	Blk	Range/Survey	Latitude	Longitude		Conductor Date
12900	17810	16	25S	34E	32.124034	-103.4709714		2021-07-10T00:00:00
GL (ft)	KB (ft)	CTOP (ft)	MD (ft)		TVD (ft)	KOP (ft)		Spud Date
3349	3375	7700	17835		12723.76	12380		2021-08-10T00:00:00



Cement

String Name	Group	No. Sx	Top(ft)	Cls
Surface	Lead	375	0	H
Surface	Tail	105	0	H
Intermediate	Tail	430	0	H
Intermediate	BradenHead	1000	0	C
Intermediate	TopOut	350	0	C
Production	Tail	560	7700	H

Hole

Top (MD ft)	Bot (MD ft)	Hole (in)
144	1100	12.25
1100	9761	8.75
9761	11882	8.75
11882	12564	6.75
12564	17835	6.75
17835	17835	6.75

Equipment

String Name	Shoe (ft)	Equip (in, lbs, GD)	Conn
Surface	1084	9 5/8	LTC
Surface	1084	9 5/8 36# J55	LTC
Surface	1084	9 5/8 40# J55	LTC
Intermediate	11869	7 5/8 29.7# HCP110	MO-FXL
Intermediate	11869	7 5/8 29.7# HCP110	MO-FXL
Production	17820	5 1/2 20# HCP110	Geoconn
Production	17820	5 1/2 20# HCP110	RDT-BTX

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-48564
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name ANDELE 16 STATE COM
8. Well Number 705H
9. OGRID Number 7377
10. Pool name or Wildcat PITCHFORK RANCH; WOLFCAMP, SOUTH
4. Well Location Unit Letter O : 326 feet from the SOUTH line and 1572 feet from the EAST line Section 16 Township 25S Range 34E NMPM County LEA
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3349' GR

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator EOG RESOURCES INC	
3. Address of Operator PO BOX 2267 MIDLAND, TX 79702	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: Completion	☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

08/20/2021 RIG RELEASED
 09/11/2021 MIRU TEST VOID TO 5000 PSI, SEALS AND FLANGES TO 8500 PSI
 09/26/2021 BEGIN PERF AND FRAC
 10/04/2021 FINISH 18 STAGES PERF AND FRAC 12,900 - 17,810' W/1341 3 1/8" SHOTS,
 FRAC W/12,149,990 LBS PROPPANT AND 235,034 BBLS LOAD FLUID
 10/05/2021 DRILLED OUT PLUGS AND CLEANOUT WELLBORE
 01/01/2022 OPENED WELL TO FLOWBACK - DATE OF FIRST PRODUCTION

Spud Date:

07/10/2021

Rig Release Date:

08/20/2021

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE KAY MADDUX TITLE Regulatory Specialist DATE 02/03/2022

Type or print name Kay Maddox E-mail address: kay_maddox@eogresources.com PHONE: 432-638-8475

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 475714

ACKNOWLEDGMENTS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 475714
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.
☒	I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 475714

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 475714
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	8/6/2025