

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 5380
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-46485	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code 326508	⁸ Property Name CORRAL CANYON 8 32 FEDERAL	⁹ Well Number 102H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
L	08	25S	29E		2548	South	1068	West	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	32	24S	29E		2442	South	751	West	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Co LP	O
373073	XTO Permian Op	G/W

IV. Well Completion Data

²¹ Spud Date 2/8/2020	²² Ready Date 3/6/2022	²³ TD 20346 MD 9915 TVD	²⁴ MBTD 20330 MD 9915 TVD	²⁵ Perforations 10,344 TO 20,192	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13.375 J55 68#	629	1,020		
12.25	9.625 L80 40#	9,105	3,180		
8.5	5.5 P110 23#	20,332	3,855		
	2 7/8 L80 6.5#	9299			

V. Well Test Data

³¹ Date New Oil 3/7/22	³² Gas Delivery Date 3/8/22	³³ Test Date 3/8/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 1609	³⁶ Csg. Pressure 834
³⁷ Choke Size	³⁸ Oil 984	³⁹ Water 3327	⁴⁰ Gas 2693		⁴¹ Test Method Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:

*Amanda Thames*Printed name:
Amanda ThamesTitle:
Regulatory AnalystE-mail Address:
amanda.thames@exxonmobil.comDate:
5/11/2022Phone:
432.221.7340

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT AS-DRILLED PLAT

¹ API Number 30-015-46485	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 326508	⁵ Property Name CORRAL CANYON 8- 32 FED	
⁷ OGRID No. 005380	⁸ Operator Name XTO ENERGY, INC.	⁶ Well Number 102H ⁹ Elevation 2,968'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	8	25 S	29 E		2,548	SOUTH	1,068	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	32	24 S	29 E		2,442	SOUTH	751	WEST	EDDY

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
638.97			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM
DATA FURNISHED BY XTO ENERGY

SHL (NAD83 NME) Y = 416,444.1 X = 640,857.5 LAT. = 32.144475 "N LONG. = 104.011784 "W KOP (NAD83 NME) Y = 416,206.5 X = 640,562.5 LAT. = 32.143824 "N LONG. = 104.012740 "W FTP (NAD83 NME) Y = 416,898.1 X = 640,538.0 LAT. = 32.145726 "N LONG. = 104.012812 "W CORNER COORDINATES (NAD83 NME) <table style="width: 100%;"> <tr><td>A - Y = 416,554.2 N</td><td>X = 639,788.8 E</td></tr> <tr><td>B - Y = 416,542.3 N</td><td>X = 641,119.7 E</td></tr> <tr><td>C - Y = 419,196.8 N</td><td>X = 639,789.3 E</td></tr> <tr><td>D - Y = 419,187.0 N</td><td>X = 641,118.1 E</td></tr> <tr><td>E - Y = 421,836.3 N</td><td>X = 639,805.3 E</td></tr> <tr><td>F - Y = 421,830.0 N</td><td>X = 641,126.7 E</td></tr> <tr><td>G - Y = 424,456.0 N</td><td>X = 639,821.1 E</td></tr> <tr><td>H - Y = 424,457.0 N</td><td>X = 641,135.2 E</td></tr> <tr><td>I - Y = 427,122.0 N</td><td>X = 639,794.6 E</td></tr> <tr><td>J - Y = 427,119.8 N</td><td>X = 641,114.0 E</td></tr> </table> SHL (NAD27 NME) Y = 416,385.4 X = 599,673.6 LAT. = 32.144351 "N LONG. = 104.011295 "W KOP (NAD27 NME) Y = 416,147.9 X = 599,378.6 LAT. = 32.143700 "N LONG. = 104.012251 "W FTP (NAD27 NME) Y = 416,839.5 X = 599,354.1 LAT. = 32.145601 "N LONG. = 104.012323 "W CORNER COORDINATES (NAD27 NME) <table style="width: 100%;"> <tr><td>A - Y = 416,495.5 N</td><td>X = 598,604.9 E</td></tr> <tr><td>B - Y = 416,483.6 N</td><td>X = 599,935.7 E</td></tr> <tr><td>C - Y = 419,138.1 N</td><td>X = 598,605.5 E</td></tr> <tr><td>D - Y = 419,128.2 N</td><td>X = 599,934.3 E</td></tr> <tr><td>E - Y = 421,777.5 N</td><td>X = 598,621.5 E</td></tr> <tr><td>F - Y = 421,771.2 N</td><td>X = 599,942.9 E</td></tr> <tr><td>G - Y = 424,397.2 N</td><td>X = 598,637.4 E</td></tr> <tr><td>H - Y = 424,398.1 N</td><td>X = 599,951.4 E</td></tr> <tr><td>I - Y = 427,063.1 N</td><td>X = 598,610.9 E</td></tr> <tr><td>J - Y = 427,060.9 N</td><td>X = 599,930.4 E</td></tr> </table>	A - Y = 416,554.2 N	X = 639,788.8 E	B - Y = 416,542.3 N	X = 641,119.7 E	C - Y = 419,196.8 N	X = 639,789.3 E	D - Y = 419,187.0 N	X = 641,118.1 E	E - Y = 421,836.3 N	X = 639,805.3 E	F - Y = 421,830.0 N	X = 641,126.7 E	G - Y = 424,456.0 N	X = 639,821.1 E	H - Y = 424,457.0 N	X = 641,135.2 E	I - Y = 427,122.0 N	X = 639,794.6 E	J - Y = 427,119.8 N	X = 641,114.0 E	A - Y = 416,495.5 N	X = 598,604.9 E	B - Y = 416,483.6 N	X = 599,935.7 E	C - Y = 419,138.1 N	X = 598,605.5 E	D - Y = 419,128.2 N	X = 599,934.3 E	E - Y = 421,777.5 N	X = 598,621.5 E	F - Y = 421,771.2 N	X = 599,942.9 E	G - Y = 424,397.2 N	X = 598,637.4 E	H - Y = 424,398.1 N	X = 599,951.4 E	I - Y = 427,063.1 N	X = 598,610.9 E	J - Y = 427,060.9 N	X = 599,930.4 E	T24S R29E SEC. 32 SEC. 33 The survey map shows a grid of land sections. Section 32 is at the top left, section 33 at the top right, section 5 below 32, and section 4 below 5. A proposed well location is marked as BHL. Corner points are labeled A through J. Distances from the well to various corners are provided: 751' to point I, 748' to point H, 330' to point F, 749' to point A, 1,068' to point B, and 772' to point C. Well depths are also noted: LTP MD=20,192' and FTP MD=10,344'. Other distances include 2,442', 2,286', 39.44 AC., 39.53 AC., 39.62 AC., 39.71 AC., 2,293', 2,308', 2,548', and 9,293'.	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Amanda Thames 5/11/2022 Signature Date Amanda Thames Printed Name amanda.thames@exxonmobil.com E-mail Address
A - Y = 416,554.2 N	X = 639,788.8 E																																									
B - Y = 416,542.3 N	X = 641,119.7 E																																									
C - Y = 419,196.8 N	X = 639,789.3 E																																									
D - Y = 419,187.0 N	X = 641,118.1 E																																									
E - Y = 421,836.3 N	X = 639,805.3 E																																									
F - Y = 421,830.0 N	X = 641,126.7 E																																									
G - Y = 424,456.0 N	X = 639,821.1 E																																									
H - Y = 424,457.0 N	X = 641,135.2 E																																									
I - Y = 427,122.0 N	X = 639,794.6 E																																									
J - Y = 427,119.8 N	X = 641,114.0 E																																									
A - Y = 416,495.5 N	X = 598,604.9 E																																									
B - Y = 416,483.6 N	X = 599,935.7 E																																									
C - Y = 419,138.1 N	X = 598,605.5 E																																									
D - Y = 419,128.2 N	X = 599,934.3 E																																									
E - Y = 421,777.5 N	X = 598,621.5 E																																									
F - Y = 421,771.2 N	X = 599,942.9 E																																									
G - Y = 424,397.2 N	X = 598,637.4 E																																									
H - Y = 424,398.1 N	X = 599,951.4 E																																									
I - Y = 427,063.1 N	X = 598,610.9 E																																									
J - Y = 427,060.9 N	X = 599,930.4 E																																									
18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 4-19-2022 Date of Survey Signature and Seal of Professional Surveyor: MARK DILLON HARP 23786 JC 2017091506 Certificate Number T25S R29E SEC. 8 SEC. 9																																										

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit?

☐ N

Is this well an infill well?

☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
3001546466		
Operator Name:	Property Name:	Well Number
XTO Energy Inc.	Corral Canyon 8 32 Federal	161H

KZ 06/29/2018

I + 1 337.856-7201
1058 Baker Hughes Drive
Broussard, LA 70518, USA



1058 Baker Hughes Dr.
Broussard, LA 70518
Tel 337-856-7201 or 800-395-7201

State of New Mexico
County of Eddy

I, Gail Deering, Technical Support Specialist, certify that I am employed by Baker Hughes; did conduct or supervise on the day(s) of 02/08/2020 through 04/08/2020 conduct or supervise the taking of a MWD survey from a depth of 150 feet to a depth of 20346 feet; that the data is true, correct, complete and within the limitations of the tool as set forth by Baker Hughes; that I am authorized and qualified to make this report; that this survey was conducted at the request of XTO Permian Operating LLC. for the Corral Canyon 8-32 Federal No. 102H Well, API No. 3001546485000 in PurpleSage Wolfcamp Gas field; and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by Baker Hughes.

Gail Deering

Technical Support Specialist

SO#: 110234745



Actual Wellpath Report

Corral Canyon 8-32 FED #102H AWB 150' - 20300' Proj: 20346'

Page 1 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	XTO Energy Inc.	Well	Corral Canyon 8-32 FED #102H
Field	Wolfcamp (Eddy Co., NM)	API/Legal	
Facility	Corral Canyon 8-32 FED Pad	Wellbore	Corral Canyon 8-32 FED #102H
Slot	Corral Canyon 8-32 FED #102H		

REPORT SETUP INFORMATION

Projection System	NAD27 / TM New Mexico SP, Eastern Zone (3001), US feet	Software System	WellArchitect® 6.0
North Reference	Grid	User	Gail Deering
Scale	0.999920	Report Generated	05/May/2020 at 13:14
Convergence at slot	0.17° East	Database	WA_HOU_Midland_Defn

WELLPATH LOCATION

	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[US ft]	Northing[US ft]	Latitude	Longitude
Slot Location	-0.50	60.00	599673.60	416385.50	32°08'39.6627"N	104°00'40.6630"W
Facility Reference Pt			599613.60	416386.00	32°08'39.6694"N	104°00'41.3609"W
Field Reference Pt			152400.30	0.00	30°59'42.8458"N	105°26'33.6593"W

WELLPATH DATUM

Calculation method	Minimum curvature	PD 568 (RKB) to Facility Vertical Datum	2993.00ft
Horizontal Reference Pt	Slot	PD 568 (RKB) to Mean Sea Level	2993.00ft
Vertical Reference Pt	PD 568 (RKB)	PD 568 (RKB) to Ground Level at Slot (Corral Canyon 8-32 FED #102H)	25.00ft
MD Reference Pt	PD 568 (RKB)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	0.05°



Actual Wellpath Report

Corral Canyon 8-32 FED #102H AWB 150' - 20300' Proj: 20346'

Page 2 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	XTO Energy Inc.	Well	Corral Canyon 8-32 FED #102H
Field	Wolfcamp (Eddy Co., NM)	API/Legal	
Facility	Corral Canyon 8-32 FED Pad	Wellbore	Corral Canyon 8-32 FED #102H
Slot	Corral Canyon 8-32 FED #102H		

WELLPATH DATA (228 stations) † = interpolated, ‡ = extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
0.00†	0.000	262.010	0.00	0.00	0.00	0.00	599673.60	416385.50	32°08'39.6627°N	104°00'40.6630°W	0.00	0.00	0.00	
25.00	0.000	262.010	25.00	0.00	0.00	0.00	599673.60	416385.50	32°08'39.6627°N	104°00'40.6630°W	0.00	0.00	0.00	
150.00	1.130	262.010	149.99	-0.17	-0.17	-1.22	599672.38	416385.33	32°08'39.6610°N	104°00'40.6772°W	0.90	0.90	0.00	
310.00	1.250	267.520	309.96	-0.47	-0.47	-4.53	599669.07	416385.03	32°08'39.6582°N	104°00'40.7157°W	0.10	0.08	3.44	
432.00	1.060	294.070	431.93	-0.07	-0.06	-6.89	599666.71	416385.44	32°08'39.6623°N	104°00'40.7431°W	0.46	-0.16	21.76	
493.00	0.890	322.770	492.92	0.54	0.54	-7.69	599665.91	416386.04	32°08'39.6683°N	104°00'40.7524°W	0.84	-0.28	47.05	
594.00	0.680	344.690	593.92	1.74	1.75	-8.32	599665.28	416387.25	32°08'39.6802°N	104°00'40.7597°W	0.36	-0.21	21.70	17 1/2" NT Surveys 150' - 594'
696.00	0.430	314.550	695.91	2.59	2.60	-8.75	599664.85	416388.10	32°08'39.6887°N	104°00'40.7647°W	0.37	-0.25	-29.55	
801.00	2.930	247.840	800.86	1.85	1.86	-11.52	599662.08	416387.36	32°08'39.6815°N	104°00'40.7969°W	2.66	2.38	-63.53	
875.00	2.270	257.310	874.79	0.81	0.83	-14.70	599658.90	416386.33	32°08'39.6713°N	104°00'40.8340°W	1.06	-0.89	12.80	
964.00	1.670	258.400	963.73	0.16	0.18	-17.69	599655.91	416385.68	32°08'39.6650°N	104°00'40.8688°W	0.68	-0.67	1.22	
1053.00	1.740	253.450	1052.69	-0.48	-0.47	-20.26	599653.34	416385.03	32°08'39.6587°N	104°00'40.8986°W	0.18	0.08	-5.56	
1142.00	1.320	258.910	1141.66	-1.07	-1.05	-22.56	599651.04	416384.45	32°08'39.6530°N	104°00'40.9254°W	0.50	-0.47	6.13	
1231.00	0.930	273.250	1230.64	-1.23	-1.20	-24.29	599649.32	416384.30	32°08'39.6515°N	104°00'40.9455°W	0.54	-0.44	16.11	
1321.00	0.870	271.730	1320.63	-1.16	-1.14	-25.70	599647.90	416384.36	32°08'39.6522°N	104°00'40.9619°W	0.07	-0.07	-1.69	
1410.00	0.940	279.410	1409.62	-1.03	-1.00	-27.09	599646.51	416384.50	32°08'39.6536°N	104°00'40.9781°W	0.16	0.08	8.63	
1500.00	0.870	271.430	1499.61	-0.89	-0.86	-28.50	599645.10	416384.64	32°08'39.6550°N	104°00'40.9946°W	0.16	-0.08	-8.87	
1589.00	0.810	267.200	1588.60	-0.90	-0.88	-29.81	599643.79	416384.62	32°08'39.6549°N	104°00'41.0097°W	0.10	-0.07	-4.75	
1679.00	0.590	286.210	1678.59	-0.81	-0.78	-30.89	599642.71	416384.72	32°08'39.6559°N	104°00'41.0223°W	0.35	-0.24	21.12	
1768.00	0.530	280.880	1767.59	-0.60	-0.57	-31.73	599641.87	416384.93	32°08'39.6580°N	104°00'41.0321°W	0.09	-0.07	-5.99	
1857.00	0.530	255.990	1856.59	-0.63	-0.60	-32.54	599641.07	416384.90	32°08'39.6578°N	104°00'41.0414°W	0.26	0.00	-27.97	
1947.00	0.440	271.080	1946.58	-0.72	-0.69	-33.29	599640.32	416384.81	32°08'39.6569°N	104°00'41.0502°W	0.17	-0.10	16.77	
2036.00	0.340	265.850	2035.58	-0.73	-0.70	-33.89	599639.71	416384.80	32°08'39.6567°N	104°00'41.0572°W	0.12	-0.11	-5.88	
2126.00	2.080	205.860	2125.56	-2.22	-2.19	-34.87	599638.73	416383.31	32°08'39.6420°N	104°00'41.0686°W	2.15	1.93	-66.66	
2215.00	3.680	205.910	2214.44	-6.25	-6.22	-36.82	599636.78	416379.28	32°08'39.6023°N	104°00'41.0915°W	1.80	1.80	0.06	
2304.00	4.440	209.800	2303.22	-11.81	-11.77	-39.78	599633.82	416373.73	32°08'39.5474°N	104°00'41.1261°W	0.91	0.85	4.37	
2393.00	5.630	213.300	2391.88	-18.45	-18.41	-43.89	599629.71	416367.09	32°08'39.4818°N	104°00'41.1741°W	1.38	1.34	3.93	
2482.00	6.520	226.730	2480.38	-25.57	-25.53	-49.97	599623.64	416359.98	32°08'39.4116°N	104°00'41.2450°W	1.88	1.00	15.09	
2572.00	8.440	230.910	2569.61	-33.24	-33.19	-58.82	599614.79	416352.31	32°08'39.3360°N	104°00'41.3482°W	2.22	2.13	4.64	
2661.00	10.090	228.310	2657.45	-42.56	-42.50	-69.71	599603.90	416343.01	32°08'39.2442°N	104°00'41.4752°W	1.91	1.85	-2.92	



Actual Wellpath Report

Corral Canyon 8-32 FED #102H AWB 150' - 20300' Proj: 20346'

Page 3 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	XTO Energy Inc.	Well	Corral Canyon 8-32 FED #102H
Field	Wolfcamp (Eddy Co., NM)	API/Legal	
Facility	Corral Canyon 8-32 FED Pad	Wellbore	Corral Canyon 8-32 FED #102H
Slot	Corral Canyon 8-32 FED #102H		

WELLPATH DATA (228 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
2751.00	9.510	226.650	2746.13	-52.92	-52.84	-81.00	599592.60	416332.66	32°08'39.1422"N	104°00'41.6069"W	0.72	-0.64	-1.84	
2840.00	8.230	227.030	2834.07	-62.31	-62.23	-91.01	599582.60	416323.27	32°08'39.0496"N	104°00'41.7236"W	1.44	-1.44	0.43	
2929.00	7.850	230.510	2922.19	-70.53	-70.44	-100.36	599573.25	416315.06	32°08'38.9686"N	104°00'41.8327"W	0.69	-0.43	3.91	
3018.00	9.790	234.410	3010.14	-78.81	-78.71	-111.21	599562.40	416306.80	32°08'38.8871"N	104°00'41.9591"W	2.28	2.18	4.38	
3108.00	10.450	234.670	3098.74	-87.99	-87.88	-124.09	599549.52	416297.62	32°08'38.7967"N	104°00'42.1092"W	0.74	0.73	0.29	
3197.00	9.720	235.130	3186.36	-96.97	-96.85	-136.84	599536.77	416288.66	32°08'38.7084"N	104°00'42.2578"W	0.83	-0.82	0.52	
3286.00	9.510	234.830	3274.11	-105.51	-105.38	-149.01	599524.60	416280.13	32°08'38.6243"N	104°00'42.3997"W	0.24	-0.24	-0.34	
3376.00	9.770	230.520	3362.84	-114.66	-114.52	-160.98	599512.63	416270.99	32°08'38.5343"N	104°00'42.5392"W	0.85	0.29	-4.79	
3465.00	9.850	228.800	3450.54	-124.48	-124.33	-172.54	599501.08	416261.18	32°08'38.4375"N	104°00'42.6740"W	0.34	0.09	-1.93	
3554.00	9.560	229.390	3538.26	-134.32	-134.16	-183.88	599489.74	416251.35	32°08'38.3406"N	104°00'42.8062"W	0.34	-0.33	0.66	
3644.00	9.350	229.460	3627.04	-143.94	-143.77	-195.11	599478.51	416241.74	32°08'38.2458"N	104°00'42.9371"W	0.23	-0.23	0.08	
3733.00	8.870	228.020	3714.92	-153.24	-153.06	-205.70	599467.91	416232.45	32°08'38.1542"N	104°00'43.0607"W	0.60	-0.54	-1.62	
3823.00	8.510	228.740	3803.89	-162.28	-162.09	-215.87	599457.75	416223.42	32°08'38.0651"N	104°00'43.1792"W	0.42	-0.40	0.80	
3912.00	8.240	228.060	3891.94	-170.90	-170.70	-225.56	599448.06	416214.81	32°08'37.9802"N	104°00'43.2923"W	0.32	-0.30	-0.76	
4001.00	7.890	227.720	3980.06	-179.28	-179.07	-234.82	599438.80	416206.44	32°08'37.8976"N	104°00'43.4003"W	0.40	-0.39	-0.38	
4091.00	7.960	226.630	4069.20	-187.72	-187.51	-243.92	599429.70	416198.01	32°08'37.8144"N	104°00'43.5064"W	0.18	0.08	-1.21	
4180.00	7.720	227.170	4157.36	-196.02	-195.80	-252.79	599420.83	416189.71	32°08'37.7326"N	104°00'43.6098"W	0.28	-0.27	0.61	
4269.00	6.940	228.660	4245.64	-203.65	-203.42	-261.21	599412.41	416182.10	32°08'37.6575"N	104°00'43.7080"W	0.90	-0.88	1.67	
4359.00	5.900	232.010	4335.07	-210.09	-209.86	-268.94	599404.68	416175.66	32°08'37.5940"N	104°00'43.7981"W	1.23	-1.16	3.72	
4448.00	4.330	233.270	4423.71	-214.92	-214.68	-275.24	599398.39	416170.84	32°08'37.5464"N	104°00'43.8715"W	1.77	-1.76	1.42	
4537.00	3.610	239.560	4512.50	-218.36	-218.11	-280.34	599393.28	416167.41	32°08'37.5127"N	104°00'43.9310"W	0.94	-0.81	7.07	
4627.00	2.200	244.310	4602.38	-220.54	-220.30	-284.34	599389.28	416165.22	32°08'37.4912"N	104°00'43.9776"W	1.59	-1.57	5.28	
4716.00	1.430	247.920	4691.34	-221.70	-221.45	-286.91	599386.71	416164.06	32°08'37.4798"N	104°00'44.0075"W	0.87	-0.87	4.06	
4805.00	1.600	245.790	4780.31	-222.63	-222.38	-289.07	599384.55	416163.14	32°08'37.4707"N	104°00'44.0327"W	0.20	0.19	-2.39	
4894.00	1.030	245.780	4869.28	-223.47	-223.22	-290.94	599382.69	416162.30	32°08'37.4624"N	104°00'44.0544"W	0.64	-0.64	-0.01	
4984.00	0.580	210.600	4959.27	-224.20	-223.94	-291.91	599381.72	416161.58	32°08'37.4553"N	104°00'44.0657"W	0.72	-0.50	-39.09	
5073.00	0.850	223.950	5048.27	-225.06	-224.80	-292.59	599381.03	416160.71	32°08'37.4468"N	104°00'44.0737"W	0.35	0.30	15.00	
5163.00	0.530	213.020	5138.26	-225.89	-225.63	-293.28	599380.34	416159.88	32°08'37.4386"N	104°00'44.0818"W	0.38	-0.36	-12.14	
5252.00	0.350	185.560	5227.26	-226.51	-226.25	-293.54	599380.09	416159.27	32°08'37.4325"N	104°00'44.0847"W	0.31	-0.20	-30.85	
5341.00	0.340	216.100	5316.26	-226.99	-226.73	-293.72	599379.91	416158.78	32°08'37.4277"N	104°00'44.0869"W	0.20	-0.01	34.31	



Actual Wellpath Report

Corral Canyon 8-32 FED #102H AWB 150' - 20300' Proj: 20346'

Page 4 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	XTO Energy Inc.	Well	Corral Canyon 8-32 FED #102H
Field	Wolfcamp (Eddy Co., NM)	API/Legal	
Facility	Corral Canyon 8-32 FED Pad	Wellbore	Corral Canyon 8-32 FED #102H
Slot	Corral Canyon 8-32 FED #102H		

WELLPATH DATA (228 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
5430.00	0.290	232.670	5405.26	-227.34	-227.08	-294.05	599379.57	416158.43	32°08'37.4243"N	104°00'44.0908"W	0.12	-0.06	18.62	
5520.00	0.280	240.880	5495.25	-227.59	-227.33	-294.43	599379.20	416158.19	32°08'37.4219"N	104°00'44.0951"W	0.05	-0.01	9.12	
5609.00	0.460	214.850	5584.25	-227.99	-227.73	-294.82	599378.80	416157.79	32°08'37.4179"N	104°00'44.0997"W	0.27	0.20	-29.25	
5699.00	0.500	207.080	5674.25	-228.63	-228.37	-295.20	599378.42	416157.14	32°08'37.4115"N	104°00'44.1042"W	0.08	0.04	-8.63	
5788.00	0.590	209.640	5763.24	-229.38	-229.12	-295.61	599378.02	416156.40	32°08'37.4042"N	104°00'44.1089"W	0.10	0.10	2.88	
5878.00	0.440	215.260	5853.24	-230.06	-229.80	-296.04	599377.59	416155.72	32°08'37.3974"N	104°00'44.1139"W	0.18	-0.17	6.24	
5967.00	0.580	200.200	5942.24	-230.76	-230.51	-296.39	599377.23	416155.01	32°08'37.3905"N	104°00'44.1181"W	0.22	0.16	-16.92	
6056.00	0.760	209.810	6031.23	-231.70	-231.44	-296.84	599376.79	416154.08	32°08'37.3813"N	104°00'44.1233"W	0.24	0.20	10.80	
6145.00	0.810	219.100	6120.22	-232.70	-232.44	-297.53	599376.10	416153.08	32°08'37.3714"N	104°00'44.1314"W	0.15	0.06	10.44	
6235.00	0.630	216.040	6210.22	-233.59	-233.33	-298.22	599375.40	416152.18	32°08'37.3625"N	104°00'44.1395"W	0.20	-0.20	-3.40	
6324.00	0.680	217.030	6299.21	-234.41	-234.15	-298.83	599374.80	416151.37	32°08'37.3545"N	104°00'44.1466"W	0.06	0.06	1.11	
6413.00	0.870	233.970	6388.20	-235.23	-234.97	-299.69	599373.93	416150.55	32°08'37.3464"N	104°00'44.1566"W	0.33	0.21	19.03	
6503.00	0.850	227.850	6478.19	-236.08	-235.82	-300.74	599372.89	416149.70	32°08'37.3380"N	104°00'44.1688"W	0.10	-0.02	-6.80	
6592.00	0.980	246.820	6567.18	-236.83	-236.56	-301.93	599371.70	416148.96	32°08'37.3307"N	104°00'44.1827"W	0.37	0.15	21.31	
6681.00	0.960	253.210	6656.17	-237.34	-237.08	-303.34	599370.28	416148.44	32°08'37.3257"N	104°00'44.1992"W	0.12	-0.02	7.18	
6770.00	0.640	289.050	6745.16	-237.40	-237.13	-304.52	599369.10	416148.39	32°08'37.3252"N	104°00'44.2129"W	0.65	-0.36	40.27	
6860.00	0.840	332.770	6835.15	-236.65	-236.38	-305.30	599368.32	416149.14	32°08'37.3326"N	104°00'44.2219"W	0.65	0.22	48.58	
6949.00	1.260	341.620	6924.14	-235.14	-234.87	-305.91	599367.72	416150.65	32°08'37.3476"N	104°00'44.2289"W	0.50	0.47	9.94	
7038.00	1.360	344.620	7013.11	-233.19	-232.92	-306.50	599367.13	416152.59	32°08'37.3668"N	104°00'44.2357"W	0.14	0.11	3.37	
7128.00	1.130	333.550	7103.09	-231.37	-231.10	-307.18	599366.45	416154.42	32°08'37.3849"N	104°00'44.2435"W	0.37	-0.26	-12.30	
7217.00	1.140	322.840	7192.08	-229.88	-229.61	-308.10	599365.52	416155.91	32°08'37.3997"N	104°00'44.2543"W	0.24	0.01	-12.03	
7306.00	1.050	344.990	7281.06	-228.39	-228.12	-308.85	599364.78	416157.40	32°08'37.4145"N	104°00'44.2629"W	0.48	-0.10	24.89	
7396.00	1.020	22.140	7371.05	-226.85	-226.58	-308.76	599364.87	416158.94	32°08'37.4297"N	104°00'44.2618"W	0.73	-0.03	41.28	
7485.00	1.440	40.960	7460.03	-225.27	-225.00	-307.73	599365.90	416160.52	32°08'37.4453"N	104°00'44.2498"W	0.65	0.47	21.15	
7574.00	1.450	31.610	7549.00	-223.46	-223.20	-306.40	599367.22	416162.32	32°08'37.4631"N	104°00'44.2343"W	0.26	0.01	-10.51	
7663.00	1.310	25.760	7637.97	-221.59	-221.32	-305.37	599368.25	416164.20	32°08'37.4816"N	104°00'44.2222"W	0.22	-0.16	-6.57	
7752.00	1.460	31.360	7726.95	-219.70	-219.44	-304.34	599369.28	416166.08	32°08'37.5003"N	104°00'44.2102"W	0.23	0.17	6.29	
7842.00	1.460	40.130	7816.92	-217.84	-217.58	-303.00	599370.62	416167.94	32°08'37.5186"N	104°00'44.1946"W	0.25	0.00	9.74	
7931.00	1.250	42.930	7905.89	-216.27	-216.00	-301.61	599372.01	416169.52	32°08'37.5342"N	104°00'44.1783"W	0.25	-0.24	3.15	
8021.00	0.440	38.890	7995.88	-215.28	-215.01	-300.73	599372.90	416170.50	32°08'37.5439"N	104°00'44.1680"W	0.90	-0.90	-4.49	



Actual Wellpath Report

Corral Canyon 8-32 FED #102H AWB 150' - 20300' Proj: 20346'

Page 5 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	XTO Energy Inc.	Well	Corral Canyon 8-32 FED #102H
Field	Wolfcamp (Eddy Co., NM)	API/Legal	
Facility	Corral Canyon 8-32 FED Pad	Wellbore	Corral Canyon 8-32 FED #102H
Slot	Corral Canyon 8-32 FED #102H		

WELLPATH DATA (228 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
8110.00	0.680	166.380	8084.88	-215.52	-215.26	-300.39	599373.24	416170.26	32°08'37.5414"N	104°00'44.1641"W	1.13	0.27	143.25	
8199.00	0.840	174.560	8173.87	-216.69	-216.42	-300.20	599373.42	416169.09	32°08'37.5299"N	104°00'44.1619"W	0.22	0.18	9.19	
8289.00	1.490	137.120	8263.85	-218.20	-217.94	-299.34	599374.28	416167.58	32°08'37.5149"N	104°00'44.1520"W	1.08	0.72	-41.60	
8378.00	1.980	134.100	8352.81	-220.12	-219.86	-297.45	599376.17	416165.66	32°08'37.4959"N	104°00'44.1301"W	0.56	0.55	-3.39	
8467.00	1.910	136.220	8441.76	-222.26	-222.00	-295.32	599378.30	416163.52	32°08'37.4746"N	104°00'44.1054"W	0.11	-0.08	2.38	
8556.00	1.700	148.070	8530.72	-224.45	-224.19	-293.60	599380.03	416161.33	32°08'37.4529"N	104°00'44.0854"W	0.48	-0.24	13.31	
8646.00	1.750	148.310	8620.68	-226.75	-226.49	-292.17	599381.46	416159.03	32°08'37.4301"N	104°00'44.0689"W	0.06	0.06	0.27	
8735.00	1.430	155.470	8709.64	-228.91	-228.66	-290.99	599382.63	416156.86	32°08'37.4086"N	104°00'44.0553"W	0.42	-0.36	8.04	
8825.00	1.470	188.440	8799.62	-231.08	-230.82	-290.70	599382.93	416154.70	32°08'37.3872"N	104°00'44.0519"W	0.92	0.04	36.63	
8914.00	1.640	202.110	8888.58	-233.38	-233.13	-291.34	599382.28	416152.39	32°08'37.3644"N	104°00'44.0595"W	0.46	0.19	15.36	
9003.00	2.010	215.550	8977.54	-235.84	-235.58	-292.73	599380.89	416149.94	32°08'37.3402"N	104°00'44.0757"W	0.63	0.42	15.10	12 1/4" Intermediate Section 594' - 9003'
9138.00	1.010	205.330	9112.49	-238.84	-238.58	-294.62	599379.01	416146.94	32°08'37.3105"N	104°00'44.0977"W	0.76	-0.74	-7.57	
9227.00	0.130	140.800	9201.48	-239.63	-239.37	-294.89	599378.74	416146.15	32°08'37.3027"N	104°00'44.1009"W	1.08	-0.99	-72.51	
9316.00	3.100	353.910	9290.44	-237.31	-237.05	-295.08	599378.54	416148.47	32°08'37.3256"N	104°00'44.1031"W	3.61	3.34	-165.04	
9406.00	12.540	358.450	9379.51	-225.10	-224.84	-295.60	599378.02	416160.68	32°08'37.4465"N	104°00'44.1087"W	10.50	10.49	5.04	
9495.00	22.290	354.370	9464.33	-198.58	-198.32	-297.53	599376.10	416187.20	32°08'37.7090"N	104°00'44.1302"W	11.03	10.96	-4.58	
9584.00	29.910	347.350	9544.21	-160.07	-159.81	-304.05	599369.57	416225.71	32°08'38.0903"N	104°00'44.2047"W	9.22	8.56	-7.89	
9674.00	37.920	344.670	9618.84	-111.43	-111.16	-316.30	599357.33	416274.35	32°08'38.5721"N	104°00'44.3455"W	9.05	8.90	-2.98	
9763.00	45.210	347.870	9685.40	-54.11	-53.82	-330.18	599343.44	416331.68	32°08'39.1399"N	104°00'44.5050"W	8.53	8.19	3.60	
9853.00	48.540	356.930	9746.98	10.87	11.17	-338.71	599334.91	416396.66	32°08'39.7832"N	104°00'44.6019"W	8.22	3.70	10.07	
9942.00	54.640	6.930	9802.33	80.37	80.67	-336.11	599337.51	416466.16	32°08'40.4709"N	104°00'44.5693"W	11.14	6.85	11.24	
10032.00	60.340	5.270	9850.69	155.82	156.10	-328.09	599345.54	416541.59	32°08'41.2171"N	104°00'44.4733"W	6.52	6.33	-1.84	
10121.00	69.150	2.380	9888.63	236.05	236.33	-322.80	599350.83	416621.81	32°08'42.0109"N	104°00'44.4090"W	10.32	9.90	-3.25	
10210.00	76.790	0.380	9914.67	321.06	321.34	-320.78	599352.85	416706.81	32°08'42.8520"N	104°00'44.3826"W	8.85	8.58	-2.25	
10300.00	84.600	0.580	9929.22	409.80	410.08	-320.03	599353.59	416795.55	32°08'43.7301"N	104°00'44.3709"W	8.68	8.68	0.22	
10389.00	91.170	0.740	9932.50	498.69	498.96	-319.01	599354.62	416884.42	32°08'44.6097"N	104°00'44.3559"W	7.38	7.38	0.18	
10478.00	90.460	0.630	9931.23	587.67	587.95	-317.95	599355.68	416973.40	32°08'45.4902"N	104°00'44.3404"W	0.81	-0.80	-0.12	
10568.00	90.120	0.380	9930.78	677.67	677.94	-317.15	599356.47	417063.39	32°08'46.3807"N	104°00'44.3281"W	0.47	-0.38	-0.28	
10657.00	90.860	0.810	9930.02	766.66	766.93	-316.23	599357.40	417152.37	32°08'47.2613"N	104°00'44.3142"W	0.96	0.83	0.48	
10747.00	90.770	0.890	9928.74	856.64	856.92	-314.89	599358.73	417242.35	32°08'48.1517"N	104°00'44.2956"W	0.13	-0.10	0.09	



Actual Wellpath Report

Corral Canyon 8-32 FED #102H AWB 150' - 20300' Proj: 20346'

Page 6 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	XTO Energy Inc.	Well	Corral Canyon 8-32 FED #102H
Field	Wolfcamp (Eddy Co., NM)	API/Legal	
Facility	Corral Canyon 8-32 FED Pad	Wellbore	Corral Canyon 8-32 FED #102H
Slot	Corral Canyon 8-32 FED #102H		

WELLPATH DATA (228 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
10836.00	91.020	1.000	9927.35	945.62	945.89	-313.43	599360.20	417331.32	32°08'49.0321"N	104°00'44.2754"W	0.31	0.28	0.12	
10925.00	90.710	1.010	9926.00	1034.60	1034.87	-311.87	599361.76	417420.28	32°08'49.9125"N	104°00'44.2542"W	0.35	-0.35	0.01	
11007.00	90.250	0.770	9925.31	1116.58	1116.86	-310.59	599363.03	417502.26	32°08'50.7238"N	104°00'44.2365"W	0.63	-0.56	-0.29	
11097.00	90.220	359.390	9924.95	1206.58	1206.85	-310.47	599363.16	417592.25	32°08'51.6143"N	104°00'44.2320"W	1.53	-0.03	-1.53	
11186.00	90.680	359.480	9924.25	1295.57	1295.85	-311.34	599362.28	417681.24	32°08'52.4950"N	104°00'44.2391"W	0.53	0.52	0.10	
11275.00	90.340	359.160	9923.45	1384.56	1384.84	-312.40	599361.23	417770.22	32°08'53.3756"N	104°00'44.2483"W	0.52	-0.38	-0.36	
11365.00	89.970	358.880	9923.21	1474.55	1474.82	-313.94	599359.69	417860.20	32°08'54.2661"N	104°00'44.2631"W	0.52	-0.41	-0.31	
11454.00	89.940	359.270	9923.28	1563.53	1563.81	-315.38	599358.25	417949.18	32°08'55.1468"N	104°00'44.2767"W	0.44	-0.03	0.44	
11543.00	90.310	359.530	9923.09	1652.53	1652.80	-316.31	599357.32	418038.17	32°08'56.0274"N	104°00'44.2844"W	0.51	0.42	0.29	
11633.00	90.990	359.880	9922.07	1742.52	1742.80	-316.77	599356.85	418128.15	32°08'56.9180"N	104°00'44.2867"W	0.85	0.76	0.39	
11722.00	90.340	358.980	9921.03	1831.51	1831.78	-317.66	599355.97	418217.14	32°08'57.7986"N	104°00'44.2939"W	1.25	-0.73	-1.01	
11811.00	90.250	358.970	9920.57	1920.49	1920.77	-319.25	599354.38	418306.11	32°08'58.6792"N	104°00'44.3093"W	0.10	-0.10	-0.01	
11901.00	90.120	359.130	9920.28	2010.48	2010.76	-320.74	599352.89	418396.09	32°08'59.5697"N	104°00'44.3236"W	0.23	-0.14	0.18	
11991.00	90.340	359.480	9919.92	2100.47	2100.75	-321.83	599351.79	418486.08	32°09'0.4603"N	104°00'44.3332"W	0.46	0.24	0.39	
12080.00	90.310	359.100	9919.42	2189.46	2189.74	-322.94	599350.69	418575.06	32°09'1.3409"N	104°00'44.3429"W	0.43	-0.03	-0.43	
12169.00	90.180	359.400	9919.04	2278.45	2278.73	-324.10	599349.53	418664.05	32°09'2.2216"N	104°00'44.3534"W	0.37	-0.15	0.34	
12258.00	90.310	359.540	9918.66	2367.44	2367.73	-324.92	599348.70	418753.03	32°09'3.1023"N	104°00'44.3599"W	0.21	0.15	0.16	
12348.00	89.850	358.750	9918.53	2457.43	2457.72	-326.27	599347.36	418843.02	32°09'3.9928"N	104°00'44.3723"W	1.02	-0.51	-0.88	
12437.00	90.430	359.400	9918.31	2546.42	2546.70	-327.70	599345.92	418932.00	32°09'4.8734"N	104°00'44.3860"W	0.98	0.65	0.73	
12527.00	90.150	359.320	9917.86	2636.41	2636.70	-328.71	599344.92	419021.98	32°09'5.7640"N	104°00'44.3945"W	0.32	-0.31	-0.09	
12616.00	90.280	359.760	9917.52	2725.40	2725.69	-329.42	599344.20	419110.97	32°09'6.6446"N	104°00'44.3998"W	0.52	0.15	0.49	
12705.00	90.250	0.100	9917.11	2814.40	2814.69	-329.53	599344.09	419199.96	32°09'7.5253"N	104°00'44.3979"W	0.38	-0.03	0.38	
12795.00	89.850	359.960	9917.03	2904.40	2904.69	-329.48	599344.14	419289.95	32°09'8.4159"N	104°00'44.3943"W	0.47	-0.44	-0.16	
12884.00	90.680	0.780	9916.62	2993.40	2993.69	-328.91	599344.72	419378.94	32°09'9.2966"N	104°00'44.3845"W	1.31	0.93	0.92	
12973.00	90.590	2.240	9915.64	3082.36	3082.65	-326.57	599347.06	419467.90	32°09'10.1768"N	104°00'44.3541"W	1.64	-0.10	1.64	
13062.00	92.220	4.440	9913.45	3171.18	3171.46	-321.38	599352.24	419556.70	32°09'11.0555"N	104°00'44.2908"W	3.08	1.83	2.47	
13152.00	90.310	1.550	9911.47	3261.03	3261.30	-316.68	599356.94	419646.54	32°09'11.9444"N	104°00'44.2330"W	3.85	-2.12	-3.21	
13241.00	90.490	0.570	9910.84	3350.01	3350.29	-315.04	599358.59	419735.51	32°09'12.8249"N	104°00'44.2108"W	1.12	0.20	-1.10	
13330.00	90.310	0.400	9910.22	3439.00	3439.28	-314.28	599359.34	419824.50	32°09'13.7055"N	104°00'44.1989"W	0.28	-0.20	-0.19	
13420.00	90.960	0.610	9909.23	3529.00	3529.27	-313.49	599360.14	419914.48	32°09'14.5960"N	104°00'44.1866"W	0.76	0.72	0.23	



Actual Wellpath Report

Corral Canyon 8-32 FED #102H AWB 150' - 20300' Proj: 20346'

Page 7 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	XTO Energy Inc.	Well	Corral Canyon 8-32 FED #102H
Field	Wolfcamp (Eddy Co., NM)	API/Legal	
Facility	Corral Canyon 8-32 FED Pad	Wellbore	Corral Canyon 8-32 FED #102H
Slot	Corral Canyon 8-32 FED #102H		

WELLPATH DATA (228 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
13509.00	90.830	0.920	9907.84	3617.98	3618.25	-312.30	599361.32	420003.46	32°09'15.4765"N	104°00'44.1697"W	0.38	-0.15	0.35	
13598.00	90.120	359.830	9907.10	3706.97	3707.24	-311.72	599361.91	420092.44	32°09'16.3571"N	104°00'44.1598"W	1.46	-0.80	-1.22	
13687.00	89.910	0.170	9907.07	3795.97	3796.24	-311.72	599361.91	420181.43	32°09'17.2378"N	104°00'44.1567"W	0.45	-0.24	0.38	
13777.00	89.510	0.320	9907.53	3885.97	3886.24	-311.33	599362.29	420271.43	32°09'18.1284"N	104°00'44.1491"W	0.47	-0.44	0.17	
13866.00	90.830	0.900	9907.27	3974.96	3975.23	-310.39	599363.24	420360.41	32°09'19.0090"N	104°00'44.1350"W	1.62	1.48	0.65	
13955.00	90.310	0.230	9906.38	4063.95	4064.22	-309.51	599364.12	420449.39	32°09'19.8895"N	104°00'44.1217"W	0.95	-0.58	-0.75	
14044.00	91.390	1.990	9905.06	4152.92	4153.19	-307.79	599365.84	420538.35	32°09'20.7699"N	104°00'44.0986"W	2.32	1.21	1.98	
14134.00	90.340	0.190	9903.70	4242.89	4243.16	-306.07	599367.55	420628.32	32°09'21.6601"N	104°00'44.0756"W	2.32	-1.17	-2.00	
14224.00	90.310	0.580	9903.19	4332.89	4333.16	-305.47	599368.16	420718.31	32°09'22.5507"N	104°00'44.0654"W	0.43	-0.03	0.43	
14313.00	90.430	0.330	9902.62	4421.89	4422.15	-304.76	599368.86	420807.29	32°09'23.4313"N	104°00'44.0541"W	0.31	0.13	-0.28	
14403.00	90.550	0.700	9901.85	4511.88	4512.15	-303.95	599369.67	420897.28	32°09'24.3218"N	104°00'44.0416"W	0.43	0.13	0.41	
14492.00	89.880	359.110	9901.51	4600.88	4601.14	-304.10	599369.52	420986.27	32°09'25.2025"N	104°00'44.0402"W	1.94	-0.75	-1.79	
14581.00	89.110	358.900	9902.30	4689.86	4690.12	-305.65	599367.98	421075.24	32°09'26.0830"N	104°00'44.0551"W	0.90	-0.87	-0.24	
14670.00	89.780	359.170	9903.16	4778.84	4779.11	-307.15	599366.48	421164.22	32°09'26.9636"N	104°00'44.0694"W	0.81	0.75	0.30	
14760.00	90.830	359.320	9902.68	4868.83	4869.10	-308.33	599365.29	421254.20	32°09'27.8541"N	104°00'44.0801"W	1.18	1.17	0.17	
14849.00	90.710	359.250	9901.48	4957.81	4958.08	-309.44	599364.18	421343.18	32°09'28.7347"N	104°00'44.0899"W	0.16	-0.13	-0.08	
14939.00	90.740	359.330	9900.35	5047.79	5048.07	-310.56	599363.07	421433.16	32°09'29.6252"N	104°00'44.0998"W	0.09	0.03	0.09	
15028.00	90.430	359.520	9899.44	5136.78	5137.06	-311.45	599362.18	421522.14	32°09'30.5059"N	104°00'44.1071"W	0.41	-0.35	0.21	
15118.00	90.120	359.330	9899.00	5226.78	5227.05	-312.35	599361.27	421612.13	32°09'31.3964"N	104°00'44.1145"W	0.40	-0.34	-0.21	
15207.00	91.290	359.390	9897.91	5315.76	5316.04	-313.35	599360.28	421701.11	32°09'32.2770"N	104°00'44.1229"W	1.32	1.31	0.07	
15297.00	91.020	358.950	9896.10	5405.73	5406.01	-314.65	599358.97	421791.07	32°09'33.1674"N	104°00'44.1350"W	0.57	-0.30	-0.49	
15386.00	91.200	359.130	9894.37	5494.70	5494.98	-316.14	599357.48	421880.03	32°09'34.0478"N	104°00'44.1492"W	0.29	0.20	0.20	
15475.00	90.490	359.820	9893.06	5583.69	5583.97	-316.96	599356.67	421969.01	32°09'34.9284"N	104°00'44.1556"W	1.11	-0.80	0.78	
15564.00	90.800	0.030	9892.06	5672.68	5672.96	-317.07	599356.55	422058.00	32°09'35.8091"N	104°00'44.1539"W	0.42	0.35	0.24	
15654.00	89.450	359.450	9891.86	5762.68	5762.96	-317.48	599356.14	422147.99	32°09'36.6996"N	104°00'44.1555"W	1.63	-1.50	-0.64	
15743.00	89.510	359.680	9892.67	5851.67	5851.95	-318.16	599355.47	422236.97	32°09'37.5803"N	104°00'44.1603"W	0.27	0.07	0.26	
15833.00	89.320	359.410	9893.59	5941.66	5941.94	-318.87	599354.75	422326.96	32°09'38.4708"N	104°00'44.1655"W	0.37	-0.21	-0.30	
15922.00	89.290	359.720	9894.67	6030.65	6030.93	-319.55	599354.08	422415.94	32°09'39.3515"N	104°00'44.1703"W	0.35	-0.03	0.35	
16011.00	89.170	359.610	9895.86	6119.64	6119.93	-320.07	599353.56	422504.93	32°09'40.2321"N	104°00'44.1732"W	0.18	-0.13	-0.12	
16101.00	89.040	359.070	9897.27	6209.63	6209.91	-321.10	599352.52	422594.90	32°09'41.1225"N	104°00'44.1822"W	0.62	-0.14	-0.60	



Actual Wellpath Report

Corral Canyon 8-32 FED #102H AWB 150' - 20300' Proj: 20346'

Page 8 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	XTO Energy Inc.	Well	Corral Canyon 8-32 FED #102H
Field	Wolfcamp (Eddy Co., NM)	API/Legal	
Facility	Corral Canyon 8-32 FED Pad	Wellbore	Corral Canyon 8-32 FED #102H
Slot	Corral Canyon 8-32 FED #102H		

WELLPATH DATA (228 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
16190.00	89.940	0.010	9898.06	6298.62	6298.90	-321.82	599351.81	422683.89	32°09'42.0032"N	104°00'44.1874"W	1.46	1.01	1.06	
16279.00	88.950	359.590	9898.92	6387.61	6387.89	-322.13	599351.50	422772.87	32°09'42.8838"N	104°00'44.1879"W	1.21	-1.11	-0.47	
16369.00	89.510	359.660	9900.13	6477.60	6477.88	-322.72	599350.91	422862.85	32°09'43.7743"N	104°00'44.1916"W	0.63	0.62	0.08	
16459.00	89.320	359.160	9901.05	6567.59	6567.87	-323.65	599349.98	422952.84	32°09'44.6649"N	104°00'44.1993"W	0.59	-0.21	-0.56	
16548.00	88.680	359.460	9902.60	6656.57	6656.85	-324.72	599348.91	423041.81	32°09'45.5454"N	104°00'44.2087"W	0.79	-0.72	0.34	
16637.00	89.410	0.220	9904.09	6745.55	6745.84	-324.97	599348.66	423130.79	32°09'46.4260"N	104°00'44.2085"W	1.18	0.82	0.85	
16727.00	89.050	359.530	9905.30	6835.54	6835.83	-325.16	599348.46	423220.77	32°09'47.3165"N	104°00'44.2076"W	0.86	-0.40	-0.77	
16816.00	89.510	359.660	9906.42	6924.53	6924.82	-325.79	599347.84	423309.76	32°09'48.1971"N	104°00'44.2119"W	0.54	0.52	0.15	
16906.00	89.140	359.340	9907.48	7014.52	7014.81	-326.58	599347.05	423399.74	32°09'49.0876"N	104°00'44.2179"W	0.54	-0.41	-0.36	
16995.00	89.050	359.610	9908.88	7103.51	7103.80	-327.39	599346.23	423488.72	32°09'49.9682"N	104°00'44.2243"W	0.32	-0.10	0.30	
17085.00	89.260	359.800	9910.21	7193.50	7193.78	-327.86	599345.77	423578.70	32°09'50.8587"N	104°00'44.2265"W	0.31	0.23	0.21	
17174.00	89.230	359.630	9911.38	7282.49	7282.78	-328.30	599345.33	423667.68	32°09'51.7393"N	104°00'44.2286"W	0.19	-0.03	-0.19	
17263.00	89.010	359.460	9912.75	7371.47	7371.76	-329.00	599344.62	423756.66	32°09'52.6199"N	104°00'44.2337"W	0.31	-0.25	-0.19	
17353.00	89.970	359.460	9913.55	7461.46	7461.75	-329.85	599343.77	423846.64	32°09'53.5105"N	104°00'44.2405"W	1.07	1.07	0.00	
17442.00	89.850	359.520	9913.69	7550.46	7550.75	-330.64	599342.98	423935.63	32°09'54.3911"N	104°00'44.2466"W	0.15	-0.13	0.07	
17531.00	90.490	359.840	9913.43	7639.46	7639.75	-331.14	599342.49	424024.62	32°09'55.2718"N	104°00'44.2493"W	0.80	0.72	0.36	
17620.00	90.250	0.920	9912.85	7728.45	7728.74	-330.55	599343.08	424113.61	32°09'56.1525"N	104°00'44.2393"W	1.24	-0.27	1.21	
17710.00	89.940	0.900	9912.70	7818.44	7818.73	-329.12	599344.50	424203.59	32°09'57.0429"N	104°00'44.2196"W	0.35	-0.34	-0.02	
17799.00	90.400	0.910	9912.44	7907.43	7907.72	-327.72	599345.91	424292.57	32°09'57.9235"N	104°00'44.2002"W	0.52	0.52	0.01	
17888.00	89.850	0.390	9912.24	7996.42	7996.71	-326.71	599346.92	424381.56	32°09'58.8041"N	104°00'44.1853"W	0.85	-0.62	-0.58	
17977.00	89.510	0.240	9912.74	8085.42	8085.71	-326.22	599347.41	424470.55	32°09'59.6847"N	104°00'44.1765"W	0.42	-0.38	-0.17	
18067.00	89.200	0.280	9913.75	8175.42	8175.70	-325.81	599347.82	424560.54	32°10'00.5752"N	104°00'44.1687"W	0.35	-0.34	0.04	
18156.00	89.850	0.510	9914.49	8264.41	8264.70	-325.20	599348.43	424649.52	32°10'01.4559"N	104°00'44.1584"W	0.77	0.73	0.26	
18245.00	89.940	0.320	9914.65	8353.41	8353.69	-324.55	599349.08	424738.51	32°10'02.3365"N	104°00'44.1478"W	0.24	0.10	-0.21	
18334.00	89.850	0.410	9914.82	8442.41	8442.69	-323.98	599349.64	424827.50	32°10'03.2172"N	104°00'44.1382"W	0.14	-0.10	0.10	
18424.00	89.380	0.170	9915.42	8532.40	8532.69	-323.53	599350.10	424917.49	32°10'04.1077"N	104°00'44.1297"W	0.59	-0.52	-0.27	
18513.00	89.750	0.090	9916.10	8621.40	8621.69	-323.33	599350.30	425006.48	32°10'04.9884"N	104°00'44.1243"W	0.43	0.42	-0.09	
18603.00	89.910	0.490	9916.36	8711.40	8711.68	-322.87	599350.76	425096.47	32°10'05.8790"N	104°00'44.1159"W	0.48	0.18	0.44	
18692.00	90.280	0.750	9916.22	8800.39	8800.68	-321.91	599351.72	425185.46	32°10'06.7596"N	104°00'44.1016"W	0.51	0.42	0.29	
18781.00	90.120	0.510	9915.91	8889.39	8889.67	-320.93	599352.70	425274.45	32°10'07.6402"N	104°00'44.0871"W	0.32	-0.18	-0.27	



Actual Wellpath Report

Corral Canyon 8-32 FED #102H AWB 150' - 20300' Proj: 20346'

Page 9 of 10



REFERENCE WELLPATH IDENTIFICATION			
Operator	XTO Energy Inc.	Well	Corral Canyon 8-32 FED #102H
Field	Wolfcamp (Eddy Co., NM)	API/Legal	
Facility	Corral Canyon 8-32 FED Pad	Wellbore	Corral Canyon 8-32 FED #102H
Slot	Corral Canyon 8-32 FED #102H		

WELLPATH DATA (228 stations) † = interpolated, ‡ = extrapolated station														
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]	Comments
18871.00	89.970	0.490	9915.84	8979.39	8979.67	-320.14	599353.48	425364.44	32°10'8.5307"N	104°00'44.0749"W	0.17	-0.17	-0.02	
18960.00	90.180	0.360	9915.72	9068.38	9068.67	-319.48	599354.14	425453.43	32°10'9.4114"N	104°00'44.0641"W	0.28	0.24	-0.15	
19049.00	89.780	0.210	9915.75	9157.38	9157.67	-319.04	599354.58	425542.42	32°10'10.2921"N	104°00'44.0558"W	0.48	-0.45	-0.17	
19138.00	90.000	0.060	9915.92	9246.38	9246.66	-318.83	599354.79	425631.41	32°10'11.1727"N	104°00'44.0503"W	0.30	0.25	-0.17	
19228.00	90.090	0.430	9915.85	9336.38	9336.66	-318.45	599355.18	425721.40	32°10'12.0633"N	104°00'44.0427"W	0.42	0.10	0.41	
19317.00	90.490	0.700	9915.40	9425.38	9425.66	-317.57	599356.06	425810.39	32°10'12.9439"N	104°00'44.0294"W	0.54	0.45	0.30	
19406.00	89.570	0.410	9915.35	9514.37	9514.65	-316.71	599356.92	425899.38	32°10'13.8246"N	104°00'44.0163"W	1.08	-1.03	-0.33	
19496.00	89.970	0.370	9915.72	9604.37	9604.65	-316.09	599357.53	425989.37	32°10'14.7151"N	104°00'44.0060"W	0.45	0.44	-0.04	
19585.00	90.650	0.560	9915.23	9693.37	9693.64	-315.37	599358.25	426078.35	32°10'15.5957"N	104°00'43.9946"W	0.79	0.76	0.21	
19675.00	89.850	0.500	9914.84	9783.36	9783.64	-314.54	599359.09	426168.34	32°10'16.4863"N	104°00'43.9817"W	0.89	-0.89	-0.07	
19764.00	90.030	0.430	9914.93	9872.36	9872.64	-313.82	599359.81	426257.33	32°10'17.3669"N	104°00'43.9703"W	0.22	0.20	-0.08	
19853.00	89.750	0.410	9915.10	9961.36	9961.63	-313.17	599360.46	426346.32	32°10'18.2476"N	104°00'43.9596"W	0.32	-0.31	-0.02	
19942.00	90.370	0.580	9915.01	10050.35	10050.63	-312.40	599361.23	426435.31	32°10'19.1282"N	104°00'43.9475"W	0.72	0.70	0.19	
20032.00	89.600	0.359	9915.04	10140.35	10140.63	-311.98	599361.65	426525.30	32°10'20.0188"N	104°00'43.9396"W	1.11	-0.86	-0.70	
20121.00	90.250	0.560	9915.15	10229.35	10229.63	-311.58	599362.04	426614.29	32°10'20.8994"N	104°00'43.9319"W	1.00	0.73	0.69	
20210.00	90.150	0.730	9914.84	10318.34	10318.62	-310.58	599363.04	426703.28	32°10'21.7800"N	104°00'43.9171"W	0.22	-0.11	0.19	
20300.00	90.000	0.470	9914.72	10408.34	10408.61	-309.64	599363.99	426793.27	32°10'22.6706"N	104°00'43.9030"W	0.33	-0.17	-0.29	8 1/2" Curve/Lateral Section 9003' - 20300'
20346.00†	90.000	0.470	9914.72	10454.34	10454.61	-309.26	599364.36	426839.26	32°10'23.1257"N	104°00'43.8971"W	0.00	0.00	0.00	Projection to TD @ 20346'



Actual Wellpath Report

Corral Canyon 8-32 FED #102H AWB 150' - 20300' Proj: 20346'

Page 10 of 10



REFERENCE WELLPATH IDENTIFICATION			
Operator	XTO Energy Inc.	Well	Corral Canyon 8-32 FED #102H
Field	Wolfcamp (Eddy Co., NM)	API/Legal	
Facility	Corral Canyon 8-32 FED Pad	Wellbore	Corral Canyon 8-32 FED #102H
Slot	Corral Canyon 8-32 FED #102H		

TARGETS								
Name	TVD [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Shape
Corral Canyon 8-32 FED #102H BHL	9835.60	10453.35	-310.53	599363.10	426838.00	32°10'23.1133"N	104°00'43.9118"W	rectangle
	2D Rectangle 10023.6 x 100.							
Corral Canyon 8-32 FED #102H LTP	9835.64	10323.34	-309.23	599364.40	426708.00	32°10'21.8267"N	104°00'43.9012"W	circle
	2D Circle radius 30.							
Corral Canyon 8-32 FED #102H FTP	9836.29	437.34	-318.83	599354.80	416822.80	32°08'43.9998"N	104°00'44.3559"W	circle
	2D Circle radius 30.							

WELLPATH COMPOSITION - Ref Wellbore: Corral Canyon 8-32 FED #102H						Ref Wellpath: Corral Canyon 8-32 FED #102H AWB 150' - 20300' Proj: 20346'	
Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment		Wellbore	Survey Date	
25.00	594.00	BH NaviTrak (2019) (Standard)	17 1/2" NT Surveys 150' - 594'		Corral Canyon 8-32 FED #102H	06/Feb/2020	
594.00	9003.00	BH NaviTrak (2019) (Standard)	12 1/4" Intermediate Section 594' - 9003'		Corral Canyon 8-32 FED #102H	14/Apr/2020	
9003.00	20346.00	OWSG MWD rev2 + IFR1 + Multi-Station Correction	8 1/2" Section 9003' - 20300'		Corral Canyon 8-32 FED #102H	19/Apr/2020	

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-46485
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Corral Canyon 8 32 Federal
8. Well Number 102H
9. OGRID Number 05380
10. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2968 GL

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☐ Gas Well ☒ Other	
2. Name of Operator XTO Energy Inc.	
3. Address of Operator 6401 Holiday Hill Road Building 5, Midland, TX 79707	
4. Well Location Unit Letter L : 2548 feet from the South line and 1068 feet from the West line Section 08 Township 25S Range 29E NMPM County Eddy	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2968 GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: Completions Sundry ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO PERMIAN OPERATING LLC respectfully submits this sundry notice to report the completion operations of the referenced well.

KOP @ depth 9,293 ft.
PBTD = 20,330 ft. 8/26/21 Run RCB/GR/CCL
10/31/21 Pressure test 5 in csg to 8,757 psi for 30min test good, open sleeve.
12/18/21 Perf and frac 49 stages, 1,176 total shots, from 10,344 to 20,192 using 489,072 bbls of fluid and 24,500,199 lbs Proppant. Tag and drill out plugs.
2/18/22 Run 2-7/8 L80 6.5# tubing set at 9,299 ft.
2/18/22 Packer setting depth 9,284 ft.
Ready Date: 3/6/22
First Production: 3/7/22

Spud Date:

2/08/2020

Rig Release Date:

3/6/2022

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Amanda Thames TITLE Regulatory Analyst DATE 5/11/2022

Type or print name Amanda Thames E-mail address: amanda.thames@exxonmobil.com PHONE: 432-221-7340

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name CORRAL CANYON 8 32 FEDERAL		
								6. Well Number: 102H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator XTO Energy Inc.						9. OGRID 5380				
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat PURPLE SAGE;WOLFCAMP (GAS)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	L	08	25S	29E		2548	South	1068	West	Eddy
BH:	L	32	24S	29E		2442	South	751	West	Eddy
13. Date Spudded 2/8/2020	14. Date T.D. Reached 4/28/2020		15. Date Rig Released 5/1/2020		16. Date Completed (Ready to Produce) 3/6/2022			17. Elevations (DF and RKB, RT, GR, etc.) 2968' GL		
18. Total Measured Depth of Well 20,346			19. Plug Back Measured Depth 20,330		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10,344 TO 20,192 PURPLE SAGE;WOLFCAMP (GAS)										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8"		68.0		629'		17 1/2"		1,020		
9 5/8"		40.0		9,105'		12 1/2"		3,180		
5 1/2"		23.0		20,332'		8 1/2"		3,855		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
						2 7/8"	9,299	9,284		
26. Perforation record (interval, size, and number) 10,344 TO 20,192, 4spf, 1,176 Total Shots 49 stages						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						10,344 TO 20,192		489,072 bbl fluid + 24,500,199 lbs proppant		
28. PRODUCTION										
Date First Production 3/7/22		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 3/8/22	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 984	Gas - MCF 2693	Water - Bbl. 3327	Gas - Oil Ratio 2737			
Flow Tubing Press. 1609	Casing Pressure 834	Calculated 24-Hour Rate	Oil - Bbl. 984	Gas - MCF 2693	Water - Bbl. 3327	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Signature <i>Amanda Thames</i> E-mail Address amanda.thames@exxonmobil.com Name Amanda Thames Title Regulatory Analyst Date 5/11/2022										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 736'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 2,694'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 2,842'	T. Morrison	
T. Drinkard	T. Bone Springs 6,550'	T. Todilto	
T. Abo	T. Rustler 326'	T. Entrada	
T. Wolfcamp 9,808'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 105942

ACKNOWLEDGMENTS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 105942
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 105942

CONDITIONS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 105942
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	7/23/2025