

I. REQUEST FOR ALLOWABLE MINERAL AUTHORIZATION TO TRANSPORT

|                                                                                                    |                                                            |                                                                      |
|----------------------------------------------------------------------------------------------------|------------------------------------------------------------|----------------------------------------------------------------------|
| <sup>1</sup> Operator name and Address<br>EOG RESOURCES INC<br>PO BOX 2267<br>MIDLAND, TEXAS 79702 |                                                            | <sup>2</sup> OGRID Number<br>7377                                    |
|                                                                                                    |                                                            | <sup>3</sup> Reason for Filing Code/ Effective Date<br>NW 04/11/2022 |
| <sup>4</sup> API Number<br>30 - 025-47700                                                          | <sup>5</sup> Pool Name<br>PITCHFORK RANCH; WOLFCAMP, SOUTH | <sup>6</sup> Pool Code<br>96994                                      |
| <sup>7</sup> Property Code<br>329345                                                               | <sup>8</sup> Property Name<br>HOLYFIELD 9 FEDERAL COM      | <sup>9</sup> Well Number<br>714H                                     |

II. <sup>10</sup> Surface Location

|                    |              |                 |              |         |                      |                           |                       |                        |               |
|--------------------|--------------|-----------------|--------------|---------|----------------------|---------------------------|-----------------------|------------------------|---------------|
| Ul or lot no.<br>O | Section<br>9 | Township<br>25S | Range<br>34E | Lot Idn | Feet from the<br>200 | North/South Line<br>SOUTH | Feet from the<br>2638 | East/West line<br>EAST | County<br>LEA |
|--------------------|--------------|-----------------|--------------|---------|----------------------|---------------------------|-----------------------|------------------------|---------------|

<sup>11</sup> Bottom Hole Location

|                        |                                                |                                   |                                   |         |                                    |                           |                                     |                        |               |
|------------------------|------------------------------------------------|-----------------------------------|-----------------------------------|---------|------------------------------------|---------------------------|-------------------------------------|------------------------|---------------|
| UL or lot no.<br>B     | Section<br>4                                   | Township<br>25S                   | Range<br>34E                      | Lot Idn | Feet from the<br>109               | North/South line<br>NORTH | Feet from the<br>1648               | East/West line<br>EAST | County<br>LEA |
| <sup>12</sup> Lse Code | <sup>13</sup> Producing Method Code<br>FLOWING | <sup>14</sup> Gas Connection Date | <sup>15</sup> C-129 Permit Number |         | <sup>16</sup> C-129 Effective Date |                           | <sup>17</sup> C-129 Expiration Date |                        |               |

III. Oil and Gas Transporters

|                                 |                                            |                     |
|---------------------------------|--------------------------------------------|---------------------|
| <sup>18</sup> Transporter OGRID | <sup>19</sup> Transporter Name and Address | <sup>20</sup> O/G/W |
| 372812                          | EOGRM                                      | OIL                 |
| 151618                          | ENTERPRISE FIELD SERVICES                  | GAS                 |
| 298751                          | REGENCY FIELD SERVICES                     | GAS                 |
| 36785                           | DCP MIDSTREAM                              | GAS                 |

IV. Well Completion Data

|                                       |                                        |                                    |                               |                                                |                       |                                |  |
|---------------------------------------|----------------------------------------|------------------------------------|-------------------------------|------------------------------------------------|-----------------------|--------------------------------|--|
| <sup>21</sup> Spud Date<br>11/21/2021 | <sup>22</sup> Ready Date<br>04/11/2022 | <sup>23</sup> TD<br>22,668'        | <sup>24</sup> PBTD<br>22,644' | <sup>25</sup> Perforations<br>12,832 - 22,644' | <sup>26</sup> DHC, MC |                                |  |
| <sup>27</sup> Hole Size               |                                        | <sup>28</sup> Casing & Tubing Size |                               | <sup>29</sup> Depth Set                        |                       | <sup>30</sup> Sacks Cement     |  |
| 12 1/4"                               |                                        | 9 5/8"                             |                               | 1005'                                          |                       | 490 SXS CL C/CIRC              |  |
| 8 3/4"                                |                                        | 7 5/8"                             |                               | 11,932'                                        |                       | 1469 SXS CL C&H/CIRC           |  |
| 6 3/4"                                |                                        | 5 1/2"                             |                               | 22,651'                                        |                       | 985 SXS CL C & H/TOC 7414' CBL |  |
|                                       |                                        |                                    |                               |                                                |                       |                                |  |

V. Well Test Data

|                                                                                                                                                                                                                                      |                                               |                                       |                                                                                   |                             |                                     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|---------------------------------------|-----------------------------------------------------------------------------------|-----------------------------|-------------------------------------|
| <sup>31</sup> Date New Oil<br>04/11/2022                                                                                                                                                                                             | <sup>32</sup> Gas Delivery Date<br>04/11/2022 | <sup>33</sup> Test Date<br>04/21/2022 | <sup>34</sup> Test Length<br>24 HRS                                               | <sup>35</sup> Tbg. Pressure | <sup>36</sup> Csg. Pressure<br>1010 |
| <sup>37</sup> Choke Size<br>64                                                                                                                                                                                                       | <sup>38</sup> Oil<br>3277                     | <sup>39</sup> Water<br>7312           | <sup>40</sup> Gas<br>6232                                                         |                             | <sup>41</sup> Test Method           |
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br>Signature:<br>Kay Maddox |                                               |                                       | OIL CONSERVATION DIVISION<br><br>Approved by:<br><br>Title:<br><br>Approval Date: |                             |                                     |
| Printed name:<br>Kay Maddox                                                                                                                                                                                                          |                                               |                                       |                                                                                   |                             |                                     |
| Title:<br>SENIOR REGULATORY SPECIALIST                                                                                                                                                                                               |                                               |                                       |                                                                                   |                             |                                     |
| E-mail Address:<br>kay_maddox@eogresources.com                                                                                                                                                                                       |                                               |                                       |                                                                                   |                             |                                     |
| Date:<br>04/29/2022                                                                                                                                                                                                                  |                                               | Phone:<br>432-638-8475                |                                                                                   |                             |                                     |

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources  
Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                                |                                                          |                                                                   |
|------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------|
| <sup>1</sup> API Number<br><b>30-025-47700</b> | <sup>2</sup> Pool Code<br><b>96994</b>                   | <sup>3</sup> Pool Name<br><b>PITCHFORK RANCH; WOLFCAMP, SOUTH</b> |
| <sup>4</sup> Property Code<br><b>329345</b>    | <sup>5</sup> Property Name<br><b>HOLYFIELD 9 FED COM</b> |                                                                   |
| <sup>7</sup> OGRID No.<br><b>7377</b>          | <sup>8</sup> Operator Name<br><b>EOG RESOURCES, INC.</b> | <sup>6</sup> Well Number<br><b>714H</b>                           |
|                                                |                                                          | <sup>9</sup> Elevation<br><b>3339'</b>                            |

<sup>10</sup>Surface Location


| UL or lot no. | Section  | Township    | Range       | Lot Idn  | Feet from the | North/South line | Feet from the | East/West line | County     |
|---------------|----------|-------------|-------------|----------|---------------|------------------|---------------|----------------|------------|
| <b>0</b>      | <b>9</b> | <b>25-S</b> | <b>34-E</b> | <b>-</b> | <b>200'</b>   | <b>SOUTH</b>     | <b>2638'</b>  | <b>EAST</b>    | <b>LEA</b> |


<sup>11</sup>Bottom Hole Location If Different From Surface

| UL or lot no. | Section  | Township    | Range       | Lot Idn  | Feet from the | North/South line | Feet from the | East/West line | County     |
|---------------|----------|-------------|-------------|----------|---------------|------------------|---------------|----------------|------------|
| <b>2</b>      | <b>4</b> | <b>25-S</b> | <b>34-E</b> | <b>-</b> | <b>109'</b>   | <b>NORTH</b>     | <b>1648'</b>  | <b>EAST</b>    | <b>LEA</b> |

|                                                |                               |                                  |                         |
|------------------------------------------------|-------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres<br><b>639.56</b> | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
|------------------------------------------------|-------------------------------|----------------------------------|-------------------------|

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.






LEASE NAME & WELL NO.: HOLYFIELD 9 FED COM 714H  
SECTION 9 TWP 25-S RGE 34-E SURVEY N.M.P.M.  
COUNTY LEA STATE NM ELEVATION 3339'  
DESCRIPTION 200' FSL & 2638' FEL



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554  
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM



Ramon A. Dominguez, P.S. No. 24508  
APRIL 13, 2022

|                                           |           |
|-------------------------------------------|-----------|
| HOLYFIELD 9 FED COM<br>714H<br>AS-DRILLED | REVISION: |
| DATE: 04/08/2022                          |           |
| FILE:AD_HOLYFIELD_9_FED_COM_714H          |           |
| DRAWN BY: A.V.F.                          |           |
| SHEET: 2 OF 2                             |           |

- NOTES:
1. ORIGINAL DOCUMENT SIZE: 8.5" X 14"
  2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
  3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY EOG RESOURCES, INC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
  4. ADJOINER INFORMATION USED FOR INFORMATIONAL PURPOSES ONLY.



## Midland

Lea County, NM (NAD 83 NME)

Holyfield 9 Fed Com

#714H

OH

Design: OH

## Final PVA

10 January, 2022



Final PVA

|                                                                                                                                                                              |                                                                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Company:</b> Midland<br><b>Project:</b> Lea County, NM (NAD 83 NME)<br><b>Site:</b> Holyfield 9 Fed Com<br><b>Well:</b> #714H<br><b>Wellbore:</b> OH<br><b>Design:</b> OH | <b>Local Co-ordinate Reference:</b> Well #714H<br><b>TVD Reference:</b> KB = 26' @ 3367.0usft<br><b>MD Reference:</b> KB = 26' @ 3367.0usft<br><b>North Reference:</b> Grid<br><b>Survey Calculation Method:</b> Minimum Curvature<br><b>Database:</b> PEDM |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                    |                             |                      |                |
|--------------------|-----------------------------|----------------------|----------------|
| <b>Project</b>     | Lea County, NM (NAD 83 NME) |                      |                |
| <b>Map System:</b> | US State Plane 1983         | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983   |                      |                |
| <b>Map Zone:</b>   | New Mexico Eastern Zone     |                      |                |

|                              |                     |                          |                   |
|------------------------------|---------------------|--------------------------|-------------------|
| <b>Site</b>                  | Holyfield 9 Fed Com |                          |                   |
| <b>Site Position:</b>        |                     | <b>Northing:</b>         | 415,094.00 usft   |
| <b>From:</b> Map             |                     | <b>Easting:</b>          | 805,061.00 usft   |
| <b>Position Uncertainty:</b> | 0.0 usft            | <b>Slot Radius:</b>      | 13-3/16 "         |
|                              |                     | <b>Latitude:</b>         | 32° 8' 17.896 N   |
|                              |                     | <b>Longitude:</b>        | 103° 28' 52.723 W |
|                              |                     | <b>Grid Convergence:</b> | 0.45 °            |

|                             |              |          |                            |
|-----------------------------|--------------|----------|----------------------------|
| <b>Well</b>                 | #714H        |          |                            |
| <b>Well Position</b>        | <b>+N/-S</b> | 0.0 usft | <b>Northing:</b>           |
|                             | <b>+E/-W</b> | 0.0 usft | <b>Easting:</b>            |
| <b>Position Uncertainty</b> | 0.0 usft     |          | <b>Wellhead Elevation:</b> |
|                             |              |          | usft                       |
|                             |              |          | <b>Latitude:</b>           |
|                             |              |          | 32° 8' 17.937 N            |
|                             |              |          | <b>Longitude:</b>          |
|                             |              |          | 103° 28' 29.485 W          |
|                             |              |          | <b>Ground Level:</b>       |
|                             |              |          | 3,341.0 usft               |

|                  |                   |                    |                            |
|------------------|-------------------|--------------------|----------------------------|
| <b>Wellbore</b>  | OH                |                    |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b>     |
|                  | IGRF2020          | 12/2/2021          | 6.44                       |
|                  |                   |                    | <b>Dip Angle (°)</b>       |
|                  |                   |                    | 59.82                      |
|                  |                   |                    | <b>Field Strength (nT)</b> |
|                  |                   |                    | 47,405.19564527            |

|                          |                                |                      |                      |
|--------------------------|--------------------------------|----------------------|----------------------|
| <b>Design</b>            | OH                             |                      |                      |
| <b>Audit Notes:</b>      |                                |                      |                      |
| <b>Version:</b>          | 1.0                            | <b>Phase:</b>        | ACTUAL               |
|                          |                                | <b>Tie On Depth:</b> | 0.0                  |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b>  | <b>+E/-W (usft)</b>  |
|                          | 0.0                            | 0.0                  | 0.0                  |
|                          |                                |                      | <b>Direction (°)</b> |
|                          |                                |                      | 5.12                 |

|                       |                  |                          |                  |                    |
|-----------------------|------------------|--------------------------|------------------|--------------------|
| <b>Survey Program</b> | <b>Date</b>      | 1/10/2022                |                  |                    |
| <b>From (usft)</b>    | <b>To (usft)</b> | <b>Survey (Wellbore)</b> | <b>Tool Name</b> | <b>Description</b> |
| 199.0                 | 22,668.0         | Gordon MWD (OH)          | EOG MWD+IFR1     | MWD + IFR1         |

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #714H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Holyfield 9 Fed Com         | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #714H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |  |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|--|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |  |
| 0.0          | 0.00       | 0.00                 | 0.0           | 0.0           | 0.0           | 0.00                | 0.00                 | 0.00                | 0.0                    | 0.0                     |  |
| 199.0        | 1.43       | 142.83               | 199.0         | -2.0          | 1.5           | 0.72                | 0.72                 | 0.00                | -2.5                   | 0.0                     |  |
| 286.0        | 1.52       | 144.12               | 286.0         | -3.8          | 2.8           | 0.11                | 0.10                 | 1.48                | -4.7                   | 0.1                     |  |
| 374.0        | 1.80       | 129.03               | 373.9         | -5.6          | 4.6           | 0.59                | 0.32                 | -17.15              | -7.1                   | -1.5                    |  |
| 462.0        | 2.95       | 92.70                | 461.8         | -6.6          | 7.9           | 2.09                | 1.31                 | -41.28              | -8.2                   | -6.2                    |  |
| 549.0        | 3.24       | 89.20                | 548.7         | -6.6          | 12.6          | 0.40                | 0.33                 | -4.02               | -12.5                  | -6.8                    |  |
| 648.0        | 2.40       | 81.19                | 647.6         | -6.3          | 17.5          | 0.94                | -0.85                | -8.09               | -16.3                  | -8.9                    |  |
| 744.0        | 1.71       | 59.86                | 743.5         | -5.3          | 20.7          | 1.06                | -0.72                | -22.22              | -15.2                  | -14.9                   |  |
| 840.0        | 1.76       | 61.57                | 839.5         | -3.8          | 23.2          | 0.07                | 0.05                 | 1.78                | -18.6                  | -14.4                   |  |
| 935.0        | 1.69       | 59.80                | 934.4         | -2.4          | 25.7          | 0.09                | -0.07                | -1.86               | -21.0                  | -15.1                   |  |
| 1,049.0      | 1.46       | 59.46                | 1,048.4       | -0.9          | 28.4          | 0.20                | -0.20                | -0.30               | -24.0                  | -15.2                   |  |
| 1,145.0      | 4.10       | 75.69                | 1,144.3       | 0.6           | 32.8          | 2.84                | 2.75                 | 16.91               | -31.6                  | -7.5                    |  |
| 1,240.0      | 6.29       | 78.76                | 1,238.9       | 2.5           | 41.2          | 2.32                | 2.31                 | 3.23                | -37.5                  | -5.2                    |  |
| 1,335.0      | 10.07      | 87.36                | 1,332.9       | 3.9           | 54.6          | 4.17                | 3.98                 | 9.05                | -45.1                  | 1.1                     |  |
| 1,431.0      | 10.54      | 89.58                | 1,427.4       | 4.3           | 71.8          | 0.64                | 0.49                 | 2.31                | -52.7                  | 2.6                     |  |
| 1,527.0      | 10.75      | 89.79                | 1,521.7       | 4.4           | 89.5          | 0.22                | 0.22                 | 0.22                | -57.7                  | 1.9                     |  |
| 1,622.0      | 11.20      | 95.04                | 1,615.0       | 3.6           | 107.6         | 1.15                | 0.47                 | 5.53                | -60.8                  | 5.6                     |  |
| 1,813.0      | 11.55      | 93.74                | 1,802.2       | 0.8           | 145.1         | 0.23                | 0.18                 | -0.68               | -69.1                  | -0.2                    |  |
| 1,909.0      | 11.76      | 92.80                | 1,896.2       | -0.3          | 164.5         | 0.29                | 0.22                 | -0.98               | -73.6                  | -3.2                    |  |
| 2,004.0      | 12.09      | 92.63                | 1,989.2       | -1.3          | 184.1         | 0.35                | 0.35                 | -0.18               | -78.6                  | -5.2                    |  |
| 2,099.0      | 12.45      | 93.88                | 2,082.0       | -2.4          | 204.2         | 0.47                | 0.38                 | 1.32                | -84.2                  | -5.3                    |  |
| 2,195.0      | 12.58      | 93.12                | 2,175.7       | -3.7          | 225.0         | 0.22                | 0.14                 | -0.79               | -90.1                  | -8.4                    |  |
| 2,290.0      | 13.20      | 94.68                | 2,268.3       | -5.1          | 246.1         | 0.75                | 0.65                 | 1.64                | -96.9                  | -8.0                    |  |
| 2,386.0      | 11.27      | 82.03                | 2,362.2       | -4.7          | 266.4         | 3.43                | -2.01                | -13.18              | -98.1                  | -30.1                   |  |
| 2,482.0      | 11.88      | 80.44                | 2,456.2       | -1.8          | 285.4         | 0.72                | 0.64                 | -1.66               | -101.6                 | -31.6                   |  |
| 2,577.0      | 12.56      | 82.32                | 2,549.1       | 1.2           | 305.3         | 0.83                | 0.72                 | 1.98                | -107.9                 | -27.0                   |  |
| 2,672.0      | 12.97      | 82.00                | 2,641.7       | 4.1           | 326.1         | 0.44                | 0.43                 | -0.34               | -114.1                 | -26.7                   |  |



## Final PVA

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #714H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Holyfield 9 Fed Com         | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #714H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 2,768.0      | 13.05      | 82.32                | 2,735.3       | 7.0           | 347.5         | 0.11                | 0.08                 | 0.33                | -121.0                 | -25.0                   |
| 2,864.0      | 13.83      | 81.28                | 2,828.6       | 10.2          | 369.6         | 0.85                | 0.81                 | -1.08               | -128.0                 | -26.2                   |
| 2,959.0      | 14.33      | 82.04                | 2,920.8       | 13.6          | 392.4         | 0.56                | 0.53                 | 0.80                | -136.7                 | -23.3                   |
| 3,055.0      | 14.65      | 81.86                | 3,013.7       | 16.9          | 416.2         | 0.34                | 0.33                 | -0.19               | -145.9                 | -22.7                   |
| 3,151.0      | 12.66      | 82.08                | 3,107.0       | 20.1          | 438.7         | 2.07                | -2.07                | 0.23                | -153.8                 | -21.0                   |
| 3,246.0      | 9.01       | 76.62                | 3,200.3       | 23.3          | 456.2         | 3.99                | -3.84                | -5.75               | -154.4                 | -33.9                   |
| 3,341.0      | 9.22       | 77.75                | 3,294.1       | 26.6          | 470.9         | 0.29                | 0.22                 | 1.19                | -155.3                 | -28.6                   |
| 3,437.0      | 10.05      | 77.89                | 3,388.7       | 30.0          | 486.6         | 0.86                | 0.86                 | 0.15                | -156.6                 | -26.1                   |
| 3,532.0      | 11.14      | 75.21                | 3,482.1       | 34.1          | 503.6         | 1.26                | 1.15                 | -2.82               | -158.1                 | -30.9                   |
| 3,628.0      | 9.68       | 92.07                | 3,576.6       | 36.1          | 520.6         | 3.50                | -1.52                | 17.56               | -162.4                 | 16.8                    |
| 3,723.0      | 7.74       | 113.08               | 3,670.5       | 33.3          | 534.5         | 3.89                | -2.04                | 22.12               | -146.5                 | 69.3                    |
| 3,819.0      | 5.47       | 117.05               | 3,765.8       | 28.7          | 544.5         | 2.41                | -2.36                | 4.14                | -139.5                 | 72.0                    |
| 3,915.0      | 6.09       | 119.05               | 3,861.4       | 24.2          | 553.0         | 0.68                | 0.65                 | 2.08                | -133.9                 | 68.7                    |
| 4,010.0      | 6.44       | 110.40               | 3,955.8       | 19.9          | 562.4         | 1.06                | 0.37                 | -9.11               | -139.4                 | 41.1                    |
| 4,106.0      | 6.57       | 108.06               | 4,051.2       | 16.3          | 572.7         | 0.31                | 0.14                 | -2.44               | -137.9                 | 29.6                    |
| 4,201.0      | 6.30       | 102.31               | 4,145.6       | 13.5          | 583.0         | 0.74                | -0.28                | -6.05               | -136.4                 | 11.1                    |
| 4,297.0      | 6.18       | 97.48                | 4,241.0       | 11.7          | 593.2         | 0.56                | -0.12                | -5.03               | -132.5                 | -3.7                    |
| 4,392.0      | 5.31       | 98.30                | 4,335.5       | 10.4          | 602.6         | 0.92                | -0.92                | 0.86                | -127.5                 | -4.9                    |
| 4,487.0      | 5.21       | 100.67               | 4,430.1       | 9.0           | 611.2         | 0.25                | -0.11                | 2.49                | -121.9                 | -3.3                    |
| 4,583.0      | 6.82       | 127.84               | 4,525.6       | 4.7           | 620.0         | 3.36                | 1.68                 | 28.30               | -108.4                 | 44.3                    |
| 4,678.0      | 7.95       | 128.91               | 4,619.8       | -2.9          | 629.6         | 1.20                | 1.19                 | 1.13                | -107.5                 | 38.5                    |
| 4,774.0      | 8.76       | 129.55               | 4,714.8       | -11.8         | 640.4         | 0.85                | 0.84                 | 0.67                | -107.2                 | 34.3                    |
| 4,870.0      | 6.18       | 118.05               | 4,810.0       | -18.8         | 650.6         | 3.09                | -2.69                | -11.98              | -109.2                 | 9.2                     |
| 4,966.0      | 6.70       | 119.67               | 4,905.4       | -24.0         | 660.0         | 0.57                | 0.54                 | 1.69                | -104.8                 | 10.1                    |
| 5,062.0      | 7.60       | 120.88               | 5,000.6       | -30.1         | 670.3         | 0.95                | 0.94                 | 1.26                | -101.7                 | 9.8                     |
| 5,157.0      | 7.21       | 121.42               | 5,094.8       | -36.4         | 680.8         | 0.42                | -0.41                | 0.57                | -99.2                  | 8.1                     |
| 5,253.0      | 6.61       | 118.66               | 5,190.1       | -42.2         | 690.8         | 0.71                | -0.62                | -2.87               | -96.0                  | 1.1                     |

**Company:** Midland  
**Project:** Lea County, NM (NAD 83 NME)  
**Site:** Holyfield 9 Fed Com  
**Well:** #714H  
**Wellbore:** OH  
**Design:** OH

**Local Co-ordinate Reference:** Well #714H  
**TVD Reference:** KB = 26' @ 3367.0usft  
**MD Reference:** KB = 26' @ 3367.0usft  
**North Reference:** Grid  
**Survey Calculation Method:** Minimum Curvature  
**Database:** PEDM

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |  |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|--|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |  |
| 5,349.0      | 5.44       | 115.21               | 5,285.6       | -46.8         | 699.8         | 1.28                | -1.22                | -3.59               | -91.0                  | -6.1                    |  |
| 5,445.0      | 5.07       | 108.26               | 5,381.2       | -50.1         | 707.9         | 0.77                | -0.39                | -7.24               | -83.3                  | -16.8                   |  |
| 5,541.0      | 5.13       | 104.88               | 5,476.8       | -52.5         | 716.1         | 0.32                | 0.06                 | -3.52               | -75.7                  | -20.3                   |  |
| 5,636.0      | 5.35       | 100.87               | 5,571.4       | -54.4         | 724.5         | 0.45                | 0.23                 | -4.22               | -68.1                  | -23.2                   |  |
| 5,732.0      | 5.18       | 99.57                | 5,667.0       | -56.0         | 733.2         | 0.22                | -0.18                | -1.35               | -61.6                  | -21.8                   |  |
| 5,826.0      | 6.70       | 100.72               | 5,760.5       | -57.7         | 742.8         | 1.62                | 1.62                 | 1.22                | -57.2                  | -17.9                   |  |
| 5,922.0      | 6.91       | 103.69               | 5,855.8       | -60.1         | 753.9         | 0.43                | 0.22                 | 3.09                | -54.5                  | -12.7                   |  |
| 6,018.0      | 7.05       | 99.86                | 5,951.1       | -62.5         | 765.3         | 0.51                | 0.15                 | -3.99               | -50.4                  | -13.8                   |  |
| 6,114.0      | 7.90       | 100.69               | 6,046.3       | -64.7         | 777.6         | 0.89                | 0.89                 | 0.86                | -48.2                  | -10.3                   |  |
| 6,210.0      | 8.95       | 98.71                | 6,141.3       | -67.1         | 791.5         | 1.13                | 1.09                 | -2.06               | -47.2                  | -9.0                    |  |
| 6,305.0      | 8.96       | 97.75                | 6,235.1       | -69.2         | 806.1         | 0.16                | 0.01                 | -1.01               | -47.3                  | -6.5                    |  |
| 6,401.0      | 8.32       | 93.73                | 6,330.0       | -70.7         | 820.4         | 0.92                | -0.67                | -4.19               | -46.8                  | -5.9                    |  |
| 6,497.0      | 8.12       | 96.00                | 6,425.0       | -71.8         | 834.1         | 0.40                | -0.21                | 2.36                | -46.2                  | 0.1                     |  |
| 6,592.0      | 8.05       | 94.39                | 6,519.1       | -73.0         | 847.4         | 0.25                | -0.07                | -1.69               | -45.2                  | 2.9                     |  |
| 6,688.0      | 7.77       | 92.09                | 6,614.2       | -73.8         | 860.6         | 0.44                | -0.29                | -2.40               | -44.3                  | 5.7                     |  |
| 6,784.0      | 7.86       | 92.19                | 6,709.3       | -74.3         | 873.6         | 0.09                | 0.09                 | 0.10                | -43.1                  | 10.6                    |  |
| 6,879.0      | 8.49       | 91.34                | 6,803.3       | -74.7         | 887.1         | 0.68                | 0.66                 | -0.89               | -42.7                  | 14.8                    |  |
| 6,975.0      | 8.67       | 89.06                | 6,898.3       | -74.7         | 901.5         | 0.40                | 0.19                 | -2.37               | -43.6                  | 18.5                    |  |
| 7,070.0      | 9.00       | 88.69                | 6,992.1       | -74.4         | 916.1         | 0.35                | 0.35                 | -0.39               | -44.5                  | 23.8                    |  |
| 7,166.0      | 9.66       | 95.98                | 7,086.9       | -75.1         | 931.6         | 1.41                | 0.69                 | 7.59                | -42.1                  | 34.0                    |  |
| 7,262.0      | 8.67       | 102.35               | 7,181.6       | -77.5         | 946.6         | 1.48                | -1.03                | 6.64                | -38.5                  | 41.6                    |  |
| 7,357.0      | 9.08       | 104.80               | 7,275.5       | -80.9         | 960.9         | 0.59                | 0.43                 | 2.58                | -36.6                  | 45.1                    |  |
| 7,453.0      | 7.11       | 114.86               | 7,370.5       | -85.4         | 973.6         | 2.52                | -2.05                | 10.48               | -26.6                  | 51.0                    |  |
| 7,549.0      | 4.01       | 123.46               | 7,466.1       | -89.7         | 981.8         | 3.33                | -3.23                | 8.96                | -13.2                  | 52.1                    |  |
| 7,645.0      | 3.03       | 136.29               | 7,561.9       | -93.4         | 986.4         | 1.30                | -1.02                | 13.36               | 5.7                    | 48.4                    |  |
| 7,741.0      | 2.71       | 136.19               | 7,657.8       | -96.9         | 989.7         | 0.33                | -0.33                | -0.10               | 10.9                   | 43.6                    |  |
| 7,836.0      | 1.71       | 186.62               | 7,752.7       | -99.9         | 991.1         | 2.20                | -1.05                | 53.08               | 39.7                   | 13.5                    |  |



|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #714H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Holyfield 9 Fed Com         | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #714H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 7,931.0      | 1.44       | 191.62               | 7,847.7       | -102.5        | 990.7         | 0.32                | -0.28                | 5.26                | 38.8                   | 5.4                     |
| 8,027.0      | 1.94       | 168.98               | 7,943.6       | -105.3        | 990.7         | 0.86                | 0.52                 | -23.58              | 31.9                   | 18.2                    |
| 8,122.0      | 1.39       | 169.75               | 8,038.6       | -108.0        | 991.2         | 0.58                | -0.58                | 0.81                | 29.3                   | 17.8                    |
| 8,218.0      | 1.77       | 178.48               | 8,134.6       | -110.6        | 991.5         | 0.47                | 0.40                 | 9.09                | 29.1                   | 13.3                    |
| 8,313.0      | 1.55       | 186.63               | 8,229.5       | -113.3        | 991.4         | 0.34                | -0.23                | 8.58                | 27.9                   | 9.2                     |
| 8,409.0      | 1.79       | 173.26               | 8,325.5       | -116.1        | 991.4         | 0.48                | 0.25                 | -13.93              | 22.3                   | 15.1                    |
| 8,505.0      | 1.44       | 166.85               | 8,421.4       | -118.8        | 991.9         | 0.41                | -0.36                | -6.68               | 17.7                   | 17.4                    |
| 8,600.0      | 1.55       | 164.49               | 8,516.4       | -121.2        | 992.5         | 0.13                | 0.12                 | -2.48               | 14.5                   | 18.0                    |
| 8,696.0      | 1.26       | 169.47               | 8,612.4       | -123.5        | 993.0         | 0.33                | -0.30                | 5.19                | 13.7                   | 16.8                    |
| 8,791.0      | 0.93       | 171.35               | 8,707.4       | -125.3        | 993.3         | 0.35                | -0.35                | 1.98                | 12.4                   | 16.4                    |
| 8,887.0      | 0.72       | 157.12               | 8,803.4       | -126.6        | 993.7         | 0.30                | -0.22                | -14.82              | 6.7                    | 18.7                    |
| 8,982.0      | 0.62       | 189.92               | 8,898.3       | -127.6        | 993.8         | 0.41                | -0.11                | 34.53               | 14.7                   | 12.5                    |
| 9,078.0      | 0.71       | 220.46               | 8,994.3       | -128.6        | 993.3         | 0.38                | 0.09                 | 31.81               | 18.0                   | 3.5                     |
| 9,174.0      | 0.63       | 212.42               | 9,090.3       | -129.5        | 992.7         | 0.13                | -0.08                | -8.37               | 16.2                   | 5.9                     |
| 9,269.0      | 0.43       | 265.39               | 9,185.3       | -130.0        | 992.0         | 0.53                | -0.21                | 55.76               | 13.8                   | -8.9                    |
| 9,365.0      | 0.70       | 288.83               | 9,281.3       | -129.8        | 991.1         | 0.36                | 0.28                 | 24.42               | 8.2                    | -13.6                   |
| 9,461.0      | 0.44       | 307.24               | 9,377.3       | -129.4        | 990.3         | 0.33                | -0.27                | 19.18               | 2.6                    | -15.3                   |
| 9,556.0      | 0.77       | 355.58               | 9,472.3       | -128.5        | 989.9         | 0.61                | 0.35                 | 50.88               | -10.6                  | -11.8                   |
| 9,652.0      | 0.98       | 314.69               | 9,568.3       | -127.3        | 989.3         | 0.67                | 0.22                 | -42.59              | -1.6                   | -16.3                   |
| 9,747.0      | 1.39       | 298.25               | 9,663.3       | -126.2        | 987.7         | 0.56                | 0.43                 | -17.31              | 1.1                    | -16.3                   |
| 9,842.0      | 1.82       | 299.43               | 9,758.3       | -124.9        | 985.4         | 0.45                | 0.45                 | 1.24                | -1.9                   | -16.3                   |
| 9,938.0      | 1.67       | 299.25               | 9,854.2       | -123.5        | 982.8         | 0.16                | -0.16                | -0.19               | -4.7                   | -16.3                   |
| 10,033.0     | 1.68       | 292.45               | 9,949.2       | -122.3        | 980.3         | 0.21                | 0.01                 | -7.16               | -5.5                   | -16.9                   |
| 10,129.0     | 1.97       | 322.38               | 10,045.1      | -120.4        | 978.0         | 1.02                | 0.30                 | 31.18               | -16.1                  | -11.2                   |
| 10,225.0     | 2.49       | 312.33               | 10,141.0      | -117.7        | 975.5         | 0.68                | 0.54                 | -10.47              | -17.6                  | -14.1                   |
| 10,320.0     | 2.22       | 331.16               | 10,236.0      | -114.7        | 973.1         | 0.86                | -0.28                | 19.82               | -25.0                  | -7.0                    |
| 10,415.0     | 1.97       | 325.26               | 10,330.9      | -111.8        | 971.3         | 0.35                | -0.26                | -6.21               | -27.6                  | -9.7                    |

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #714H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Holyfield 9 Fed Com         | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #714H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey                                                                            |            |                      |               |               |               |                     |                      |                     |                        |                         |
|-----------------------------------------------------------------------------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft)                                                                      | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 10,510.0                                                                          | 1.85       | 335.85               | 10,425.9      | -109.0        | 969.7         | 0.39                | -0.13                | 11.15               | -32.1                  | -4.2                    |
| 10,606.0                                                                          | 1.20       | 20.73                | 10,521.8      | -106.7        | 969.4         | 1.36                | -0.68                | 46.75               | -27.8                  | 20.8                    |
| 10,701.0                                                                          | 0.84       | 359.86               | 10,616.8      | -105.0        | 969.8         | 0.54                | -0.38                | -21.97              | -35.0                  | 9.2                     |
| 10,797.0                                                                          | 0.38       | 43.40                | 10,712.8      | -104.1        | 970.0         | 0.65                | -0.48                | 45.35               | -19.9                  | 31.2                    |
| 10,893.0                                                                          | 0.72       | 96.54                | 10,808.8      | -103.9        | 970.8         | 0.60                | 0.35                 | 55.35               | 12.3                   | 34.9                    |
| 10,988.0                                                                          | 0.98       | 33.15                | 10,903.8      | -103.3        | 971.8         | 0.97                | 0.27                 | -66.73              | -26.8                  | 26.0                    |
| 11,083.0                                                                          | 1.43       | 61.50                | 10,998.8      | -102.1        | 973.3         | 0.77                | 0.47                 | 29.84               | -13.1                  | 36.0                    |
| 11,179.0                                                                          | 1.47       | 95.44                | 11,094.7      | -101.6        | 975.6         | 0.88                | 0.04                 | 35.35               | 7.0                    | 37.9                    |
| 11,275.0                                                                          | 1.76       | 84.75                | 11,190.7      | -101.6        | 978.3         | 0.43                | 0.30                 | -11.14              | -2.8                   | 38.3                    |
| 11,370.0                                                                          | 0.86       | 63.25                | 11,285.7      | -101.2        | 980.4         | 1.06                | -0.95                | -22.63              | -18.7                  | 34.1                    |
| 11,466.0                                                                          | 0.99       | 78.96                | 11,381.7      | -100.7        | 981.8         | 0.30                | 0.14                 | 16.36               | -10.3                  | 38.0                    |
| 11,561.0                                                                          | 0.35       | 119.56               | 11,476.7      | -100.7        | 982.9         | 0.80                | -0.67                | 42.74               | 16.0                   | 36.1                    |
| 11,657.0                                                                          | 0.60       | 137.05               | 11,572.7      | -101.2        | 983.5         | 0.30                | 0.26                 | 18.22               | 25.4                   | 29.7                    |
| 11,752.0                                                                          | 0.55       | 178.70               | 11,667.6      | -102.0        | 983.8         | 0.43                | -0.05                | 43.84               | 37.9                   | 5.7                     |
| 11,848.0                                                                          | 0.99       | 142.35               | 11,763.6      | -103.1        | 984.4         | 0.66                | 0.46                 | -37.86              | 25.9                   | 26.8                    |
| 11,985.0                                                                          | 0.73       | 81.20                | 11,900.6      | -103.9        | 985.9         | 0.66                | -0.19                | -44.64              | -12.4                  | 34.6                    |
| 12,070.0                                                                          | 1.18       | 17.57                | 11,985.6      | -103.0        | 986.7         | 1.26                | 0.53                 | -74.86              | -37.6                  | 3.8                     |
| <b>KOP, MD:12070.0', TVD:11985.6', N/S:-103.0', E/W:986.7', INC:1.18</b>          |            |                      |               |               |               |                     |                      |                     |                        |                         |
| 12,081.0                                                                          | 1.29       | 13.81                | 11,996.6      | -102.8        | 986.8         | 1.26                | 1.03                 | -34.20              | -38.0                  | 1.3                     |
| 12,156.6                                                                          | 17.69      | 356.41               | 12,070.9      | -90.4         | 986.3         | 21.78               | 21.69                | -23.02              | -46.9                  | -10.4                   |
| <b>FTP Crossing, MD:12156.6', TVD:12070.9', N/S:-90.4', E/W:986.3', INC:17.69</b> |            |                      |               |               |               |                     |                      |                     |                        |                         |
| 12,177.0                                                                          | 22.13      | 356.13               | 12,090.1      | -83.5         | 985.8         | 21.78               | 21.77                | -1.37               | -51.4                  | -10.4                   |
| 12,273.0                                                                          | 33.45      | 353.79               | 12,174.9      | -39.0         | 981.7         | 11.84               | 11.79                | -2.44               | -73.0                  | -9.3                    |
| 12,368.0                                                                          | 44.69      | 355.77               | 12,248.5      | 20.6          | 976.4         | 11.90               | 11.83                | 2.08                | -91.8                  | -0.3                    |
| 12,463.0                                                                          | 50.59      | 354.41               | 12,312.5      | 90.5          | 970.4         | 6.30                | 6.21                 | -1.43               | -101.8                 | 7.2                     |
| 12,559.0                                                                          | 58.22      | 354.19               | 12,368.4      | 168.1         | 962.6         | 7.95                | 7.95                 | -0.23               | -98.8                  | 20.1                    |
| 12,655.0                                                                          | 67.38      | 357.91               | 12,412.2      | 253.2         | 956.9         | 10.14               | 9.54                 | 3.87                | -84.8                  | 33.5                    |



## Final PVA

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #714H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Holyfield 9 Fed Com         | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #714H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 12,750.0     | 76.25      | 6.02                 | 12,441.9      | 343.2         | 960.1         | 12.36               | 9.34                 | 8.54                | -63.5                  | 35.0                    |
| 12,845.0     | 76.06      | 5.51                 | 12,464.6      | 434.9         | 969.4         | 0.56                | -0.20                | -0.54               | -39.0                  | 26.5                    |
| 12,941.0     | 86.45      | 358.14               | 12,479.2      | 529.6         | 972.3         | 13.21               | 10.82                | -7.68               | -23.1                  | 22.0                    |
| 13,037.0     | 91.33      | 357.66               | 12,481.1      | 625.5         | 968.8         | 5.11                | 5.08                 | -0.50               | -19.4                  | 24.8                    |
| 13,133.0     | 92.79      | 358.88               | 12,477.6      | 721.4         | 965.9         | 1.98                | 1.52                 | 1.27                | -20.9                  | 27.0                    |
| 13,228.0     | 94.48      | 1.93                 | 12,471.6      | 816.2         | 966.6         | 3.66                | 1.78                 | 3.21                | -25.2                  | 25.5                    |
| 13,324.0     | 93.21      | 4.10                 | 12,465.1      | 911.8         | 971.6         | 2.61                | -1.32                | 2.26                | -29.8                  | 19.7                    |
| 13,420.0     | 90.04      | 2.30                 | 12,462.4      | 1,007.6       | 977.0         | 3.80                | -3.30                | -1.87               | -30.6                  | 13.6                    |
| 13,516.0     | 90.66      | 2.01                 | 12,461.8      | 1,103.5       | 980.6         | 0.71                | 0.65                 | -0.30               | -29.3                  | 9.3                     |
| 13,612.0     | 91.84      | 2.52                 | 12,459.7      | 1,199.4       | 984.4         | 1.34                | 1.23                 | 0.53                | -29.5                  | 4.7                     |
| 13,708.0     | 91.70      | 2.13                 | 12,456.8      | 1,295.3       | 988.3         | 0.43                | -0.15                | -0.41               | -30.6                  | 0.1                     |
| 13,803.0     | 92.17      | 3.34                 | 12,453.6      | 1,390.1       | 992.8         | 1.37                | 0.49                 | 1.27                | -32.0                  | -5.2                    |
| 13,899.0     | 86.26      | 357.76               | 12,454.9      | 1,486.0       | 993.7         | 8.46                | -6.16                | -5.81               | -28.8                  | -6.8                    |
| 13,994.0     | 91.50      | 357.04               | 12,456.7      | 1,580.9       | 989.4         | 5.57                | 5.52                 | -0.76               | -25.1                  | -3.2                    |
| 14,089.0     | 93.21      | 356.37               | 12,452.8      | 1,675.6       | 984.0         | 1.93                | 1.80                 | -0.71               | -27.1                  | 1.5                     |
| 14,185.0     | 92.03      | 358.78               | 12,448.4      | 1,771.5       | 979.9         | 2.79                | -1.23                | 2.51                | -29.7                  | 4.8                     |
| 14,280.0     | 92.78      | 358.73               | 12,444.5      | 1,866.3       | 977.8         | 0.79                | 0.79                 | -0.05               | -31.8                  | 6.2                     |
| 14,376.0     | 92.90      | 2.07                 | 12,439.7      | 1,962.2       | 978.5         | 3.48                | 0.12                 | 3.48                | -34.7                  | 4.7                     |
| 14,472.0     | 86.98      | 357.65               | 12,439.8      | 2,058.1       | 978.3         | 7.69                | -6.17                | -4.60               | -32.7                  | 4.2                     |
| 14,567.0     | 89.68      | 357.23               | 12,442.6      | 2,153.0       | 974.0         | 2.88                | 2.84                 | -0.44               | -28.1                  | 7.7                     |
| 14,663.0     | 90.71      | 357.80               | 12,442.2      | 2,248.9       | 969.9         | 1.23                | 1.07                 | 0.59                | -26.6                  | 11.2                    |
| 14,758.0     | 91.61      | 357.64               | 12,440.3      | 2,343.8       | 966.1         | 0.96                | 0.95                 | -0.17               | -26.6                  | 14.2                    |
| 14,854.0     | 94.00      | 3.15                 | 12,435.6      | 2,439.7       | 966.7         | 6.25                | 2.49                 | 5.74                | -29.5                  | 12.7                    |
| 14,950.0     | 89.20      | 1.64                 | 12,432.9      | 2,535.5       | 970.7         | 5.24                | -5.00                | -1.57               | -30.3                  | 8.0                     |
| 15,046.0     | 89.76      | 1.00                 | 12,433.8      | 2,631.5       | 973.0         | 0.89                | 0.58                 | -0.67               | -27.6                  | 5.1                     |
| 15,141.0     | 91.70      | 0.49                 | 12,432.6      | 2,726.5       | 974.2         | 2.11                | 2.04                 | -0.54               | -26.9                  | 3.1                     |
| 15,245.0     | 90.88      | 1.43                 | 12,430.3      | 2,830.4       | 975.9         | 1.20                | -0.79                | 0.90                | -27.2                  | 0.5                     |

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #714H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Holyfield 9 Fed Com         | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #714H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |  |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|--|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |  |
| 15,341.0     | 91.00      | 1.23                 | 12,428.7      | 2,926.4       | 978.2         | 0.24                | 0.12                 | -0.21               | -26.9                  | -2.4                    |  |
| 15,436.0     | 91.72      | 1.08                 | 12,426.4      | 3,021.3       | 980.1         | 0.77                | 0.76                 | -0.16               | -27.3                  | -5.1                    |  |
| 15,532.0     | 92.17      | 0.49                 | 12,423.2      | 3,117.3       | 981.4         | 0.77                | 0.47                 | -0.61               | -28.7                  | -7.1                    |  |
| 15,628.0     | 93.58      | 0.16                 | 12,418.4      | 3,213.1       | 981.9         | 1.51                | 1.47                 | -0.34               | -31.7                  | -8.4                    |  |
| 15,723.0     | 92.62      | 359.53               | 12,413.2      | 3,308.0       | 981.7         | 1.21                | -1.01                | -0.66               | -35.0                  | -8.9                    |  |
| 15,819.0     | 90.52      | 0.20                 | 12,410.6      | 3,403.9       | 981.5         | 2.30                | -2.19                | 0.70                | -35.7                  | -9.4                    |  |
| 15,915.0     | 89.68      | 359.29               | 12,410.4      | 3,499.9       | 981.0         | 1.29                | -0.87                | -0.95               | -34.0                  | -9.7                    |  |
| 16,011.0     | 90.85      | 0.71                 | 12,410.0      | 3,595.9       | 981.0         | 1.92                | 1.22                 | 1.48                | -32.6                  | -10.5                   |  |
| 16,106.0     | 91.46      | 2.21                 | 12,408.1      | 3,690.9       | 983.4         | 1.70                | 0.64                 | 1.58                | -32.7                  | -13.6                   |  |
| 16,201.0     | 90.74      | 0.31                 | 12,406.2      | 3,785.8       | 985.5         | 2.14                | -0.76                | -2.00               | -32.6                  | -16.4                   |  |
| 16,295.0     | 90.46      | 0.52                 | 12,405.3      | 3,879.8       | 986.2         | 0.37                | -0.30                | 0.22                | -31.8                  | -17.9                   |  |
| 16,391.0     | 90.46      | 0.42                 | 12,404.5      | 3,975.8       | 987.0         | 0.10                | 0.00                 | -0.10               | -30.7                  | -19.4                   |  |
| 16,485.0     | 91.58      | 0.01                 | 12,402.8      | 4,069.8       | 987.4         | 1.27                | 1.19                 | -0.44               | -30.5                  | -20.5                   |  |
| 16,580.0     | 92.45      | 0.94                 | 12,399.5      | 4,164.7       | 988.1         | 1.34                | 0.92                 | 0.98                | -32.0                  | -22.0                   |  |
| 16,676.0     | 88.92      | 359.71               | 12,398.3      | 4,260.7       | 988.7         | 3.89                | -3.68                | -1.28               | -31.3                  | -23.3                   |  |
| 16,770.0     | 89.76      | 0.37                 | 12,399.4      | 4,354.7       | 988.8         | 1.14                | 0.89                 | 0.70                | -28.4                  | -24.1                   |  |
| 16,866.0     | 90.49      | 0.69                 | 12,399.2      | 4,450.7       | 989.6         | 0.83                | 0.76                 | 0.33                | -26.7                  | -25.7                   |  |
| 16,961.0     | 93.80      | 1.75                 | 12,395.6      | 4,545.6       | 991.7         | 3.66                | 3.48                 | 1.12                | -28.4                  | -28.5                   |  |
| 17,057.0     | 90.80      | 359.80               | 12,391.8      | 4,641.5       | 993.0         | 3.73                | -3.12                | -2.03               | -30.4                  | -30.5                   |  |
| 17,152.0     | 90.83      | 359.57               | 12,390.4      | 4,736.5       | 992.4         | 0.24                | 0.03                 | -0.24               | -29.9                  | -30.7                   |  |
| 17,248.0     | 88.39      | 356.45               | 12,391.1      | 4,832.4       | 989.1         | 4.13                | -2.54                | -3.25               | -27.4                  | -28.1                   |  |
| 17,343.0     | 89.03      | 354.64               | 12,393.2      | 4,927.1       | 981.7         | 2.02                | 0.67                 | -1.91               | -23.5                  | -21.4                   |  |
| 17,438.0     | 88.30      | 357.52               | 12,395.4      | 5,021.8       | 975.2         | 3.13                | -0.77                | 3.03                | -19.4                  | -15.7                   |  |
| 17,533.0     | 89.34      | 357.70               | 12,397.4      | 5,116.7       | 971.3         | 1.11                | 1.09                 | 0.19                | -15.6                  | -12.5                   |  |
| 17,627.0     | 90.52      | 358.07               | 12,397.5      | 5,210.7       | 967.8         | 1.32                | 1.26                 | 0.39                | -13.6                  | -9.7                    |  |
| 17,722.0     | 91.72      | 358.30               | 12,395.7      | 5,305.6       | 964.8         | 1.29                | 1.26                 | 0.24                | -13.6                  | -7.5                    |  |
| 17,818.0     | 93.96      | 357.61               | 12,390.9      | 5,401.4       | 961.4         | 2.44                | 2.33                 | -0.72               | -16.5                  | -4.8                    |  |

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Company:</b>  | Midland                     | <b>Local Co-ordinate Reference:</b> | Well #714H            |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>TVD Reference:</b>               | KB = 26' @ 3367.0usft |
| <b>Site:</b>     | Holyfield 9 Fed Com         | <b>MD Reference:</b>                | KB = 26' @ 3367.0usft |
| <b>Well:</b>     | #714H                       | <b>North Reference:</b>             | Grid                  |
| <b>Wellbore:</b> | OH                          | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Design:</b>   | OH                          | <b>Database:</b>                    | PEDM                  |

| Survey       |            |                      |               |               |               |                     |                      |                     |                        |                         |
|--------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|
| MD<br>(usft) | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |
| 17,913.0     | 94.36      | 357.78               | 12,384.0      | 5,496.1       | 957.6         | 0.46                | 0.42                 | 0.18                | -21.6                  | -1.7                    |
| 18,009.0     | 92.76      | 358.55               | 12,378.0      | 5,591.9       | 954.5         | 1.85                | -1.67                | 0.80                | -25.7                  | 0.6                     |
| 18,104.0     | 89.82      | 0.59                 | 12,375.9      | 5,686.8       | 953.8         | 3.77                | -3.09                | 2.15                | -26.0                  | 0.6                     |
| 18,200.0     | 89.51      | 1.04                 | 12,376.5      | 5,782.8       | 955.2         | 0.57                | -0.32                | 0.47                | -23.5                  | -1.5                    |
| 18,296.0     | 90.83      | 1.96                 | 12,376.2      | 5,878.8       | 957.7         | 1.68                | 1.37                 | 0.96                | -21.9                  | -4.8                    |
| 18,392.0     | 89.82      | 1.91                 | 12,375.6      | 5,974.7       | 960.9         | 1.05                | -1.05                | -0.05               | -20.6                  | -8.8                    |
| 18,488.0     | 91.36      | 2.27                 | 12,374.7      | 6,070.6       | 964.4         | 1.65                | 1.60                 | 0.37                | -19.7                  | -13.0                   |
| 18,584.0     | 90.32      | 359.03               | 12,373.2      | 6,166.6       | 965.5         | 3.54                | -1.08                | -3.37               | -19.3                  | -14.8                   |
| 18,680.0     | 90.24      | 358.88               | 12,372.8      | 6,262.6       | 963.7         | 0.18                | -0.08                | -0.16               | -17.9                  | -13.8                   |
| 18,775.0     | 90.88      | 359.25               | 12,371.8      | 6,357.6       | 962.2         | 0.78                | 0.67                 | 0.39                | -17.0                  | -13.0                   |
| 18,871.0     | 89.93      | 359.84               | 12,371.2      | 6,453.6       | 961.4         | 1.16                | -0.99                | 0.61                | -15.8                  | -13.0                   |
| 18,967.0     | 91.16      | 0.75                 | 12,370.3      | 6,549.5       | 961.9         | 1.59                | 1.28                 | 0.95                | -14.8                  | -14.2                   |
| 19,063.0     | 88.70      | 359.23               | 12,370.4      | 6,645.5       | 961.9         | 3.01                | -2.56                | -1.58               | -12.8                  | -15.0                   |
| 19,158.0     | 89.16      | 359.98               | 12,372.1      | 6,740.5       | 961.3         | 0.93                | 0.48                 | 0.79                | -9.2                   | -15.1                   |
| 19,254.0     | 89.87      | 359.60               | 12,373.0      | 6,836.5       | 960.9         | 0.84                | 0.74                 | -0.40               | -6.5                   | -15.4                   |
| 19,350.0     | 90.52      | 359.83               | 12,372.6      | 6,932.5       | 960.4         | 0.72                | 0.68                 | 0.24                | -5.0                   | -15.7                   |
| 19,445.0     | 92.03      | 359.98               | 12,370.5      | 7,027.5       | 960.3         | 1.60                | 1.59                 | 0.16                | -5.2                   | -16.3                   |
| 19,541.0     | 92.03      | 358.11               | 12,367.1      | 7,123.4       | 958.7         | 1.95                | 0.00                 | -1.95               | -6.8                   | -15.4                   |
| 19,637.0     | 92.09      | 358.33               | 12,363.7      | 7,219.3       | 955.7         | 0.24                | 0.06                 | 0.23                | -8.4                   | -13.2                   |
| 19,732.0     | 93.01      | 359.32               | 12,359.4      | 7,314.2       | 953.7         | 1.42                | 0.97                 | 1.04                | -10.7                  | -12.0                   |
| 19,828.0     | 90.83      | 358.49               | 12,356.2      | 7,410.1       | 951.9         | 2.43                | -2.27                | -0.86               | -12.1                  | -10.9                   |
| 19,924.0     | 91.05      | 358.68               | 12,354.6      | 7,506.1       | 949.5         | 0.30                | 0.23                 | 0.20                | -11.8                  | -9.3                    |
| 20,020.0     | 91.55      | 358.62               | 12,352.5      | 7,602.0       | 947.3         | 0.52                | 0.52                 | -0.06               | -12.1                  | -7.7                    |
| 20,115.0     | 89.54      | 359.01               | 12,351.6      | 7,697.0       | 945.3         | 2.16                | -2.12                | 0.41                | -11.2                  | -6.5                    |
| 20,211.0     | 89.57      | 359.64               | 12,352.3      | 7,793.0       | 944.2         | 0.66                | 0.03                 | 0.66                | -8.5                   | -6.1                    |
| 20,306.0     | 89.45      | 359.46               | 12,353.1      | 7,888.0       | 943.4         | 0.23                | -0.13                | -0.19               | -5.9                   | -6.1                    |
| 20,402.0     | 90.46      | 358.77               | 12,353.2      | 7,984.0       | 942.0         | 1.27                | 1.05                 | -0.72               | -3.9                   | -5.4                    |



## Final PVA

Company: Midland  
Project: Lea County, NM (NAD 83 NME)  
Site: Holyfield 9 Fed Com  
Well: #714H  
Wellbore: OH  
Design: OH

Local Co-ordinate Reference: Well #714H  
TVD Reference: KB = 26' @ 3367.0usft  
MD Reference: KB = 26' @ 3367.0usft  
North Reference: Grid  
Survey Calculation Method: Minimum Curvature  
Database: PEDM

| Survey                          |            |                      |               |               |               |                     |                      |                     |                        |                         |  |
|---------------------------------|------------|----------------------|---------------|---------------|---------------|---------------------|----------------------|---------------------|------------------------|-------------------------|--|
| MD<br>(usft)                    | Inc<br>(°) | Azi (azimuth)<br>(°) | TVD<br>(usft) | N/S<br>(usft) | E/W<br>(usft) | DLeg<br>(°/100usft) | Build<br>(°/100usft) | Turn<br>(°/100usft) | High to Plan<br>(usft) | Right to Plan<br>(usft) |  |
| 20,498.0                        | 91.36      | 359.68               | 12,351.7      | 8,079.9       | 940.7         | 1.33                | 0.94                 | 0.95                | -3.6                   | -4.8                    |  |
| 20,594.0                        | 91.83      | 359.18               | 12,349.0      | 8,175.9       | 939.7         | 0.71                | 0.49                 | -0.52               | -4.4                   | -4.6                    |  |
| 20,690.0                        | 92.56      | 0.49                 | 12,345.3      | 8,271.8       | 939.4         | 1.56                | 0.76                 | 1.36                | -6.2                   | -5.1                    |  |
| 20,786.0                        | 90.77      | 359.62               | 12,342.5      | 8,367.8       | 939.5         | 2.07                | -1.86                | -0.91               | -7.1                   | -5.9                    |  |
| 20,881.0                        | 91.86      | 359.59               | 12,340.4      | 8,462.7       | 938.9         | 1.15                | 1.15                 | -0.03               | -7.4                   | -6.0                    |  |
| 20,976.0                        | 90.77      | 358.52               | 12,338.2      | 8,557.7       | 937.3         | 1.61                | -1.15                | -1.13               | -7.8                   | -5.2                    |  |
| 21,071.0                        | 91.33      | 358.38               | 12,336.4      | 8,652.6       | 934.7         | 0.61                | 0.59                 | -0.15               | -7.7                   | -3.3                    |  |
| 21,167.0                        | 91.84      | 358.46               | 12,333.8      | 8,748.6       | 932.1         | 0.54                | 0.53                 | 0.08                | -8.5                   | -1.4                    |  |
| 21,263.0                        | 92.70      | 358.64               | 12,330.0      | 8,844.5       | 929.7         | 0.92                | 0.90                 | 0.19                | -10.4                  | 0.2                     |  |
| 21,358.0                        | 90.69      | 358.21               | 12,327.2      | 8,939.4       | 927.0         | 2.16                | -2.12                | -0.45               | -11.4                  | 2.1                     |  |
| 21,454.0                        | 90.86      | 358.75               | 12,325.9      | 9,035.3       | 924.5         | 0.59                | 0.18                 | 0.56                | -10.8                  | 3.9                     |  |
| 21,550.0                        | 89.37      | 357.80               | 12,325.7      | 9,131.3       | 921.6         | 1.84                | -1.55                | -0.99               | -9.1                   | 6.1                     |  |
| 21,645.0                        | 89.40      | 358.53               | 12,326.7      | 9,226.2       | 918.6         | 0.77                | 0.03                 | 0.77                | -6.2                   | 8.4                     |  |
| 21,741.0                        | 90.04      | 358.67               | 12,327.2      | 9,322.2       | 916.2         | 0.68                | 0.67                 | 0.15                | -3.9                   | 10.0                    |  |
| 21,837.0                        | 90.72      | 359.04               | 12,326.5      | 9,418.2       | 914.3         | 0.81                | 0.71                 | 0.39                | -2.7                   | 11.1                    |  |
| 21,933.0                        | 88.92      | 359.34               | 12,326.8      | 9,514.2       | 912.9         | 1.90                | -1.87                | 0.31                | -0.5                   | 11.8                    |  |
| 22,029.0                        | 89.15      | 359.90               | 12,328.4      | 9,610.2       | 912.3         | 0.63                | 0.24                 | 0.58                | 3.0                    | 11.7                    |  |
| 22,124.0                        | 90.29      | 359.90               | 12,328.9      | 9,705.2       | 912.1         | 1.20                | 1.20                 | 0.00                | 5.3                    | 11.1                    |  |
| 22,220.0                        | 91.01      | 0.24                 | 12,327.8      | 9,801.1       | 912.3         | 0.83                | 0.75                 | 0.35                | 6.1                    | 10.2                    |  |
| 22,315.0                        | 92.51      | 359.69               | 12,324.9      | 9,896.1       | 912.2         | 1.68                | 1.58                 | -0.58               | 5.0                    | 9.5                     |  |
| 22,411.0                        | 90.24      | 359.41               | 12,322.6      | 9,992.1       | 911.4         | 2.38                | -2.36                | -0.29               | 4.6                    | 9.6                     |  |
| 22,507.0                        | 91.08      | 0.00                 | 12,321.5      | 10,088.1      | 911.0         | 1.07                | 0.87                 | 0.61                | 5.3                    | 9.3                     |  |
| Last MWD Survey (MD=22507.0')   |            |                      |               |               |               |                     |                      |                     |                        |                         |  |
| 22,668.0                        | 91.08      | 0.00                 | 12,318.5      | 10,249.0      | 911.0         | 0.00                | 0.00                 | 0.00                | 5.4                    | 8.1                     |  |
| Projection to Bit (MD=22668.0') |            |                      |               |               |               |                     |                      |                     |                        |                         |  |

I CERTIFY THIS SURVEY TO BE TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE  
KAY MADDOX 04/28/2022



## Final PVA

**Company:** Midland  
**Project:** Lea County, NM (NAD 83 NME)  
**Site:** Holyfield 9 Fed Com  
**Well:** #714H  
**Wellbore:** OH  
**Design:** OH

**Local Co-ordinate Reference:** Well #714H  
**TVD Reference:** KB = 26' @ 3367.0usft  
**MD Reference:** KB = 26' @ 3367.0usft  
**North Reference:** Grid  
**Survey Calculation Method:** Minimum Curvature  
**Database:** PEDM

## Design Annotations

| Measured<br>Depth<br>(usft) | Vertical<br>Depth<br>(usft) | Local Coordinates |                 | Comment                                                                    |
|-----------------------------|-----------------------------|-------------------|-----------------|----------------------------------------------------------------------------|
|                             |                             | +N/-S<br>(usft)   | +E/-W<br>(usft) |                                                                            |
| 12,070.0                    | 11,985.6                    | -103.0            | 986.7           | KOP, MD:12070.0', TVD:11985.6', N/S:-103.0', E/W:986.7', INC:1.18          |
| 12,156.6                    | 12,070.9                    | -90.4             | 986.3           | FTP Crossing, MD:12156.6', TVD:12070.9', N/S:-90.4', E/W:986.3', INC:17.69 |
| 22,507.0                    | 12,321.5                    | 10,088.1          | 911.0           | Last MWD Survey (MD=22507.0')                                              |
| 22,668.0                    | 12,318.5                    | 10,249.0          | 911.0           | Projection to Bit (MD=22668.0')                                            |

Checked By: \_\_\_\_\_ Approved By: \_\_\_\_\_ Date: \_\_\_\_\_






## PROJECT DETAILS: Lea County, NM (NAD 83 NME)


Geodetic System: US State Plane 1983  
Datum: North American Datum 1983  
Ellipsoid: GRS 1980  
Zone: New Mexico Eastern Zone  
System Datum: Mean Sea Level

**WELL DETAILS: #714H**

|                       |           |                   |
|-----------------------|-----------|-------------------|
| 3341.0                |           |                   |
| KB = 26' @ 3367.0usft |           |                   |
| Northing              | Easting   | Latitude          |
| 415114.00             | 807059.00 | 32° 8' 17.937 N   |
|                       |           | 103° 28' 29.485 W |








To convert a Magnetic Direction to a Grid Direction, Add 5.98°  
 To convert a Magnetic Direction to a True Direction, Add 6.44° East  
 To convert a True Direction to a Grid Direction, Subtract 0.46°



### WELLBORE TARGET DETAILS (MAP CO-ORDINATES)

| Name                                  | TVD     | +N/-S   | +E/-W | Northing | Easting  |
|---------------------------------------|---------|---------|-------|----------|----------|
| Brushy Top(Holyfield 9 Fed Com #714H) | 7943.0  | -140.0  | 979.0 | 414974.0 | 808038.0 |
| PBHL(Holyfield 9 Fed Com #714H)       | 12343.0 | 10250.0 | 919.0 | 425364.0 | 807978.0 |
| FTP(Holyfield 9 Fed Com #714H)        | 12506.0 | -90.0   | 999.0 | 415024.0 | 808058.0 |





Intent ☐ As Drilled ☐

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

## Kick Off Point (KOP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

## First Take Point (FTP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

## Last Take Point (LTP)

|          |         |          |       |     |           |          |      |          |        |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

KZ 06/29/2018

|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|--------------------------|---------------------------------------------|---------------------------------------------------------------------|--------------------------------|------------------------------------------------------------------------|------------------------|---------------|
| Submit To Appropriate District Office<br>Two Copies<br><u>District I</u><br>1625 N. French Dr., Hobbs, NM 88240<br><u>District II</u><br>811 S. First St., Artesia, NM 88210<br><u>District III</u><br>1000 Rio Brazos Rd., Aztec, NM 87410<br><u>District IV</u><br>1220 S. St. Francis Dr., Santa Fe, NM 87505                                                                          |                                            | <b>State of New Mexico</b><br><b>Energy, Minerals and Natural Resources</b><br><br><b>Oil Conservation Division</b><br><b>1220 South St. Francis Dr.</b><br><b>Santa Fe, NM 87505</b> |                                                               |                          | <b>Form C-105</b><br>Revised August 1, 2011 |                                                                     |                                |                                                                        |                        |               |
| WELL COMPLETION OR RECOMPLETION REPORT AND LOG                                                                                                                                                                                                                                                                                                                                            |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
| 4. Reason for filing:<br><br><input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)<br><br><input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                | 5. Lease Name or Unit Agreement Name<br><b>HOLYFIELD 9 FEDERAL COM</b> |                        |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                | 6. Well Number:<br><br><b>714H</b>                                     |                        |               |
| 7. Type of Completion:<br><input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER _____                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
| 8. Name of Operator<br><b>EOG RESOURCES INC</b>                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             | 9. OGRID<br><b>7377</b>                                             |                                |                                                                        |                        |               |
| 10. Address of Operator<br><b>PO BOX 2267 MIDLAND, TEXAS 79702</b>                                                                                                                                                                                                                                                                                                                        |                                            |                                                                                                                                                                                       |                                                               |                          |                                             | 11. Pool name or Wildcat<br><b>PITCHFORK RANCH; WOLFCAMP, SOUTH</b> |                                |                                                                        |                        |               |
| 12. Location                                                                                                                                                                                                                                                                                                                                                                              | Unit Ltr                                   | Section                                                                                                                                                                               | Township                                                      | Range                    | Lot                                         | Feet from the                                                       | N/S Line                       | Feet from the                                                          | E/W Line               | County        |
| <b>Surface:</b>                                                                                                                                                                                                                                                                                                                                                                           | O                                          | 9                                                                                                                                                                                     | 25S                                                           | 34E                      |                                             | 200                                                                 | SOUTH                          | 2638                                                                   | EAST                   | LEA           |
| <b>BH:</b>                                                                                                                                                                                                                                                                                                                                                                                | B                                          | 4                                                                                                                                                                                     | 25S                                                           | 34E                      |                                             | 109                                                                 | NORTH                          | 1648                                                                   | EAST                   | LEA           |
| 13. Date Spudded<br><b>11/21/2021</b>                                                                                                                                                                                                                                                                                                                                                     | 14. Date T.D. Reached<br><b>12/28/2021</b> |                                                                                                                                                                                       | 15. Date Rig Released<br><b>12/29/2021</b>                    |                          |                                             | 16. Date Completed (Ready to Produce)<br><b>04/11/2022</b>          |                                | 17. Elevations (DF and RKB, RT, GR, etc.) <b>3341' GR</b>              |                        |               |
| 18. Total Measured Depth of Well<br><b>MD 22,668' TVD 12,318'</b>                                                                                                                                                                                                                                                                                                                         |                                            |                                                                                                                                                                                       | 19. Plug Back Measured Depth<br><b>MD 22,644' TVD 12,318'</b> |                          |                                             | 20. Was Directional Survey Made?<br><b>YES</b>                      |                                | 21. Type Electric and Other Logs Run<br><b>None</b>                    |                        |               |
| 22. Producing Interval(s), of this completion - Top, Bottom, Name<br><b>WOLFCAMP 12,832 - 22,644'</b>                                                                                                                                                                                                                                                                                     |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
| <b>23. CASING RECORD (Report all strings set in well)</b>                                                                                                                                                                                                                                                                                                                                 |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
| CASING SIZE                                                                                                                                                                                                                                                                                                                                                                               |                                            | WEIGHT LB./FT.                                                                                                                                                                        |                                                               | DEPTH SET                |                                             | HOLE SIZE                                                           |                                | CEMENTING RECORD                                                       |                        | AMOUNT PULLED |
| 9 5/8"                                                                                                                                                                                                                                                                                                                                                                                    |                                            | 36#                                                                                                                                                                                   |                                                               | 1,005'                   |                                             | 12 1/4"                                                             |                                | 490 CL C/CIRC                                                          |                        |               |
| 7 5/8"                                                                                                                                                                                                                                                                                                                                                                                    |                                            | 29.7#                                                                                                                                                                                 |                                                               | 11,932'                  |                                             | 8 3/4"                                                              |                                | 1469 CL C & H /CIRC                                                    |                        |               |
| 5 1/2"                                                                                                                                                                                                                                                                                                                                                                                    |                                            | 20#                                                                                                                                                                                   |                                                               | 22,651'                  |                                             | 6 3/4"                                                              |                                | 985 CL H TOC 7414' CBL                                                 |                        |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
| 24. LINER RECORD                                                                                                                                                                                                                                                                                                                                                                          |                                            |                                                                                                                                                                                       |                                                               |                          |                                             | 25. TUBING RECORD                                                   |                                |                                                                        |                        |               |
| SIZE                                                                                                                                                                                                                                                                                                                                                                                      | TOP                                        | BOTTOM                                                                                                                                                                                | SACKS CEMENT                                                  | SCREEN                   | SIZE                                        | DEPTH SET                                                           | PACKER SET                     |                                                                        |                        |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
| 26. Perforation record (interval, size, and number)<br><br><b>12,832 - 22,644' 3 1/8", 2040 holes</b>                                                                                                                                                                                                                                                                                     |                                            |                                                                                                                                                                                       |                                                               |                          |                                             | 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.                     |                                |                                                                        |                        |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             | DEPTH INTERVAL                                                      |                                | AMOUNT AND KIND MATERIAL USED                                          |                        |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             | 12,832 - 22,644'                                                    |                                | FRAC W/24,360,692 lbs proppant, 376,387 bbls load fld                  |                        |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
| <b>28. PRODUCTION</b>                                                                                                                                                                                                                                                                                                                                                                     |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
| Date First Production<br><b>04/11/2022</b>                                                                                                                                                                                                                                                                                                                                                |                                            | Production Method ( <i>Flowing, gas lift, pumping - Size and type pump</i> )<br><b>Flowing</b>                                                                                        |                                                               |                          |                                             | Well Status ( <i>Prod. or Shut-in</i> )<br><b>Producing</b>         |                                |                                                                        |                        |               |
| Date of Test<br><b>04/21/2022</b>                                                                                                                                                                                                                                                                                                                                                         | Hours Tested<br><b>24</b>                  | Choke Size<br><b>64</b>                                                                                                                                                               | Prod'n For Test Period                                        | Oil - Bbl<br><b>3277</b> | Gas - MCF<br><b>6232</b>                    | Water - Bbl.<br><b>7312</b>                                         | Gas - Oil Ratio<br><b>1902</b> |                                                                        |                        |               |
| Flow Tubing Press.                                                                                                                                                                                                                                                                                                                                                                        | Casing Pressure<br><b>1010</b>             | Calculated 24-Hour Rate                                                                                                                                                               | Oil - Bbl.                                                    | Gas - MCF                | Water - Bbl.                                | Oil Gravity - API - ( <i>Corr.</i> )<br><b>43</b>                   |                                |                                                                        |                        |               |
| 29. Disposition of Gas ( <i>Sold, used for fuel, vented, etc.</i> )<br><b>SOLD</b>                                                                                                                                                                                                                                                                                                        |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                | 30. Test Witnessed By                                                  |                        |               |
| 31. List Attachments<br><b>C-102, C-104, C-103, Directional Survey, H spacing</b>                                                                                                                                                                                                                                                                                                         |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
| 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.                                                                                                                                                                                                                                                                                        |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
| 33. If an on-site burial was used at the well, report the exact location of the on-site burial:                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
| Latitude _____ Longitude _____ NAD 1927 1983                                                                                                                                                                                                                                                                                                                                              |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
| I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief                                                                                                                                                                                                                                                        |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |
| Signature <b>Kay Maddox</b>                                                                                                                                                                                                                                                                                                                                                               |                                            |                                                                                                                                                                                       | Name <b>Kay Maddox</b>                                        |                          |                                             | Title <b>Senior Regulatory Specialist</b>                           |                                |                                                                        | Date <b>04/28/2022</b> |               |
| E-mail Address <b>kay_maddox@eogresources.com</b>                                                                                                                                                                                                                                                                                                                                         |                                            |                                                                                                                                                                                       |                                                               |                          |                                             |                                                                     |                                |                                                                        |                        |               |

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

| Southeastern New Mexico |         |       | Northwestern New Mexico |         |       |                    |                  |
|-------------------------|---------|-------|-------------------------|---------|-------|--------------------|------------------|
| T. Anhy                 | Rustler | 897'  | T. Canyon               | Brushy  | 7934' | T. Ojo Alamo       | T. Penn A "      |
| T. Salt                 |         | 1272' | T. Strawn               |         |       | T. Kirtland        | T. Penn. "B"     |
| B. Salt                 |         | 5045' | T. Atoka                |         |       | T. Fruitland       | T. Penn. "C"     |
| T. Yates                |         |       | T. Miss                 |         |       | T. Pictured Cliffs | T. Penn. "D"     |
| T. 7 Rivers             |         |       | T. Devonian             |         |       | T. Cliff House     | T. Leadville     |
| T. Queen                |         |       | T. Silurian             |         |       | T. Menefee         | T. Madison       |
| T. Grayburg             |         |       | T. Montoya              |         |       | T. Point Lookout   | T. Elbert        |
| T. San Andres           |         |       | T. Simpson              |         |       | T. Mancos          | T. McCracken     |
| T. Glorieta             |         |       | T. McKee                |         |       | T. Gallup          | T. Ignacio Otzte |
| T. Paddock              |         |       | T. Ellenburger          |         |       | Base Greenhorn     | T. Granite       |
| T. Blinebry             |         |       | T. Gr. Wash             |         |       | T. Dakota          |                  |
| T. Tubb                 |         |       | T. Delaware Sand        |         |       | T. Morrison        |                  |
| T. Drinkard             |         |       | T. Bone Springs         |         |       | T. Todilto         |                  |
| T. Abo                  |         |       | T. 1st BS Sand          | 10,310' |       | T. Entrada         |                  |
| T. Wolfcamp             | 12,357' |       | T. 2nd BS Sand          | 10,829' |       | T. Wingate         |                  |
| T. Penn                 |         |       | T. 3RD BS SAND          | 11,941' |       | T. Chinle          |                  |
| T. Cisco (Bough C)      |         |       | T.                      |         |       | T. Permian         |                  |

No. 1, from.....to.....  
No. 2, from.....to.....  
No. 3, from.....to.....  
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

| From | To | Thickness<br>In Feet | Lithology |
|------|----|----------------------|-----------|
|      |    |                      |           |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 102843

**ACKNOWLEDGMENTS**

|                                                                             |                                                    |
|-----------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>EOG RESOURCES INC<br>5509 Champions Drive<br>Midland, TX 79706 | OGRID:<br>7377                                     |
|                                                                             | Action Number:<br>102843                           |
|                                                                             | Action Type:<br>[C-104] Completion Packet (C-104C) |

**ACKNOWLEDGMENTS**

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 102843

CONDITIONS

|                                                                             |                                                    |
|-----------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>EOG RESOURCES INC<br>5509 Champions Drive<br>Midland, TX 79706 | OGRID:<br>7377                                     |
|                                                                             | Action Number:<br>102843                           |
|                                                                             | Action Type:<br>[C-104] Completion Packet (C-104C) |

CONDITIONS

|                |           |                |
|----------------|-----------|----------------|
| Created By     | Condition | Condition Date |
| crystal.walker | None      | 8/12/2025      |