

Well Name: DODD FEDERAL UNIT	Well Location: T17S / R29E / SEC 22 / SESW / 32.8155243 / -104.0635681	County or Parish/State: EDDY / NM
Well Number: 95	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028731A	Unit or CA Name:	Unit or CA Number: NMNM111789X
US Well Number: 3001526535	Operator: SPUR ENERGY PARTNERS LLC	

Subsequent Report

Sundry ID: 2863827

Type of Submission: Subsequent Report Type of Action: Plug and Abandonment

Date Sundry Submitted: 07/17/2025 Time Sundry Submitted: 09:26

Date Operation Actually Began: 06/04/2025

Actual Procedure: Please find post job plugging report, as-plugged wellbore diagrams and photograph of dryhole marker attached for your review.

SR Attachments

Actual Procedure

Dodd_Fed_Unit_95_BLM_Submitted_SR_P_A_Packet_20250717092627.pdf

Well Name: DODD FEDERAL UNIT	Well Location: T17S / R29E / SEC 22 / SESW / 32.8155243 / -104.0635681	County or Parish/State: EDDY / NM
Well Number: 95	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028731A	Unit or CA Name:	Unit or CA Number: NMNM111789X
US Well Number: 3001526535	Operator: SPUR ENERGY PARTNERS LLC	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN
Signed on: JUL 17, 2025 09:26 AM
Name: SPUR ENERGY PARTNERS LLC
Title: Regulatory Director
Street Address: 9655 KATY FREEWAY SUITE 500
City: HOUSTON State: TX
Phone: (281) 642-5503
Email address: SCHAPMAN@SPURENERGY.COM

Field

Representative Name:
Street Address:
City: State: Zip:
Phone:
Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS
BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927
BLM POC Email Address: jamos@blm.gov
Disposition: Accepted
Disposition Date: 07/18/2025
Signature: James A Amos

Form 3160-5 (June 2019)	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021
SUNDRY NOTICES AND REPORTS ON WELLS <i>Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.</i>		5. Lease Serial No.
		6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2		7. If Unit of CA/Agreement, Name and/or No.
1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No.
2. Name of Operator		9. API Well No.
3a. Address	3b. Phone No. (include area code)	10. Field and Pool or Exploratory Area
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)		11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)		
	Title	
Signature	Date	

THE SPACE FOR FEDERAL OR STATE OFFICE USE		
Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SESW / 990 FSL / 2360 FWL / TWSP: 17S / RANGE: 29E / SECTION: 22 / LAT: 32.8155243 / LONG: -104.0635681 (TVD: 0 feet, MD: 0 feet)

BHL: SESW / 990 FSL / 2360 FWL / TWSP: 17S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)


Dodd Fed 95 Daily P&A Ops Summary

Begin	End	Summary
6/4/2025	6/4/2025	AOL JSA HSE topic suspended loads check well pressure 500# bleed well down TOOH with rods ND WH NU BOP start to TOOH with tubing secure well SDFN travel
6/5/2025	6/5/2025	AOL JSA HSE topic trapped pressure check well pressure 500# attempt to bleed down well did not bleed down kill well TOOH with all tubing RU WL RIH GRJB to 4050' RIG CIBP set @3921' load well would lose fluid possible hole @ around 70'+/- RIH log well from 3921 to surface TIH tag CIBP @ 3921' secure well SDFN travel
6/6/2025	6/6/2025	AOL JSA HSE topic hand Placement TIH tag CIBP @ 3921' RU pump to tubing break circulation test casing it did not test, M&P plug #1 25 sxs Class C cement 1.32 yield 14.8# TOOH LD 8 SB 10 TIH tag plug 1 @ 3673' MUH to 2490' RU pump to tubing break circulation, M&P plug 2 55 sxx Class C cement 1.32 yield 14.8 # TOOH LD 10 SB 10 WOC TIH tag plug 2 @ 1980' MUH to 1839' RU pump to tubing break circulation M&P plug 3 25 sxs Class C cement 1.32 yield 14.8# TOOH LD 8 SB 10 WOC ON secure well SDFN travel
6/9/2025	6/9/2025	AOL JSA HSE topic muster areas TIH tag plug 3 @ 1587' MUH to 979' RU pump to tubing break circulation M&P plug 4 26 sxs Class C cement 1.32 yield 14.8# TOOH LD 8 SB rest WOC TIH tag plug @ 715' TOOH RU WL RIH perf @ 496'RD WL TIH with packer break circulation secure well SDFN travel
6/10/2025	6/10/2025	AOL JSA HSE topic hand placement break circulation M&P plug 5496 to surface ND BOP top off well RD PU secure location prep to move could not move drive shaft broke on rig sdfn travel
6/27/2025	6/27/2025	Notified BLM/NMOCD and installed dryhole marker.

API #	30-015-26535	Actual P&A DODD FEDERAL UNIT 95	County, ST	Eddy County, NM
Operator	Spur Energy Partners		Sec-Twn-Rng	22-17S-29E
Field	GRAYBURG IAKCON		Footage	990 FSL 2360 FWL
Spud Date	12/3/1990		Survey	32.8155289,-104.0635452

Formation (MD)	
TOP OF SALT	291
BASE OF SALT	446
YATES	833
QUEEN	1,739
GREYBURG	2,042
SAN ANDRES	2,440
GLORIETA	3,902
YESO	3,968

RKB	
GL	3543
Hole Size	12 1/4"
TOC	SURFACE
Method	CIRC
Csg Depth	213'
Size	8 5/8"
Weight	48 & 54#
Grade	
Connections	
Cement	225 SXS



TOP OF SALT @ 291'

Plug #5: Spot 55 sxs class C cmt from 496' - Surface

BASE OF SALT @ 446'

TOP OF YATES @ 833'

Plug #4: Spot 25 sxs class C cmt from 979' - 715'

Plug #3: Spot 25 sxs class C cmt from 1,839' - 1,587'

TOP OF QUEEN @ 1,739'

TOP OF GREYBURG @ 2,042'

DV Tool @ 2243'

TOP OF SAN ANDRES @ 2,440'

Plug #2: Spot 55 sxs class C cmt from 2,490' - 1,980'

PERFS FROM 2658' - 3253' LISTED AS FICTITIOUS

Plug #1: Set CIBP @ 3921'. Spot 25 sxs class C cmt from 3,921' - ,673'

TOP OF GLORIETA @ 3,902'

TOP OF YESO @ 3,968'

12/8/1990: PERFS @ 3971' - 4246'

Hole Size	7 7/8"
TOC	SURF
Method	CIRC
Csg Depth	4,461'
Size	5 1/2"
Weight	17#
Grade	
Connections	
Cement	2500 SXS

Last Update	11/20/2024
By	WSC

PBTD	4,460
TD MD	4,520
TD TVD	4,520

Dodd Federal 95



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 486407

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 486407
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	8/13/2025