

Santa Fe Main Office
Phone: (505) 476-3441
General Information
Phone: (505) 629-611

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

Online Phone Directory Visit:
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-04318
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 015823
7. Lease Name or Unit Agreement Name Eunice Monument Unit
8. Well Number 27
9. OGRID Number 03044
10. Pool name or Wildcat Eunice Monument; Grayburg- San Andres

<p>SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>	
<p>1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other - P&A'd Well <input checked="" type="checkbox"/></p>	
<p>2. Name of Operator Burgundy Oil & Gas of New Mexico, Inc.</p>	
<p>3. Address of Operator 505 N. Big Spring St., Suite 603 Midland, TX 79701</p>	
<p>4. Well Location Unit Letter P : 330 feet from the East line and 330 feet from the South line Section 24 Township 20S Range 36E NMPM County Lea</p>	
<p>11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3535' GL</p>	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: Leaking plugged well - Drill out & plug to stop leak <input checked="" type="checkbox"/>		OTHER: <input type="checkbox"/>	

Notify OCD 24 hrs. prior to any work
done, gilbert.cordero@emnrd.nm.gov

so a CO may be assigned.

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Leaking Plugged Well - Procedure to drill out and plug to stop leak.

Please see attached

SEE CHANGES TO PROCEDURE

Spud Date:

Rig Release Date:

MUST BE PLUGGED BY 12/25/25

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Cindy Campbell TITLE Production Accountant DATE 08/05/2025
Type or print name Cindy Campbell E-mail address: ccampbell@burgundy-oil.com PHONE: 432-684-4033, x-205
For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 8/14/25
Conditions of Approval (if any):

Eunice Monument; Grayburg-SanAndres

APPROVED
GC 8/14/25

1. MIRU Su. Drill out 1st plug @300' and 2nd plug @ 1200' with 6 ¼ bit.
2. TIH with bit and tag plug 2326' - TOOH with bit.
3. **Run CBL to Surface - Review with OCD**
4. TIH with PKR @ 1400' and test CSG @ 500#- if ok TOOH with PKR @ 1150' and test CSG or EIR based on results – determine cement if need.
5. Pump cement- WOC-tag test CSG to 500#, if ok JOH with PKR to 275'.
6. Test CSG @ 500# or EIR- determine cement required if injection rate attained.
7. Pump cement thru SQ hole @ 300' and circulate to surface -WOC.
8. Tag cement & test CSG to 500#- if ok fill CSG with cement.
9. Reinstall DHM.
10. Complete surface reclamation.

CURRENT WELLBORE

Burgin Oil & Gas of NM, Inc.

API 30-025-04318

ORIG Repollo W.W. White #1 8/37

WELL NAME

EUNICE MONUMENT UNIT # 27

KB 3546'

WELL ID NAME

EUNICE MONUMENT-GR./SAN ANDRES

DF 3545'

COUNTY, STATE


LEA COUNTY, NEW MEXICO

GL 3535'

E/2 sec 4

330' F&S FEL Sect 24

COMPL. DATE: 8-11-37



FINAL WELLBORE

MARCH 29, 2012

CASING SIZE 7"
CASING TYPE 24# 10I
CMT w/ 300sx
CALC TO C 1100'

CMT SA 3650'
+ 15' CMT

Q-92 to 4000'; Log; perf 3858-62;

3892-83; 3892-3956 (32); ACD w/

1500gal, 150# salt, 1500gal, 250# salt, 1500gal

x flush, 35 bbls; install 2" F&S 1 1/4"

505- Install 2280 PU - IP OBox 300bw

6 1/4"

BOT 3/05
SDT 6/11

Proposed well bore

Burgin Oil & Gas of NM, Inc.


ORIG Repollo W.W. White #1 8/37

WELL NAME
WELL NAME
COUNTY, STATE

EUNICE MONUMENT UNIT # 27
EUNICE MONUMENT-GR./SAN ANDRES
LEA COUNTY, NEW MEXICO
330' F&S FEL Sect 24

API 30-025-04318
KB 3546'
DF 3545'
GL 3535'

COMPL. DATE: 8-11-37



CASING SIZE 7"
CASING TYPE 24# 10I
CPT W/ 30054
CALC TO C 1100'

9-72 φ to 4000'; Log; perf 385B-62;
3892-83; 3892-3956 (32); ACD W/
1500 gal, 150' salt, 1500 gal, 250' salt, 1500 gal
x flush w/ 35 bbls; install 1" F&S 1 9/16"
385- Install 2280 P11 - IP ODOx 3008W

BOT 2/05
BOT 6/11

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 492282

CONDITIONS

Operator: BURGUNDY OIL & GAS OF N M INC 505 N. Big Spring St. Midland, TX 79701	OGRID: 3044
	Action Number: 492282
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
gcordero	A Cement Bond Log (CBL) is required to be submitted to electronic permitting.	8/14/2025
gcordero	Submit Cement Bond Logs (CBL) prior to submittal of C-103P.	8/14/2025