

C-104 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024
--	---	----------------------

REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**Section 1 - Operator and Well Information**

Submittal Type: ☐ Test Allowable (C-104RT) ☒ New Well (C-104NW) ☐ Recomplete (C-104RC) ☐ Pay Add (C-104RC) ☐ Amended	
Operator Name: OXY USA INC.	OGRID: 16696
Property Name and Well Number: GOLD LOG 4-9 FEDERAL COM #072H	Property Code: 334838
Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-0 25-52190
Pool Name: BILBREY BASIN; BONE SPRING	Pool Code: 5695

Section 2 – Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
D	4	22S	32E	4	399'FNL	1316'FWL	32.42682476	-103.68403248	LEA

Section 3 – Completion Information

Producing Method FLOWING	Ready Date 04/02/2024	Perforations MD 11472'MD-21072'MD	Perforations TVD 11038'V-11163'V
------------------------------------	---------------------------------	---	--

Section 4 – Action IDs for Submissions and Order Numbers

List Action IDs for Drilling Sundries	Was an Order required / needed (Y/N), if yes list Order number:
C-104 RT Action ID (if C-104NW):	Communitization Agreement ☒ Yes ☐ No, Order No.
Surface Casing Action ID: APPRVD 9/27/24 293937	Unit: ☐ Yes ☒ No, Order No.
Intermediate 1 Casing Action ID: 402852	Compulsory Pooling: ☐ Yes ☐ No, Order No.
Intermediate 2 Casing Action ID:	Down Hole Commingling: ☐ Yes ☒ No, Order No.
Production Casing Action ID: 325932	Surface Commingling: ☒ Yes ☐ No, Order No. PLC-933/PLC922
All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No	Non-standard Location: ☐ Yes ☒ No ☐ Common ownership Order No.
Liner 1 Action ID:	Non-standard Proration: ☒ Yes ☐ No, Order No. R-22684
Casing was installed prior to OCD's Action ID system (Y/N): N	Simultaneous Dedication: ☐ Yes ☐ No, Order No.

Section 5 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name LESLIE REEVES <i>Leslie T. Reeves</i>	
Title REGULATORY MANAGER	Date 1/17/2025

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals, & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024 PAGE 1 OF 2
		Submittal Type: ☐ Initial Submittal ☐ Amended Report ☒ As Drilled

WELL LOCATION INFORMATION

API Number 30-025-52190	Pool Code 5695	Pool Name BILBREY BASIN; BONE SPRING
Property Code 334838	Property Name GOLD LOG 4_9 FEDERAL COM	Well Number 72H
OGRID No. 16696	Operator Name OXY USA INC.	Ground Level Elevation 3797'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL D	Section 04	Township 22S	Range 32E	Lot 4	Ft. from N/S 399' FNL	Ft. from E/W 1316' FWL	Latitude (NAD83) 32.42682476	Longitude (NAD83) -103.68403248	County LEA
---------	---------------	-----------------	--------------	----------	--------------------------	---------------------------	---------------------------------	------------------------------------	---------------

Bottom Hole Location

UL N	Section 09	Township 22S	Range 32E	Lot	Ft. from N/S 50' FSL	Ft. from E/W 1811' FWL	Latitude (NAD83) 32.39906828	Longitude (NAD83) -103.68237447	County LEA
---------	---------------	-----------------	--------------	-----	-------------------------	---------------------------	---------------------------------	------------------------------------	---------------

Dedicated Acres 1279.16	Infill or Defining Well INFILL	Defining Well API	Overlapping Spacing Unit (Y/N) N	Consolidation Code COM
Order Numbers: R-22684			Well setbacks are under Common Ownership: ☐ Yes ☐ No	

Kick Off Point (KOP)

UL C	Section 04	Township 22S	Range 32E	Lot 3	Ft. from N/S 128' FNL	Ft. from E/W 1757' FWL	Latitude (NAD83) 32.42757418	Longitude (NAD83) -103.68260494	County LEA
---------	---------------	-----------------	--------------	----------	--------------------------	---------------------------	---------------------------------	------------------------------------	---------------

First Take Point (FTP)

UL C	Section 04	Township 22S	Range 32E	Lot 3	Ft. from N/S 778' FNL	Ft. from E/W 1794' FWL	Latitude (NAD83) 32.42578783	Longitude (NAD83) -103.68247676	County LEA
---------	---------------	-----------------	--------------	----------	--------------------------	---------------------------	---------------------------------	------------------------------------	---------------

Last Take Point (LTP)

UL N	Section 09	Township 22S	Range 32E	Lot	Ft. from N/S 175' FSL	Ft. from E/W 1813' FWL	Latitude (NAD83) 32.39941181	Longitude (NAD83) -103.68236825	County LEA
---------	---------------	-----------------	--------------	-----	--------------------------	---------------------------	---------------------------------	------------------------------------	---------------

Unitized Area or Area of Uniform Interest	Spacing Unit Type: ☒ Horizontal ☐ Vertical	Ground Floor Elevation 3797'
---	---	---------------------------------

OPERATOR CERTIFICATIONS

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.

Leslie T. Reeves 1/17/2025

Signature

Date

LESLIE REEVES
Printed Name

LESLIE_REEVES@oxy.com
Email Address

SURVEYOR CERTIFICATIONS

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by Delta Field Servi



Signature and Seal of Professional Surveyor

Certificate Number

29049

Date of Survey

DECEMBER 11, 2024

ACREAGE DEDICATION PLATS

GOLD LOG 4_9 FEDERAL COM 72H

PAGE 2 OF 2

SHL (NAD83)
X:741676.86' / Y:519618.71'
LAT:32.42682476 / LON:-103.68403248

SHL (NAD27)
X:700494.84' / Y:519557.85'
LAT:32.42670206 / LON:-103.68354349

KOP (NAD83)
X:742115.67' / Y:519894.03'
LAT:32.42757418 / LON:-103.68260494

KOP (NAD27)
X:700933.65' / Y:519833.16'
LAT:32.42745148 / LON:-103.68211597

FTP (NAD83)
X:742159.18' / Y:519244.39'
LAT:32.42578783 / LON:-103.68247676

FTP (NAD27)
X:700977.14' / Y:519183.54'
LAT:32.42566511 / LON:-103.68198786

PPP-1 (NAD83)
X:742221.23' / Y:517394.30'
LAT:32.42070155 / LON:-103.68231218

PPP-1 (NAD27)
X:701039.15' / Y:517333.50'
LAT:32.42057881 / LON:-103.68182347

PPP-2 (NAD83)
X:742250.83' / Y:514751.01'
LAT:32.41343560 / LON:-103.68226845

PPP-2 (NAD27)
X:701068.62' / Y:514690.29'
LAT:32.41331284 / LON:-103.68178017

PPP-3 (NAD83)
X:742260.28' / Y:510791.10'
LAT:32.40255103 / LON:-103.68231595

PPP-3 (NAD27)
X:701078.02' / Y:510730.48'
LAT:32.40242822 / LON:-103.68182793

LTP (NAD83)
X:742251.10' / Y:509648.95'
LAT:32.39941181 / LON:-103.68236825

LTP (NAD27)
X:701068.80' / Y:509588.36'
LAT:32.39928899 / LON:-103.68188034

BHL (NAD83)
X:742249.94' / Y:509523.96'
LAT:32.39906828 / LON:-103.68237447

BHL (NAD27)
X:701067.64' / Y:509463.37'
LAT:32.39894545 / LON:-103.68188657

CORNER COORDINATES NAD 83, SPCS NM EAST	CORNER COORDINATES NAD 27, SPCS NM EAST
A - X: 745644.16' / Y:520058.90'	A - X: 704462.12' / Y:519998.02'
B - X: 745661.75' / Y:517422.47'	B - X: 704479.64' / Y:517361.66'
C - X: 745685.06' / Y:514781.19'	C - X: 704502.88' / Y:514720.45'
D - X: 745702.47' / Y:512140.78'	D - X: 704520.21' / Y:512080.12'
E - X: 745721.08' / Y:509499.99'	E - X: 704538.75' / Y:509439.40'
F - X: 743081.09' / Y:509483.21'	F - X: 701898.78' / Y:509422.62'
G - X: 740439.76' / Y:509452.87'	G - X: 699257.47' / Y:509392.29'
H - X: 740420.51' / Y:512091.09'	H - X: 699238.29' / Y:512030.44'
I - X: 740401.36' / Y:514735.23'	I - X: 699219.21' / Y:514674.51'
J - X: 740382.16' / Y:517379.24'	J - X: 699200.09' / Y:517318.44'
K - X: 740357.59' / Y:520004.58'	K - X: 699175.58' / Y:519943.71'
L - X: 742997.32' / Y:520030.51'	L - X: 701815.30' / Y:519969.64'

*FTP to LTP LEASE DISTANCES

TRACT	DISTANCE
NMNM 086710	1851.29'
NMNM 077057	3961.12'
TOTAL	5212.41'



○ Drill Line Events ● Section Corners — Drill Line — Dimension Lines — Federal Leases — HSU ○ HSU Corners

All bearings and coordinates refer to New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet.

JOB No. R4247_001
REV 1 NDS 12/10/2024

Distances/areas relative to NAD 83 grid measurements. Combined Scale Factor: 0.99995506 and a Convergence Angle: 0.34800000°





OXY



Borehole:				Well:				Field:				Structure:							
Gold Log 4-9 Fed Com 72H				Gold Log 4-9 Fed Com 72H				NM Lea County (NAD 83)				OXY Gold Log 4-9 Fed Com Pad (HP 373)							
Gravity & Magnetic Parameters								Surface Location				NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous			
Model: IFR1		Dip: 60.105°		Date: 09-Jan-2024				Lat: N 32 25 36.57		Northing: 519618.71fUS		Grid Conv: 0.3482°		Slot: Gold Log 4-9 Fed Com 72H		TVD Ref: RKB (3823.000 ft above MSL)			
MagDec: 6.569°		FS: 47662.4nT		Gravity FS: 998.451mgn (9.80665 Based)				Lon: W 103 41 2.52		Easting: 741676.86fUS		Scale Fact: 0.99995506		Plan: Oxy Gold Log 4-9 Fed Com 72H Rev5 AR 11Jan24					

Critical Points								
Comments	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,823.00
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3,797.00
First 3rd Party Survey	169.00	0.11	55.03	169.00	-0.07	0.08	0.11	-3,654.00
Last 3rd Party Survey	980.00	0.19	42.05	979.99	-2.54	2.60	0.84	-2,843.01
First SLB Survey	1,055.00	0.53	20.01	1,054.99	-2.95	3.02	1.04	-2,768.01
FTP / 100ft FNL Cross	10,523.60	12.07	139.07	10,497.77	-277.85	302.95	418.53	6,674.77
Actual KOP	10,629.00	22.68	149.60	10,597.26	-249.07	275.32	438.81	6,774.26
3rd BS Line Intersection	10,910.73	43.21	178.77	10,832.00	-99.20	126.64	463.62	7,009.00
Enter Lateral Window	11,155.50	63.86	176.60	10,977.26	95.78	-68.31	469.72	7,154.26
Section 4-9 Line Cross	15,968.30	89.61	178.95	11,121.68	4,892.94	-4,867.63	573.97	7,298.68
LTP / 100ft FSL Cross	21,147.70	89.88	180.55	11,163.07	10,061.80	-10,045.45	573.56	7,340.07
Final Survey	21,157.00	89.88	180.56	11,163.09	10,071.08	-10,054.75	573.47	7,340.09
Projection to Total Depth	21,197.00	89.88	180.56	11,163.17	10,110.98	-10,094.75	573.08	7,340.17





Oxy Gold Log 4-9 Fed Com 72H MWD+IFR1 Surveys to 21197ft Survey

Geodetic Report Definitive Survey



Report Date: February 15, 2024 - 02:20 PM (UTC 0)
Client: OXY
Field: NM Lea County (NAD 83)
Structure / Slot: OXY Gold Log 4-9 Fed Com Pad (HP 373) / Gold Log 4-9 Fed Com 72H
Well: Gold Log 4-9 Fed Com 72H
Borehole: Gold Log 4-9 Fed Com 72H
UBH/ API / JobNumber: Unknown / Unknown / Unknown
Survey Name / Version: Oxy Gold Log 4-9 Fed Com 72H MWD+IFR1 Surveys to 21197ft / 3
Survey Date: December 28, 2023
Tort / AHD / DDI / ERD Ratio: 228.080 ° / 10955.285 ft / 6.676 / 0.981
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32°25'36.56914" , W 103°14'12.51694"
Location Grid NE YX: N 519618.710 RUS , E 741676.860 RUS
CRS Grid Convergence Angle: 0.348"
Grid Scale Factor: 0.99995506
Engine Version: 2023.1.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 176.633 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3823.000 ft above MSL
Seabed / Ground Elevation: 3797.000 ft above MSL
Magnetic Declination: 6.569°
Total Gravity Field Strength: 998.450 mgn (9.80655 Basad)
Gravity Model: GARM
Total Magnetic Field Strength: 47662.4 nT
Magnetic Dip Angle: 60.105°
Declination Date: January 09, 2024
Magnetic Declination Model: IFR1
North Reference: Grid
Total Corr Mag: 6.221°
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (+1000)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3.823.00	0.00	519.618.71	741.676.86	N 32°25'36.57"	W 103°14'12.52"		
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3.797.00	0.00	519.618.71	741.676.86	N 32°25'36.57"	W 103°14'12.52"	0.00	0.00
First 3rd Party Survey	169.00	0.11	55.03	169.00	-0.07	0.08	0.11	-3.654.00	0.08	519.618.79	741.676.97	N 32°25'36.57"	W 103°14'12.52"	0.14	55.03
	255.00	0.33	65.01	255.00	-0.21	0.23	0.40	-3.568.00	0.26	519.618.94	741.677.26	N 32°25'36.57"	W 103°14'12.51"	0.47	60.32
	350.00	0.07	35.58	350.00	-0.35	0.39	0.69	-3.473.00	0.29	519.619.10	741.677.55	N 32°25'36.57"	W 103°14'12.51"	0.79	60.18
	444.00	0.31	40.19	444.00	-0.58	0.63	0.88	-3.379.00	0.26	519.619.34	741.677.74	N 32°25'36.58"	W 103°14'12.51"	1.09	54.33
	538.00	0.18	35.104	538.00	-0.91	0.97	1.02	-3.285.00	0.25	519.619.68	741.677.88	N 32°25'36.58"	W 103°14'12.50"	1.41	46.45
Last 3rd Party Survey First SLB Survey	632.00	0.21	35.539	632.00	-1.23	1.29	0.99	-3.191.00	0.04	519.620.00	741.677.85	N 32°25'36.58"	W 103°14'12.51"	1.63	37.41
	726.00	0.18	34.098	726.00	-1.55	1.61	0.95	-3.097.00	0.04	519.620.32	741.677.81	N 32°25'36.59"	W 103°14'12.51"	1.87	30.47
	820.00	0.24	35.578	820.00	-1.89	1.95	0.90	-3.003.00	0.07	519.620.66	741.677.76	N 32°25'36.59"	W 103°14'12.51"	2.15	24.87
	914.00	0.28	34.126	913.99	-2.31	2.36	0.82	-2.909.01	0.08	519.621.07	741.677.68	N 32°25'36.59"	W 103°14'12.51"	2.50	19.04
	960.00	0.19	42.05	979.99	-2.54	2.60	0.84	-2.843.01	0.38	519.621.31	741.677.70	N 32°25'36.59"	W 103°14'12.51"	2.73	17.86
	1055.00	0.53	20.01	1054.99	-2.95	3.02	1.04	-2.768.01	0.48	519.621.73	741.677.90	N 32°25'36.60"	W 103°14'12.50"	3.19	19.01
	1150.00	0.74	48.72	1149.99	-3.73	3.83	1.65	-2.673.01	0.39	519.622.54	741.678.51	N 32°25'36.61"	W 103°14'12.50"	4.17	23.29
	1245.00	0.62	54.14	1244.98	-4.38	4.54	2.53	-2.578.02	0.14	519.623.25	741.679.39	N 32°25'36.61"	W 103°14'12.49"	5.20	29.11
	1340.00	0.53	56.56	1339.98	-4.88	5.08	3.31	-2.483.02	0.10	519.623.79	741.680.17	N 32°25'36.62"	W 103°14'12.48"	6.07	33.08
	1435.00	0.61	70.89	1434.97	-5.24	5.49	4.16	-2.388.03	0.17	519.624.20	741.681.02	N 32°25'36.62"	W 103°14'12.47"	6.89	37.12
	1530.00	0.59	67.45	1529.97	-5.53	5.84	5.09	-2.293.03	0.04	519.624.55	741.681.94	N 32°25'36.63"	W 103°14'12.46"	7.75	41.03
	1625.00	0.46	59.55	1624.96	-5.87	6.22	5.87	-2.198.04	0.16	519.624.93	741.682.73	N 32°25'36.63"	W 103°14'12.45"	8.55	43.30
	1719.00	0.49	73.28	1718.96	-6.13	6.53	6.58	-2.104.04	0.12	519.625.24	741.683.44	N 32°25'36.63"	W 103°14'12.44"	9.27	45.20
	1814.00	0.65	80.89	1813.95	-6.28	6.73	7.50	-2.009.05	0.19	519.625.44	741.684.36	N 32°25'36.64"	W 103°14'12.43"	10.08	48.07
	1909.00	0.62	68.59	1908.95	-6.49	7.01	8.51	-1.914.05	0.15	519.625.72	741.685.37	N 32°25'36.64"	W 103°14'12.42"	11.02	50.53
	2004.00	0.86	72.50	2003.94	-6.83	7.41	9.67	-1.819.06	0.26	519.626.12	741.686.53	N 32°25'36.64"	W 103°14'12.40"	12.18	52.53
	2099.00	0.88	73.12	2098.93	-7.17	7.83	11.04	-1.724.07	0.02	519.626.54	741.687.90	N 32°25'36.65"	W 103°14'12.39"	13.54	54.65
	2193.00	1.04	67.74	2192.92	-7.62	8.37	12.52	-1.630.08	0.20	519.627.08	741.689.38	N 32°25'36.65"	W 103°14'12.37"	15.06	56.25
	2288.00	1.26	64.65	2287.90	-8.29	9.14	14.27	-1.535.10	0.24	519.627.85	741.691.13	N 32°25'36.66"	W 103°14'12.35"	16.94	57.35
	2384.00	1.25	65.04	2383.87	-9.07	10.03	16.17	-1.439.13	0.01	519.628.74	741.693.03	N 32°25'36.67"	W 103°14'12.33"	19.03	58.18
	2478.00	1.09	62.27	2477.85	-9.81	10.88	17.89	-1.345.15	0.18	519.629.59	741.694.75	N 32°25'36.67"	W 103°14'12.31"	21.13	58.69
	2573.00	1.33	64.92	2572.83	-10.59	11.77	19.69	-1.250.17	0.26	519.630.48	741.696.55	N 32°25'36.68"	W 103°14'12.29"	22.94	59.13
	2668.00	1.49	71.90	2667.80	-11.32	12.62	21.86	-1.155.20	0.25	519.631.33	741.698.72	N 32°25'36.69"	W 103°14'12.26"	25.24	60.00
	2763.00	1.66	73.11	2762.77	-11.95	13.41	24.35	-1.060.23	0.18	519.632.12	741.701.21	N 32°25'36.70"	W 103°14'12.23"	27.80	61.17
	2858.00	2.06	76.54	2857.72	-12.57	14.20	27.33	-965.28	0.44	519.632.91	741.704.19	N 32°25'36.71"	W 103°14'12.20"	30.80	62.54
	2953.00	2.39	83.14	2952.65	-13.00	14.84	30.96	-870.35	0.44	519.633.55	741.707.81	N 32°25'36.71"	W 103°14'12.15"	34.30	64.39
	3048.00	3.07	81.58	3047.54	-13.34	15.45	35.44	-775.46	0.72	519.634.16	741.712.30	N 32°25'36.72"	W 103°14'12.10"	38.66	66.45
	3143.00	3.02	76.50	3142.40	-14.00	16.40	40.39	-680.60	0.29	519.635.11	741.717.25	N 32°25'36.73"	W 103°14'12.04"	43.59	67.90
	3238.00	1.86	39.06	3237.32	-15.58	18.18	43.79	-585.68	2.01	519.636.89	741.720.05	N 32°25'36.75"	W 103°14'12.00"	47.42	67.45
	3333.00	2.32	49.30	3332.26	-17.88	20.64	46.22	-490.74	0.62	519.639.34	741.723.08	N 32°25'36.77"	W 103°14'11.98"	50.62	65.94
	3428.00	2.72	56.56	3427.17	-20.18	23.13	49.66	-395.63	0.54	519.641.84	741.726.42	N 32°25'36.80"	W 103°14'11.94"	54.69	64.58
	3523.00	2.78	52.18	3522.06	-22.61	25.79	53.26	-300.94	0.23	519.644.49	741.730.12	N 32°25'36.82"	W 103°14'11.89"	59.18	64.17
	3618.00	2.22	41.51	3616.97	-25.22	28.58	56.30	-206.03	0.76	519.647.29	741.733.16	N 32°25'36.85"	W 103°14'11.86"	63.14	63.09
	3713.00	3.46	40.41	3711.85	-28.59	32.14	59.38	-111.15	1.31	519.650.85	741.736.24	N 32°25'36.88"	W 103°14'11.82"	67.32	61.58
	3808.00	2.58	49.75	3806.72	-31.95	35.70	62.87	-18.28	1.06	519.651.41	741.739.73	N 32°25'36.92"	W 103°14'11.78"	72.50	60.41
	3903.00	2.04	55.24	3901.61	-34.11	38.85	65.69	78.64	0.61	519.656.75	741.742.75	N 32°25'36.94"	W 103°14'11.75"	76.09	60.00
	3998.00	2.32	51.33	3996.57	-36.10	40.21	68.78	173.57	0.33	519.658.92	741.745.64	N 32°25'36.96"	W 103°14'11.71"	79.68	59.69
	4093.00	0.36	122.26	4091.54	-37.04	41.25	70.54	268.54	2.35	519.659.96	741.747.39	N 32°25'36.97"	W 103°14'11.69"	81.72	59.68
	4188.00	0.59	58.45	4186.54	-37.10	41.35	71.21	363.54	0.57	519.660.06	741.748.06	N 32°25'36.97"	W 103°14'11.68"	82.34	59.86
	4283.00	0.54	48.71	4281.53	-37.60	41.90	71.96	458.53	0.11	519.660.81	741.748.82	N 32°25'36.98"	W 103°14'11.67"	83.27	59.79
	4378.00	0.66	46.05	4376.53	-38.23	42.58	72.69	553.35	0.13	519.661.28	741.749.55	N 32°25'36.99"	W 103°14'11.67"	84.24	59.64
	4474.00	1.20	45.71	4472.52	-39.25	43.66	73.81	649.52	0.56	519.662.37	741.750.67	N 32°25'37.00"	W 103°14'11.65"	85.76	59.39
	4569.00	1.44	40.55	4567.50	-40.65	45.14	75.18	744.50	0.13	519.663.85	741.752.04	N 32°25'37.01"	W 103°14'11.64"	87.69	59.02
	4664.00	1.24	38.92	4662.47	-42.15	46.73	76.49	839.47	0.03	519.665.44	741.753.35	N 32°25'37.03"	W 103°14'11.62"	89.64	58.58
	4758.00	1.14	33.31	4756.45	-43.66	48.30	77.64	933.45	0.16	519.667.01	741.754.50	N 32°25'37.04"	W 103°14'11.61"	91.44	58.12
	4853.00	0.87	29.84	4851.44	-45.12	49.81	78.51	1028.44	0.23	519.668.52	741.755.37	N 32°25'37.06"	W 103°14'11.59"	93.67	57.61
	4948.00	2.43	41.50	4946.39	-47.25	52.05	80.20	1123.39	1.60	519.670.75	741.757.06	N 32°25'37.08"	W 103°14'11.58"	95.61	57.02
	5043.00	4.29	41.39	5041.23	-51.20	56.22	83.88	1218.23	1.96	519.674.93	741.760.74	N 32°25'37.12"	W 103°14'11.53"	100.98	56.17
	5138.00	5.69	45.39	5135.86	-56.83	62.19	89.59	1312.86	1.52	519.680.90	741.766.44	N 32°25'37.18"	W 103°14'11.47"	109.06	55.23
	5233.00	5.79	46.56	5230.39	-63.01	68.80	96.42	1407.39	0.16	519.687.50	741.773.27	N 32°25'37.24"	W 103°14'11.39"	118.44	54.49
5328.00	5.73	46.48	5324.91	-69.22	75.42	103.28	1501.91	0.13	519.694.12	741.780.13	N 32°25'37.31"	W 103°14'11.31"	127.88	53.86	
5423.00	5.72	51.19	5419.35	-75.44	81.94	110.84	1596.35	1.18	519.701.39	741.787.39	N 32°25'37.38"	W 103°14'11.22"	138.13	53.43	
5517.00	6.73	50.96	5512.68	-82.20	89.38	119.57	1689.68	0.24	519.708.09	741.796.42	N 32°25'37.45"	W 103°14'11.12"	149.28	53.22	
5613.00	6.55	49.09	5608.02	-88.92	96.61	128.21	1785.02	0.46	519.715.32	741.805.06	N 32°25'37.52"	W 103°14'11.01"	160.53	53.00	
5707.00	6.14	48.12	5701.44	-95.31	103.48	136.00	1876.44	0.45	519.722.19	741.812.85	N 32°25'37.58"	W 103°14'10.92"	170.89	52.73	
5802.00	5.95	48.75	5795.91	-101.10	110.12	143.49	1972.91	0.21	519.728.82	741.820.34	N 32°25'37.65"	W 103°14'10.84"	180.87	52.50	
5897.00	5.1														

FTP / 100ft FNL Cross	10,476.00	4.01	127.44	10,450.68	-282.89	307.74	413.94	6,627.68	3.46	519,926.43	742,090.78	N 32°25'39.59"	W 103°40'57.67"	515.80	53.37
	10,523.60	12.07	139.07	10,497.77	-277.85	302.95	418.53	6,674.77	17.20	519,921.65	742,095.37	N 32°25'39.54"	W 103°40'57.61"	516.67	54.10
	10,571.00	20.59	150.52	10,543.27	-267.22	292.80	426.90	6,720.27	17.20	519,914.49	742,103.74	N 32°25'39.44"	W 103°40'57.52"	517.66	55.56
	10,620.00	22.68	160.00	10,597.26	-249.07	275.32	438.81	6,774.26	6.70	519,894.02	742,115.65	N 32°25'39.27"	W 103°40'57.38"	518.03	57.89
	10,666.00	24.44	163.96	10,631.18	-235.66	262.29	445.78	6,808.18	6.70	519,880.99	742,122.62	N 32°25'39.14"	W 103°40'57.30"	517.22	59.53
	10,760.00	32.16	172.96	10,714.05	-192.60	219.84	457.42	6,891.05	12.53	519,838.54	742,134.26	N 32°25'38.72"	W 103°40'57.16"	507.51	64.33
	10,855.00	40.54	176.86	10,790.51	-136.38	163.81	462.22	6,967.51	9.15	519,782.51	742,139.06	N 32°25'38.16"	W 103°40'57.11"	490.39	70.49
	10,910.73	43.21	178.77	10,832.00	-99.20	126.64	463.62	7,009.00	5.31	519,745.35	742,140.46	N 32°25'37.79"	W 103°40'57.10"	480.61	74.72
	10,950.00	45.11	180.01	10,860.17	-71.87	89.29	463.91	7,037.17	5.31	519,718.00	742,140.75	N 32°25'37.52"	W 103°40'57.10"	474.42	77.92
	11,045.00	54.78	178.31	10,921.24	0.68	26.67	465.05	7,098.24	10.27	519,645.38	742,141.89	N 32°25'36.81"	W 103°40'57.09"	465.82	86.73
3rd BS Line Intersection	11,140.00	62.95	176.38	10,970.32	81.92	-54.48	468.87	7,147.32	8.77	519,564.24	742,145.71	N 32°25'36.00"	W 103°40'57.05"	472.03	96.63
	11,155.50	63.86	176.60	10,977.26	95.78	-68.31	469.72	7,154.26	6.00	519,550.40	742,146.56	N 32°25'35.86"	W 103°40'57.04"	474.66	98.27
	11,235.00	65.63	177.68	11,009.34	168.49	-140.93	473.34	7,186.34	6.00	519,477.78	742,150.18	N 32°25'35.15"	W 103°40'57.00"	483.87	106.58
	11,330.00	82.86	177.54	11,032.75	260.29	-232.67	477.17	7,209.75	15.08	519,386.05	742,154.01	N 32°25'34.24"	W 103°40'56.97"	530.87	115.99
	11,425.00	89.99	177.90	11,038.67	355.03	-327.35	480.94	7,215.67	7.51	519,291.38	742,157.78	N 32°25'33.30"	W 103°40'56.93"	581.77	124.24
	11,520.00	91.40	178.72	11,037.52	449.98	-422.30	483.74	7,214.52	1.72	519,196.43	742,160.58	N 32°25'32.36"	W 103°40'56.90"	642.14	131.12
	11,551.00	90.20	177.60	11,037.08	480.96	-453.28	484.74	7,214.08	5.29	519,165.45	742,161.57	N 32°25'32.05"	W 103°40'56.89"	663.65	133.08
	11,590.00	89.72	177.11	11,037.11	519.96	-492.24	486.53	7,214.11	1.76	519,126.50	742,163.37	N 32°25'31.67"	W 103°40'56.88"	692.11	135.33
	11,684.00	88.31	176.60	11,036.73	613.94	-586.08	491.69	7,215.73	1.60	519,032.66	742,168.53	N 32°25'30.74"	W 103°40'56.87"	756.01	140.00
	11,779.00	86.81	176.31	11,042.77	708.85	-680.81	497.56	7,219.77	1.61	518,937.94	742,174.40	N 32°25'29.80"	W 103°40'56.76"	843.25	143.84
Enter Lateral Window	11,874.00	86.36	176.64	11,048.43	803.68	-775.46	503.39	7,225.43	0.59	518,843.29	742,180.23	N 32°25'28.87"	W 103°40'56.70"	924.52	147.01
	11,969.00	88.59	178.82	11,052.62	898.56	-870.28	507.15	7,229.62	3.28	518,748.47	742,183.98	N 32°25'27.83"	W 103°40'56.66"	1,007.27	149.77
	12,064.00	88.82	178.05	11,054.76	993.49	-965.22	509.74	7,231.76	0.85	518,653.54	742,186.58	N 32°25'26.98"	W 103°40'56.64"	1,091.55	152.16
	12,159.00	86.74	176.97	11,058.44	1,088.40	-1,060.05	513.86	7,235.44	2.47	518,558.71	742,190.70	N 32°25'26.05"	W 103°40'56.60"	1,178.03	154.14
	12,254.00	86.84	178.69	11,063.76	1,183.23	-1,154.83	517.46	7,240.76	1.81	518,463.93	742,194.29	N 32°25'25.11"	W 103°40'56.56"	1,265.46	155.86
	12,349.00	87.24	178.53	11,068.67	1,278.04	-1,249.68	519.76	7,245.67	0.45	518,369.09	742,196.59	N 32°25'24.17"	W 103°40'56.54"	1,353.45	157.42
	12,444.00	88.22	178.36	11,072.43	1,372.92	-1,344.57	522.33	7,249.43	1.05	518,274.21	742,199.17	N 32°25'23.23"	W 103°40'56.52"	1,442.46	158.77
	12,540.00	89.58	178.29	11,074.52	1,468.85	-1,440.50	525.14	7,251.59	1.02	518,178.28	742,201.97	N 32°25'22.28"	W 103°40'56.49"	1,533.23	159.97
	12,635.00	86.87	178.55	11,077.85	1,563.74	-1,535.40	527.76	7,254.85	2.47	518,083.38	742,204.59	N 32°25'21.35"	W 103°40'56.47"	1,623.57	161.03
	12,730.00	86.95	178.79	11,082.97	1,658.55	-1,630.24	529.96	7,259.97	0.27	517,988.55	742,206.79	N 32°25'20.41"	W 103°40'56.45"	1,714.21	161.99
Section 4-9 Line Cross	12,825.00	86.76	179.26	11,088.18	1,753.32	-1,725.08	531.57	7,265.18	0.53	517,893.71	742,208.41	N 32°25'19.47"	W 103°40'56.44"	1,805.12	162.87
	12,920.00	89.19	178.74	11,092.37	1,848.14	-1,819.97	533.23	7,269.37	1.60	517,798.83	742,210.06	N 32°25'18.53"	W 103°40'56.43"	1,896.48	163.67
	13,015.00	89.64	178.40	11,094.33	1,943.07	-1,914.92	535.60	7,271.33	1.36	517,703.86	742,212.43	N 32°25'17.59"	W 103°40'56.40"	1,988.41	164.37
	13,110.00	88.36	178.17	11,095.33	2,038.02	-2,009.87	538.44	7,272.33	0.26	517,608.93	742,215.28	N 32°25'16.65"	W 103°40'56.38"	2,080.74	165.00
	13,205.00	89.62	178.52	11,097.03	2,228.93	-2,200.78	543.96	7,274.03	0.23	517,418.03	742,220.79	N 32°25'14.76"	W 103°40'56.33"	2,267.01	166.12
	13,300.00	89.46	179.46	11,097.78	2,322.85	-2,294.76	545.61	7,274.78	1.01	517,324.05	742,222.45	N 32°25'13.83"	W 103°40'56.31"	2,358.74	166.63
	13,490.00	90.68	179.17	11,097.67	2,417.74	-2,389.75	546.75	7,274.67	1.32	517,229.07	742,223.59	N 32°25'12.89"	W 103°40'56.29"	2,451.50	167.11
	13,585.00	90.50	178.81	11,098.35	2,512.65	-2,484.73	548.43	7,275.35	2.33	517,134.09	742,225.26	N 32°25'11.95"	W 103°40'56.27"	2,544.54	167.55
	13,776.00	88.54	179.33	11,101.61	2,703.45	-2,675.68	551.52	7,278.61	0.61	516,943.16	742,228.36	N 32°25'10.06"	W 103°40'56.27"	2,731.93	168.35
	13,871.00	89.35	180.21	11,102.53	2,798.30	-2,770.67	551.91	7,279.53	0.95	516,848.17	742,228.74	N 32°25'9.12"	W 103°40'56.28"	2,825.10	168.73
LTP / 100ft FSL Cross	13,966.00	89.57	179.74	11,103.43	2,893.13	-2,865.66	551.95	7,280.43	0.55	516,753.18	742,228.78	N 32°25'8.18"	W 103°40'56.28"	2,918.34	169.10
	14,155.00	90.50	179.18	11,103.31	3,081.90	-3,054.65	553.73	7,280.31	0.57	516,564.20	742,230.56	N 32°25'6.31"	W 103°40'56.27"	3,104.44	169.73
	14,250.00	89.58	179.68	11,107.07	3,269.73	-3,242.48	556.19	7,280.31	0.09	516,469.22	742,231.93	N 32°25'5.37"	W 103°40'56.27"	3,196.17	170.01
	14,345.00	88.70	179.51	11,102.95	3,271.69	-3,244.63	556.11	7,279.95	1.92	516,374.23	742,232.94	N 32°25'4.43"	W 103°40'56.26"	3,291.94	170.27
	14,535.00	89.51	179.11	11,105.78	3,461.46	-3,434.59	558.40	7,282.78	0.44	516,184.28	742,235.23	N 32°25'2.55"	W 103°40'56.25"	3,479.69	170.77
	14,631.00	89.53	179.20	11,106.59	3,557.36	-3,530.58	559.81	7,283.59	0.10	516,088.30	742,236.65	N 32°25'1.60"	W 103°40'56.24"	3,574.68	170.99
	14,726.00	88.58	179.68	11,108.15	3,652.23	-3,625.56	560.74	7,285.15	1.12	515,993.32	742,237.57	N 32°25'0.66"	W 103°40'56.23"	3,668.67	171.21
	14,821.00	89.54	179.64	11,110.07	3,747.07	-3,720.39	561.90	7,285.15	0.21	515,898.36	742,238.14	N 32°24'59.72"	W 103°40'56.23"	3,761.16	171.42
	15,010.00	90.48	179.33	11,112.55	3,935.81	-3,909.50	563.00	7,289.55	1.12	515,790.40	742,239.84	N 32°24'57.85"	W 103°40'56.23"	3,849.83	171.81
	15,105.00	89.25	179.33	11,112.78	4,030.71	-4,004.49	564.11	7,289.78	1.29	515,614.41	742,240.95	N 32°24'56.91"	W 103°40'56.22"	4,044.03	171.98
Final Survey	15,200.00	88.88	179.04	11,114.33	4,125.60	-4,099.47	565.46	7,291.33	0.49	515,519.44	742,242.30	N 32°24'55.97"	W 103°40'56.21"	4,138.28	172.15
	15,295.00	89.11	179.64	11,115.99	4,220.48	-4,194.44	566.56	7,292.99	0.68	515,424.46	742,243.39	N 32°24'55.03"	W 103°40'56.21"	4,232.53	172.31
	15,390.00	89.42	179.38	11,117.21	4,315.35	-4,289.43	567.37	7,294.21	0.43	515,329.48	742,244.20	N 32°24'54.09"	W 103°40'56.21"		

C-105 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024
--	---	----------------------

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Section 1 - Operator and Well Information

Submittal Type: ☒ New Well ☐ Workover ☐ Deepening ☐ Plugback ☐ Different Reservoir ☐ C-144 Closure Attachment ☐ Other	
Operator Name: OXY USA INC.	OGRID: 16696
Property Name and Well Number: GOLD LOG 4-9 FEDERAL COM #072H	Property Code: 334838
Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-0 25-52190
Pool Name: BILBREY BASIN; BONE SPRING	Pool Code: 5695

Section 2 – Well Location

	UI or lot no.	Section	Township	Range	Lot Id	Feet from	N/S Line	Feet from	E/W Line	County
SHL:	D	4	22S	32E	4	399'	FNL	1316'	FWL	LEA
BHL	N	9	22S	32E		50'	FSL	1811'	FWL	LEA

Section 3 – Completion Information

Date T.D. Reached 2/8/2024	Total Measured Depth of Well 21197'M	Acid Volume (bbls)	☒ Directional Survey Submitted ☐ Deviation Survey Submitted
Date Rig Released 2/11/2024	Plug-Back Measured Depth 21153'M	Completion Fluid Used (bbls) 350,749	Were Logs Ran (Y/N) Y
Completion Date 4/8/2024	Perforations (MD and TVD) 11472'M/11038'V-21072'M/11163'V	Completion Proppant Used (lbs) 24,074,458	List Type of Logs Ran if applicable: GR,CBL

Section 4 – Action IDs for Submissions and Order Numbers

Surface Casing Action ID: APPD 9/27/2024 293937	UIC Permit/Order (UIC wells only) ☐ Yes ☒ No, Order No.
Intermediate 1 Casing Action ID: 402852	NOI Recomplete Action ID (if applicable):
Intermediate 2 Casing Action ID:	NOI Plugback Action ID (if applicable):
Production Casing Action ID: 325932	Cement Squeeze Action ID (if applicable):
Tubing Action ID: 351883	All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No
Liner 1 Action ID:	Casing was installed prior to Action ID system (Y/N): N

Section 5 – Test Data

Date First Production 4/12/2024	Production Method FLOWING	Well Status PROD	Gas – Oil Ratio
Date of Test 04/14/2024	Choke Size 83	Flowing Tubing Pressure	Casing Pressure 731
24 hr Oil (bbls) 3081	24 hr Gas (MCF) 2659	24 hr Water (bbls) 6977	Oil Gravity - API
Disposition of Gas: SOLD			

Section 6 – Pits


☐ A temporary pit was used at the well. If so, attach a plat with the location of the temporary pit.
☒ A Closed Loop System was used.
☐ If an on-site burial was used at the well, report the exact location of the on-site burial: LAT: _____ LONG: _____

Section 7 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name LESLIE REEVES <i>Leslie T. Reeves</i>	
Title REGULATORY MANAGER	Date 1/17/2025

South Formations				North Formations			
Formation/Zone	MD	TVD	W/O/G	Formation/Zone	MD	TVD	W/O/G
T. Anhy	974'	974'	W	T. San Jose			
T. Salt	1158'	1158'		T. Nacimiento			
B. Salt	2608'	2608'		T. Ojo Alamo			
T. Yates				T. Kirtland			
T. 7 Rivers				T. Fruitland			
T. Queen				T. Pictured Cliffs			
T. Grayburg				T. Lewis Shale			
T. San Andres				T. Chacra			
T. Glorieta				T. Cliff House			
T. Yeso				T. Menefee			
T. Paddock				T. Point Lookout			
T. Blinebry				T. Mancos			
T.Tubb				T. Gallup			
T. Drinkard				T. Greenhorn			
T. Abo				T. Graneros			
T. Wolfcamp				T. Dakota			
T. Penn				T. Morrison			
T. Cisco				T. Bluff			
T. Canyon				T.Todilto			
T. Strawn				T. Entrada			
T. Atoka				T. Wingate			
T. Morrow				T. Chinle			
T. Barnett Shale				T. Permian			
T. Miss				T. Penn A"			
T. Woodford Shale				T. Penn. "B"			
T. Devonian				T. Penn. "C"			
T. Silurian				T. Penn. "D"			
T. Fusselman				T. Leadville			
T. Montoya				T. Madison			
T. Simpson				T. Elbert			
T. McKee				T. McCracken			
T. Waddell				T. Ignacio Otzte			
T. Connel				T. Granite			
T. Ellenburger				T. Hermosa			
T. Gr. Wash				T. De Chelly			
T. Delaware Sand				T. Pinkerton			
T. Lamar Lime	4803	4803	O/G/W				
T. Bell Canyon	4892	4892	O/G/W				
T. Cherry Canyon	5754	5754	O/G/W				
T. Brushy Canyon	6995	6995	O/G/W				
T. Bone Springs	8775	8775	O/G				
T. 1st BS Sand	9821	9821	O/G				
T. 2nd BS Carbonate							
T. 2nd BS Sand	10441	10441	O/G				
T. 3rd BS Carbonate							
T. 3rd BS Sand							

OXY USA Inc.
GOLD LOG 4-9 FEDERAL COM 72H
API No. 30-025-52190



Well Name: GOLD LOG 4_9 FEDERAL COM

Well Location: T22S / R32E / SEC 4 / NWNW / 32.426825 / -103.684032

County or Parish/State: LEA / NM

Well Number: 72H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM86710

Unit or CA Name:

Unit or CA Number:

US Well Number: 300255219000X1

Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2785205

Type of Submission: Subsequent Report

Date Sundry Submitted: 04/15/2024

Date Operation Actually Began: 02/24/2024

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 04:06

Actual Procedure: RUPU 02/24/24, RIH & clean out to PBTD @ 21153'M/11163', pressure test casing to 6040# for 30 min, good test. RIH & perf @ 11472'-21072'. Total 1155 holes. Frac in 35 stages w/ 318455BBL Produced Water + 32294BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 24074458# sand, RD frac 03/21/24. RD CT and well ready to produce 04/08/24. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 06/15/2024.

Received by OCD: 1/17/2025 2:02:14 PM

Page 12 of 14

Well Name: GOLD LOG 4_9 FEDERAL COM	Well Location: T22S / R32E / SEC 4 / NWNW / 32.426825 / -103.684032	County or Parish/State: LEA / NM
Well Number: 72H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM86710	Unit or CA Name:	Unit or CA Number:
US Well Number: 300255219000X1	Operator: OXY USA INCORPORATED	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LESLIE REEVES	Signed on: APR 15, 2024 04:06 PM
Name: OXY USA INCORPORATED	
Title: Advisor Regulatory	
Street Address: 5 GREENWAY PLAZA, SUITE 110	
City: HOUSTON	State: TX
Phone: (713) 497-2492	
Email address: LESLIE_REEVES@OXY.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 04/16/2024
Signature: Jonathon Shepard	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 422065

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 422065
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.
☒	I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 422065

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 422065
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 within 10 days of BLM Approval.	8/15/2025