

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: KINGFISH COM Well Location: T26N / R13W / SEC 3 /

SENW / 36.5194185 / -108.2085668

County or Parish/State: SAN

JUAN / NM

Well Number: 90S Type of Well: OTHER Allottee or Tribe Name:

Lease Number: NMNM1336 Unit or CA Name: Unit or CA Number:

NMNM103090

**US Well Number:** 300453298700S1 **Operator:** DUGAN PRODUCTION

CORPORATION

### **Subsequent Report**

**Sundry ID: 2871345** 

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 09/03/2025 Time Sundry Submitted: 12:31

**Date Operation Actually Began:** 07/22/2025

**Actual Procedure:** Dugan Production plugged & abandoned the well on 7/22/2025 - 7/23/2025 per the attached procedure.

# SR Attachments

#### **Actual Procedure**

Kingfish\_Com\_90S\_SR\_PA\_formation\_tops\_20250903122932.pdf

Kingfish\_Com\_90S\_SR\_PA\_completed\_wellbore\_schematic\_20250903122926.pdf

Kingfish\_Com\_90S\_SR\_PA\_work\_completed\_20250903122914.pdf

Page 1 of 2

eceived by OCD: 9/3/2025 3:28:03 PM
Well Name: KINGFISH COM

Well Location: T26N / R13W / SEC 3 /

SENW / 36.5194185 / -108.2085668

County or Parish/State: SAN 200

JUAN / NM

Well Number: 90S

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM1336

**Unit or CA Name:** 

**Unit or CA Number:** 

NMNM103090

**US Well Number: 300453298700S1** 

**Operator: DUGAN PRODUCTION** 

**CORPORATION** 

#### **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL Signed on: SEP 03, 2025 12:28 PM

Name: DUGAN PRODUCTION CORPORATION

**Title:** Authorized Representative **Street Address:** PO BOX 420

City: FARMINGTON State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

#### **Field**

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

## **BLM Point of Contact**

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

**Disposition:** Accepted **Disposition Date:** 09/03/2025

Signature: Matthew Kade


Page 2 of 2

Dugan Production P&A'd the well on **07/22/2025 - 07/23/2025** per the following procedure:

- MI & RU Aztec Rig 450 and cement equipment. Spot & RU.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Pull and LD all rods & production tubing.
- Run 4½" string mill to 1265'. RIH & set 4½" cement retainer to 1214'. Fruitland Coal perforations @ 1264'-1363'. Load and circulate hole.
- Load and circulate hole w/ 20 bbls water.
- Attempt to pressure test casing to 650 psi for 30 mins. Small leak. Lost 30 psi/1 minute
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- RU WL and run CBL from 1214' to surface. Sent copy of CBL to BLM & NMOCD. NO changes to the plugs were requested.
- Plug I, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo-Surface: Sting in the cement retainer. Establish rates below the retainer at 1.5 bpm at 200 psi. Squeeze 18 sks, 20.7 cu ft Class G neat cement to cover the Pictured Cliffs below the retainer to the top perforations. Sting out. Spot inside 4½" casing above cement retainer @ 1214' w/101 sks (116.2 cu ft) Class G neat cement to cover the Pictured Cliffs, Fruitland, Kirtland, Ojo Alamo tops & Surface casing shoe to surface (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). No displacement. WOC 4 hrs. RU welder and cut wellhead off. Tagged TOC at 10' inside 4½" casing and 16' inside annulus. Good tag. Plug I, Inside 4½" casing, cement retainer at 1214', 119 sks, 136.9 cu ft, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo-Surface Casing shoe, 0'-1264'.
- Topped off w/13 sks, 14.95 cu ft Class G neat cement.
- Installed below grade plate for DHM. Photos and GPS coordinates attached.
- Clean location. Rig down Aztec 450 and cement equipment.
- Joe Maestas w/BLM witnessed job.
- Well P&A'd 07/23/2025.

#### **Completed P & A Wellbore Schematic**

Kingfish Com #90S 30-045-32987 Basin Fruitland Coal (Gas) 1850' FNL & 1850' FWL S3-T26N-R13W San Juan County, NM



#### 7" 23# casing @ 130' Hole size 8 34"

Cement with 55sks Type 5 cement w/ 2% CaCl2 w  $\frac{1}{4}$ #/sl celloflake (75 cu ft total) Displace w/ 4 bbls water. Circ 2 bbls cement

4 ½" 10.5# casing @ 1520', float collar @1481', Hole size 7"
Cement with 95 sks Type 5 cement. Tail with 50 sks Type 5 cement w/
3# Gilsonite/sk (145 sks and 262 cu ft total) Circ 10 bbls cement.

Set 4 ½" CR @ 1214'. Plug I, Inside 4 ½" casing, Cement Retainer at 1214', 119 sks, 136.9 Cu.ft, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo-Surface Casing shoe, 0'-1264'.


Fruitland Coal Perforated @ 1264' – 1363' PBTD @ 1481', TD 1540'

#### **Kingfish Com #90S**

30-045-32987 Basin Fruitland Coal (Gas) 1850' FNL & 1850' FWL S3-T26N-R13W San Juan County, NM

#### Formation Tops (Referenced for P & A)

- Ojo Alamo Surface
- Kirtland 92'
- Surface Casing 130'
- Fruitland 1050'
- Perforations 1264'-1363'
- Pictured Cliffs 1364'





Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 502561

#### CONDITIONS

Operator:	OGRID:
DUGAN PRODUCTION CORP	6515
PO Box 420	Action Number:
Farmington, NM 87499	502561
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	9/4/2025