

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 373075
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-46194	⁵ Pool Name WC WILLIAMS SINK; BONE SPRING (OIL)	⁶ Pool Code 97650
⁷ Property Code 325955	⁸ Property Name BIG EDDY UNIT 30E SKYWALKER	⁹ Well Number 100H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
L	14	20S	31E		1465	South	650	West	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	13	20S	31E		427	North	29	East	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
16696	Oxy USA	O
373073	XTO Permian Midstream	G/W

IV. Well Completion Data

²¹ Spud Date 02/12/2023	²² Ready Date 08/27/2023	²¹⁰¹⁵ MD TD 9503 TVD	²¹⁰⁰⁶ MBTD 9503 TVD	²⁵ Perforations 10,594 TO 20,914	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13.375 J55 54.5#	880	955		
12.25	9.625 J55 40#	2,444	874		
8.75	7.625 L80 29.7#	4,113	373		
6.75	5 P110 18# 2 7/8 L80 6.5#	21,008 8,890	523		

V. Well Test Data

³¹ Date New Oil 08/28/23	³² Gas Delivery Date 09/02/23	³³ Test Date 09/02/23	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 317	³⁶ Csg. Pressure 324
³⁷ Choke Size	³⁸ Oil 2918	³⁹ Water 5202	⁴⁰ Gas 1031		⁴¹ Test Method Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:

Amanda Thames

Printed name:

Amanda Thames

Title:

Regulatory Analyst

E-mail Address:

amanda.thames@exxonmobil.com

Date:

9/27/2023

Phone:

432.221.7340

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

AS-DRILLED PLAT

¹ API Number 30-015-46194		² Pool Code 97650		³ Pool Name WC WILLIAMS SINK; BONE SPRING	
⁴ Property Code 325955		⁵ Property Name BIG EDDY UNIT 30E SKYWALKER			⁶ Well Number 100H
⁷ OGRID No. 373075		⁸ Operator Name XTO PERMIAN OPERATING, LLC.			⁹ Elevation 3,447'
¹⁰ Surface Location					
UL or lot no. L	Section 14	Township 20 S	Range 31 E	Lot Idn 1,465	Feet from the SOUTH 680
				East/West line WEST	County EDDY
¹¹ Bottom Hole Location If Different From Surface					
UL or lot no. A	Section 13	Township 20 S	Range 31 E	Lot Idn 427	Feet from the NORTH 29
				East/West line EAST	County EDDY
¹² Dedicated Acres 320		¹³ Joint or Infill		¹⁴ Consolidation Code	
¹⁵ Order No.					

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY.

LEGEND — SECTION LINE — WELLBORE — NEW MEXICO MINERAL LEASE — 330' BUFFER — DEDICATION ACREAGE				¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Amanda Thames</i> 9/28/2023 Signature Date Amanda Thames Printed Name amanda.thames@exxonmobil.com E-mail Address	
¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 09-06-2023 Date of Survey				LS 2017081252	
SHL (NAD83 NME) Y = 571,470.4 X = 691,387.4 LAT. = 32.570083 °N LONG. = 103.846247 °W KOP (NAD83 NME) Y = 574,074.6 X = 690,279.4 LAT. = 32.577255 °N LONG. = 103.849806 °W FTP (NAD83 NME) Y = 574,744.3 X = 690,831.4 LAT. = 32.579089 °N LONG. = 103.848004 °W BHL (NAD83 NME) Y = 574,938.5 X = 701,230.7 LAT. = 32.579488 °N LONG. = 103.814241 °W SHL (NAD27 NME) Y = 571,408.6 X = 650,208.1 LAT. = 32.569963 °N LONG. = 103.845745 °W KOP (NAD27 NME) Y = 574,012.7 X = 649,100.2 LAT. = 32.577135 °N LONG. = 103.849303 °W FTP (NAD27 NME) Y = 574,682.4 X = 649,652.2 LAT. = 32.578969 °N LONG. = 103.847501 °W BHL (NAD27 NME) Y = 574,876.6 X = 660,051.5 LAT. = 32.579368 °N LONG. = 103.813739 °W CORNER COORDINATES (NAD83 NME) A - Y = 575,311.1 N , X = 690,688.5 E B - Y = 575,327.5 N , X = 693,334.2 E C - Y = 575,341.9 N , X = 695,956.0 E D - Y = 575,352.8 N , X = 698,606.8 E E - Y = 575,365.8 N , X = 701,257.5 E F - Y = 573,981.2 N , X = 690,694.8 E G - Y = 573,998.0 N , X = 693,340.7 E H - Y = 574,013.8 N , X = 695,963.8 E I - Y = 574,028.7 N , X = 698,614.7 E J - Y = 574,044.6 N , X = 701,263.0 E CORNER COORDINATES (NAD27 NME) A - Y = 575,249.2 N , X = 649,509.3 E B - Y = 575,265.6 N , X = 652,155.0 E C - Y = 575,280.0 N , X = 654,776.8 E D - Y = 575,290.9 N , X = 657,427.6 E E - Y = 575,303.9 N , X = 660,078.3 E F - Y = 573,919.3 N , X = 649,515.6 E G - Y = 573,936.1 N , X = 652,161.5 E H - Y = 573,951.9 N , X = 654,784.6 E I - Y = 573,966.8 N , X = 657,435.4 E J - Y = 573,982.7 N , X = 660,083.8 E				Signature and Seal of Professional Surveyor: TIM C. PAPPAS NEW MEXICO 21209 PROFESSIONAL SURVEYOR I, TIM C. PAPPAS, NEW MEXICO PROFESSIONAL SURVEYOR NO. 21209, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM RESPONSIBLE FOR THIS SURVEY; THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO, AND THAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. 6 Sept 2023 TIM C. PAPPAS REGISTERED PROFESSIONAL LAND SURVEYOR STATE OF NEW MEXICO NO. 21209 TIM C. PAPPAS 21209 Certificate Number	

Intent ☐ As Drilled ☒

API # 30-015-46194		
Operator Name: XTO PERMIAN OPERATING LLC	Property Name: BIG EDDY UNIT 30E SKYWALKER	Well Number 100H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
A	15	20 S	31 E		1,235	FNL	415	FEL	EDDY
Latitude 32.577255					Longitude -103.849806				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
D	14	20 S	31 E		568	FNL	140	FWL	EDDY
Latitude 32.579089					Longitude -103.848004				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
A	14	20 S	31 E		429	FNL	130	FEL	EDDY
Latitude 32.579484					Longitude -103.814568				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☐ NIs this well an infill well? ☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-46195		
Operator Name: XTO Permian Operating LLC	Property Name: BEU DI 30E Skywalker	Well Number 101H

KZ 06/29/2018



30-015-46194 - Big Eddy Unit 30E Skywalker 100H - MWD to 21015ft MD Survey

Geodetic Report
Definitive Survey

Report Date: March 06, 2023 - 06:03 PM (UTC 0)
Client: XTO Permian Operating, LLC.
Field: NM Eddy County (NAO 27)
Structure / Slot: XTO Big Eddy Unit 30E Skywalker Pad / Big Eddy Unit 30E Skywalker 100H
Well: Big Eddy Unit 30E Skywalker 100H
Borehole: Big Eddy Unit 30E Skywalker 100H
UBHI / API / Job Number: Unknown / Unknown / Unknown
Survey Name / Version: 30-015-46194 - Big Eddy Unit 30E Skywalker 100H - MWD to 21015ft MD / 2
Survey Date: March 05, 2023
Tort / AHD / DDI / ERD Ratio: 308.524" / 14271.736 ft / 6.988" / 1.502
Coordinate Reference System: NAD27 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32°34'11.86788" S, W 103°50'44.68220" W
Location Grid NE YK: N 571408.600 RUS, E 655028.100 RUS
CRS Grid Convergence Angle: 0.2625"
Grid Scale Factor: 0.99993493
Engine Version: 2022.5.0.11

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 89.700 °(Grid North)
TVD Reference Datum: 0.000 ft, 0.000 ft
TVD Reference Elevation: 3480.000 ft above MSL
Seabed / Ground Elevation: 3447.000 ft above MSL
Magnetic Declination: 6.878°
Magnetic Field Strength: 998.4953mgn (9.80665 Basead)
Gravity Model: GARM
47632 nT
Total Magnetic Field Strength: 60.2°
Declination Date: February 08, 2023
Magnetic Declination Model: FR1
North Reference: Grid
Total Corr Mag North->Grid North: 6.6155°
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSDS (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth
SHL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3.480.00	0.54	571,408.60	650,208.10	N 32°34'11.87"	W 103°50'44.68"	1.35	296.06
	17.00	0.91	296.06	169.99	-1.21	0.59	-1.21	-3.310.01	0.52	571,409.19	650,206.89	N 32°34'11.87"	W 103°50'44.70"	1.94	294.68
	205.00	1.02	287.42	204.99	-1.76	0.81	-1.76	-3.275.01	0.54	571,409.41	650,206.34	N 32°34'11.88"	W 103°50'44.71"	2.89	285.25
	297.00	0.48	220.60	296.98	-2.79	0.76	-2.79	-3.183.02	1.02	571,409.36	650,205.31	N 32°34'11.88"	W 103°50'44.71"	3.16	272.28
	390.00	0.44	197.93	389.98	-3.15	0.13	-3.16	-3.090.02	0.20	571,408.73	650,204.95	N 32°34'11.87"	W 103°50'44.72"	3.56	259.70
	483.00	0.60	209.70	482.97	-3.51	-0.64	-3.51	-2.997.03	0.21	571,407.96	650,204.59	N 32°34'11.86"	W 103°50'44.73"	3.93	256.29
	574.00	0.18	326.52	573.97	-3.83	-0.93	-3.82	-2.906.03	0.77	571,407.67	650,204.28	N 32°34'11.87"	W 103°50'44.73"	3.24	278.55
	668.00	1.79	281.49	667.96	-3.20	0.68	-3.20	-2.812.04	1.82	571,409.08	650,204.90	N 32°34'11.87"	W 103°50'44.73"	3.27	335.99
	761.00	2.10	43.71	760.90	-1.32	2.99	-1.33	-2.719.10	0.64	571,411.59	650,206.77	N 32°34'11.90"	W 103°50'44.70"	4.15	356.48
	804.00	2.11	42.32	803.87	-0.23	4.14	-0.25	-2.676.13	0.12	571,412.74	650,207.85	N 32°34'11.91"	W 103°50'44.68"	6.42	11.96
13-38" Casing	880.00	1.92	30.29	879.83	1.36	6.28	1.33	-2.600.17	0.61	571,414.88	650,209.43	N 32°34'11.93"	W 103°50'44.67"	8.12	14.86
	933.00	1.85	20.75	932.80	2.12	7.85	2.08	-2.547.20	0.61	571,416.45	650,210.18	N 32°34'11.95"	W 103°50'44.66"	11.06	16.35
	1,026.00	1.79	20.19	1,025.75	3.17	10.61	3.11	-2.454.25	0.07	571,419.21	650,211.21	N 32°34'11.97"	W 103°50'44.65"	14.52	17.75
	1,210.00	0.38	31.65	1,209.71	4.50	13.83	4.43	-2.270.29	0.77	571,422.43	650,212.53	N 32°34'12.00"	W 103°50'44.62"	15.16	18.46
	1,302.00	0.56	32.80	1,301.71	4.91	14.47	4.83	-2.178.29	0.20	571,423.07	650,212.93	N 32°34'12.01"	W 103°50'44.62"	15.25	16.35
	1,397.00	0.24	267.79	1,396.71	4.96	14.85	4.88	-2.083.29	0.76	571,423.45	650,212.98	N 32°34'12.01"	W 103°50'44.62"	15.63	18.20
	1,492.00	1.10	223.83	1,491.70	4.13	14.19	4.05	-1.988.30	0.99	571,422.79	650,212.15	N 32°34'12.01"	W 103°50'44.63"	14.75	15.94
	1,587.00	1.01	215.49	1,586.69	3.00	12.85	2.94	-1.893.31	0.21	571,421.45	650,211.04	N 32°34'11.99"	W 103°50'44.65"	13.18	12.87
	1,777.00	0.83	86.89	1,776.68	3.40	11.56	3.34	-1.703.32	0.87	571,420.16	650,211.44	N 32°34'11.98"	W 103°50'44.64"	12.03	16.11
	1,872.00	1.50	90.98	1,871.66	5.31	11.79	5.25	-1.608.34	0.72	571,420.39	650,213.35	N 32°34'11.98"	W 103°50'44.62"	12.91	24.01
9-58" Casing	1,967.00	1.99	83.37	1,966.61	8.18	12.18	8.12	-1.513.39	0.52	571,420.77	650,216.22	N 32°34'11.99"	W 103°50'44.59"	14.63	33.70
	2,062.00	1.91	85.31	2,061.56	11.40	12.50	11.34	-1.418.44	0.11	571,421.09	650,219.43	N 32°34'11.99"	W 103°50'44.55"	16.87	42.21
	2,157.00	0.92	142.88	2,156.53	13.44	12.02	13.37	-1.323.47	1.70	571,420.62	650,221.47	N 32°34'11.99"	W 103°50'44.53"	17.98	48.06
	2,251.00	0.87	178.24	2,250.52	13.91	10.70	13.85	-1.229.48	0.58	571,419.30	650,221.95	N 32°34'11.97"	W 103°50'44.52"	17.50	52.31
	2,346.00	2.09	235.72	2,345.49	12.49	9.00	12.44	-1.134.51	1.87	571,417.60	650,220.54	N 32°34'11.96"	W 103°50'44.54"	15.36	54.10
	2,377.00	2.40	235.01	2,376.01	11.49	8.91	11.44	-1.103.53	1.00	571,418.91	650,219.45	N 32°34'11.96"	W 103°50'44.55"	14.14	54.00
	2,442.00	2.48	233.79	2,441.41	9.23	8.70	9.19	-1.038.59	0.15	571,415.30	650,217.29	N 32°34'11.95"	W 103°50'44.57"	53.90	
	2,484.00	2.54	233.04	2,483.37	7.74	5.60	7.71	-996.63	0.15	571,414.20	650,215.81	N 32°34'11.92"	W 103°50'44.55"	9.53	54.00
	2,560.00	2.16	239.25	2,559.30	5.16	3.86	5.14	-920.70	0.60	571,412.46	650,213.24	N 32°34'11.91"	W 103°50'44.62"	6.42	53.08
	2,655.00	1.51	12.03	2,654.28	3.88	4.17	3.86	-825.72	0.35	571,412.77	650,211.96	N 32°34'11.91"	W 103°50'44.64"	5.68	42.79
7-58" Casing	2,749.00	1.24	11.19	2,748.25	4.35	6.38	4.31	-731.75	0.29	571,414.98	650,212.41	N 32°34'11.93"	W 103°50'44.63"	7.70	34.07
	2,844.00	2.87	330.71	2,843.19	3.40	9.46	3.35	-636.81	2.20	571,418.06	650,211.45	N 32°34'11.96"	W 103°50'44.64"	10.04	19.50
	2,938.00	4.25	326.02	2,937.01	0.33	14.40	0.25	-542.99	1.50	571,423.00	650,208.35	N 32°34'12.01"	W 103°50'44.68"	14.40	1.00
	3,032.00	5.87	330.40	3,030.64	-3.96	21.47	-4.07	-449.36	1.77	571,430.07	650,204.03	N 32°34'12.08"	W 103°50'44.73"	21.85	349.27
	3,126.00	7.84	330.18	3,123.96	-9.47	31.21	-9.63	-356.04	2.10	571,439.81	650,198.47	N 32°34'12.18"	W 103°50'44.79"	32.66	342.85
	3,220.00	14.84	335.05	3,216.76	-16.20	44.53	-16.43	-263.24	2.92	571,453.13	650,191.67	N 32°34'12.31"	W 103°50'44.87"	47.46	339.75
	3,315.00	11.32	334.09	3,310.04	-23.83	60.75	-24.15	-169.96	0.90	571,469.34	650,183.95	N 32°34'12.47"	W 103°50'44.96"	65.37	338.32
	3,410.00	11.89	333.22	3,403.10	-32.22	77.87	-32.63	-76.90	0.63	571,486.47	650,175.47	N 32°34'12.64"	W 103°50'45.06"	84.43	337.26
	3,504.00	13.92	329.49	3,494.72	-42.23	96.26	-42.74	-14.72	2.33	571,504.85	650,162.37	N 32°34'12.82"	W 103°50'45.16"	105.32	336.06
	3,599.00	15.47	332.19	3,586.61	-53.83	117.31	-54.45	-106.61	1.78	571,525.91	650,153.65	N 32°34'13.03"	W 103°50'45.31"	129.33	335.10
9-58" Casing	3,694.00	16.59	337.21	3,677.92	-64.87	141.02	-65.61	-197.92	1.87	571,549.62	650,142.49	N 32°34'13.27"	W 103°50'45.44"	155.54	335.05
	3,788.00	19.43	338.71	3,767.31	-75.61	167.97	-76.49	-287.31	3.06	571,576.56	650,131.61	N 32°34'13.53"	W 103°50'45.57"	184.57	335.52
	3,882.00	21.61	339.68	3,855.34	-87.14	198.77	-88.18	-375.34	2.35	571,607.36	650,119.93	N 32°34'13.84"	W 103°50'45.70"	217.46	336.08
	3,976.00	23.84	341.42	3,942.04	-99.02	233.02	-100.25	-462.04	2.48	571,641.60	650,107.86	N 32°34'14.18"	W 103°50'45.84"	253.67	336.72
	4,051.00	25.99	338.13	4,010.96	-109.55	262.74	-110.83	-539.06	3.14	571,671.33	650,097.18	N 32°34'14.47"	W 103°50'46.01"	337.11	337.48
	4,113.00	26.83	339.23	4,065.58	-119.22	288.52	-120.73	-585.58	1.36	571,697.10	650,087.37	N 32°34'14.73"	W 103°50'46.08"	317.76	337.29
	4,191.00	27.89	339.34	4,134.86	-131.73	322.05	-133.41	-654.86	1.36	571,730.63	650,074.70	N 32°34'15.06"	W 103°50'46.22"	348.59	337.50
	4,286.00	30.65	337.98	4,217.72	-148.42	365.30	-150.34	-737.72	2.99	571,773.87	650,057.77	N 32°34'15.40"	W 103°50'46.42"	395.02	337.63
	4,380.00	31.04	337.72	4,298.43	-166.36	409.94	-168.51	-818.43	0.44	571,818.51	650,039.60	N 32°34'15.93"	W 103°50'46.63"	443.22	337.65
	4,475.00	30.64	337.58	4,379.99	-184.64	454.98	-186.03	-899.99	0.45	571,863.55	650,021.09	N 32°34'16.38"	W 103°50'46.84"	491.92	337.65
7-58" Casing	4,570.00	31.07	337.58	4,461.55	-202.99	500.02	-205.61	-965.05	0.65	571,908.65	650,002.51	N 32°34'16.82"	W 103°50'47.06"	540.64	337.65
	4,664.00	32.68	337.25	4,541.37	-221.81	545.85	-224.67	-1,061.37	1.72	571,954.41	649,983.44	N 32°34'17.28"	W 103°50'47.28"	590.28	337.63
	4,759.00	32.84	337.80	4,621.26	-241.22	593.35	-244.33	-1,141.26	0.36	572,001.91	649,963.79	N 32°34'17.75"	W 103°50'47.51"	641.68	337.62
	4,853.00	33.00	337.57	4,700.17	-260.37	640.61	-263.72	-1,220.17	0.22	572,049.17	649,944.39	N 32°34'18.22"	W 103°50'47.73"	692.77	337.62
	4,947.00	32.70	337.34	4,779.13	-279.67	687.70	-283.27	-1,299.13	0.35	572,096.26	649,924.85	N 32°34'18.69"	W 103°50'47.96"	743.76	337.61
	5,042.00	32.76	338.00	4,859.05	-298.93	735.21	-302.79	-1,379.05	0.38	572,143.76	649,905.33	N 32°34'19.16"	W 103°50'48.18"	795.12	337.62
	5,135.00	33.05	338.00	4,937.13	-317.61	782.06	-321.71	-1,457.13	0.51	572,190.60	649,886.41	N 32°34'19.62"	W 103°50'48.40"	845.64	337.64
	5,230.00	33.02	337.93	5,015.04	-337.03	830.02	-341.38	-1,536.74	0.35	572,238.56	649,866.74	N 32°34'20.08"	W 103°50'48.61"	897.48	337.64
	5,324.00	32.66	337.78	5,095.69	-356.24	877.19	-360.84	-1,615.69	0.51	572,285.73	649,847.29	N 32°34'20.56"	W 103°50'48.85"	948.50	337.64
	5,418.00	32.69	336.98	5,174.81	-375.51	924.03	-380.35	-1,694.81	0						

FTP [100' FWL, 580' FNL]	9.9890	54.24	40.72	9.112.58	-1,003.14	2.992.71	-1,018.83	5,632.58	9.90	574,401.11	649,189.34	N 32°34'41.53"	W 103°50'56.43"	3,161.38	341.20
	10.0840	57.14	50.09	9.166.20	-947.01	3,047.61	-962.98	5,686.20	8.70	574,456.01	649,245.19	N 32°34'42.07"	W 103°50'55.77"	3,196.13	342.46
FTP [100' FWL, 580' FNL]	10.1780	59.63	52.18	9.215.48	-884.42	3,097.82	-900.65	5,735.48	3.26	574,506.21	649,307.51	N 32°34'42.56"	W 103°50'55.04"	3,226.09	343.79
	10.2720	63.33	58.08	9.260.38	-816.42	3,144.94	-832.90	5,780.38	6.77	574,553.33	649,375.26	N 32°34'43.02"	W 103°50'54.25"	3,255.36	345.17
FTP [100' FWL, 580' FNL]	10.3660	69.59	64.22	9.297.94	-740.75	3,196.38	-757.45	5,817.94	8.95	574,594.77	649,450.70	N 32°34'43.43"	W 103°50'53.36"	3,275.17	346.63
	10.4610	72.47	65.36	9.328.82	-659.28	3,224.63	-676.17	5,848.82	3.24	574,633.02	649,531.97	N 32°34'43.81"	W 103°50'52.41"	3,294.76	348.16
FTP [100' FWL, 580' FNL]	10.5510	80.27	67.20	9.350.01	-579.07	3,259.77	-596.15	5,870.01	8.89	574,668.15	649,611.99	N 32°34'44.15"	W 103°50'51.47"	3,313.83	349.64
	10.5550	80.62	67.28	9.350.67	-575.43	3,261.29	-592.51	5,870.67	8.89	574,669.68	649,615.63	N 32°34'44.16"	W 103°50'51.43"	3,314.68	349.70
FTP [100' FWL, 580' FNL]	10.6490	86.29	74.24	9.361.39	-487.18	3,292.01	-504.42	5,881.39	9.51	574,700.38	649,703.71	N 32°34'44.46"	W 103°50'50.40"	3,330.43	351.29
	10.7440	90.84	74.65	9.363.77	-393.58	3,317.47	-412.95	5,883.77	4.81	574,725.84	649,796.17	N 32°34'44.71"	W 103°50'49.33"	3,343.07	352.90
FTP [100' FWL, 580' FNL]	10.8380	90.65	74.19	9.362.55	-304.91	3,342.71	-322.42	5,882.55	0.53	574,751.09	649,885.71	N 32°34'44.96"	W 103°50'48.31"	3,358.22	354.49
	11.0250	90.75	79.16	9.360.26	-122.79	3,385.79	-140.52	5,880.26	2.66	574,794.17	650,067.59	N 32°34'45.38"	W 103°50'46.14"	3,388.71	357.62
FTP [100' FWL, 580' FNL]	11.1200	90.89	82.53	9.358.90	-28.95	3,400.90	-46.75	5,879.90	3.55	574,809.28	650,161.35	N 32°34'45.52"	W 103°50'45.05"	3,401.23	359.21
	11.2150	90.79	86.07	9.357.51	65.61	3,410.34	47.75	5,877.51	3.73	574,818.71	650,255.85	N 32°34'45.61"	W 103°50'43.94"	3,410.67	0.80
FTP [100' FWL, 580' FNL]	11.3100	90.72	88.63	9.356.26	160.51	3,414.73	142.63	5,876.26	2.70	574,823.10	650,350.72	N 32°34'45.65"	W 103°50'42.83"	3,417.71	2.39
	11.4040	89.87	89.15	9.355.78	254.50	3,416.55	236.61	5,875.78	1.06	574,824.92	650,444.70	N 32°34'45.66"	W 103°50'41.73"	3,424.73	3.96
FTP [100' FWL, 580' FNL]	11.5020	90.06	89.45	9.355.84	362.57	3,417.75	334.61	5,875.84	0.36	574,826.12	650,542.68	N 32°34'45.67"	W 103°50'40.57"	3,434.09	5.59
	11.5960	90.09	89.28	9.355.71	446.49	3,418.79	428.60	5,875.71	0.18	574,827.16	650,636.67	N 32°34'45.68"	W 103°50'39.49"	3,445.55	7.15
FTP [100' FWL, 580' FNL]	11.6900	90.05	89.36	9.355.60	540.49	3,419.90	522.59	5,875.60	0.10	574,828.27	650,730.66	N 32°34'45.68"	W 103°50'38.39"	3,456.60	8.69
	11.7850	89.19	89.35	9.356.23	635.49	3,420.97	617.58	5,876.23	0.91	574,829.34	650,825.64	N 32°34'45.69"	W 103°50'37.28"	3,476.27	10.23
FTP [100' FWL, 580' FNL]	11.8790	89.15	90.37	9.357.59	729.48	3,421.20	711.57	5,877.59	1.09	574,829.57	650,919.62	N 32°34'45.69"	W 103°50'36.18"	3,494.42	11.75
	11.9740	88.63	89.35	9.359.43	824.46	3,421.43	806.55	5,879.43	1.20	574,829.81	651,014.60	N 32°34'45.69"	W 103°50'35.07"	3,512.22	13.26
FTP [100' FWL, 580' FNL]	12.0690	89.32	90.40	9.361.54	919.43	3,421.64	901.53	5,881.54	1.12	574,830.01	651,109.57	N 32°34'45.69"	W 103°50'33.97"	3,530.45	14.76
	12.1640	88.83	89.95	9.363.49	1,014.41	3,421.35	996.51	5,883.49	0.47	574,829.72	651,204.54	N 32°34'45.68"	W 103°50'32.85"	3,553.52	16.24
FTP [100' FWL, 580' FNL]	12.2590	88.84	90.05	9.365.42	1,109.39	3,421.35	1,091.49	5,885.42	0.11	574,829.72	651,299.51	N 32°34'45.67"	W 103°50'31.74"	3,591.24	17.69
	12.3530	89.31	89.98	9.366.94	1,203.37	3,421.33	1,185.47	5,886.94	0.51	574,829.70	651,393.50	N 32°34'45.67"	W 103°50'30.65"	3,620.89	19.11
FTP [100' FWL, 580' FNL]	12.4480	88.81	89.88	9.368.50	1,298.36	3,421.44	1,280.46	5,888.50	0.54	574,829.81	651,488.48	N 32°34'45.66"	W 103°50'29.54"	3,653.20	20.52
	12.5420	88.64	89.85	9.370.59	1,392.33	3,421.66	1,374.44	5,890.59	0.18	574,830.04	651,582.45	N 32°34'45.66"	W 103°50'28.44"	3,687.39	21.88
FTP [100' FWL, 580' FNL]	12.6370	88.40	89.02	9.373.94	1,487.29	3,422.53	1,469.39	5,893.94	0.14	574,831.28	651,677.39	N 32°34'45.65"	W 103°50'27.35"	3,725.45	23.23
	12.7320	88.47	91.04	9.375.64	1,582.24	3,424.21	1,564.34	5,896.64	3.18	574,832.58	651,772.33	N 32°34'45.68"	W 103°50'26.22"	3,764.62	24.55
FTP [100' FWL, 580' FNL]	12.8270	88.92	90.25	9.377.80	1,677.21	3,423.14	1,659.30	5,897.80	0.96	574,831.51	651,867.29	N 32°34'45.66"	W 103°50'25.11"	3,804.10	25.86
	12.9220	89.21	89.96	9.379.35	1,772.19	3,422.97	1,754.29	5,899.35	0.43	574,831.34	651,962.27	N 32°34'45.66"	W 103°50'24.00"	3,846.33	27.14
FTP [100' FWL, 580' FNL]	13.0170	89.66	89.99	9.380.29	1,867.18	3,423.01	1,849.29	5,900.29	0.47	574,831.38	652,057.25	N 32°34'45.65"	W 103°50'22.89"	3,890.61	28.38
	13.1120	89.35	90.16	9.381.11	1,962.18	3,422.88	1,944.28	5,901.11	0.37	574,831.25	652,152.25	N 32°34'45.65"	W 103°50'21.78"	3,936.54	29.60
FTP [100' FWL, 580' FNL]	13.2070	89.09	90.16	9.382.40	2,057.17	3,422.62	2,039.27	5,902.40	0.27	574,830.99	652,247.24	N 32°34'45.64"	W 103°50'20.67"	3,984.09	30.79
	13.3020	89.68	89.31	9.384.44	2,247.15	3,423.50	2,229.26	5,904.44	0.54	574,831.87	652,337.21	N 32°34'45.64"	W 103°50'19.48"	4,035.33	33.07
FTP [100' FWL, 580' FNL]	13.4920	88.34	89.32	9.386.09	2,342.13	3,424.63	2,324.23	5,906.09	1.41	574,833.00	652,532.18	N 32°34'45.65"	W 103°50'17.34"	4,138.86	34.16
	13.6810	89.45	90.09	9.389.73	2,531.09	3,425.60	2,513.19	5,909.73	0.71	574,833.97	652,721.12	N 32°34'45.65"	W 103°50'15.13"	4,248.64	36.27
FTP [100' FWL, 580' FNL]	13.7760	90.87	89.58	9.389.46	2,626.09	3,425.88	2,608.19	5,909.46	1.59	574,834.25	652,816.11	N 32°34'45.65"	W 103°50'14.02"	4,305.73	37.28
	13.8710	89.23	89.38	9.389.38	2,721.09	3,426.74	2,703.18	5,909.38	1.74	574,835.11	652,911.10	N 32°34'45.65"	W 103°50'12.91"	4,364.60	38.27
FTP [100' FWL, 580' FNL]	13.9660	89.72	89.88	9.390.65	2,816.08	3,427.48	2,798.17	5,910.25	0.63	574,835.85	653,006.09	N 32°34'45.65"	W 103°50'11.80"	4,424.63	39.23
	14.0620	89.57	89.73	9.390.65	2,912.08	3,427.53	2,894.17	5,910.85	0.16	574,836.30	653,102.08	N 32°34'45.65"	W 103°50'10.68"	4,485.31	40.17
FTP [100' FWL, 580' FNL]	14.1560	89.99	89.88	9.391.21	3,006.08	3,428.25	2,988.17	5,911.21	0.47	574,836.62	653,196.07	N 32°34'45.65"	W 103°50'09.58"	4,547.75	41.08
	14.2510	89.92	89.93	9.391.28	3,101.08	3,428.41	3,091.28	5,911.28	0.09	574,836.78	653,291.06	N 32°34'45.65"	W 103°50'08.47"	4,610.85	41.97
FTP [100' FWL, 580' FNL]	14.3470	89.54	89.93	9.391.73	3,197.08	3,428.52	3,179.17	5,911.73	0.40	574,836.89	653,387.06	N 32°34'45.65"	W 103°50'07.35"	4,675.67	42.84
	14.4420	89.66	89.77	9.392.56	3,292.07	3,428.77	3,274.16	5,912.56	0.19	574,837.14	653,482.05	N 32°34'45.64"	W 103°50'06.24"	4,740.95	43.68
FTP [100' FWL, 580' FNL]	14.5370	89.14	89.95	9.393.72	3,387.07	3,429.01	3,369.16	5,913.72	0.39	574,837.38	653,577.03	N 32°34'45.64"	W 103°50'05.13"	4,807.21	44.50
	14.6320	88.66	89.81	9.395.55	3,482.06	3,429.20	3,464.14	5,915.55	0.53	574,837.61	653,672.01	N 32°34'45.64"	W 103°50'04.01"	4,874.39	45.29
FTP [100' FWL, 580' FNL]	14.7270	87.41	89.34	9.398.81	3,576.99	3,429.91	3,559.08	5,918.81	1.41	574,838.28	653,766.94	N 32°34'45.64"	W 103°50'02.91"	4,942.80	46.06
	14.8220	88.59	90.34	9.402.12	3,671.93	3,430.17	3,654.02	5,922.12	1.63	574,838.54	653,861.87	N 32°34'45.64"	W 103°50'01.80"	5,011.78	46.81
FTP [100' FWL, 580' FNL]	14.9170	89.60	89.88	9.403.62	3,766.91	3,429.99	3,749.00</								

SLB / xBolt	1	4,113.000	21,015.000	Act Sins	6.750	5.500	A008Mb_MWD+IFR1+MS	Big Eddy Unit 30E Skywalker 100H / 30-015-46194 - Big Eddy Unit 30E Skywalker 100H - MWD to 21015R MD
-------------	---	-----------	------------	----------	-------	-------	--------------------	---

Well Name: BIG EDDY UNIT 30E
SKYWALKER**Well Location:** T20S / R31E / SEC 14 /
NWSW / 32.570286 / -103.846945**County or Parish/State:** EDDY /
NM**Well Number:** 100H**Type of Well:** OIL WELL**Allottee or Tribe Name:****Lease Number:** NMLC063667**Unit or CA Name:** BIG EDDY**Unit or CA Number:**
NMNM68294X**US Well Number:** 3001546194**Well Status:** Producing Oil Well**Operator:** XTO PERMIAN
OPERATING LLC**Subsequent Report****Sundry ID:** 2748168**Type of Submission:** Subsequent Report**Type of Action:** Hydraulic Fracturing**Date Sundry Submitted:** 08/28/2023**Time Sundry Submitted:** 07:54**Date Operation Actually Began:** 07/12/2023

Actual Procedure: XTO PERMIAN OPERATING LLC respectfully submits this sundry notice to report the completion operations of the referenced well. KOP @ depth 9,328 ft. PBTD = 21,006 ft. 4/20/23 Run RCB/GR/CCL 5/26/23 Pressure test 5 in csg to 8,175 psi for 30min test good, open sleeve. 7/12/23 Perf and frac 52 stages, 1,249 total shots, from 10,594 to 20,914 using 528,615 bbls of fluid and 25,398,041 lbs Proppant. Tag and drill out plugs. 8/4/23 Ran in hole w/ ESP assembly

Well Name: BIG EDDY UNIT 30E
SKYWALKER

Well Location: T20S / R31E / SEC 14 /
NWSW / 32.570286 / -103.846945

County or Parish/State: EDDY /
NM

Well Number: 100H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC063667

Unit or CA Name: BIG EDDY

Unit or CA Number:
NMNM68294X

US Well Number: 3001546194

Well Status: Producing Oil Well

Operator: XTO PERMIAN
OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMANDA THAMES

Signed on: AUG 28, 2023 07:53 AM

Name: XTO PERMIAN OPERATING LLC

Title: Regulatory Analyst

Street Address: 6401 HOLIDAY HILL ROAD BLDG 5

City: MIDLAND

State: TX

Phone: (432) 221-7340

Email address: AMANDA.THAMES@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 08/30/2023

Signature: Jonathon Shepard

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017												
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name BIG EDDY UNIT 30E SKYWALKER										
								6. Well Number: 100H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator XTO PERMIAN OPERATING LLC.						9. OGRID 373075												
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat WC WILLIAMS SINK; BONE SPRING (OIL)												
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	L	14	20S	31E		1465	South	650	West	Eddy								
BH:	A	13	20S	31E		427	North	29	East	Eddy								
13. Date Spudded 2/12/2023	14. Date T.D. Reached 03/05/2023		15. Date Rig Released 03/07/2023		16. Date Completed (Ready to Produce) 08/31/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3447' GL										
18. Total Measured Depth of Well 21,015			19. Plug Back Measured Depth 21,006		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL										
22. Producing Interval(s), of this completion - Top, Bottom, Name 10,594 TO 20,914 WC WILLIAMS SINK; BONE SPRING (OIL)																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13 3/8"		54.5		880'		17 1/2"		955										
9 5/8"		40.0		2,444		12 1/4"		874										
7 5/8"		29.7		4,113		8 3/4"		373										
5"		18.0		21,008		6 3/4"		523										
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET										
						2 7/8"	8,890											
26. Perforation record (interval, size, and number) 10,594 TO 20,914, 4spf, 1,249 Total Shots 52 stages						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>10,594 TO 20,914</td> <td>528,615 bbl fluid + 25,398,041 lbs Proppant</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	10,594 TO 20,914	528,615 bbl fluid + 25,398,041 lbs Proppant				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
10,594 TO 20,914	528,615 bbl fluid + 25,398,041 lbs Proppant																	
28. PRODUCTION																		
Date First Production 08/28/2023		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) 4" ESP				Well Status (<i>Prod. or Shut-in</i>) Producing												
Date of Test 09/02/2023	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 2918	Gas - MCF 1031	Water - Bbl. 5202	Gas - Oil Ratio 353											
Flow Tubing Press. 317	Casing Pressure 324	Calculated 24-Hour Rate	Oil - Bbl. 2918	Gas - MCF 1031	Water - Bbl. 5202	Oil Gravity - API - (<i>Corr.</i>)												
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold							30. Test Witnessed By											
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude			Longitude			NAD83												
<i>I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief</i>																		
Signature <i>Amanda Thames</i>			Printed Name <i>Amanda Thames</i>		Title <i>Regulatory Analyst</i>			Date <i>9/27/2023</i>										
E-mail Address <i>amanda.thames@exxonmobil.com</i>																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 956'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 1,976'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 4,024'	T. Morrison	
T. Drinkard	T. Bone Springs 7,378'	T. Todilto	
T. Abo	T. Rustler 692'	T. Entrada	
T. Wolfcamp	T. 1st Bone Spring 8,584'	T. Wingate	
T. Penn	T. 2nd Bone Spring 8,818'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....


From	To	Thickness In Feet	Lithology



Schematic - Wellbore - Horizontal

Well Name: Big Eddy Unit 30E Skywalker 100H

API/UWI 3001546194	SAP Cost Center ID 1568271001	Permit Number BLM	State/Province New Mexico	County Eddy
Surface Location T20S-R31E-S14	Spud Date 2/12/2023 00:15	Original KB Elevation (ft) 3,561.00	Ground Elevation (ft) 3,529.00	KB-Ground Distance (ft) 32.00
Surface Casing Flange Elevatio...				



Note: Directional schematic does not correlate to other tracks.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 269862

ACKNOWLEDGMENTS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 269862
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 269862

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 269862
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	10/2/2025