

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 373075
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-46195	⁵ Pool Name WC WILLIAMS SINK; BONE SPRING (OIL)	⁶ Pool Code 97650
⁷ Property Code 325955	⁸ Property Name BIG EDDY UNIT 30E SKYWALKER	⁹ Well Number 101H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
L	14	20S	31E		1540	South	435	West	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	13	20S	31E		1311	North	10	East	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
16696	Oxy, USA	O
373073	XTO Permian Midstream	G/W

IV. Well Completion Data

²¹ Spud Date 02/12/2023	²² Ready Date 08/27/2023	20965 MD ²³ TD 9652 TVD	20948 MB ²⁴ BTTD 9652 TVD	²⁵ Perforations 10,551 TO 20,857	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13.375 J55 54.4#	880	955		
12.25	9.625 J55 40#	2,440	874		
8.75	7.625 L80 29.7#	4,099	373		
6.75	5 P110 18#	20,950	921		
	2 7/8 L80 6.5#	7,834			

V. Well Test Data

³¹ Date New Oil 08/28/23	³² Gas Delivery Date 09/04/23	³³ Test Date 09/04/23	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 218	³⁶ Csg. Pressure 202
³⁷ Choke Size	³⁸ Oil 4654	³⁹ Water 4026	⁴⁰ Gas 1506		⁴¹ Test Method Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:

Amanda Thames

Printed name:

Amanda Thames

Title:

Regulatory Analyst

E-mail Address:

amanda.thames@exxonmobil.com

Date:

9/26/2023

Phone:

432.221.7340

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

AS-DRILLED PLAT

¹ API Number 30-015-46195	² Pool Code 97650	³ Pool Name WC WILLIAMS SINK; BONE SPRING
⁴ Property Code 325955	⁵ Property Name BIG EDDY UNIT 30E SKYWALKER	⁶ Well Number 101H
⁷ OGRID No. 373075	⁸ Operator Name XTO PERMIAN OPERATING, LLC.	⁹ Elevation 3,447'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	14	20 S	31 E		1,465	SOUTH	650	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	13	20 S	31 E		1,311	NORTH	10'	EAST	EDDY

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY.



SHL (NAD83 NME) Y = 571,470.1 X = 691,357.4 LAT. = 32.570083 °N LONG. = 103.846345 °W KOP (NAD83 NME) Y = 574,074.6 X = 690,279.4 LAT. = 32.572255 °N LONG. = 103.849806 °W FTP (NAD83 NME) Y = 574,744.3 X = 690,831.4 LAT. = 32.579089 °N LONG. = 103.848004 °W	LTP (NAD83 NME) Y = 574,936.4 X = 701,129.8 LAT. = 32.579484 °N LONG. = 103.814568 °W BHL (NAD83 NME) Y = 574,938.5 X = 701,230.7 LAT. = 32.579488 °N LONG. = 103.814241 °W PPP#1 (NAD83 NME) Y = 574,006.6 X = 695,963.9 LAT. = 32.576996 °N LONG. = 103.831353 °W	SHL (NAD27 NME) Y = 571,408.3 X = 650,178.1 LAT. = 32.569963 °N LONG. = 103.845842 °W KOP (NAD27 NME) Y = 574,012.7 X = 649,100.2 LAT. = 32.577135 °N LONG. = 103.849303 °W FTP (NAD27 NME) Y = 574,682.4 X = 649,652.2 LAT. = 32.578969 °N LONG. = 103.847501 °W	LTP (NAD27 NME) Y = 574,874.5 X = 659,950.5 LAT. = 32.579363 °N LONG. = 103.814066 °W BHL (NAD27 NME) Y = 574,876.6 X = 660,051.5 LAT. = 32.579368 °N LONG. = 103.813739 °W PPP#1 (NAD27 NME) Y = 573,944.7 X = 654,784.7 LAT. = 32.576876 °N LONG. = 103.830851 °W
--	--	--	--

CORNER COORDINATES (NAD83 NME)

A - Y = 572,651.3 N	X = 690,701.2 E
B - Y = 572,668.6 N	X = 693,347.2 E
C - Y = 572,685.7 N	X = 695,971.6 E
D - Y = 572,704.5 N	X = 698,622.5 E
E - Y = 572,723.3 N	X = 701,268.5 E
F - Y = 573,981.2 N	X = 690,694.8 E
G - Y = 573,998.0 N	X = 693,340.7 E
H - Y = 574,013.8 N	X = 695,963.8 E
I - Y = 574,028.7 N	X = 698,614.7 E
J - Y = 574,044.6 N	X = 701,263.0 E

CORNER COORDINATES (NAD27 NME)

A - Y = 572,589.4 N	X = 649,521.9 E
B - Y = 572,606.7 N	X = 652,168.0 E
C - Y = 572,623.9 N	X = 654,792.3 E
D - Y = 572,642.7 N	X = 657,443.2 E
E - Y = 572,661.5 N	X = 660,089.2 E
F - Y = 573,919.3 N	X = 649,515.6 E
G - Y = 573,936.1 N	X = 652,161.5 E
H - Y = 573,951.9 N	X = 654,784.6 E
I - Y = 573,966.8 N	X = 657,435.4 E
J - Y = 573,982.7 N	X = 660,083.8 E

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Amanda Thames 9/26/23
Signature Date
Amanda Thames
Printed Name
amanda.thames@exxonmobil.com
E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

09-11-2023
Date of Survey

LS 2017081253

Signature and Seal of
Professional Surveyor:



I, TIM C. PAPPAS, NEW MEXICO PROFESSIONAL SURVEYOR NO. 21209, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO, AND THAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

11 Sept 2023

TIM C. PAPPAS
REGISTERED PROFESSIONAL LAND SURVEYOR
STATE OF NEW MEXICO NO. 21209

TIM C. PAPPAS 21209
Certificate Number

Intent ☐ As Drilled ☒API #
30-015-46195

Operator Name:	Property Name:	Well Number
XTO PERMIN OPERATING, LLC	BIG EDDY UNIT 30E SKYWALKER	101H

Kick Off Point (KOP)

UL H	Section 15	Township 20 S	Range 31 E	Lot	Feet 1,621	From N/S FNL	Feet 609	From E/W FEL	County EDDY
Latitude 32.577255					Longitude -103.849806			NAD 83	

First Take Point (FTP)

UL D	Section 14	Township 20 S	Range 31 E	Lot	Feet 1,336	From N/S FNL	Feet 147	From E/W FWL	County EDDY
Latitude 32.579089					Longitude -103.848004			NAD 83	

Last Take Point (LTP)

UL A	Section 13	Township 20 S	Range 31 E	Lot	Feet 1,308	From N/S FNL	Feet 118	From E/W FEL	County EDDY
Latitude 32.579484					Longitude 103.814568			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit?

☐ Y

Is this well an infill well?

☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #

Operator Name:	Property Name:	Well Number

KZ 06/29/2018



SLB Survey Report

Thursday, March 23, 2023 12:11 PM Report

General Information		
Client:	XTO PERMIAN OPERATING LLC	Well Name:
Field:	WC WILLIAMS SINK; BONE SPRING	

Job Location & Elevation		
Latitude:	32°34'11.866" N	Longitude:
Rig Type:	land	Log Measured
Rig Floor above GL:	33.00 ft	Ground Level a
Depth Source:	33.00 DrillersDepth	

Tie In Point		
TIP_MD:	0.00 ft	TIP_NORTHING
TIP_INCL:	0.00 deg	TIP_EASTING:
TIP_AZIM:	0.00 deg	TIP_ROAZ:
TIP_TVD:	0.00 ft	NORTH_REF:

MWD Survey Reference Crite		
----------------------------	--	--

Run1

Geomag Model:	HDGM 2023	Calculation Da
Location G:	998.50 mgn	
Location B:	47631.00 nT	
Magnetic Dip:	60.20 deg	
Magnetic dec (+E/W-):	6.88 deg	
Grid convergence (+E/W-):	0.26 deg	
GTotal az corr (+E/W-):	6.62 deg	

Run2

Geomag Model:	HDGM 2023	Calculation Da
Location G:	998.50 mgn	
Location B:	47631.00 nT	
Magnetic Dip:	60.20 deg	
Magnetic dec (+E/W-):	6.88 deg	
Grid convergence (+E/W-):	0.26 deg	
GTotal az corr (+E/W-):	6.62 deg	

Run3

Geomag Model:	HDGM 2023	Calculation Da
Location G:	998.50 mgn	
Location B:	47631.00 nT	
Magnetic Dip:	60.20 deg	
Magnetic dec (+E/W-):	6.88 deg	
Grid convergence (+E/W-):	0.26 deg	
GTotal az corr (+E/W-):	6.62 deg	

Run4

Geomag Model:	HDGM 2023	Calculation Da
Location G:	998.50 mgn	
Location B:	47631.00 nT	
Magnetic Dip:	60.20 deg	
Magnetic dec (+E/W-):	6.88 deg	
Grid convergence (+E/W-):	0.26 deg	
GTotal az corr (+E/W-):	6.62 deg	

Run5

Geomag Model:	HDGM 2023	Calculation Da
Location G:	998.50 mgn	
Location B:	47631.00 nT	
Magnetic Dip:	60.20 deg	
Magnetic dec (+E/W-):	6.88 deg	
Grid convergence (+E/W-):	0.26 deg	
GTotal az corr (+E/W-):	6.62 deg	

Run6

Geomag Model:	HDGM 2023	Calculation Da
Location G:	998.50 mgn	
Location B:	47611.00 nT	
Magnetic Dip:	60.19 deg	
Magnetic dec (+E/W-):	6.88 deg	
Grid convergence (+E/W-):	0.26 deg	
GTotal az corr (+E/W-):	6.62 deg	

Run7

Geomag Model:	HDGM 2023	Calculation Da
Location G:	998.50 mgn	
Location B:	47611.00 nT	
Magnetic Dip:	60.19 deg	
Magnetic dec (+E/W-):	6.88 deg	
Grid convergence (+E/W-):	0.26 deg	
GTotal az corr (+E/W-):	6.62 deg	

Run8

Geomag Model:	HDGM 2023	Calculation Da
Location G:	998.50 mgn	

Location B:	47611.00 nT	
Magnetic Dip:	60.19 deg	
Magnetic dec (+E/W-):	6.88 deg	
Grid convergence (+E/W-):	0.26 deg	
GTotal az corr (+E/W-):	6.62 deg	

Run9

Geomag Model:	HDGM 2023	Calculation Da
Location G:	998.50 mgn	
Location B:	47611.00 nT	
Magnetic Dip:	60.19 deg	
Magnetic dec (+E/W-):	6.88 deg	
Grid convergence (+E/W-):	0.26 deg	
GTotal az corr (+E/W-):	6.62 deg	

Survey List					
MD	Incl	Azim	TVD	V Sec	N/-S
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)
0	0	0	0	0	0
107	0.58	357.45	107	-0.02	0.54
205	0.44	294.3	204.99	-0.38	1.19
297	0.15	211.7	296.99	-0.77	1.23
390	0.29	210.91	389.99	-0.95	0.93
483	0.45	14.61	482.99	-0.98	1.08
574	1.16	20.57	573.98	-0.56	2.29
761	1.6	16.08	760.93	0.85	6.57
802	1.7	5.41	801.91	1.07	7.72
933	1.82	8.39	932.85	1.58	11.72
1026	1.96	5.47	1025.8	1.96	14.76
1210	2.08	250.59	1209.74	-0.88	16.78
1302	2.26	251.34	1301.67	-4.18	15.65
1397	1.99	255.23	1396.61	-7.55	14.63
1587	2.05	7.52	1586.54	-10.29	17.16
1682	2.61	26.84	1681.47	-9.07	20.77
1777	3.78	39.56	1776.32	-6.07	25.12
1872	3.94	33.01	1871.1	-2.27	30.27
1967	2.93	57.8	1965.94	1.58	34.3
2157	2.27	27.3	2155.75	7.45	40.23
2252	2.28	24.84	2250.67	9.12	43.62
2347	1.77	299.2	2345.63	8.65	46.05
2375	1.9	290.63	2373.62	7.84	46.42
2465	1.7	294.85	2463.57	5.23	47.51
2560	1.72	293.28	2558.53	2.65	48.67

2655	1.75	284.27	2653.49	-0.06	49.59
2749	2.04	287.53	2747.44	-3.04	50.44
2844	5.05	321.87	2842.25	-7.22	54.24
2938	6.96	328.65	2935.73	-12.69	62.36
3032	7.08	326.59	3029.03	-18.79	72.06
3126	8.3	322.57	3122.18	-26.05	82.29
3220	11.04	322.69	3214.84	-35.57	94.84
3315	13.84	327.3	3307.6	-47.13	111.64
3410	16.18	327.28	3399.35	-60.32	132.34
3504	17.16	327.99	3489.4	-74.63	155.11
3599	18.34	329.79	3579.88	-89.45	179.91
3694	19.44	332.42	3669.76	-104.15	206.84
3788	20.5	334.46	3758.11	-118.34	235.56
3882	21.49	332.7	3845.87	-133.18	265.71
3976	23.18	329.84	3932.82	-150.2	297.01
4043	24.59	327.98	3994.08	-164.1	320.24
4182	24.27	328.11	4120.63	-194.27	369.01
4276	24.14	329.69	4206.37	-214	402.01
4370	24.26	329.93	4292.11	-233.21	435.32
4465	24.15	329.11	4378.76	-252.79	468.88
4560	24.18	328.27	4465.43	-272.82	502.11
4654	24.07	328.56	4551.22	-292.77	534.84
4749	24.25	328.72	4637.9	-312.83	568.04
4843	24.31	328.53	4723.59	-332.78	601.04
4937	25.48	328.77	4808.85	-353.19	634.83
5032	25.67	328.06	4894.54	-374.49	669.77
5126	25.31	328.4	4979.39	-395.61	704.16
5220	25.26	328.74	5064.39	-416.36	738.42
5314	25.34	328.54	5149.37	-437.09	772.72
5408	25.54	328.65	5234.25	-457.95	807.18
5502	25.33	328.77	5319.14	-478.74	841.68
5596	25.27	328.61	5404.13	-499.43	876
5690	25.43	331.01	5489.08	-519.48	910.79
5785	25.51	331.27	5574.85	-539.01	946.57
5879	25.26	331.06	5659.77	-558.26	981.87
5973	25.25	331.08	5744.78	-577.48	1016.97
6068	25.37	330.75	5830.67	-597.04	1052.46
6161	27.36	330.41	5913.99	-617.14	1088.43
6255	27.59	330.64	5997.39	-638.28	1126.18
6349	27.14	330.86	6080.87	-659.19	1163.88
6443	27.37	330.99	6164.43	-679.92	1201.51
6537	27.3	330.8	6247.93	-700.71	1239.22
6631	27.39	330.78	6331.43	-721.59	1276.91

6726	27.57	330.69	6415.71	-742.82	1315.15
6820	27.5	331.12	6499.06	-763.75	1353.12
6914	28.37	330.23	6582.11	-785.12	1391.51
7008	29.39	329.43	6664.42	-807.73	1430.76
7103	29.36	329.98	6747.21	-831.03	1470.99
7197	29.36	329.83	6829.13	-853.93	1510.87
7292	29.52	329.69	6911.86	-877.23	1551.21
7386	29.19	331.09	6993.8	-899.79	1591.27
7481	28.19	330.06	7077.13	-921.98	1630.99
7575	30.8	329.54	7158.94	-945.06	1670.98
7670	30.32	327.83	7240.75	-969.94	1712.25
7764	30.88	329.21	7321.66	-994.71	1753.05
7859	29.39	326.37	7403.82	-1019.89	1793.41
7954	26	326.6	7487.92	-1044.08	1830.21
8048	20.94	324.17	7574.12	-1065.1	1861.05
8142	21.08	328.05	7661.88	-1083.74	1889.02
8237	25.82	330.79	7749.01	-1102.71	1921.59
8332	22.01	331.46	7835.84	-1121.14	1955.3
8427	19.67	331.57	7924.62	-1137.11	1985
8522	21.95	329.14	8013.41	-1153.68	2014.31
8617	19.67	327.73	8102.21	-1171.17	2043.07
8712	16.33	320.56	8192.56	-1188.07	2066.91
8807	15.72	311.76	8283.88	-1206.06	2085.8
8902	13.7	306.88	8375.77	-1224.58	2101.13
9040	15.27	319.45	8509.41	-1249.35	2124.75
9135	17.33	342.36	8600.68	-1261.67	2147.77
9229	19.95	0.71	8689.82	-1265.56	2177.17
9324	19.61	12.05	8779.25	-1261.86	2208.98
9418	20.88	26.98	8867.5	-1250.8	2239.36
9513	25.03	40.01	8955.01	-1230.02	2269.87
9608	27.11	41.45	9040.34	-1202.6	2301.49
9702	35.18	48.35	9120.75	-1167.95	2335.61
9797	44.87	54.65	9193.44	-1119.83	2373.29
9891	49.92	68.45	9257.22	-1058.97	2405.79
9985	48.73	76.43	9318.54	-991.01	2427.31
10080	52.32	80.87	9378.95	-919.07	2441.66
10174	53.64	83.97	9435.55	-844.63	2451.54
10268	60.11	84.82	9486.89	-766.29	2459.2
10364	68.7	78.97	9528.36	-680.67	2471.55
10458	77.51	76.89	9555.65	-592.71	2490.37
10550	81.24	83.02	9572.63	-503.65	2506.11
10644	84.07	85.55	9584.64	-410.86	2515.38
10739	86.52	89.06	9592.44	-316.28	2519.83

10833	89.75	89.38	9595.5	-222.35	2521.11
10927	89.33	88.29	9596.25	-128.36	2523.02
11021	89.51	89.23	9597.2	-34.38	2525.05
11210	89.45	89.56	9598.92	154.61	2527.05
11399	89.12	89.96	9601.28	343.59	2527.84
11587	89.5	90.39	9603.54	531.57	2527.26
11681	90.35	89.43	9603.66	625.57	2527.41
11870	89.84	89.8	9603.35	814.57	2528.68
11965	89.36	89.62	9604.01	909.57	2529.16
12060	89.87	90.33	9604.65	1004.56	2529.2
12250	90.59	89.97	9603.89	1194.55	2528.71
12344	90.89	89.89	9602.68	1288.54	2528.82
12439	90.79	88.63	9601.28	1383.53	2530.05
12533	91.12	89.76	9599.72	1477.51	2531.37
12628	90.46	89.7	9598.41	1572.5	2531.82
12818	89.44	89.92	9598.57	1762.5	2532.45
12913	89.85	89.9	9599.16	1857.5	2532.6
13008	89.28	90.38	9599.88	1952.49	2532.36
13198	89.75	90.19	9601.49	2142.47	2531.42
13388	90.03	90	9601.85	2332.47	2531.1
13578	90.32	89.88	9601.27	2522.46	2531.3
13672	90.34	90.03	9600.73	2616.46	2531.38
13768	89.37	89.72	9600.98	2712.46	2531.59
13863	89.27	89.65	9602.1	2807.45	2532.11
13957	89.26	90.32	9603.31	2901.44	2532.13
14148	88.29	89.82	9607.39	3092.39	2531.9
14242	89.37	89.95	9609.31	3186.37	2532.09
14433	89.98	89.8	9610.39	3377.37	2532.5
14623	89.67	90.47	9610.98	3567.36	2532.06
14718	89.7	89.92	9611.5	3662.35	2531.73
14813	90.39	90.25	9611.42	3757.35	2531.59
14908	89.48	90.7	9611.53	3852.34	2530.8
15003	90.18	89.64	9611.81	3947.34	2530.52
15098	90.76	89.57	9611.03	4042.33	2531.18
15193	89.35	90.14	9610.94	4137.33	2531.42
15288	90.19	89.86	9611.32	4232.33	2531.42
15382	89.68	89.65	9611.43	4326.32	2531.82
15477	89.44	88.87	9612.16	4421.32	2533.05
15572	89.77	89.12	9612.81	4516.31	2534.71
15667	89.75	88.99	9613.21	4611.3	2536.28
15762	89.75	89.16	9613.63	4706.3	2537.81
15857	89.84	89.3	9613.97	4801.29	2539.09
16046	89.79	88.91	9614.58	4990.28	2542.04

16142	89.82	88.91	9614.9	5086.27	2543.87
16236	89.42	88.86	9615.53	5180.26	2545.7
16331	89.56	88.97	9616.37	5275.25	2547.5
16426	89.98	88.87	9616.75	5370.24	2549.29
16521	89.65	88.95	9617.06	5465.23	2551.09
16616	90.01	89.03	9617.34	5560.22	2552.77
16710	90	89	9617.33	5654.21	2554.38
16805	89.71	89.7	9617.58	5749.21	2555.46
16899	90.13	88.9	9617.71	5843.21	2556.61
16993	89.82	89.11	9617.75	5937.2	2558.24
17088	89.05	88.75	9618.68	6032.18	2560.02
17183	89.4	88.8	9619.97	6127.16	2562.05
17281	89.28	88.29	9621.1	6225.14	2564.54
17375	89.42	87.3	9622.16	6319.08	2568.15
17469	89.36	89.37	9623.17	6413.04	2570.88
17563	89.58	89.61	9624.03	6507.04	2571.72
17658	89.25	89.57	9625	6602.03	2572.4
17753	89.08	89.67	9626.39	6697.02	2573.03
17848	89.05	89.55	9627.94	6792.01	2573.68
17943	89.42	89.5	9629.21	6887	2574.46
18038	88.95	89.7	9630.56	6981.99	2575.13
18133	89.6	89.39	9631.76	7076.98	2575.88
18228	89.7	89.87	9632.34	7171.98	2576.49
18324	89.25	89.42	9633.22	7267.97	2577.09
18419	89.16	89.28	9634.54	7362.96	2578.17
18514	89.15	89.63	9635.94	7457.95	2579.07
18609	89.29	89.51	9637.23	7552.94	2579.78
18704	89.12	89.6	9638.55	7647.93	2580.52
18798	89.11	89.72	9640	7741.92	2581.08
18893	89.22	89.75	9641.39	7836.91	2581.52
18989	89.29	89.57	9642.64	7932.9	2582.09
19083	89.36	89.45	9643.74	8026.9	2582.89
19178	89.36	89.34	9644.8	8121.89	2583.89
19273	89.26	89.48	9645.95	8216.88	2584.87
19368	89.8	89.39	9646.73	8311.88	2585.81
19463	90.11	89.5	9646.8	8406.87	2586.73
19558	90.14	89.48	9646.6	8501.87	2587.58
19653	90.18	89.45	9646.33	8596.87	2588.46
19748	89.65	89.39	9646.47	8691.87	2589.42
19843	89.75	89.56	9646.97	8786.87	2590.29
19937	89.94	89.59	9647.22	8880.87	2590.99
20032	89.83	89.37	9647.41	8975.87	2591.85
20127	89.76	89.31	9647.75	9070.86	2592.95

20222	89.73	89.54	9648.18	9165.86	2593.9
20317	89.84	89.18	9648.53	9260.86	2594.96
20412	89.61	89.45	9648.99	9355.86	2596.1
20507	89.21	90.97	9649.97	9450.84	2595.75
20601	89.75	91.49	9650.82	9544.81	2593.73
20696	90.1	91.61	9650.94	9639.76	2591.16
20791	89.76	91.65	9651.06	9734.7	2588.46
20886	89.68	91.33	9651.52	9829.65	2585.99
20930	89.82	91.13	9651.72	9873.64	2585.05
20965	89.82	91.13	9651.83	9908.63	2584.36

t by DrillOps

	BIG EDDY UNIT 30E SKYWALKER 101H
	103°50'45.033" W
From:	DrillFloor
above MSL:	3447.00 ft
g:	0.00 ft
	0.00 ft
	89.70 deg
	GridNorth
eria	
te:	11-Feb-2023
te:	09-Feb-2023

te:	08-Feb-2023
te:	10-Feb-2023
te:	06-Feb-2023
te:	01-Feb-2023
te:	31-Jan-2023
te:	30-Jan-2023

te:	29-Jan-2023

E/-W	DLS	IRE_DISTANCE	IRE_AZIMUTH
(ft)	(deg/100ft)	(ft)	(deg)
0	0	0	0
-0.02	0.54	0.54	357.45
-0.39	0.56	1.25	341.91
-0.77	0.49	1.46	327.9
-0.96	0.15	1.34	314.08
-0.99	0.79	1.46	317.55
-0.57	0.78	2.36	345.91
0.81	0.24	6.62	7.06
1.03	0.79	7.79	7.59
1.52	0.12	11.81	7.37
1.88	0.18	14.88	7.27
-0.97	1.85	16.81	356.7
-4.26	0.2	16.22	344.77
-7.63	0.32	16.5	332.46
-10.38	1.77	20.05	328.84
-9.18	1.01	22.71	336.17
-6.21	1.43	25.87	346.12
-2.43	0.49	30.37	355.4
1.4	1.87	34.33	2.34
7.24	0.79	40.88	10.2
8.89	0.1	44.52	11.52
8.41	2.92	46.81	10.34
7.59	1.08	47.04	9.29
4.99	0.27	47.77	5.99
2.4	0.05	48.72	2.82

-0.32	0.29	49.59	359.63
-3.3	0.33	50.55	356.25
-7.5	3.74	54.76	352.13
-13.02	2.16	63.71	348.21
-19.17	0.3	74.57	345.1
-26.48	1.42	86.44	342.16
-36.07	2.91	101.46	339.18
-47.72	3.12	121.41	336.86
-61.01	2.46	145.72	335.25
-75.44	1.06	172.49	334.06
-90.39	1.37	201.35	333.32
-105.24	1.46	232.08	333.03
-119.57	1.35	264.17	333.09
-134.57	1.25	297.85	333.14
-151.76	2.14	333.54	332.93
-165.78	2.39	360.6	332.63
-196.21	0.23	417.93	332
-216.11	0.7	456.42	331.74
-235.49	0.17	494.93	331.59
-255.24	0.37	533.85	331.44
-275.45	0.36	572.7	331.25
-295.58	0.17	611.08	331.07
-315.81	0.2	649.93	330.93
-335.94	0.1	688.55	330.8
-356.52	1.25	728.09	330.68
-378	0.38	769.07	330.56
-399.3	0.41	809.49	330.44
-420.24	0.16	849.62	330.36
-441.14	0.12	889.78	330.28
-462.18	0.22	930.14	330.21
-483.15	0.23	970.5	330.14
-504.03	0.1	1010.66	330.09
-524.26	1.11	1050.89	330.07
-543.98	0.14	1091.74	330.11
-563.41	0.28	1132.03	330.15
-582.81	0.01	1172.13	330.18
-602.56	0.19	1212.74	330.21
-622.85	2.15	1254.04	330.22
-644.18	0.27	1297.41	330.23
-665.3	0.49	1340.61	330.25
-686.22	0.25	1383.66	330.27
-707.21	0.12	1426.82	330.29
-728.28	0.1	1470	330.3

-749.71	0.19	1513.83	330.31
-770.84	0.22	1557.28	330.33
-792.41	1.03	1601.32	330.34
-815.23	1.16	1646.72	330.33
-838.74	0.29	1693.31	330.31
-861.85	0.08	1739.4	330.3
-885.37	0.18	1786.09	330.28
-908.14	0.81	1832.17	330.29
-930.54	1.17	1877.77	330.29
-953.82	2.79	1924.05	330.28
-978.92	1.05	1972.33	330.24
-1003.9	0.96	2020.15	330.2
-1029.29	2.17	2067.79	330.15
-1053.67	3.57	2111.85	330.07
-1074.86	5.48	2149.15	329.99
-1093.64	1.49	2182.76	329.93
-1112.79	5.12	2220.54	329.92
-1131.4	4.02	2259.04	329.94
-1147.52	2.46	2292.82	329.97
-1164.24	2.57	2326.56	329.97
-1181.89	2.46	2360.3	329.95
-1198.91	4.21	2389.46	329.88
-1217	2.63	2414.88	329.74
-1235.6	2.49	2437.51	329.54
-1260.49	2.54	2470.51	329.32
-1272.93	7.06	2496.65	329.35
-1276.98	6.8	2524.04	329.61
-1273.45	4.05	2549.76	330.04
-1262.55	5.64	2570.75	330.59
-1241.92	6.88	2587.41	331.32
-1214.67	2.29	2602.36	332.18
-1180.19	9.37	2616.85	333.19
-1132.27	11.04	2629.55	334.49
-1071.58	12.05	2633.65	335.99
-1003.73	6.56	2626.65	337.53
-931.86	5.22	2613.44	339.11
-857.48	2.98	2597.18	340.72
-779.18	6.92	2579.69	342.42
-693.62	10.5	2567.03	344.32
-605.76	9.61	2562.99	346.33
-516.78	7.7	2558.83	348.35
-424.03	4.02	2550.87	350.43
-329.48	4.5	2541.28	352.55

-235.55	3.45	2532.09	354.66
-141.57	1.24	2526.99	356.79
-47.6	1.02	2525.5	358.92
141.38	0.18	2531	3.2
330.36	0.27	2549.33	7.45
518.35	0.31	2579.87	11.59
612.35	1.36	2600.53	13.62
801.34	0.33	2652.62	17.58
896.34	0.54	2683.3	19.51
991.33	0.92	2716.54	21.4
1181.33	0.42	2791.04	25.04
1275.32	0.33	2832.2	26.76
1370.3	1.33	2877.3	28.44
1464.28	1.25	2924.37	30.05
1559.27	0.7	2973.45	31.63
1749.26	0.55	3077.86	34.63
1844.26	0.43	3132.94	36.06
1939.26	0.78	3189.6	37.44
2129.25	0.27	3307.83	40.07
2319.25	0.18	3432.98	42.5
2509.24	0.17	3564.24	44.75
2603.24	0.16	3631.08	45.8
2699.24	1.06	3700.65	46.84
2794.23	0.13	3770.85	47.82
2888.23	0.71	3841.03	48.76
3079.18	0.57	3986.46	50.57
3173.16	1.16	4059.6	51.41
3364.15	0.33	4210.83	53.03
3554.15	0.39	4363.86	54.53
3649.15	0.58	4441.39	55.25
3744.15	0.81	4519.69	55.94
3839.14	1.07	4598.26	56.61
3934.14	1.34	4677.71	57.25
4029.13	0.61	4758.23	57.86
4124.13	1.6	4839.06	58.46
4219.13	0.93	4920.28	59.04
4313.13	0.59	5001.32	59.59
4408.12	0.86	5084.07	60.12
4503.1	0.44	5167.46	60.63
4598.09	0.14	5251.2	61.12
4693.07	0.18	5335.3	61.6
4788.06	0.18	5419.64	62.06
4977.04	0.21	5588.64	62.94

5073.02	0.03	5675.1	63.37
5167	0.43	5760.08	63.77
5261.98	0.19	5846.21	64.17
5356.96	0.45	5932.61	64.55
5451.94	0.36	6019.28	64.92
5546.93	0.39	6106.15	65.29
5640.91	0.03	6192.32	65.64
5735.91	0.8	6279.41	65.99
5829.9	0.96	6365.85	66.32
5923.88	0.4	6452.68	66.64
6018.86	0.89	6540.67	66.96
6113.83	0.37	6628.95	67.26
6211.79	0.53	6720.36	67.57
6305.72	1.06	6808.63	67.84
6399.67	2.2	6896.75	68.11
6493.66	0.35	6984.36	68.39
6588.65	0.35	7073.02	68.67
6683.64	0.21	7161.81	68.94
6778.62	0.13	7250.76	69.21
6873.61	0.39	7339.92	69.47
6968.6	0.54	7429.18	69.72
7063.59	0.76	7518.61	69.96
7158.58	0.52	7608.13	70.21
7254.58	0.66	7698.72	70.44
7349.56	0.18	7788.65	70.67
7444.55	0.37	7878.64	70.89
7539.54	0.19	7968.68	71.11
7634.52	0.2	8058.85	71.32
7728.51	0.13	8148.12	71.53
7823.5	0.12	8238.41	71.74
7919.49	0.2	8329.8	71.94
8013.48	0.15	8419.45	72.13
8108.47	0.12	8510.22	72.32
8203.46	0.18	8601.06	72.51
8298.45	0.58	8691.99	72.69
8393.45	0.35	8783	72.87
8488.44	0.04	8874.07	73.05
8583.44	0.05	8965.24	73.22
8678.43	0.56	9056.51	73.39
8773.43	0.21	9147.82	73.55
8867.42	0.2	9238.2	73.71
8962.42	0.26	9329.67	73.87
9057.41	0.1	9421.26	74.02

9152.41	0.24	9512.88	74.18
9247.4	0.4	9604.59	74.33
9342.39	0.37	9696.39	74.47
9437.38	1.65	9787.86	74.62
9531.36	0.8	9877.97	74.78
9626.32	0.39	9968.96	74.93
9721.28	0.36	10059.99	75.09
9816.25	0.35	10151.16	75.24
9860.24	0.55	10193.47	75.31
9895.23	0	10227.15	75.36

Well Name: BIG EDDY UNIT 30E SKYWALKER	Well Location: T20S / R31E / SEC 14 / NWSW / 32.570286 / -103.847043	County or Parish/State: EDDY / NM
Well Number: 101H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC063667	Unit or CA Name: BIG EDDY	Unit or CA Number: NMNM68294X
US Well Number: 3001546195	Well Status: Producing Oil Well	Operator: XTO PERMIAN OPERATING LLC

Subsequent Report

Sundry ID: 2748342

Type of Submission: Subsequent Report

Type of Action: Hydraulic Fracturing

Date Sundry Submitted: 08/28/2023

Time Sundry Submitted: 04:53

Date Operation Actually Began: 07/12/2023

Actual Procedure: XTO PERMIAN OPERATING LLC respectfully submits this sundry notice to report the completion operations of the referenced well. KOP @ depth 9,350 ft. PBTD = 20,948 ft. 4/20/23 Run RCB/GR/CCL 5/26/23 Pressure test 5 in csg to 8,175 psi for 30min test good, open sleeve. 7/12/23 Perf and frac 52 stages, 1,249 total shots, from 10,551 to 20,857 using 533,154 bbls of fluid and 25,641,724 lbs Proppant. Tag and drill out plugs. 8/8/23 Run 2-7/8 L80 6.5# tubing set at 7,834 ft. 8/8/23 Run 4 1/2" ESP in hole

Well Name: BIG EDDY UNIT 30E
SKYWALKER

Well Location: T20S / R31E / SEC 14 /
NWSW / 32.570286 / -103.847043

County or Parish/State: EDDY /
NM

Well Number: 101H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC063667

Unit or CA Name: BIG EDDY

Unit or CA Number:
NMNM68294X

US Well Number: 3001546195

Well Status: Producing Oil Well

Operator: XTO PERMIAN
OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMANDA THAMES

Signed on: AUG 28, 2023 04:53 PM

Name: XTO PERMIAN OPERATING LLC

Title: Regulatory Analyst

Street Address: 6401 HOLIDAY HILL ROAD BLDG 5

City: MIDLAND

State: TX

Phone: (432) 221-7340

Email address: AMANDA.THAMES@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 08/30/2023

Signature: Jonathon Shepard

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017												
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name BIG EDDY UNIT 30E SKYWALKER										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER								6. Well Number: 101H										
8. Name of Operator XTO PERMIAN OPERATING LLC.						9. OGRID 373075												
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat WC WILLIAMS SINK; BONE SPRING (OIL)												
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	L	14	20S	31E		1540	South	435	West	Eddy								
BH:	H	13	20S	31E		1311	North	10	East	Eddy								
13. Date Spudded 02/12/2023	14. Date T.D. Reached 03/20/2023		15. Date Rig Released 03/22/2023		16. Date Completed (Ready to Produce) 08/27/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3447' GL										
18. Total Measured Depth of Well 20,965			19. Plug Back Measured Depth 20,948		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL										
22. Producing Interval(s), of this completion - Top, Bottom, Name 10,551 TO 20,857 WC WILLIAMS SINK; BONE SPRING (OIL)																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13 3/8"		54.5		880'		17 1/2"		955										
9 5/8"		40.0		2,440		12 1/4"		874										
7 5/8"		29.7		4,099		8 3/4"		373										
5"		18.0		20,950		6 3/4"		921										
24. LINER RECORD																		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET								
								2 7/8"		7,834								
26. Perforation record (interval, size, and number) 10,551 TO 20,857, 4spf, 1,249 Total Shots 52 stages					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>10,551 TO 20,857</td> <td>533,154 bbl fluid + 25,641,724 lbs Proppant</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>						DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	10,551 TO 20,857	533,154 bbl fluid + 25,641,724 lbs Proppant				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
10,551 TO 20,857	533,154 bbl fluid + 25,641,724 lbs Proppant																	
28. PRODUCTION																		
Date First Production 08/28/2023		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) 4" ESP				Well Status (<i>Prod. or Shut-in</i>) Producing												
Date of Test 09/04/2023	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 4654	Gas - MCF 1506	Water - Bbl. 4026	Gas - Oil Ratio 324											
Flow Tubing Press. 218	Casing Pressure 202	Calculated 24-Hour Rate	Oil - Bbl. 4654	Gas - MCF 1506	Water - Bbl. 4026	Oil Gravity - API - (<i>Corr.</i>)												
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold								30. Test Witnessed By										
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:										
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude				Longitude				NAD83										
<i>I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief</i>																		
Signature <i>Amanda Thames</i>			Name <i>Amanda Thames</i>			Title <i>Regulatory Analyst</i>			Date <i>9/26/2023</i>									
E-mail Address <i>amanda.thames@exxonmobil.com</i>																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 950'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 1,969'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 4,017'	T. Morrison	
T. Drinkard	T. Bone Springs 8,290'	T. Todilto	
T. Abo	T. Rustler 686'	T. Entrada	
T. Wolfcamp	T. 1st Bone Spring 8,577'	T. Wingate	
T. Penn	T. 2nd Bone Spring 9,112'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....


From	To	Thickness In Feet	Lithology



Schematic - Wellbore - Horizontal

Well Name: Big Eddy Unit 30E Skywalker 101H

API/UWI 3001546195	SAP Cost Center ID 1568311001	Permit Number BLM	State/Province New Mexico	County Eddy
Surface Location T20S-R31E-S14	Spud Date 2/12/2023 19:15	Original KB Elevation (ft) 3,561.00	Ground Elevation (ft) 3,529.00	KB-Ground Distance (ft) 32.00
Surface Casing Flange Elevatio...				



Note: Directional schematic does not correlate to other tracks.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 269333

ACKNOWLEDGMENTS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 269333
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 269333

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 269333
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	10/2/2025