

Well Name: EASY COMPANY 36/35 W0HG FED COM	Well Location: T20S / R28E / SEC 36 / SENE / 32.533262 / -104.1241653	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM103877	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001549165	Operator: MEWBOURNE OIL COMPANY	

Subsequent Report

Sundry ID: 2786421

Type of Submission: Subsequent Report

Date Sundry Submitted: 04/23/2024

Date Operation Actually Began: 03/25/2022

Type of Action: Drilling Operations

Time Sundry Submitted: 12:46

**Actual Procedure:** ALREADY APPROVED: SUNDRY ID 2667018. CORRECTION TO CSG SIZE (FRACTIONS MISSING) PER NMOCD FOR APPROVAL. 03/25/22 Spud 26" hole @ 395'. Ran 395' of 20" 94# J55 BT&C Csg. Cmt w/1000 sks Class C Neat (yd @ 1.33 cuft/sk @ 14.8 PPG). Displaced w/133 bbls of BW. Plug down @ 3:45 A.M. 03/26/22. Circ 510 sks of cmt to the pit. Drilled out w/17 1/2" bit. 03/27/22 TD'ed 17 1/2" hole @ 1382'. Ran 1367' of 13 3/8" 54.5# J55 ST&C Csg. Cmt w/700 sks Class C w/additives. (yd @ 2.12 cuft/sk @ 12.5 PPG). Tail w/200 sks Class C Neat (yd @ 1.32 cuft/sk @ 14.8 PPG). Displaced w/206 bbls of FW. Plug down @ 3:45 A.M. 03/28/22. Circ 307 sks of cmt to the pit. At 10:00 P.M. 03/28/22, tested csg to 1500# for 30 mins, held OK. FIT to 9.5 PPG EMW. Drilled out w/12 1/4" bit. 03/30/22 TD'ed 12 1/4" hole @ 3029'. Ran 3014' 9 5/8" 40# L80IC LT&C Csg. Cmt 1st Stage w/600 sks Class C w/additives. (yd @ 2.13 cuft/sk @ 12.5 PPG). 1st Stage tail w/200 sks Class C Neat (yd @ 1.32 cuft/sk @ 14.8 PPG). Displaced w/224 bbls of FW. Slow rate lift pressure 300# @ 3 BPM. Plug down @ 9:30 P.M. Dropped contingency bomb. Inflate ECP w/2680#. Dropped opening bomb & opened DV tool w/340#. Circ 25 sks cmt off DV tool. Cmt 2nd stage w/275 sks Class C w/3% Gypsum, 1% CaCl2 & 1/4#/sk Poly Flake (yd @ 2.13 cuft/sk @ 12.5 PPG). Displaced w/108 bbls of FW. Plug down @ 12:30 A.M. 03/31/22. Closed DV tool w/1400#. Circ 168 sks of cmt to the pit. At 3:30 A.M. 04/01/22, tested csg to 1500# for 30 mins, held OK. FIT to 10.5 PPG EMW. Drilled out w/8 3/4" bit. 04/04/22 TD'ed 8 3/4" hole @ 8749'. Ran 8649' of 7" 29# HPP110 BT&C Csg. Cmt w/450 sks Class C Poz w/additives. (yd @ 2.98 cuft/sk @ 11.5 PPG). Tail w/400 sks Class C w/0.45% Retarder (yd @ 1.33 cuft/sk @ 14.8 PPG). Displaced w/319 bbls of OBM. Plug down @ 6:15 P.M. 04/04/22. Circ 296 sks of cmt to the pit. At 10:30 A.M. 04/05/22, tested csg to 1500# for 30 mins, held OK. FIT to 10.0 PPG EMW. Drilled out w/6 1/8" bit. 04/11/22 TD'ed 6 1/8" hole @ 16900' MD. Ran 4 1/2" 13.5# ICP110 BPN Csg from 8410' (top of liner) to 16899'. Cmt w/700 sks 50/50 Class H Premium Poz w/additives. (1.48 ft³/sk @ 13.5 ppg). Pumped 5 bbls sugar FW. Drop dart. Displaced w/213 bbls of BW.

Received by OCD: 5/2/2024 9:32:32 AM

Page 2 of 3

Well Name: EASY COMPANY 36/35 W0HG FED COM	Well Location: T20S / R28E / SEC 36 / SENE / 32.533262 / -104.1241653	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM103877	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001549165	Operator: MEWBOURNE OIL COMPANY	

Lift pressure 1900# @ 3 BPM. Plug down @ 9:30 P.M. 04/12/22. Bumped plug w/2400#. Set packer w/100k#. Sting out w/2400# on DP. Displaced 7" csg w/300 bbls of BW w/polymer sweep. Circ 163 sks cmt off liner top. At 11:15 P.M. 04/12/22, tested liner top to 2500# for 30 mins, held OK. Rig released to walk @ 7:30 A.M. 04/13/2022.

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JACKIE LATHAN

Signed on: APR 23, 2024 12:46 PM

Name: MEWBOURNE OIL COMPANY

Title: Regulatory

Street Address: PO Box 5270

City: HobbsState: NM

Phone: (575) 393-5905

Email address: Jlathan@mewbourne.com

Field

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 05/01/2024

Signature: Jonathon Shepard

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 340106

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 340106
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	10/2/2025