



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

09/30/2025

Well Name: YATES FEDERAL	Well Location: T26S / R29E / SEC 34 / SESE / 32.001026 / -103.9671076	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM47159	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001524602	Operator: WPX ENERGY PERMIAN LLC	

Subsequent Report**Sundry ID:** 2866150**Type of Submission:** Subsequent Report**Type of Action:** Plug and Abandonment**Date Sundry Submitted:** 09/29/2025**Time Sundry Submitted:** 07:02**Date Operation Actually Began:** 08/22/2025**Actual Procedure:** null**SR Attachments****Actual Procedure**

Plugging_Record_Devon_Yates_Federal__1_3160_5_20250929070150.pdf

Well Name: YATES FEDERAL	Well Location: T26S / R29E / SEC 34 / SESE / 32.001026 / -103.9671076	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM47159	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001524602	Operator: WPX ENERGY PERMIAN LLC	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFF YOUNG**Signed on:** SEP 29, 2025 07:02 AM**Name:** WPX ENERGY PERMIAN LLC**Title:** Production Data Analyst**Street Address:** 333 W SHERIDAN AVE**City:** OKLAHOMA CITY**State:** OK**Phone:** (405) 228-2480**Email address:** JEFF.YOUNG@DVN.COM**Field****Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Email address:****BLM Point of Contact****BLM POC Name:** JAMES A AMOS**BLM POC Title:** Acting Assistant Field Manager**BLM POC Phone:** 5752345927**BLM POC Email Address:** JAMOS@BLM.GOV**Disposition:** Accepted**Disposition Date:** 09/29/2025**Signature:** James A Amos

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED OMB
No. 1004-0137 Expires:
December 31, 2024**SUNDRY NOTICES AND REPORTS ON WELLS**
**Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.**

5. Lease Serial No.

NMNM47159

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Devon Energy Production Company, LP

3a. Address

33 West Sheriadan Ave. Oklahoma City, OK 73102

3b. Phone No. (include area code)

405-228-2480

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.

Yates Federal #1

9. API Well No.

30-015-24602

10. Field and Pool or Exploratory Area

Brushy Draw; Delaware

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit H, 330' FSL, 990' FEL, Sec 34, T26S, R29E

11. Country or Parish, State

Eddy County, NM**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION				
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off	
	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity	
☒ Subsequent Report	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other	
	☐ Change Plans	☒ Plug and Abandon	☐ Temporarily Abandon		
☐ Final Abandonment Notice	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

JMR Services, LLC plugged this well from 8/22/2025 – 9/16/2025.
Please see attached the P&A Subsequent Report

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Kelton Woodard

Plugging Agent

Title

Signature

Kelton Woodard

Date 9/26/2025

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

P&A Subsequent Report
Devon Energy Production Company LP.
Yates Federal #001
API:30-015-24602

8/22/25 MIRU. Check pressure in the well tbg have 300 psi 5 1/2 csg have 280 psi. Shutdown for day.

8/23/25 Check pressure in the well Tbg have 290 psi 5 1/2 csg have 220 psi. Shutdown for day.

8/25/25 Check pressure in the well Tbg have 100 psi 5 1/2 200 psi. Shutdown for day.

8/26/25 Check pressure in the well 0 pressure in the well. JSI RIH with 5.5" CIBP and set @4,846'. Pressure test CIBP 500 psi for 30 min pass. Run CBL from 4,846' to surface. Shut down for day.

8/27/25 Check pressure in the well 5 1/2 csg have 200 psi pump Tbg have 0 pressure. Circulate 130 bbl 10# MLF. Plug (# 1) Spot (25 sxs) class (C) cement From (4846) to (4592).

8/28/25 Check pressure in the well tbg 0 pressure. Tagged Plug 1 TOC @ 4663' - called BLM Keith Immatty to confirm, cmt supposed to be @ 4592'. Okay to continue with process. Set 5.5" CIBP @ 3,602'. Tag CIBP with tubing @ 3,602'. Plug (# 2) Spot (25 sxs) class (C) cement From (3602) to (3348).

9/2/25 Check pressure in the well 0/ pressure in the well. RIH and tagged Plug 2 TOC @ 3345'. Plug (# 3) Spot (35 sxs) class ('C') cement From (3150) to (2800'). RIH and tagged TOC @ 2765'. RIH and perf'd @ 2265'. 2bbl/min at 150 psi. Shut down for day.


9/3/25 Check pressure in the well 0 pressure in the well. Plug (# 4) Squeezed (70sxs) class ('C') cement from (2265') to (2020). WOC 4hrs. Tagged Plug 4 TOC @ 2016'. RIH and perf'd @ 1450'. Plug (# 5) Squeezed (125sxs) class ('C') cement from (1450') to (950').

9/4/25 Check pressure in the well tbg and bubbles. Tagged Plug #5 TOC @ 948'. RIH and perf'd @ 500'. 2bpm @150 psi. Plug (# 6) Rigged up pump and circulated (185 sxs) class ('C') cement from (500' out of surface of 8 5/8 csg and leave 5 1/2 full of cmt) to surface. RDMO.

9/16/25 Cutoff wellhead and anchors. Install above ground DHM. RDMO. Well Complete.

Author:	Shyanne @ JMR	Well No.	001
Well Name	Devon	API #:	30-015-24602
Field/Pool	Yates Federal	Location:	Sec 34, T26S, R29E
County	Eddy		330FSL&990FEL
State	NM	GL:	2882'
Spud Date	10/26/1983		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface	13 3/8	J-55	61#	383'	17 1/2	395	surf
Intermediate	8 5/8	J-55	32#	3100'	11	800	surf
Production	5 1/2	P-110	17#	6325'	7 7/8	700	surf



Plug (# 6) Rigged up pump and circulated (185 sxs) class ('C') cement from (500' out of surface of 8 5/8 csg and leave 5 1/2 full of cmt) to surface

13 3/8 61# CSG @ 383'

Plug (# 5) Squeezed (125sxs) class ('C') cement from (1450') to (950').

8 5/8 32# CSG @ 3100'

Plug (# 4) Squeezed (70sxs) class ('C') cement from (2265') to (2020).

Plug (# 3) Spot (35 sxs) class ('C') cement From (3150) to (2800').

Plug (# 2) Spot (25 sxs) class (C) cement From (3602) to (3348).
Set CIBP @3,602' (Tagged)

Plug (# 1) Spot (25 sxs) class (C) cement From (4846) to (4592).
Set CIBP @4,846'

5 1/2 17# CSG @ 6325'

Formation Tops	
Rustler	1000
Salado	1400
Castile	2215
Delaware	2868
Brushy Canyon	4896



GPS Map Camera



Malaga, NM, United States

Priscilla Rd, Malaga, NM 88263, United States

Lat 32.001042, Long -103.967148

09/16/2025 02:13 PM GMT-05:00

Note : Captured by GPS Map Camera



GPS Map Camera

Malaga, NM, United States

Priscilla Rd, Malaga, NM 88263, United States

Lat 32.001031, Long -103.967154

09/16/2025 02:34 PM GMT-05:00

Note : Captured by GPS Map Camera









Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 510493

CONDITIONS

Operator: WPX Energy Permian, LLC Devon Energy - Regulatory Oklahoma City, OK 73102	OGRID: 246289
	Action Number: 510493
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	10/23/2025