

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-27018
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name PAULINE ALB STATE
8. Well Number #003
9. OGRID Number 16696
10. Pool name or Wildcat [53815] SAND DUNES;DELAWARE, WEST

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator OXY USA INC	
3. Address of Operator P.O. BOX 4294 HOUSTON, TX 77210	
4. Well Location Unit Letter <u>O</u> : 660 feet from the <u>SOUTH</u> line and 1980 feet from the <u>EAST</u> line Section <u>32</u> Township <u>23S</u> Range <u>31E</u> NMPM County <u>EDDY</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☒
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

THE FINAL WELLBORE AND PA JOB NOTES ARE ATTACHED. CUT AND CAP WAS COMPLETE ON 11/29/2024.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stephen Janacek TITLE REGULATORY ENGINEER DATE 9/24/2025

Type or print name STEPHEN JANACEK E-mail address: STEPHEN_JANACEK@OXY.COM PHONE: 713-493-1986

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

PAULINE ALB STATE #003

30-015-27018

Surface Casing:
 Hole Size: 17 1/2"
 Casing Size: 13 3/8" @478'
 Casing Weight: 54.5#
 Cement Details: 475 sxs to 0'
 Circ 100 sxs @ surf


Intermediate Casing:
 Hole Size: 11"
 Casing Size: 8 5/8" @4,047'
 Casing Weight: 32#
 Cement Details: 1775 sxs to 0'
 Circ 225 sxs @ surf

Production Casing:
 Hole Size: 7 7/8"
 Casing Size: 5 1/2" @8,140'
 Casing Weight: 15.5# & 17#
 Cement Details: 1075 sxs to at least 6,609'
 NOTE: TOC at least 6,609'
 DV Tools: 6,609' circ 112 sxs

Liner:
 Hole Size:
 Casing Size:
 Casing Weight:
 Cement Details:

Perforations 7,773' - 7,917'

FINAL WELLBORE



Cement Report

Sundry Requirements	Bottom	Top	Tag	Detailed Notes
1) SET CIBP @ 7723'	7,750	7,750		07DEC2024 - SET CIBP WITH WIRELINE@ 7723', ATTEMPT CSG TEST, NO SUCCESS DUE TO LEAK IN CSG BETWEEN 2820' - 2787'. GOOD 500 PSI CSG TEST FROM 2787' AGAINST CIBP @ 7723'.
2) DUMP BAIL 35' OF CMT ON TOP OF CIBP, 7688' MINIMUM	7,723	7,683	7,764	08DEC2024 - DUMP BAIL 40' OF CMT FROM 7723' - 7683', TAG @ 7764' (GOOD TAG).
3) RUN CBL FROM 7723' TO SURFACE				08DEC2024 - RUN CBL FROM 7723' TO 2820' (UNABLE TO LOG ABOVE DUE TO LACK OF FLUID IN THE WELL DUE TO HOLE IN CSG).
4) SPOT 39 SXS CLASS C CMT FROM 6900' - 6550', WOC & TAG	6,914	6,510	6531'	13DEC2024 - SPOT 40 SXS CLASS C CMT FROM 6914' - 6510', WOC & TAG @ 6531' (GOOD TAG).
5) SPOT 73 SXS FROM 5250' - 5050', WOC & TAG	5,266	5,014	5,026	13DEC2024 - SPOT 25 SXS CLASS C CMT FROM 5266' - 5014', WOC & TAG @ 5026' (GOOD TAG).
6) SPOT FROM 4200' - 3700', WOC & TAG	4,204	3,648	3,663	14DEC2024 - SPOT 55 SXS CLASS C CMT FROM 4204' - 3648', WOC & TAG @ 3663' (GOOD TAG).
7) PERF & SQZ 3150' - 2820' THEN MOVE UP HOLE WITH PKR	3,180	2,820	N/A	14DEC2024 - PERF @ 3150' & SQZ 65 SXS CLASS C CMT FROM 3180' - 2820', UNSEAT PKR AND MOVE UP THE HOLE. SQZ 175 SXS CLASS C CMT THROUGH CSG HOLE @ 2820' - 2057', WOC & TAG @ 1953' (GOOD
SQZ FROM 2820' - 2070', WOC & TAG	2,820	2,057	1953'	
8) PERF & SQZ 2070' - 1320', WOC & TAG	1,953	1,204	1,083	19DEC2024 - PERF @ 1953', POOR INJECTION RATES. APPROVAL FROM MR. DAVID ALVARADO WITH NMOCD TO PERF @ 1930'. PERFT @ 1930', SUCCESSFUL INJECTION RATES. SQZ 175 SX CLASS C CMT FROM 1953' - 1204', WOC & TAG @ 1083' (GOOD TAG).
9) PERF & SQZ 1079' - 379', WOC & TAG	1,079	329	264	20DEC2024 - PERF & SQZ 175 SXS CLASS C CMT FROM 1079' - 329', WOC & TAG @ 264' (GOOD TAG).
10) PERF & SQZ 379' - SURFACE	264	SURFACE	VISUAL	20DEC2024 - PERF & SQZ FROM 264' TO SURFACE WITH 80 SXS CLASS C CMT.
				** CHANGE IN PROGRAM APPROVED BY MR. DAVID ALVARADO AFTER HIS INTERPRETATION OF THE CBL**

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 510741

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 510741
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	10/24/2025
gcordero	Submit C-103Q within one year of plugging.	10/24/2025