

Well Name: ADELINE ALN FED	Well Location: T24S / R31E / SEC 6 / NESW / 32.2436638 / -103.8181763	County or Parish/State: EDDY / NM
Well Number: 11	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM82904	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001531885	Operator: EOG RESOURCES INCORPORATED	

Subsequent Report

Sundry ID: 2870432

Type of Submission: Subsequent Report Type of Action: Plug and Abandonment

Date Sundry Submitted: 08/28/2025 Time Sundry Submitted: 07:30

Date Operation Actually Began: 07/28/2025

Actual Procedure: EOG PLUGGED THIS WELL ON 8/6/2025 USING THE ATTACHED PROCEDURES. THIS WELL IS PLUGGED AND ABANDONED.

SR Attachments

Actual Procedure

- Adeline_ALN_Federal_11_CBL_20250828072953.pdf
- DHM_Adeline_ALN_Federal_11_pic_2_20250828071639.pdf
- DHM_Adeline_ALN_Federal_11_pic_5_20250828071640.pdf
- DHM_Adeline_ALN_Federal_11_pic_4_20250828071639.pdf
- DHM_Adeline_ALN_Federal_11_pic_3_20250828071639.pdf
- DHM_Adeline_ALN_Federal_11_pic_6_20250828071640.pdf
- DHM_Adeline_ALN_Federal_11_pic_1_20250828071626.pdf
- ADELINE_ALN_FEDERAL_11_PA_WELLWORK_20250828071615.pdf
- ADELINE_ALN_FEDERAL_11_PA_FINAL_WELLBORE_20250828071551.pdf

Well Name: ADELINE ALN FED	Well Location: T24S / R31E / SEC 6 / NESW / 32.2436638 / -103.8181763	County or Parish/State: EDDY / NM
Well Number: 11	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM82904	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001531885	Operator: EOG RESOURCES INCORPORATED	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KRISTINA AGEE	Signed on: AUG 28, 2025 07:29 AM
Name: EOG RESOURCES INCORPORATED	
Title: Senior Regulatory Administrator	
Street Address: 5509 Champions Dr.	
City: Midland	State: TX
Phone: (432) 686-6996	
Email address: KRISTINA_AGEE@EOGRESOURCES.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: JAMOS@BLM.GOV
Disposition: Accepted	Disposition Date: 09/29/2025
Signature: James A Amos	

Form 3160-5
(October 2024)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0220
Expires: October 31, 2027

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well
☐ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

3a. Address 3b. Phone No. (include area code)

4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.

9. API Well No.

10. Field and Pool or Exploratory Area

11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off	
☐ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity	
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other	
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon		
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Title

Signature

Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NESW / 1650 FSL / 2310 FWL / TWSP: 24S / RANGE: 31E / SECTION: 6 / LAT: 32.2436638 / LONG: -103.8181763 (TVD: 0 feet, MD: 0 feet)

BHL: NESW / 1650 FSL / 2310 FWL / TWSP: 24S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)



RADIAL CEMENT BOND LOG GAMMA RAY / CCL

Company EOG RESOURCES

Well ADELINE "ALN" FEDERAL # 11

Field

County

EDDY

State

NEW MEXICO

Location:

API # :

SEC 6 TWP 24S RGE 31E

Other Services
NONE

Permanent Datum

Elevation

Log Measured From

Elevation

Drilling Measured From

K.B.

D.F.

G.L.

Date 7-31-2025

Run Number ONE

Depth Driller

Depth Logger

Bottom Logged Interval

Top Log Interval

Open Hole Size

Type Fluid

Density / Viscosity

Max. Recorded Temp.

Estimated Cement Top

Time Well Ready

Time Logger on Bottom

Alignment Number

Location

Recorded By

Witnessed By

Borehole Record

Run Number

Bit

From

To

Size

Weight

From

To

Size

Wdwt

Top

Bottom

Size

Weight

From

Top

Bottom

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU FOR
USING
JSI WIRELINE SERVICES!!!




MAIN PASS 0 PSI

360	TT (usec)	200	0	AMP (mV)	100	-2	AMPAVG	200	200	VDL (usec)	1200	1	Cement Map	8
-9	CCL	1	0	AMPx5 (mV)	20	-2	AMPMAX	200						
0	GR (GAPI)	120	1	Bond Index	0	-2	AMPMIN	200						



200


300



400

500

600



700


800

900

1000


1100

1200



1300


1400



1500


1600

1700




1800

1900




2000

2100




2200

2300



2400


2500



2600

2700

2800



2900


3000

3100

3200


3300

3400



3500


3600



3700


3800

3900




4000

4100




4200

4300




4400

4500



4600


4700



4800


4900

5000




5100

5200



5300

5400






Est. Top of Cement

5700


5800



5900


6000

6100




6200

6300




6400



6500




6600

6700







Log Variables


Database: C:\ProgramData\Warrior\Data\log_adeline_fed_011.db
 Dataset: field/cbl/run1/pass9/_vars_

Top - Bottom

BHTEMP_Src	BOREID	BOTTEMP	CASEOD	CASETHCK	CASEWGHT	MAXAMPL	MINAMPL	MINATTN
TEMP	in 7.875	degF 100	in 5.5	in 0	lb/ft 11.5	mV 0	mV 1	db/ft 0.8
PERFS	PPT	SRFTEMP	TDEPTH					
No	uSec 0	degF 0	ft 0					

BHTEMP_Src : BHTEMP Input Source Selector
 Received By: OGD 9/29/2025 3:04:37 PM
 BOTTEMP : Bottom Hole Temperature
 CASEOD : Casing O.D.
 CASETHCK : Casing Thickness
 CASEWGHT : Casing Weight
 MAXAMPL : Maximum Amplitude

MINAMPL : Minimum Amplitude
 MINATTN : Minimum Attenuation
 PERFS : Perforation Flag
 PPT : Predicted Pipe Time
 SRFTEMP : Surface Temperature
 TDEPTH : Total Depth

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			CENT-SDSCENT Centralizer	3.00	3.25	20.00
			RBT-Probe (Base)	8.92	2.75	90.00
WVFS8	11.92					
WVFS7	11.92					
WVFS6	11.92					
WVFS5	11.92					
WVFS4	11.92					
WVFS3	11.92					
WVFS2	11.92					
WVFS1	11.92					
WVFCAL	11.92					
WVF3FT	11.92					
WVF5FT	10.83					
TEMP	7.58					
HEADVOLT	7.58					
			CENT-SDSCENT Centralizer	3.00	3.25	20.00
CCL	3.64					
			GR-Probe (275) Probe 2.75" 4 Channel Pulse	4.58	2.75	30.00

GR


0.90

Received by OCD: 9/29/2025 3:04:37 PM

Page 41 of 50

Dataset:	eog_adeline_fed_011.db: field/cbl/run1/pass9
Total length:	19.50 ft
Total weight:	160.00 lb
O.D.:	3.25 in













ADELINE ALN FEDERAL #11**P&A WELLWORK:**

07/28/2025 MIRU, STARTED PULLING RODS

07/29/2025 FISHED AND PULLED REMAINING RODS

07/30/2025 PULLED TUBING; MIXED AND SPOTTED PLUG #1 TO COVER BONE SPRING (8,066-7,863') 25 SX CLASS H CEMENT

07/31/2025 TAG TOC @ 7,698'; SET CIBP @ 6,850' AND TAG; TEST CASING TO 500 PSI FOR 30 MIN, GOOD TEST; CIRCULATE FLUID, GOOD RETURNS; RUN CBL FROM 6,830' SURFACE

08/01/2025 CIRCULATE MLF W/ 10# BRINE, GOOD RETURNS; SPOT 30 SX CLASS C / 1.32 YLD ON CIBP (6,850'-6,598'), WOC; TAG TOC @ 6'630';

08/04/2025 RU WL RIH PERF @ 5,174'; SET PKR @ 4,658'; PLUG #2 CHERRY CANYON (5,176-4,924'); SQZ 35 SX CLASS C 14.8#, 1.32 YLD, WOC; TAG TOC @ 4,879'; POOH PKR; PLUG #3 BELL CANYON, INT SHOE, DV TOOL (4,220'-2,450') SPOT 175 SX CLASS C 14.8# 1.32 YLD, WOC

08/05/2025 TAG TOC @ 2,649'; PUMP SND HALF PLUG #3 (2,649'-627') 200 SX CLASS C 14.8#, 1.32 YLD; PLUG #4 (250'-SURF) SPOT 53 SX CLASS C 14.8#, 1.32 YLD; VISUALLY VERIFIED CEMENT TO SURFACE

08/06/2025 WELLHEAD CUT OFF

WELL IS PLUGGED AND ABANDONED

BLM REPS SWITT PUTTAWI & GABRIEL BENEWAY SUPERVISED WELL WORK

Not to Scale	
By: AEC	8/26/25

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 510367

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 510367
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	10/23/2025