

Submit 1 Copy To Appropriate District

Office

District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO.

30-015-40188

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

RDX 16

8. Well Number

#11

9. OGRID Number

246289

10. Pool name or Wildcat

Brushy Draw; Delaware East

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
 DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
 PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Devon Energy Production Company, LP

3. Address of Operator

333 West Sheridan Ave. Oklahoma City, Ok 73102

4. Well Location

Unit Letter **E** : **1650** feet from the **N** line and **330** feet from the **W** lineSection **16** Township **26S** Range **30E** NMPM County **Eddy Co, NM**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3084' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ P AND A ☒CASING/CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date
 of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of
 proposed completion or recompletion.

JMR Services, LLC plugged this well from 8/29/2025-09/25/2025**Please see the attached P&A Subsequent Report.**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kelton Woodard TITLE Plugging Agent DATE 9/30/2025Type or print name Kelton Woodard E-mail address: Kwoodard@jmrservices.com PHONE: 432-618-1050**For State Use Only**

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any): _____

P&A Subsequent Report
Devon Energy Production Company, L.P.
RDX 16 011
30-015-40188

08/29/25 MIRU. Check Pressures on Well: Tubing 0 psi, Casing 0 psi, Surface 0 psi.

09/02/25 Lay down rods, NUBOP, Unset tbg anchor.

09/03/25 Lay down tubing, RIH with work string.

09/04/25 Plug (# 1) Spot (25 sxs) class (C) cement From (7370) to (7117). Displaced with (41.2bbls). Set 5 ½" CIBP @ 5,464'. Circulated 114bbl 10# MLF. Plug (# 2) Spot (25 sxs) class (C) cement From (5464') to (5211').

09/05/25 Tagged TOC @ 5208'. Plug (# 3) Spot (25 sxs) class (C) cement From (4753) to (4500). Plug (# 4) Spot (25 sxs) class (C) cement From (3574) to (3321). Tagged TOC @3316'. RIH and perf @ 1614'. Plug (# 5) Squeezed (40sxs) class (C) cement from (1614) to (1500).

09/06/25 Tagged TOC @ 1487'. RIH and perf'd @ 1109'. Plug (# 6) Squeezed (160sxs) class (C) cement from (1109) to (660). RIH and tagged cement plug @ 655'. RIH and perf'd @ 100'. Plug (# 7) Rigged up pump and circulated (35 sxs) class (C) cement from (100) to surface.

09/08/25 RDMO.

09/25/2025 Cut off wellhead and anchors. Install above ground DHM. Well complete.


Author:	Shyanne @ JMR	Well No.	11
Well Name	RDX 16	API #:	30-015-40188
Field/Pool	Brushy Draw; Delaware East	Location:	Sec 16, T26S, R30E
County	Eddy		E1650' & N330'
State	NM	GL:	3084'
Spud Date	7/4/2012		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface	13 3/8	J-55	50.5#	853'	17 1/2	940	surf
Intermediate	9 5/8	K-55	40#	3480'	12 1/4	1,320	surf
Production	5 1/2	N-80	17#	7463'	7 7/8	1	3240'

DV tool at 5534'

Formation Tops

Rustler	718'
Salado	1059'
Castile	1564'
Lamar Lime	3403'
Base of Lime	3586'
Delaware Top	3621'
Bell Canyon Sand	3621'
Cherry Canyon Sa.	4703'
Brushy Canyon Sand	5760'
Bone Spg Formation	7423'



Plug (# 7) Rigged up pump and circulated (35 sxs) class (C) cement from (100) to surface.

13 3/8 50.5# CSG @ 853'

Plug (# 6) Squeezed (160sxs) class (C) cement from (1109) to (660).

9 5/8 40# CSG @ 3480'

Plug (# 5) Squeezed (40sxs) class (C) cement from (1614) to (1500).

Plug (# 4) Spot (25 sxs) class (C) cement From (3574) to (3321).

Plug (# 3) Spot (25 sxs) class (C) cement From (4753) to (4500).

Plug (# 2) Spot (25 sxs) class (C) cement From (5464) to (5211).

Plug (# 1) Spot (25 sxs) class (C) cement From (7370) to (7117).

5 1/2 17# CSG @ 7463'















Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 510970

CONDITIONS

Operator: WPX Energy Permian, LLC Devon Energy - Regulatory Oklahoma City, OK 73102	OGRID: 246289
	Action Number: 510970
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	10/24/2025
gcordero	Submit C-103Q within one year of plugging.	10/24/2025