

Submit a Copy To Appropriate District

Office

District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-25622
5. Indicate Type of Lease STATE ☐ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Littlefield BO Federal
8. Well Number #004
9. OGRID Number 326677
10. Pool name or Wildcat Brushy Draw; Delaware

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator State of New Mexico formerly Western Global Oil	
3. Address of Operator 69730 HIGHWAY 111 Suite 112; Rancho Mirage, CA 92270	
4. Well Location Unit Letter C : 400 feet from the N line and 2319 feet from the W line Section 34 Township 26S Range 29E NMPM County Eddy	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4,106' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

JMR Services, LLC respectfully proposes the attached NOI to P&A this well.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kelton Woodard TITLE Plugging Agent DATE 10/28/2025

Type or print name Kelton Woodard E-mail address: Kwoodard@jmrservices.com PHONE: 432-618-1050

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any): _____

Form 3160-5
(June 2019)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED OMB
No. 1004-0137 Expires:
December 31, 2024**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well



Oil Well



Gas Well



Other

2. Name of Operator

Western Global Oil

3a. Address

69730 HIGHWAY 111 SUITE 112 Rancho Mirage, CA 92270

3b. Phone No. (include area code)

8054708504

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.

LITTLEFIELD BO Federal #004

9. API Well No.

30-015-25622

10. Field and Pool or Exploratory Area

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

C-34-26S-29E Lot: 7 400 FNL 2310 FWL

11. Country or Parish, State

Eddy, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off	
☐ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity	
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other	
	☐ Change Plans	☒ Plug and Abandon	☐ Temporarily Abandon		
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

JMR Services, LLC respectfully proposes the attached P&A NOI to plug this well on behalf of NMOCD/Western Global Oil.
Please see the attached proposed P&A NOI.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Kelton WoodardTitle **Plugging Agent**

Signature

Kelton Woodard

Date

10/28/2025**THE SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

Sup. PE

10/29/2025

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Carlsbad Field Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Proposed P&A NOI
State of NM Orphan Well Program
Littlefield BO #004
30-015-25622

1. MIRU Plugging Spread
2. Kill well as necessary.
3. Pull Rods/NUBOP/Pull tubing
4. Set CIBP @ 4811'. Load well and pressure test to 500psi for 30 min.
5. Run CBL from 4811' to surface. Note: CBL could change the following plugs.
6. Plug #1: (CIBP/Cherry Canyon) Spot 15 sxs class C cmt from 4811' to 4711'. (4811' to ~4568')
7. Plug #2 (Bell Cnyn) Perf @ 3870 attempt to EIR. If rate established then SQZ 25 sxs Cl C cmt(18 out/7 in). From (3870' to 3770'.
8. Plug #3 (DV Tool) Perf @ 3770' and SQZ 25 sxs Cl C cmt(7 sxs in/18 sxs out) from 3770' to 3670'.
9. Plug #4 (Del Sand/Lamar) Perf @ 2960' and SQZ 84 sxs Cl C cmt (14sxs in/70sxs out) from 2960' to 2810'.
10. Plug #5 (Anhydrite) Perf @2250 and SQZ 46 sxs Cl C cmt (11 sxs in/35sxs out) from 2250' to 2150'.
11. Plug #6 (Surf Shoe/ Surface) Perf @ 422' and SQZ 138 sxs Cl C cmt (29 sxs in/109 sxs out) from 422' to 0'
12. Verify cement to surface. Cut off wellhead and anchors. Install above ground P&A marker.
13. Summit all paperwork to the NMOCD and BLM.

Current Wellbore Diagram

NMOCD

Littlefield BO Federal #004

API # 30-015-25622

Unit C, Sec 34, T26S, R29E

Eddy County, NM

GL 2870'
KB
Spud Date 1/6/1987

SURF CSG

Hole size 12.25"
Csg Size: 9.625"
Wt: 36#
Grade:
ID:
Depth 372'
Csg cap ft³: 0.3576
TOC: Surface

Circulated cement
to surface.

PROD CSG

Hole size 7.875"
Csg Size: 4.5"
Wt: 10.5#
Grade:
ID:
Depth 5216'
Csg cap ft³:
Csg/Csg Ann ft³:
Csg/OH cap ft³:

TOC: 650 sx
Poz A

Circulated cement
to surface.


FORMATION TOPS*

Anhydrite 2200'
Lamar 2860'
Delaware Snd 2910'
Bell Canyon 3820'
Cherry Canvon 4810'
Brushy Draw 5180'

DV Tool 3752' ?

Perfs 4861-4922'

PBTD 5127'
TD 5216'



Prod Tubing Detail: 6-6-2018
2-3/8" tbg. string: MA, 4" PS, SN (5232), 7 jts.,
TAC (5010'), 159 jts. tbg. EOT @ 5266'

Rod Detail
2"x1-1/2"x16' RWAC pump, 4x3/4" stabilizer
sub, 4x1-1/4" sinker bars, 47x3/4" guided rods,
40 rods with snap on guides, 116 3/4 " rods, 4',
2' ponies, 1-1/4"x22' polished rod with 1-
1/2"x10' liner.

Proposed Wellbore Diagram

NMOCD


Littlefield BO Federal #004

API # 30-015-25622

Unit C, Sec 34, T26S, R29E

Eddy County, NM

Proposed

**FORMATION TOPS***

Anhydrite	2200'
Lamar	2860'
Delaware Snd	2910'
Bell Canyon	3820'
Cherry Canyon	4810'
Brushy Draw	5180'

Plug #6 (Surf Shoe/ Surface) Perf @ 422' and SQZ 138 sxs Cl C cmt (29 sxs in/109 sxs out) from 422' to 0'

Plug #5 (Anhydrite) Perf @2250 and SQZ 46 sxs Cl C cmt (11 sxs in/35sxs out) from 2250' to 2150'.

Plug #4 (Del Sand/Lamar) Perf @ 2960' and SQZ 84 sxs Cl C cmt (14sxs in/70sxs out) from 2960' to 2810'

5. Plug #3 (DV Tool) Perf @ 3770' and SQZ 25 sxs Cl C cmt(7 sxs in/18 sxs out) from 3770' to 3670'.

4. Plug #2 (Bell Cnyn) Perf @ 3870 attempt to EIR. If rate established then SQZ 25 sxs Cl C cmt(18 out/7 in). From (3870' to 3770'

Note: Excess limited for DV Tool Plug.

3. Plug #1: (CIBP/Cherry Canyon) Spot 15 sxs class C cmt from 4811' to 4711'. (4811' to ~4568')

2. Trip in circ hole with MLF. Pressure test to 500 psi for 30 min.

1. Set CIBP @ 4811'

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 520790

DEFINITIONS

Operator: JMR SERVICES, LLC (OPG Vendor) 4706 Green Tree Blvd. Midland, TX 79707	OGRID: 333576
	Action Number: 520790
	Action Type: [UF-OMA] NOI Plug & Abandon Well (UF-OMA-C-103F)

DEFINITIONS

The OCD Mitigation Activity (OMA) forms are a subset of the OCD's forms exclusively designed for activities related to State of New Mexico's contracted evaluation, plugging, decommissioning, remediation, salvage and reclamation activities. Specifically, these forms are typically used where the OCD has acquired a hearing order allowing the OCD to perform mitigation activities on wells and associated facilities that no longer have an authorized or viable operator to perform the necessary work. These forms are not to be utilized for any other purpose.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 520790

QUESTIONS

Operator: JMR SERVICES, LLC (OPG Vendor) 4706 Green Tree Blvd. Midland, TX 79707	OGRID: 333576
	Action Number: 520790
	Action Type: [UF-OMA] NOI Plug & Abandon Well (UF-OMA-C-103F)

QUESTIONS

Prerequisites	
[OGRID] Well Operator	[328677] Western Global Oil dba Western Global Oil Inc
[API] Well Name and Number	[30-015-25622] LITTLEFIELD BO FEDERAL #004
Well Status	Active

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 520790

CONDITIONS

Operator: JMR SERVICES, LLC (OPG Vendor) 4706 Green Tree Blvd. Midland, TX 79707	OGRID: 333576
	Action Number: 520790
	Action Type: [UF-OMA] NOI Plug & Abandon Well (UF-OMA-C-103F)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	NMOCD has determined that this well is not within the LPCH restricted area and an above ground P&A marker is required. The API# on the marker must be clearly legible.	10/29/2025
loren.diede	the CBL tif file is to be uploaded into the Well Log File.	10/29/2025