Santa Fe Main Office Phone: (505) 476-3441	State of New Mexico	Form C-103
General Information Phone: (505) 629-6116	Energy, Minerals and Natural Resources	Revised July 18, 2013 WELL API NO.
• •	OH CONCERNATION DURING	30-015-10286
Online Phone Directory Visit: https://www.emnrd.nm.gov/ood/contact-us-	OIL CONSERVATION DIVISION	5. Indicate Type of Lease
mips. www.cmma.nm.gov/oed/contact-us-	1220 South St. Francis Dr.	STATE TEE
	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
CLIMIDDA MOTI	OFG AND DEPONING ON WITH A	
(DO NOT USE THIS FORM FOR PROPOS	CES AND REPORTS ON WELLS SALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A 'ATION FOR PERMIT" (FORM C-101) FOR SUCH	7. Lease Name or Unit Agreement Name Resler Yates State
	Gas Well  Other Injection	8. Well Number #368
Name of Operator     Sandlott E	Energy (Jackie Brewer DBA)	9. OGRID Number 154329
3. Address of Operator P.O. Box		10. Pool name or Wildcat (3230)
	, NM 88260	Artesia; Queen-Grayburg-San Andre
4. Well Location	111111111111111111111111111111111111111	Artesia, Queen-Grayburg-San Andre
Unit Letter G	:1650feet from the North line and	_2310feet from the East line
Section 32	Township 18S Range 28E	NMPM Eddy County
	11. Elevation (Show whether DR, RKB, RT, GR, e	
10 01 1		
12. Check A	appropriate Box to Indicate Nature of Notice	e, Report or Other Data
NOTICE OF IN PERFORM REMEDIAL WORK		BSEQUENT REPORT OF:
TEMPODARIUM	PLUG AND ABANDON REMEDIAL WO	
PULL OR ALTER CASING		RILLING OPNS. P AND A
DOWNHOLE COMMINGLE	MULTIPLE COMPL   CASING/CEME	NT JOB L
CLOSED-LOOP SYSTEM		
OTHER:	OTHER:	
13. Describe proposed or compl	eted operations. (Clearly state all pertinent details, a	and give pertinent dates, including estimated date
of starting any proposed wo proposed completion or reco	rk). SEE RULE 19.15.7.14 NMAC. For Multiple C	ompletions: Attach wellbore diagram of
proposed completion or reco	ompletion.	
Please see attached	procedure & wellbore schematics	
Spud Date:	Rig Release Date:	
I hereby certify that the information a	bove is true and complete to the best of my knowled	ge and belief.
$\sim$ $\bigcirc$		
SIGNATURE TO A	LWY TITLE	DATE 11/2 2025
T		' (
Type or print name  For State Use Only	E-mail address:	PHONE:
- OF CHILD		

\_TITLE\_

\_DATE\_\_

APPROVED BY:\_\_\_\_Conditions of Approval (if any):

Well Name: Resler Yates State #368

Location: 1650' FNL 2310' FEL

**SEC 32 18S 28E** 

Eddy Co., NM

Date: 8/8/2025

Perfs: 2017'-2029'

Surf Csg: 7" 22# J55

Tbg: 23/8"

Surf Set @: 520'

Tbg Set @: 1867


Prod Csg: 4.5" 9.5# J55

Prod Set @: 2063'

Squeeze Job w/150 sks cmt between 630' & 510'

## **Procedure:**

- MIRU Plugging Crew
- 2. ND Wellhead and NU BOP
- 3. POOH tbg & packer
- 4. MIRU WL
- 5. RIH w/ 4.5" CIBP & set @2002'. (Top perf @2017')
- 6. Run CBL while POOH w/ WL
- 7. RIH w/ tbg & tag CIBP
- 8. Circulate 33 bbls 9# MLF
- 9. Test csg to 500# for 30 minutes
- 10. Spot 36 sks Class C neat cmt (515') on top of CIBP. (Grayburg at 2015', Queen at 1587')
- 11. PUtbg to 750'
- 12. WOC 4 hrs & tag plug @ 1487' or higher
- 13. LD pipe to 620'
- 14. Circulate approximately 43 sks Class C neat cmt to surface
- 15. WOC & confirm that wellbore remains full
- 16. Cut off WH & install dry hole marker. Cut off anchors & clean location



Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

## State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 524501

## **CONDITIONS**

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Action Number:
Hobbs, NM 88241	524501
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

## CONDITIONS

Created By	Condition	Condition Date
loren.diede	Notify the OCD inspection supervisor via email 24 hours prior to beginning Plug & Abandon (P&A) operations.	11/14/2025
loren.diede	NMOCD does not consider this well to be within the LPCH restricted area and an above ground P&A marker is required. NMOCD requires that plug(s) be added to cover the 7 Rivers = (970') and Yates = (600') formation tops. Submit photo and GPS coordinates of the P&A marker with the final P&A reports. The API# on the marker is to be clearly legible. Run CBL from CIBP to surface. Submit the CBL tif file to NMOCD for uploading into the Well Log File.	11/14/2025