Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: ZIA HILLS UNIT 2532 BS Well Location: T26S / R32E / SEC 25 / Cou

NWNE / 32.011188 / -103.37382

County or Parish/State: LEA /

NM

Well Number: 404H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC069515 Unit or CA Name: BONE SPRING

FORMATION PA "A"

Unit or CA Number:

NMNM138329A

US Well Number: 3002543363 Operator: CONOCOPHILLIPS

COMPANY

### **Notice of Intent**

**Sundry ID: 2875656** 

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date Sundry Submitted: 09/25/2025 Time Sundry Submitted: 09:24

Date proposed operation will begin: 09/25/2025

**Procedure Description:** ConocoPhillips respectfully requests an extension for the already approved NOI:2840103 Extension due to rig schedule. Estimated plugging date 11/20/25

# **Surface Disturbance**

Is any additional surface disturbance proposed?: No

# **NOI Attachments**

# **Procedure Description**

 $Zia\_Hills\_Unit\_2532\_BS\_404H\_Proposed\_C\_103F\_BLM\_APPROVED\_20250925092113.pdf$ 

Page 1 of 2

eived by OCD: 10/28/2025 8:45:33 AM Well Name: ZIA HILLS UNIT 2532 BS

Well Location: T26S / R32E / SEC 25 /

NWNE / 32.011188 / -103.37382

County or Parish/State: LEA/ 2 of

NM

Well Number: 404H

Type of Well: OIL WELL

**Allottee or Tribe Name:** 

Lease Number: NMLC069515

Unit or CA Name: BONE SPRING

FORMATION PA "A"

**Unit or CA Number:** NMNM138329A

**US Well Number: 3002543363** 

**Operator: CONOCOPHILLIPS** 

COMPANY

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KAYLA ESTRADA Signed on: SEP 25, 2025 09:24 AM

Name: CONOCOPHILLIPS COMPANY

Title: Regulatory Coordinator

Street Address: 600 W ILLINOISE AVE

City: MIDLAND State: TX

Phone: (432) 688-6837

Email address: KAYLA.L.ESTRADA@CONOCOPHILLIPS.COM

# **Field**

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

# **BLM Point of Contact**

**BLM POC Name: LONG VO BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5759885402 BLM POC Email Address: LVO@BLM.GOV

**Disposition:** Approved Disposition Date: 10/27/2025

Signature: Long Vo

Page 2 of 2

Form 3160-5 (October 2024)

# UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0220
Expires: October 31, 2027

BUREAU OF LAND MANAGEMENT			5. Lease Serial No.			
Do not use this t	OTICES AND REPORTS Of orm for proposals to drill of Use Form 3160-3 (APD) for	or to re-enter an	6. If Indian, Allottee or Tribe Name			
SUBMIT IN	TRIPLICATE - Other instructions on	page 2	7. If Unit of CA/Agreement, 1	Name and/or No.		
1. Type of Well  Oil Well  Gas V	/ell Other		8. Well Name and No.			
2. Name of Operator			9. API Well No.			
3a. Address	3b. Phone	No. (include area code)	10. Field and Pool or Explora	tory Area		
4. Location of Well (Footage, Sec., T., K	2.,M., or Survey Description)		11. Country or Parish, State			
12. CHE	CK THE APPROPRIATE BOX(ES) TO	) INDICATE NATURE (	OF NOTICE, REPORT OR OT	HER DATA		
TYPE OF SUBMISSION		TYPI	E OF ACTION			
Notice of Intent	Alter Casing	Deepen Hydraulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity		
Subsequent Report  Final Abandonment Notice	Change Plans	New Construction Plug and Abandon Plug Back	Recomplete Temporarily Abandon Water Disposal	Other		
completed. Final Abandonment No is ready for final inspection.)	tices must be filed only after all require	ments, including reclama		3160-4 must be filed once testing has been the operator has detennined that the site		
14. I hereby certify that the foregoing is	true and correct. Name (Printed/Typea	Title				
Signature		Date				
	THE SPACE FOR F	EDERAL OR STA	TE OFICE USE			
Approved by		Title		Date		
Conditions of approval, if any, are attack certify that the applicant holds legal or ewhich would entitle the applicant to con	equitable title to those rights in the subje					
Title 18 U.S.C. Section 1001 and Title 4	3 U.S.C Section 1212, make it a crime to	for any person knowingly	and willfully to make to any d	epartment or agency of the United States		

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

# **Additional Information**

### **Location of Well**

0. SHL: NWNE / 349 FNL / 2310 FEL / TWSP: 26S / RANGE: 32E / SECTION: 25 / LAT: 32.011188 / LONG: -103.37382 ( TVD: 0 feet, MD: 0 feet ) PPP: NESW / 330 FSL / 2022 FWL / TWSP: 26S / RANGE: 32E / SECTION: 25 / LAT: 0.0 / LONG: 0.0 ( TVD: 0 feet, MD: 0 feet ) BHL: LOT 3 / 28 FSL / 2028 FWL / TWSP: 26S / RANGE: 32E / SECTION: 36 / LAT: 0.0 / LONG: 0.0 ( TVD: 12355 feet, MD: 19035 feet )



# Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: ZIA HILLS UNIT 2532 BS Well Location: T26S / R32E / SEC 25 / County or Parish/State: LEA /

NWNE / 32.011188 / -103.37382

Well Number: 404H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC069515 Unit or CA Name: BONE SPRING Unit or CA Number:

FORMATION PA "A" NMNM138329A

COMPANY

# **Notice of Intent**

Sundry ID: 2840103

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date Sundry Submitted: 03/05/2025 Time Sundry Submitted: 09:20

Date proposed operation will begin: 03/05/2025

Procedure Description: Note: All cement is to be Class H mixed at 16.4 ppg, yield 1.06 cu ft / sx below 7500'. Class C mixed at 14.8 ppg, yield 1.32 cu ft / sx above 7,500'. Cement volumes are based on inside capacities + 50' excess and outside capacities + 100% excess. Hold Pre job meeting, comply with all NMOCD, BLM and environmental regulations. MIRU P&A rig and equipment. Check and record tubing, casing and bradenhead pressures. Remove existing piping from casing valve, RU blow lines from casing valves and blow down casing pressure. Kill well as necessary. nsure that well is dead or on a vacuum. ND WH, NU BOP, function test BOP. RIH 5 1/2" CIBP and set at 9,760'. MIRU logging truck. Run CBL, log TOC to surface. Hold 500 psi on casing if possible for 30 minutes with less than 10 percent pressure drop. NOTE: Results of CBL may change the following plugs. Electronic copy of CBL to be sent to BLM & NMOCD Representative. RIH with tubing workstring. Drop ball valve down tubing and pressure test to 1000#. Pressure test casing to 500#. If casing does not test, contact BLM & NMOCD representatives for procedure change. Plug 1: With CIBP @ 9,760', spot 25 sxs Class H cement from 9,760' to 9,560'. Plug #2: Bone Springs formation: Spot 34 sxs Class H cement w/ 2% CACL from 8,726' to 8,426'. WOC & Tag. If tag is below 8,426', contact BLM & NMOCD representatives for procedure change. Plug 3: Brushy formation: Spot 25 sxs Class H cement from 7,407' to 7,207'. Plug #4: Cherry formation: Spot 25 sxs Class C cement from 5,770' to 5,570'. Plug 5: 10 5/8" shoe, B/Salt, & Castille formation tops: Spot 55 sxs Class C cement w/ 2% CaCl from 4,884' to 4,336'. WOC & tag. If tag is below 4,336'. contact BLM & NMOCD representatives for procedure change. Plug #6: Spot cement from 2256' to 2133'. WOC and Tag. (25 sxs Class C) Plug #7: T/Salt & Rustler formation tops, 9 5/8" Shoe & surface plug: Perf & Sqz 387 sx class C cement (279 sxs outside, 108 sxs inside) from 1,037' to 5' and circulate good cement out casing and annulus. RD cementing equipment. Cut off wellhead, fill any exposed annulus with cement, as necessary. Install DHM. Record GPS coordinates for P&A marker and the Final P&A Report. Photograph the P&A marker and attach to the report. RD and MO all rig and cement equipment. Assure that location is free of trash before moving off. Send all reports and attachments will be uploaded to NMOCD website within 30 days of completion.

APPROVAL SUBJECT TO
GENERAL REQUIREMENTS AND
SPECIAL STIPULATIONS
ATTACHED

eived by OCD: 10/28/2025 8:45:33 AM Well Name: ZIA HILLS UNIT 2532 BS

Well Location: T26S / R32E / SEC 25 /

NWNE / 32.011188 / -103.37382

County or Parish/State: LEA/

Well Number: 404H

Type of Well: OIL WELL

**Allottee or Tribe Name:** 

Lease Number: NMLC069515

Unit or CA Name: BONE SPRING

FORMATION PA "A"

**Unit or CA Number:** NMNM138329A

**US Well Number: 300254336300X1** 

**Operator: CONOCOPHILLIPS** 

**COMPANY** 

# **Surface Disturbance**

Is any additional surface disturbance proposed?: No

# **NOI Attachments**

# **Procedure Description**

COP\_Zia\_Hills\_Unit\_2532\_BS\_\_404H\_Proposed\_NOI\_20250506151550.pdf

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: YOHJI CARRASCO Signed on: MAY 06, 2025 03:15 PM

Name: CONOCOPHILLIPS COMPANY

Title: Regulatory Analyst

Street Address: 600 W. ILLINOIS AVE.

City: MIDLAND State: TX

Phone: (432) 818-2311

Email address: YOHJI.CARRASCO@CONOCOPHILLIPS.COM

# **Field**

**Representative Name:** 

**Street Address:** 

City: State:

Phone:

**Email address:** 

APPROVED by Long Vo Petroleum Engineer

Zip:

Carlsbad Field Office

575-988-50402

LVO@BLM.GOV

Page 2 of 2

Form 3160-5 (June 2019)

# UNITED STATES DEPARTMENT OF THE INTERIOR DUBEALL OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

DEI	AKTIVIENT OF THE INT.	LIXION		1		,
BUR	EAU OF LAND MANAG	EMENT		Lease Serial No.     If Indian, Allottee or Tribe Name		
Do not use this t	NOTICES AND REPORT form for proposals to a Use Form 3160-3 (APD	rill or to re-	enter an			
SUBMIT IN	TRIPLICATE - Other instruction	ons on page 2		7. If Unit of CA/Agreement, N	Name and/o	r No.
1. Type of Well  Gas V	Vell Other			8. Well Name and No.		
2. Name of Operator				9. API Well No.		
3a. Address	3b.	Phone No. (include	de area code)	10. Field and Pool or Explora	tory Area	
4. Location of Well (Footage, Sec., T.,F	R.,M., or Survey Description)			11. Country or Parish, State		
12. CHE	CK THE APPROPRIATE BOX(	ES) TO INDICAT	TE NATURE C	OF NOTICE, REPORT OR OTI	HER DATA	
TYPE OF SUBMISSION			TYPE	OF ACTION		
Notice of Intent	Acidize	Deepen		Production (Start/Resume)	Wa	ter Shut-Off
Trouble of intent	Alter Casing	Hydraulic I	Fracturing	Reclamation	We We	ell Integrity
Subsequent Report	Casing Repair	New Const	ruction	Recomplete	Oth	ner
	Change Plans	Plug and A	bandon	Temporarily Abandon		
Final Abandonment Notice	Convert to Injection	Plug Back	L	Water Disposal		
completed. Final Abandonment No is ready for final inspection.)	tices must be filed only after all r	See Att	tached			
14. I hereby certify that the foregoing is	true and correct. Name (Printed	Title				
Signature		Date				
	THE SPACE FO	OR FEDERA	L OR STA	TE OFICE USE		
Approved by						
			Title		Date	
Conditions of approval, if any, are attace certify that the applicant holds legal or which would entitle the applicant to cor	equitable title to those rights in th		Office			

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

### **Additional Information**

### **Additional Remarks**

RIH with tubing workstring. Drop ball valve down tubing and pressure test to 1000#. Pressure test casing to 500#. If casing does not test, contact BLM & NMOCD representatives for procedure change.

Plug 1: With CIBP @ 9,760, spot 25 sxs Class H cement from 9,760 to 9,560.

Plug #2: Bone Springs formation: Spot 25 sxs Class H cement w/ 2% CACL from 8,726 to 8,426. WOC & Tag. If tag is below

,426, contact BLM & NMOCD representatives for procedure change.

Plug 3: Brushy formation: Spot 25 sxs Class H cement from 1,407 to 7,207.

Plug #4: Cherry formation: Spot 25 sxs Class C cement from 5,770 to 5,570.

See Attached for Revised Procedure

Plug 5: 10 5/8 shoe, B/Salt, & Castille formation tops: Spot 55 sxs Class C cement w/ 2% CaCl from 4,865 to 4,360. WOC & tag.

f tag is below 4,360, contact BLM & NMOCD representatives for procedure change.

Plug #6: T/Salt & Rustler formation tops, 9 5/8 Shoe & surface plug: Perf & Sqz 387 sx class C cement (279 sxs outside, 108 sxs inside) from 1,037 to 5 and circulate good cement out casing and annulus.

RD cementing equipment. Cut off wellhead, fill any exposed annulus with cement, as necessary. Install DHM. Record GPS coordinates for P&A marker and the Final P&A Report. Photograph the P&A marker and attach to the report.

RD and MO all rig and cement equipment. Assure that location is free of trash before moving off.

Send all reports and attachments will be uploaded to NMOCD website within 30 days of completion.

### **Location of Well**

0. SHL: NWNE / 349 FNL / 2310 FEL / TWSP: 26S / RANGE: 32E / SECTION: 25 / LAT: 32.011188 / LONG: -103.37382 ( TVD: 0 feet, MD: 0 feet )

 $PPP: NESW \ / \ 330 \ FSL \ / \ 2022 \ FWL \ / \ TWSP: \ 26S \ / \ RANGE: \ 32E \ / \ SECTION: \ 25 \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ ( \ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )$ 

 $BHL: LOT\ 3\ /\ 28\ FSL\ /\ 2028\ FWL\ /\ TWSP:\ 26S\ /\ RANGE:\ 32E\ /\ SECTION:\ 36\ /\ LAT:\ 0.0\ /\ LONG:\ 0.0\ (\ TVD:\ 12355\ feet,\ MD:\ 19035\ feet\ )$ 

ceined by Opy Po Appropriate 5 strict 5:3	State of fiew files		Form C-103
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natur	al Resources	Revised July 18, 2013 WELL API NO.
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION		30-025-43363 5. Indicate Type of Lease
District III – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fran		STATE FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NM 87	505	6. State Oil & Gas Lease No.
(DO NOT USE THIS FORM FOR PROPO	ICES AND REPORTS ON WELLS SALS TO DRILL OR TO DEEPEN OR PLU CATION FOR PERMIT" (FORM C-101) FO		7. Lease Name or Unit Agreement Name Zia Hills Unit 2532 BS
PROPOSALS.) 1. Type of Well: Oil Well ⊠	Gas Well  Other		8. Well Number #404H
2. Name of Operator ConocoPhillips Company			9. OGRID Number <b>217817</b>
3. Address of Operator			10. Pool name or Wildcat
913 N. Eldridge Parkway Hous	ton, TX 77079		Zia Hills; Bone Springs
4. Well Location Unit Letter B:	349 feet from the N	line and	feet from the <u>E</u> line
Section 25	Township 26S Range	32E N	MPM County <b>Lea</b>
	11. Elevation (Show whether DR, 3133)		
	3100	GIX .	
12. Check	Appropriate Box to Indicate Na	ature of Notice,	Report or Other Data
NOTICE OF IN	ITENTION TO:	SUB	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WOR	<del>_</del>
TEMPORARILY ABANDON   DULL OB ALTER CASING	CHANGE PLANS   MULTIPLE COMPL	COMMENCE DR CASING/CEMEN	<del>_</del>
PULL OR ALTER CASING DOWNHOLE COMMINGLE	MOLTIPLE COMPL	CASING/CEMEN	II JOB 🔲
CLOSED-LOOP SYSTEM			
OTHER:		OTHER:	
			nd give pertinent dates, including estimated date impletions: Attach wellbore diagram of
proposed completion or rec	completion.	_	
	Please see the proposed NOI to P&	A the Zia Hills Unit	2532 BS #404H.
Spud Date:	Rig Release Dat	te:	
hereby certify that the information	above is true and complete to the be	st of my knowledg	ge and belief.
SIGNATURE	TITLE		DATE
Type or print name For State Use Only	E-mail address:		PHONE:
APPROVED BY:	TITLE_		DATE
Conditions of Approval (if any):			

Received by OCD: 10/28/2025 8:45:33 AM
Form 3160-5 UNITE

(June 2019)

# **UNITED STATES** DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB	Page	<i>12</i>	of 23
No. 1004-0137 Expires:			
December 31, 2024			

SUNDRY NOTICES AND REPORTS ON WELLS

5. Lease Seriai No.	NMLC069515	
6. If Indian, Allottee	or Tribe Name	

Do not use this form for proposa abandoned well. Use Form 3160-3			o. II ilidiali, i	Anotice of 111	oc ivanic
SUBMIT IN TRIPLICATE - Other is  1. Type of Well	instructions on page	2	7. If Unit of NMNM138	_	nt, Name and/or No.
oil Well ☐ Gas Well ☐ Other			8. Well Nam	e and No. Zia	Hills Unit 2532 BS #404H
2. Name of Operator ConocoPhillips Company			9. API Well	No. 30-025-4	3363
3a. Address PO Box 2197,	3b. Phone No. (i)	nclude area code)		Pool or Expl	
Houston, TX 77252	Zia Hills; E	3one Springs			
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)				or Parish, State	e
349 FNL & 2310 FEL Sec 25, T26S, R32E			Lea Coun	ty, NM	
12. CHECK THE APPROPRIAT	TE BOX(ES) TO INDI	CATE NATURE (	OF NOTICE, REPORT	OR OTHER	DATA
TYPE OF SUBMISSION		TYPE	E OF ACTION		
Notice of Intent Acidize	Deeper	ı [	Production (Start/I	Resume)	Water Shut-Off
Alter Casing	= 1	ilic Fracturing	Reclamation		Well Integrity
Subsequent Report Casing Repair		onstruction [	Recomplete	L	Other
Final Abandonment Notice Convert to Inject	= 1	nd Abandon [	Temporarily Aban Water Disposal	don	
the Bond under which the work will be performed or provice completion of the involved operations. If the operation result completed. Final Abandonment Notices must be filed only is ready for final inspection.)  Please see	alts in a multiple complafter all requirements,	etion or recomplet including reclama	ion in a new interval, a tion, have been compl	a Form 3160-4 eted and the o	must be filed once testing has been
	1	Γitle			
Signature	I	Date			
THE SPA	ACE FOR FEDE	RAL OR STA	TE OFICE USE		
Approved by Long Vo	~	Title	oleum Engineer	Date	5-30-2025
Conditions of approval, if any, are attached. Approval of this no certify that the applicant holds legal or equitable title to those ri which would entitle the applicant to conduct operations thereon	ghts in the subject leas		arlsbad Field O	ffice	
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, n any false, fictitious or fraudulent statements or representations a	•		and willfully to make	to any departi	ment or agency of the United States

(Instructions on page 2)

# Proposed P&A NOI ConocoPhillips Company Zia Hills Unit 2532 BS #404H 30-025-43363



Note: All cement is to be Class H mixed at 16.4 ppg, yield 1.06 cu ft / sx below 7500'. Class C mixed at 14.8 ppg, yield 1.32 cu ft / sx above 7,500'. Cement volumes are based on inside capacities + 50' excess and outside capacities + 100% excess.

- 1. Hold Pre job meeting, comply with all NMOCD, BLM and environmental regulations.
- 2. MIRU P&A rig and equipment.
- 3. Check and record tubing, casing and bradenhead pressures.
- 4. Remove existing piping from casing valve, RU blow lines from casing valves and blow down casing pressure. Kill well as necessary. Ensure that well is dead or on a vacuum.
- 5. ND WH, NU BOP, function test BOP.
- 6. RIH 5 1/2" CIBP and set at 9,760'.
- 7. MIRU logging truck. Run CBL, log TOC to surface. Hold 500 psi on casing if possible for 30 minutes with less than 10 percent drop in pressure. NOTE: Results of CBL may change the following plugs. Electronic copy of CBL to be sent to BLM & NMOCD Representative.
- 8. RIH with tubing workstring. Drop ball valve down tubing and pressure test to 1000#. Pressure test casing to 500#. If casing does not test, contact BLM & NMOCD representatives for procedure change.
- 9. Plug 1: With CIBP @ 9,760', spot 25 sxs Class H cement from 9,760' to 9,560'.
- 10. Plug #2: Bone Springs formation: Spot 34 sxs Class H cement w/ 2% CACL from 8,726' to 8,426'. WOC & Tag. If tag is below 8,426', contact BLM & NMOCD representatives for procedure change.
- 11. Plug 3: Brushy formation: Spot 25 sxs Class H cement from 7,407' to 7,207'.
- 12. Plug #4: Cherry formation: Spot 25 sxs Class C cement from 5,770' to 5,570'.
- 13. Plug 5: 10 5/8" shoe, B/Salt, & Castille formation tops: Spot 55 sxs Class C cement w/ 2% CaCl from 4,884' to 4,336'. WOC & tag. If tag is below 4,336', contact BLM & NMOCD representatives for procedure change.
- 14. Plug 6: Spot cement from 2256' to 2133'. WOC and Tag. 25 sxs Class C.
- 15. Plug #7: T/Salt & Rustler formation tops, 9 5/8" Shoe & surface plug: Perf & Sqz 387 sx class C cement (279 sxs outside, 108 sxs inside) from 1,037' to 5' and circulate good cement out casing and annulus.
- 16. RD cementing equipment. Cut off wellhead, fill any exposed annulus with cement, as necessary. Install DHM. Record GPS coordinates for P&A marker and the Final P&A Report. Photograph the P&A marker and attach to the report.
- 17. RD and MO all rig and cement equipment. Assure that location is free of trash before moving off.
- 18. Send all reports and attachments will be uploaded to NMOCD website within 30 days of completion.

Formation Tops Rustler

T. Salt

Castille

D B/Salt

C. Cyn

Brushy CYN

Bone Spring

Bone Spr 1

638

987

4411

4634

5717


7357

8676'

9781

ConocoPhi	llips		PROPOSED
Author:	JJC		
Well Name	Zia Hills Unit 2532 BS	Well No.	404H
Field/Zone	Wildcat/Bone Spring	API #:	30-025-43363
County	Lea	Location	349' FNL &2310' FEL
State	NM		Sec 25, T26S R32E
Spud Date	6/28/2018	GL/KB:	3133/
Spud Date	6/28/2018	GL/KB:	3133/

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx circ	TOC
Surface Csg	11 3/4	J-55	47	912	14 3/4	446	Surf
Inter Csg	8 5/8	P110	32	4,814	10 5/8	949	Surf
Prod Csg	5.5	P110	23	17,756	7 7/8	2,013	1,120




\*Run CBL from CIBP to surface.

Submit results to BLM.

REVISED 8:42 am, May 30, 2025

ConocoPhillips		CURRENT		
Author:	JJC			
Well Name	Zia Hills Unit 2532 BS	Well No.	404H	
Field/Zone	Wildcat/Bone Spring	API #:	30-025-43363	
County	Lea	Location	349' FNL &2310' FEL	
State	NM		Sec 25, T26S R32E	
Spud Date	6/28/2018	GL/KB:	3133/	
'	-			

							0
Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx circ	TOC
Surface Csg	11 3/4	J-55	47	912	14 3/4	446	Surf
Inter Csg	8 5/8	P110	32	4,814	10 5/8	949	Surf
Prod Csg	5.5	P110	23	17,756	7 7/8	2,013	1,120



Outside of Lesser Prairie Chicken Area

# BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

# Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90<sup>th</sup> day provide this office, prior to the 90<sup>th</sup> day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

Notification: Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Lea County, call 575-689-5981. Eddy County, please email notifications to: <a href="mailto:BLM NM CFO PluggingNotifications@BLM.GOV">BLM NM CFO PluggingNotifications@BLM.GOV</a>. The Eddy County inspector on call phone, 575-361-2822, will remain active as a secondary contact.

<u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.

<u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of water. Minimum nine (9) pounds per gallon.

<u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours for Class C or accelerated cement (calcium chloride) and 6 hours for Class H. Tagging the plug means running in the hole with a string of tubing or drill pipe and placing sufficient weight on the plug to ensure its integrity. Other methods of tagging the plug may be approved by the BLM authorized officer or BLM field representative.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. **Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.** 

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

Fluid used to mix the cement in R111Q shall be saturated with the salts common to the section penetrated, and in suitable proportions but not less than 1% and not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

Above Ground Level Marker: If outside of Lesser Prairie-Chicken Habitat an above ground level marker shall be utilized. All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified BY PHONE (numbers listed in 2. Notifications) a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 14<sup>th</sup> day, the BLM is to be contacted with justification to receive an extension for completing the cut off. The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds). A weep hole shall be left if a metal plate is welded in place.

Below Ground Level Marker: If within Lesser Prairie-Chicken Habitat a below ground level marker shall be utilized. All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified BY PHONE (numbers listed in 2. Notifications) a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 14<sup>th</sup> day, the BLM is to be contacted with justification to receive an extension for completing the cut off. Upon the plugging and subsequent abandonment of wells that are located in lesser prairie-chicken habitat, the casings shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be covered with a metal plate at least ¼ inch thick and welded in place. A weep hole shall be left in the plate and/or casing. The following information shall be permanently inscribed on the plate: well name and number, name of operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds).

NMOCD also requires the operator to notify NMOCD when this type of dry hole marker is used. This can be done on the subsequent report of abandonment which is submitted to the BLM after the well is plugged. State that a below ground cap was installed as required in the COA's from the BLM.

Operator to verify the ground marker type with the BLM before setting dry hole Marker.

Subsequent Plugging Reporting: Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. Show date well was plugged.

<u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.

<u>Timing Limitation Stipulation/ Condition of Approval for Lesser Prairie-Chicken:</u>
From March 1<sup>st</sup> through June 15<sup>th</sup> annually, abandonment activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted.



# **United States Department of the Interior**

### BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

### **Reclamation Objectives and Procedures**

**Reclamation Objective:** Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its pre-disturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any/all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip (across the slope and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No.

For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.

The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.

Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and

access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.

It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.

At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech/Environmental Protection Specialist 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Jose Martinez-Colon Environmental Protection Specialist 575-234-5951

Angela Mohle Environmental Protection Specialist 575-234-9226

Robert Duenas Environmental Protection Specialist 575-234-2229

Terry Gregston Environmental Protection/HAZMAT Specialist 575-234-5958 Sundry ID 284103

Sundry ID	284103						
						Cement	
Plug Type	Тор	Bottom	Length	Tag	Sacks	Class	Notes
3 71			_ · <b>J</b> ·				
Surface Plug	0.00	100.00	100.00	Tag/Verify			
11.75 inch- Shoe Plug	852.88	962.00		Tag/Verify			
11.75 men- onde i lug	002.00	302.00	103.12	rag, voiny			Perf and squeeze
							from 1037' to
							surface. (In 94
Top of Salt @ 987	927.13	1037.00	109.87	Tag/Verify	234.00	С	sxs/Out 140 sxs)
							Spot cement from
							2256' to 2133'.
Base of Salt @ 2206	2133.94	2256.00	122.06	Tag/Verify	25.00	С	WOC and Tag.
Delaware @ 4431	4336.69	4481.00	144.31	base no			
							Spot cement from
0.005 : 1.01 BI	4705.00	4004.00	440.04	Tan A /anifi.	F0 00		4884' to 4336'.
8.625 inch- Shoe Plug	4735.66	4884.00	148.34	Tag/Verify	50.00	C	WOC and Tag.
				base no			
				need to			Spot cement from
Spacer Plug @ 7357	7233.43	7407.00	173.57	Tag	25.00	Н	7407' to 7233'.
				If solid			
				base no need to			
				Tag			
				(CIBP			
				present			
				and/or			
				Mechanic			
				al Integrity			
				Test), If			
				Perf &			
				Sqz then			
				Tag, Leak			
				Test all CIBP if no			
				Open			
				Perforatio			Spot cement from
Bonesprings @ 8676	8539.24	8726.00	186.76	1	34.00	Н	8726' to 8426'.
zenesprings @ serv	0000.21	0720.00	100.70				
				If solid			
				base no			
				need to			
				Tag			
				(CIBP			
				present			
				and/or			
				Mechanic al Integrity			
				Test), If			
				Perf &			
				Sqz then			
				Tag, Leak			
				Test all			
				CIBP if no			Set CIBP at 9760'.
				Open			Leak test CIBP.
				Perforatio		l	Spot 25 sacks on
CIBP Plug	9725.00	9760.00	35.00		25.00	Н	top.
5.5 inch- Shoe Plug	17528.44	17806.00	277.56	Tag/Verify			

No more than 2000' is to be allowed between plugs in open hole, and no more than 3000' between plugs in cased hole. Class H >7500' Class C<7500'

Fluid used to mix the cement in R111P shall be saturated with the salts common to the section penetrated, and in suitable proportions, but not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

Medium, Secretary: Top of salt to surface If no salt take the deepest fresh water or Karst Depth

High, Critical: Bottom of Karst to surface or Deepest fresh water, whichever is greater R111P: 50 Feet from Base of Salt to surface.

Class C: 1.32 ft^3/sx Class H: 1.06 ft^3/sx

Onshore Order 2.III.G Drilling Abandonment Requirements: "All formations bearing usable-quality water, oil, gas, or geothermal resources, and/or a prospectively valuable deposit of minerals shall be protected.

Cave Karst/Potash Cement Requirement:	<u>Low</u>		
11.75 inch- Shoe Plug @	912.00		
8.625 inch- Shoe Plug @	4834.00		
5.5 inch- Shoe Plug @	17756.00	TOC @	1120.00

CIBP @ 9760.00

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 520499

### **CONDITIONS**

Operator:	OGRID:
CONOCOPHILLIPS COMPANY	217817
600 W. Illinois Avenue	Action Number:
Midland, TX 79701	520499
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

### CONDITIONS

Created By	Condition	Condition Date
gcordero	Adhere to current Plug & Abandon (P&A) Conditions Of Approvals (COA).	11/13/2025
gcordero	A Cement Bond Log (CBL) is required to be submitted to electronic permitting.	11/13/2025
gcordero	Submit Cement Bond Logs (CBL) prior to submittal of C-103P.	11/13/2025